

# ItemList

A Schema.org Type

**Thing** > **Intangible** > **ItemList**

[\[more...\]](#)

A list of items of any sort—for example, Top 10 Movies About Weathermen, or Top 100 Party Songs. Not to be confused with HTML lists, which are often used only for formatting.

| Property                        | Expected Type                                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Properties from <b>ItemList</b> |                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>itemListElement</b>          | <b>ListItem</b> or<br><b>Text</b> or<br><b>Thing</b> | <p>For itemListElement values, you can use simple strings (e.g. "Peter", "Paul", "Mary"), existing entities, or use ListItem.</p> <p>Text values are best if the elements in the list are plain strings. Existing entities are best for a simple, unordered list of existing things in your data. ListItem is used with ordered lists when you want to provide additional context about the element in that list or when the same item might be in different places in different lists.</p> <p>Note: The order of elements in your mark-up is not sufficient for indicating the order of elements. Use ListItem with a 'position' property in such cases.</p> |

| Property                         | Expected Type                                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>itemListOrder</b>             | <b>ItemListOrderType</b><br>or<br><b>Text</b> | Type of ordering (e.g. Ascending, Descending, Unordered).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>numberOfItems</b>             | <b>Integer</b>                                | The number of items in an ItemList. Note that some descriptions might not fully describe all items in a list (e.g., multi-page pagination); in such cases, the numberOfItems would be for the entire list.                                                                                                                                                                                                                                                                                                                                                        |
| Properties from <b>Thing</b>     |                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>additionalType</b>            | <b>Text</b> or<br><b>URL</b>                  | An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org <b>style guide</b> . |
| <b>alternateName</b>             | <b>Text</b>                                   | An alias for the item.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>description</b>               | <b>Text</b> or<br><b>TextObject</b>           | A description of the item.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>disambiguatingDescription</b> | <b>Text</b>                                   | A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.                                                                                                                                                                                                                                                                                                                      |

| Property                | Expected Type                                     | Description                                                                                                                                                                                                                                                                                            |
|-------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>identifier</b>       | <b>PropertyValue</b> or <b>Text</b> or <b>URL</b> | The identifier property represents any kind of identifier for any kind of <b>Thing</b> , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See <b>background notes</b> for more details. |
| <b>image</b>            | <b>ImageObject</b> or <b>URL</b>                  | An image of the item. This can be a <b>URL</b> or a fully described <b>ImageObject</b> .                                                                                                                                                                                                               |
| <b>mainEntityOfPage</b> | <b>CreativeWork</b> or <b>URL</b>                 | Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See <b>background notes</b> for details.<br>Inverse property: <b>mainEntity</b>                                                                                                                      |
| <b>name</b>             | <b>Text</b>                                       | The name of the item.                                                                                                                                                                                                                                                                                  |
| <b>potentialAction</b>  | <b>Action</b>                                     | Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.                                                                                                                                                                                     |
| <b>sameAs</b>           | <b>URL</b>                                        | URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.                                                                                                                                          |
| <b>subjectOf</b>        | <b>CreativeWork</b> or <b>Event</b>               | A CreativeWork or Event about this Thing.<br>Inverse property: <b>about</b>                                                                                                                                                                                                                            |
| <b>url</b>              | <b>URL</b>                                        | URL of the item.                                                                                                                                                                                                                                                                                       |

Instances of **ItemList** may appear as a value for the following properties

| Property                    | On Types                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>acceptedAnswer</b>       | <b>Question</b>                 | The answer(s) that has been accepted as best, typically on a Question/Answer site. Sites vary in their selection mechanisms, e.g. drawing on community opinion and/or the view of the Question author.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>accessModeSufficient</b> | <b>CreativeWork</b>             | A list of single or combined accessModes that are sufficient to understand all the intellectual content of a resource. Values should be drawn from the <b>approved vocabulary</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>itinerary</b>            | <b>Trip</b>                     | Destination(s) ( <b>Place</b> ) that make up a trip. For a trip where destination order is important use <b>ItemList</b> to specify that order (see examples).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>negativeNotes</b>        | <b>Product</b> or <b>Review</b> | <p>Provides negative considerations regarding something, most typically in pro/con lists for reviews (alongside <b>positiveNotes</b>). For symmetry</p> <p>In the case of a <b>Review</b>, the property describes the <b>itemReviewed</b> from the perspective of the review; in the case of a <b>Product</b>, the product itself is being described. Since product descriptions tend to emphasise positive claims, it may be relatively unusual to find <b>negativeNotes</b> used in this way. Nevertheless for the sake of symmetry, <b>negativeNotes</b> can be used on <b>Product</b>.</p> <p>The property values can be expressed either as unstructured text (repeated as necessary), or if ordered, as a list (in which case the most negative is at the beginning of the list).</p> |
|                             | <b>Product</b> or <b>Review</b> | <p>Provides positive considerations regarding something, for example product highlights or (alongside <b>negativeNotes</b>) pro/con lists for reviews.</p> <p>In the case of a <b>Review</b>, the property describes the <b>itemReviewed</b> from the perspective of the review; in the case of a <b>Product</b>, the product itself is being described.</p> <p>The property values can be expressed either as unstructured text (repeated as necessary), or if ordered, as a list (in which case the most positive is at the beginning of the list).</p>                                                                                                                                                                                                                                   |
| <b>positiveNotes</b>        |                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

| Property                  | On Types                                  | Description                                                                                                                                                              |
|---------------------------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>recipeInstructions</b> | <b>Recipe</b>                             | A step in making the recipe, in the form of a single item (document, video, etc.) or an ordered list with <code>HowToStep</code> and/or <code>HowToSection</code> items. |
| <b>steps</b>              | <b>HowTo</b> or <b>HowToSection</b>       | A single step item (as <code>HowToStep</code> , text, document, video, etc.) or a <code>HowToSection</code> (originally misnamed 'steps'; 'step' is preferred).          |
| <b>suggestedAnswer</b>    | <b>Question</b>                           | An answer (possibly one of several, possibly incorrect) to a <code>Question</code> , e.g. on a Question/Answer site.                                                     |
| <b>track</b>              | <b>MusicGroup</b> or <b>MusicPlaylist</b> | A music recording (track)—usually a single song. If an <code>ItemList</code> is given, the list should contain items of type <code>MusicRecording</code> .               |

## More specific Types

- **BreadcrumbList**
- **HowToSection**
- **HowToStep**
- **OfferCatalog**

## Examples

### Example 1

No Markup

Microdata

RDFa

**JSON-LD**

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "ItemList",
  "itemListElement": [
    "HP Pavilion dv6-6013cl",
    "Dell XPS 15 (Sandy Bridge)",
    "Lenovo ThinkPad X220"
  ],
  "itemListOrder": "https://schema.org/ItemListOrderDescending",
  "name": "Top 10 laptops"
}
</script>
```

## 📄 Example 2

|           |           |      |                |           |
|-----------|-----------|------|----------------|-----------|
| No Markup | Microdata | RDFa | <b>JSON-LD</b> | Structure |
|-----------|-----------|------|----------------|-----------|

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "ItemList",
  "url": "http://multivarki.ru?filters%5Bprice%5D%5BLTE%5D=39600",
  "numberOfItems": "315",
  "itemListElement": [
```

```

{
  "@type": "Product",
  "image": "http://img01.multivarki.ru.ru/c9/f1/a5fe6642-18d0-47ad-b038-6fca20f1c923.jpeg",
  "url": "http://multivarki.ru/brand_502/",
  "name": "Brand 502",
  "offers": {
    "@type": "Offer",
    "priceCurrency": "RUB",
    "price": "4399.00"
  }
},
{
  "@type": "Product",
  "name": "...
}
]
}
</script>

```

### 📄 Example 3

|           |           |      |                |           |
|-----------|-----------|------|----------------|-----------|
| No Markup | Microdata | RDFa | <b>JSON-LD</b> | Structure |
|-----------|-----------|------|----------------|-----------|

Example encoded as JSON-LD in a HTML script tag.

```

<script type="application/ld+json">
{
  "@context": "https://schema.org",

```

```
"@type": ["ItemList", "CreativeWork"],
"name": "Top 5 covers of Bob Dylan Songs",
"author": "John Doe",
"about": {
  "@type": "MusicRecording",
  "byArtist": {
    "@type": "MusicGroup",
    "name": "Bob Dylan"
  }
},
"itemListOrder": "https://schema.org/ItemListOrderAscending",
"numberOfItems": 5,
"itemListElement": [
  {
    "@type": "ListItem",
    "position": 5,
    "item": {
      "@type": "MusicRecording",
      "name": "If Not For You",
      "byArtist": {
        "@type": "MusicGroup",
        "name": "George Harrison"
      }
    }
  },
  {
    "@type": "ListItem",
    "position": 4,
```



```
"item": {
  "@type": "MusicRecording",
  "name": "The Times They Are A-Changin'",
  "byArtist": {
    "@type": "MusicGroup",
    "name": "Tracy Chapman"
  }
},
{
  "@type": "ListItem",
  "position": 3,
  "item": {
    "@type": "MusicRecording",
    "name": "It Ain't Me Babe",
    "byArtist": [
      {
        "@type": "MusicGroup",
        "name": "Johnny Cash"
      },
      {
        "@type": "MusicGroup",
        "name": "June Carter Cash"
      }
    ]
  }
},
{
```

```
"@type": "ListItem",
"position": 2,
"item": {
  "@type": "MusicRecording",
  "name": "Don't Think Twice It's Alright",
  "byArtist": {
    "@type": "MusicGroup",
    "name": "Waylon Jennings"
  }
},
{
  "@type": "ListItem",
  "position": 1,
  "item": {
    "@type": "MusicRecording",
    "name": "All Along the Watchtower",
    "byArtist": {
      "@type": "MusicGroup",
      "name": "Jimi Hendrix"
    }
  }
}
]
}
</script>
```

## 📄 Example 4

No Markup

Microdata

RDFa

**JSON-LD**

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "ItemList",
  "url": "http://en.wikipedia.org/wiki/Billboard_200",
  "name": "Top music artists",
  "description": "The artists with the most cumulative weeks at number one according to Billboard 200",
  "itemListElement": [
    {
      "@type": "ListItem",
      "position": 1,
      "item": {
        "@type": "MusicGroup",
        "name": "Beatles"
      }
    },
    {
      "@type": "ListItem",
      "position": 2,
      "item": {
        "@type": "MusicGroup",
        "name": "Elvis Presley"
      }
    }
  ]
}
```

```
    }  
  },  
  {  
    "@type": "ListItem",  
    "position": 3,  
    "item": {  
      "@type": "MusicGroup",  
      "name": "Michael Jackson"  
    }  
  },  
  {  
    "@type": "ListItem",  
    "position": 3,  
    "item": {  
      "@type": "MusicGroup",  
      "name": "Garth Brooks"  
    }  
  }  
]  
}  
</script>
```

## 📄 Example 5

No Markup

Microdata

RDFa

**JSON-LD**

Structure

---

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "MusicAlbum",
  "name": "King of Limbs",
  "byArtist": {
    "@type": "MusicGroup",
    "name": "Radiohead"
  },
  "track": {
    "@type": "ItemList",
    "numberOfItems": 8,
    "itemListElement": [
      {
        "@type": "ListItem",
        "position": 1,
        "item": {
          "@type": "MusicRecording",
          "name": "Bloom"
        }
      },
      {
        "@type": "ListItem",
        "position": 2,
        "item": {
          "@type": "MusicRecording",
          "name": "Morning Mr. Magpie"
        }
      }
    ]
  }
}
```

```
    },
    {
      "@type": "ListItem",
      "position": 3,
      "item": {
        "@type": "MusicRecording",
        "name": "Little by Little"
      }
    }
  ]
}
</script>
```

## 📄 Example 6

No Markup

Microdata

RDFa

**JSON-LD**

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "BreadcrumbList",
  "itemListElement":
  [
    {
      "@type": "ListItem",
```

```
"position": 1,
"item":
{
  "@id": "https://example.com/dresses",
  "name": "Dresses"
},
{
  "@type": "ListItem",
  "position": 2,
  "item":
  {
    "@id": "https://example.com/dresses/real",
    "name": "Real Dresses"
  }
}
]
}
</script>
```

