

JobPosting

A Schema.org Type

Thing › **Intangible** › **JobPosting**

[\[more...\]](#)

A listing that describes a job opening in a certain organization.

Property	Expected Type	Description
Properties from JobPosting		
applicantLocationRequirements	AdministrativeArea	The location(s) applicants can apply from. This is usually used for telecommuting jobs where the applicant does not need to be in a physical office. Note: This should not be used for citizenship or work visa requirements.
applicationContact	ContactPoint	Contact details for further information relevant to this job posting.
baseSalary	MonetaryAmount or Number or PriceSpecification	The base salary of the job or of an employee in an EmployeeRole.

Property	Expected Type	Description
datePosted	Date or DateTime	Publication date of an online listing.
directApply	Boolean	Indicates whether an url that is associated with a JobPosting enables direct application for the job, via the posting website. A job posting is considered to have directApply of True if an application process for the specified job can be directly initiated via the url(s) given (noting that e.g. multiple internet domains might nevertheless be involved at an implementation level). A value of False is appropriate if there is no clear path to applying directly online for the specified job, navigating directly from the JobPosting url(s) supplied.
educationRequirements	EducationalOccupationalCredential or Text	Educational background needed for the position or Occupation.
eligibilityToWorkRequirement	Text	The legal requirements such as citizenship, visa and other documentation required for an applicant to this job.
employerOverview	Text	A description of the employer, career opportunities and work environment for this position.
employmentType	Text	Type of employment (e.g. full-time, part-time, contract, temporary, seasonal, internship).

Property	Expected Type	Description
employmentUnit	Organization	Indicates the department, unit and/or facility where the employee reports and/or in which the job is to be performed.
estimatedSalary	MonetaryAmount or MonetaryAmountDistribution or Number	An estimated salary for a job posting or occupation, based on a variety of variables including, but not limited to industry, job title, and location. Estimated salaries are often computed by outside organizations rather than the hiring organization, who may not have committed to the estimated value.
experienceInPlaceOfEducation	Boolean	Indicates whether a JobPosting will accept experience (as indicated by OccupationalExperienceRequirements) in place of its formal educational qualifications (as indicated by educationRequirements). If true, indicates that satisfying one of these requirements is sufficient.
experienceRequirements	OccupationalExperienceRequirements or Text	Description of skills and experience needed for the position or Occupation.
hiringOrganization	Organization or Person	Organization or Person offering the job position.
incentiveCompensation	Text	Description of bonus and commission compensation aspects of the job. Supersedes incentives .

Property	Expected Type	Description
industry	DefinedTerm or Text	The industry associated with the job position.
jobBenefits	Text	Description of benefits associated with the job. Supersedes benefits .
jobImmediateStart	Boolean	An indicator as to whether a position is available for an immediate start.
jobLocation	Place	A (typically single) geographic location associated with the job position.
jobLocationType	Text	A description of the job location (e.g. TELECOMMUTE for telecommute jobs).
jobStartDate	Date or Text	The date on which a successful applicant for this job would be expected to start work. Choose a specific date in the future or use the jobImmediateStart property to indicate the position is to be filled as soon as possible.
occupationalCategory	CategoryCode or Text	A category describing the job, preferably using a term from a taxonomy such as BLS O*NET-SOC, ISCO-08 or similar, with the property repeated for each applicable value. Ideally the taxonomy should be identified, and both the textual label and formal code for the category should be provided. Note: for historical reasons, any textual label and

Property	Expected Type	Description
		formal code provided as a literal may be assumed to be from O*NET-SOC.
physicalRequirement	DefinedTerm or Text or URL	A description of the types of physical activity associated with the job. Defined terms such as those in O*net may be used, but note that there is no way to specify the level of ability as well as its nature when using a defined term.
qualifications	EducationalOccupationalCredential or Text	Specific qualifications required for this role or Occupation.
relevantOccupation	Occupation	The Occupation for the JobPosting.
responsibilities	Text	Responsibilities associated with this role or Occupation.
salaryCurrency	Text	The currency (coded using ISO 4217) used for the main salary information in this job posting or for this employee.
securityClearanceRequirement	Text or URL	A description of any security clearance requirements of the job.

Property	Expected Type	Description
sensoryRequirement	DefinedTerm or Text or URL	A description of any sensory requirements and levels necessary to function on the job, including hearing and vision. Defined terms such as those in O*net may be used, but note that there is no way to specify the level of ability as well as its nature when using a defined term.
skills	DefinedTerm or Text	A statement of knowledge, skill, ability, task or any other assertion expressing a competency that is either claimed by a person, an organization or desired or required to fulfill a role or to work in an occupation.
specialCommitments	Text	Any special commitments associated with this job posting. Valid entries include VeteranCommit, MilitarySpouseCommit, etc.
title	Text	The title of the job.
totalJobOpenings	Integer	The number of positions open for this job posting. Use a positive integer. Do not use if the number of positions is unclear or not known.
validThrough	Date or DateTime	The date after when the item is not valid. For example the end of an offer, salary period, or a period of opening hours.
workHours	Text	The typical working hours for this job (e.g. 1st shift, night shift, 8am-5pm).

Property	Expected Type	Description
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of <code>rdf:type</code> in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as

Property	Expected Type	Description
		textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Examples

Example 1

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "JobPosting",
  "baseSalary": "100000",
  "jobBenefits": "Medical, Life, Dental",
  "datePosted": "2011-10-31",
  "description": "Description: ABC Company Inc. seeks a full-time mid-level software engineer to develop ir",
  "educationRequirements": "Bachelor's Degree in Computer Science, Information Systems or related fields of",
  "employmentType": "Full-time",
  "experienceRequirements": "Minumum 3 years experience as a software engineer",
  "incentiveCompensation": "Performance-based annual bonus plan, project-completion bonuses",
  "industry": "Computer Software",
  "jobLocation": {
    "@type": "Place",
    "address": {
      "@type": "PostalAddress",
      "addressLocality": "Kirkland",
      "addressRegion": "WA"
    }
  },
  "occupationalCategory": "15-1132.00 Software Developers, Application",
  "qualifications": "Ability to work in a team environment with members of varying skill levels. Highly mot",
  "responsibilities": "Design and write specifications for tools for in-house customers Build tools accordi
```

```
"salaryCurrency": "USD",
"skills": "Web application development using Java/J2EE Web application development using Python or famili
"specialCommitments": "VeteranCommit",
"title": "Software Engineer",
"workHours": "40 hours per week"
}
</script>
```

📄 Example 2

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org/",
  "@type": "JobPosting",
  "name": "Mobile App Developer",
  "hiringOrganization": {
    "@type": "Organization",
    "name": "ACME Software"
  },
  "relevantOccupation": {
    "@type": "Occupation",
    "name": "Software Developers, Applications",
    "occupationalCategory": {
```

```

    "@type": "CategoryCode",
    "inCodeSet": {
      "@type": "CategoryCodeSet",
      "name": "O*Net-SOC",
      "dateModified": "2019",
      "url": "https://www.onetonline.org/"
    },
    "codeValue": "15-1132.00",
    "name": "Software Developers, Applications",
    "url": "https://www.onetonline.org/link/summary/15-1132.00"
  }
}
</script>

```

📄 Example 3

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```

<script type="application/ld+json">
{
  "@context": "https://schema.org/",
  "@type": "JobPosting",
  "name": "Telecommute from anywhere in USA!",
  "applicantLocationRequirements": {
    "@type": "Country",

```

```
    "sameAs": "https://www.wikidata.org/wiki/Q30",
    "name": "USA"
  }
}
</script>
```

📄 Example 4

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org/",
  "@type": "JobPosting",
  "title": "Systems Research Engineer",
  "qualifications": {
    "@type": "EducationalOccupationalCredential",
    "credentialCategory": "Bachelor of Science",
    "about": "Computer Science",
    "recognizedBy": {
      "@type": "Organization",
      "name": "ABET",
      "url": "https://www.abet.org/"
    }
  }
}
}
```

</script>

📄 Example 5

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org/",
  "@type": "JobPosting",
  "title": "Software Engineer",
  "educationRequirements": {
    "@type": "EducationalOccupationalCredential",
    "credentialCategory": "bachelor degree"
  },
  "experienceRequirements": {
    "@type": "OccupationalExperienceRequirements",
    "monthsOfExperience": "60"
  },
  "experienceInPlaceOfEducation": true
}
</script>
```

