

Language

A Schema.org Type

Thing › **Intangible** › **Language**

[\[more...\]](#)

Natural languages such as Spanish, Tamil, Hindi, English, etc. Formal language code tags expressed in [BCP 47](#) can be used via the [alternateName](#) property. The Language type previously also covered programming languages such as Scheme and Lisp, which are now best represented using [ComputerLanguage](#).

Property	Expected Type	Description
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of <code>rdf:type</code> in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.

Property	Expected Type	Description
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about

Property	Expected Type	Description
url	URL	URL of the item.

Instances of **Language** may appear as a value for the following properties

Property	On Types	Description
availableLanguage	ContactPoint or Course or LodgingBusiness or ServiceChannel or TouristAttraction	A language someone may use with or at the item, service or place. Please use one of the language codes from the IETF BCP 47 standard . See also inLanguage .
inLanguage	BroadcastService or CommunicateAction or CreativeWork or Event or LinkRole or PronounceableText or WriteAction	The language of the content or performance or used in an action. Please use one of the language codes from the IETF BCP 47 standard . See also availableLanguage .
knowsLanguage	Organization or Person	Of a Person , and less typically of an Organization , to indicate a known language. We do not distinguish skill levels or reading/writing/speaking/signing here. Use language codes from the IETF BCP 47 standard .
language	CommunicateAction or	A sub property of instrument. The language used on this action.

Property	On Types	Description
	WriteAction	
subtitleLanguage	BroadcastEvent or Movie or ScreeningEvent or TVEpisode	Languages in which subtitles/captions are available, in IETF BCP 47 standard format .

Examples

📄 Example 1

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "GovernmentService",
  "name": "Veterans Affairs Emergency Mental Health",
  "serviceType": "Psychiatric Emergency Services",
  "serviceOperator": {
    "@type": "GovernmentOrganization",
    "name": "US Department of Veterans Affairs"
  },
  "areaServed": {
    "@type": "AdministrativeArea",
```

```
    "name": "Massachusetts"
  },
  "audience": {
    "@type": "Audience",
    "name": "Veterans"
  },
  "availableChannel": {
    "@type": "ServiceChannel",
    "name": "Urgent Care Clinic",
    "availableLanguage": {
      "@type": "Language",
      "name": "Spanish",
      "alternateName": "es"
    },
    "serviceLocation": {
      "@type": "Hospital",
      "name": "VA Boston -- West Roxbury",
      "address": {
        "@type": "PostalAddress",
        "streetAddress": "1400 VFW Parkway",
        "addressLocality": "West Roxbury",
        "addressRegion": "MA",
        "postalCode": "02132"
      }
    }
  }
}
```

</script>

Example 2

No Markup

Microdata

Example notes or example HTML without markup.

This example is in microdata only.