

# LocationFeatureSpecification

A Schema.org Type

**Thing** > **Intangible** > **StructuredValue** > **PropertyValue** > **LocationFeatureSpecification**

[\[more...\]](#)

Specifies a location feature by providing a structured value representing a feature of an accommodation as a property-value pair of varying degrees of formality.

| Property                                            | Expected Type                    | Description                                                                                                              |
|-----------------------------------------------------|----------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Properties from <b>LocationFeatureSpecification</b> |                                  |                                                                                                                          |
| <b>hoursAvailable</b>                               | <b>OpeningHoursSpecification</b> | The hours during which this service or contact is available.                                                             |
| <b>validFrom</b>                                    | <b>Date</b> or <b>DateTime</b>   | The date when the item becomes valid.                                                                                    |
| <b>validThrough</b>                                 | <b>Date</b> or <b>DateTime</b>   | The date after when the item is not valid. For example the end of an offer, salary period, or a period of opening hours. |
| Properties from <b>PropertyValue</b>                |                                  |                                                                                                                          |
| <b>maxValue</b>                                     | <b>Number</b>                    | The upper value of some characteristic or property.                                                                      |

| Property                    | Expected Type                                       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>measurementMethod</b>    | DefinedTerm or MeasurementMethodEnum or Text or URL | A subproperty of <b>measurementTechnique</b> that can be used for specifying specific methods, in particular via <b>MeasurementMethodEnum</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>measurementTechnique</b> | DefinedTerm or MeasurementMethodEnum or Text or URL | <p>A technique, method or technology used in an <b>Observation</b>, <b>StatisticalVariable</b> or <b>Dataset</b> (or <b>DataDownload</b>, <b>DataCatalog</b>), corresponding to the method used for measuring the corresponding variable(s) (for datasets, described using <b>variableMeasured</b>; for <b>Observation</b>, a <b>StatisticalVariable</b>). Often but not necessarily each <b>variableMeasured</b> will have an explicit representation as (or mapping to) an property such as those defined in Schema.org, or other RDF vocabularies and "knowledge graphs". In that case the subproperty of <b>variableMeasured</b> called <b>measuredProperty</b> is applicable.</p> <p>The <b>measurementTechnique</b> property helps when extra clarification is needed about how a <b>measuredProperty</b> was measured. This is oriented towards scientific and scholarly dataset publication but may have broader applicability; it is not intended as a full representation of measurement, but can often serve as a high level summary for dataset discovery.</p> <p>For example, if <b>variableMeasured</b> is: molecule concentration, <b>measurementTechnique</b> could be: "mass spectrometry" or "nmr spectroscopy" or "colorimetry" or "immunofluorescence". If the <b>variableMeasured</b> is "depression rating", the <b>measurementTechnique</b> could be "Zung Scale" or "HAM-D" or "Beck Depression Inventory".</p> |

| Property          | Expected Type             | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                           | <p>If there are several <b>variableMeasured</b> properties recorded for some given data object, use a <b>PropertyValue</b> for each <b>variableMeasured</b> and attach the corresponding <b>measurementTechnique</b>. The value can also be from an enumeration, organized as a <b>MeasurementMethodEnumeration</b>.</p>                                                                                                                                                                                                                                                                                                                                      |
| <b>minValue</b>   | <b>Number</b>             | The lower value of some characteristic or property.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>propertyID</b> | <b>Text</b> or <b>URL</b> | <p>A commonly used identifier for the characteristic represented by the property, e.g. a manufacturer or a standard code for a property. propertyID can be (1) a prefixed string, mainly meant to be used with standards for product properties; (2) a site-specific, non-prefixed string (e.g. the primary key of the property or the vendor-specific ID of the property), or (3) a URL indicating the type of the property, either pointing to an external vocabulary, or a Web resource that describes the property (e.g. a glossary entry). Standards bodies should promote a standard prefix for the identifiers of properties from their standards.</p> |
| <b>unitCode</b>   | <b>Text</b> or <b>URL</b> | The unit of measurement given using the UN/CEFACT Common Code (3 characters) or a URL. Other codes than the UN/CEFACT Common Code may be used with a prefix followed by a colon.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>unitText</b>   | <b>Text</b>               | A string or text indicating the unit of measurement. Useful if you cannot provide a standard unit code for <b>unitCode</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

| Property                     | Expected Type                                                                                                                                                                                                                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>value</b>                 | <b>Boolean</b> or<br><b>Number</b> or<br><b>StructuredValue</b> or<br><b>Text</b>                                                                                                                                             | <p>The value of a <b>QuantitativeValue</b> (including <b>Observation</b>) or property value node.</p> <ul style="list-style-type: none"> <li>For <b>QuantitativeValue</b> and <b>MonetaryAmount</b>, the recommended type for values is 'Number'.</li> <li>For <b>PropertyValue</b>, it can be 'Text', 'Number', 'Boolean', or 'StructuredValue'.</li> <li>Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar Unicode symbols.</li> <li>Use '.' (Unicode 'FULL STOP' (U+002E)) rather than ',' to indicate a decimal point. Avoid using these symbols as a readability separator.</li> </ul> |
| <b>valueReference</b>        | <b>DefinedTerm</b> or<br><b>Enumeration</b> or<br><b>MeasurementTypeEnumeration</b><br>or<br><b>PropertyValue</b> or<br><b>QualitativeValue</b> or<br><b>QuantitativeValue</b> or<br><b>StructuredValue</b> or<br><b>Text</b> | <p>A secondary value that provides additional information on the original value, e.g. a reference temperature or a type of measurement.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Properties from <b>Thing</b> |                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>additionalType</b>        | <b>Text</b> or<br><b>URL</b>                                                                                                                                                                                                  | <p>An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| Property                         | Expected Type                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                  |                              | is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of <code>rdf:type</code> in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the <a href="#">schema.org style guide</a> . |
| <b>alternateName</b>             | Text                         | An alias for the item.                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>description</b>               | Text or TextObject           | A description of the item.                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>disambiguatingDescription</b> | Text                         | A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.                                                                                                                                                                                                        |
| <b>identifier</b>                | PropertyValue or Text or URL | The identifier property represents any kind of identifier for any kind of <b>Thing</b> , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See <a href="#">background notes</a> for more details.                                                                                                                                     |
| <b>image</b>                     | ImageObject or URL           | An image of the item. This can be a <a href="#">URL</a> or a fully described <a href="#">ImageObject</a> .                                                                                                                                                                                                                                                                                                                                          |
| <b>mainEntityOfPage</b>          | CreativeWork or URL          | Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See <a href="#">background notes</a> for details.<br>Inverse property: <a href="#">mainEntity</a>                                                                                                                                                                                                                                                 |

| Property               | Expected Type         | Description                                                                                                                                                   |
|------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>name</b>            | Text                  | The name of the item.                                                                                                                                         |
| <b>potentialAction</b> | Action                | Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.                                            |
| <b>sameAs</b>          | URL                   | URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website. |
| <b>subjectOf</b>       | CreativeWork or Event | A CreativeWork or Event about this Thing.<br>Inverse property: <b>about</b>                                                                                   |
| <b>url</b>             | URL                   | URL of the item.                                                                                                                                              |

Instances of **LocationFeatureSpecification** may appear as a value for the following properties

| Property              | On Types                                                                           | Description                                                                                                                                                                                                                           |
|-----------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>amenityFeature</b> | <b>Accommodation</b> or <b>FloorPlan</b> or <b>LodgingBusiness</b> or <b>Place</b> | An amenity feature (e.g. a characteristic or service) of the Accommodation. This generic property does not make a statement about whether the feature is included in an offer for the main accommodation or available at extra costs. |

## Acknowledgements

STI Accommodation Ontology

This element is based on the STI Accommodation Ontology, see <http://ontologies.sti-innsbruck.at/acco/ns.html> for details. Many class and property definitions are inspired by or based on abstracts from Wikipedia, the free encyclopedia.

## Examples

### Example 1

No Markup

Microdata

---

*Example notes or example HTML without markup.*

This example is in microdata only.

### Example 2

No Markup

Microdata

---

*Example notes or example HTML without markup.*

This example is in microdata only.

