

MedicalGuidelineRecommendation

A Schema.org Type

Thing › **MedicalEntity** › **MedicalGuideline** › **MedicalGuidelineRecommendation**

[\[more...\]](#)

A guideline recommendation that is regarded as efficacious and where quality of the data supporting the recommendation is sound.

Property	Expected Type	Description
Properties from MedicalGuidelineRecommendation		
recommendationStrength	Text	Strength of the guideline's recommendation (e.g. 'class I').
Properties from MedicalGuideline		
evidenceLevel	MedicalEvidenceLevel	Strength of evidence of the data used to formulate the guideline (enumerated).
evidenceOrigin	Text	Source of the data used to formulate the guidance, e.g. RCT, consensus opinion, etc.
guidelineDate	Date	Date on which this guideline's recommendation was made.

Property	Expected Type	Description
guidelineSubject	MedicalEntity	The medical conditions, treatments, etc. that are the subject of the guideline.
Properties from MedicalEntity		
code	MedicalCode	A medical code for the entity, taken from a controlled vocabulary or ontology such as ICD-9, DiseasesDB, MeSH, SNOMED-CT, RxNorm, etc.
funding	Grant	A Grant that directly or indirectly provide funding or sponsorship for this item. See also ownershipFundingInfo . Inverse property: fundedItem
guideline	MedicalGuideline	A medical guideline related to this entity.
legalStatus	DrugLegalStatus or MedicalEnumeration or Text	The drug or supplement's legal status, including any controlled substance schedules that apply.
medicineSystem	MedicineSystem	The system of medicine that includes this MedicalEntity, for example 'evidence-based', 'homeopathic', 'chiropractic', etc.
recognizingAuthority	Organization	If applicable, the organization that officially recognizes this entity as part of its endorsed system of medicine.
relevantSpecialty	MedicalSpecialty	If applicable, a medical specialty in which this entity is relevant.
study	MedicalStudy	A medical study or trial related to this entity.
Properties from Thing		

Property	Expected Type	Description
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of <code>rdf:type</code> in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity

Property	Expected Type	Description
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Examples

📄 Example 1

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "MedicalScholarlyArticle",
  "about": [
    {
```

```
"@type": "Drug",
"code": {
  "@id": "http://www.ncbi.nlm.nih.gov/mesh/D02.078.370.141.450",
  "@type": "MedicalCode",
  "code": "D02.078.370.141.450",
  "codingSystem": "MeSH"
},
"name": "Metformin"
},
{
  "@type": "MedicalCondition",
  "name": "Diabetes Mellitus, Type 2"
}
],
"audience": "https://schema.org/Clinician",
"author": {
  "@type": "Person",
  "affiliation": "Medical University",
  "name": "Dr. John Smith"
},
"datePublished": "2012-03-24",
"description": "We review clinical evidence related to the use of metformin for treatment of type-2 diabe",
"name": "New guidelines for metformin and diabetes mellitus",
"publicationType": "Meta-Analysis"
}
</script>
```

📄 Example 2

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "MedicalGuidelineRecommendation",
      "evidenceLevel": "https://schema.org/EvidenceLevelA",
      "evidenceOrigin": "multiple randomized clinical trials",
      "recommendationStrength": "Strong recommendation",
      "guidelineSubject": [
        {
          "@type": "Drug",
          "name": "NewvoDrug"
        },
        {
          "@type": "MedicalCondition",
          "name": "cardiac failure"
        }
      ]
    }
  ],
}
```

```
"@type": "MedicalGuidelineContraindication",
"evidenceLevel": "https://schema.org/EvidenceLevelC",
"evidenceOrigin": "standard of care",
"guidelineSubject": [
  {
    "@type": "MedicalCondition",
    "name": "cardiac failure"
  },
  {
    "@type": "TherapeuticProcedure",
    "name": "appendectomy"
  }
]
}
]
}
</script>
```