

Number

A Schema.org Data Type

DataType > **Number**

[\[more...\]](#)

Data type: Number.

Usage guidelines:

- Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar Unicode symbols.
- Use '.' (Unicode 'FULL STOP' (U+002E)) rather than ',' to indicate a decimal point. Avoid using these symbols as a readability separator.

Instances of **Number** may appear as a value for the following properties

Property	On Types	Description
additionalNumberOfGuests	RsvpAction	If responding yes, the number of guests who will attend in addition to the invitee.

Property	On Types	Description
amount	DatedMoneySpecification or InvestmentOrDeposit or LoanOrCredit or MonetaryGrant or MoneyTransfer	The amount of money.
amountOfThisGood	TypeAndQuantityNode	The quantity of the goods included in the offer.
annualPercentageRate	FinancialProduct	The annual rate that is charged for borrowing (or made by investing), expressed as a single percentage number that represents the actual yearly cost of funds over the term of a loan. This includes any fees or additional costs associated with the transaction.
baseSalary	EmployeeRole or JobPosting	The base salary of the job or of an employee in an EmployeeRole .
bestRating	Rating	The highest value allowed in this rating system.
billingDuration	UnitPriceSpecification	Specifies for how long this price (or price component) will be billed. Can be used, for example, to model the contractual duration of a subscription or payment plan. Type can be either a Duration or a Number (in which case the unit of measurement, for example month, is specified by the unitCode property).
billingIncrement	UnitPriceSpecification	This property specifies the minimal quantity and rounding increment that will be the basis for the

Property	On Types	Description
		billing. The unit of measurement is specified by the unitCode property.
billingStart	UnitPriceSpecification	Specifies after how much time this price (or price component) becomes valid and billing starts. Can be used, for example, to model a price increase after the first year of a subscription. The unit of measurement is specified by the unitCode property.
broadcastFrequencyValue	BroadcastFrequencySpecification	The frequency in MHz for a particular broadcast.
cashBack	PaymentCard	A cardholder benefit that pays the cardholder a small percentage of their net expenditures.
childMaxAge	ParentAudience	Maximal age of the child.
childMinAge	ParentAudience	Minimal age of the child.
copyrightYear	CreativeWork	The year during which the claimed copyright for the CreativeWork was first asserted.
costPerUnit	DrugCost	The cost per unit of the drug.
cvdNumBeds	CDCPMDRecord	numbeds - HOSPITAL INPATIENT BEDS: Inpatient beds, including all staffed, licensed, and overflow (surge) beds used for inpatients.
cvdNumBedsOcc	CDCPMDRecord	numbedsocc - HOSPITAL INPATIENT BED OCCUPANCY: Total number of staffed inpatient beds that are occupied.

Property	On Types	Description
cvdNumC19Died	CDCPMDRecord	numc19died - DEATHS: Patients with suspected or confirmed COVID-19 who died in the hospital, ED, or any overflow location.
cvdNumC19HOPats	CDCPMDRecord	numc19hopats - HOSPITAL ONSET: Patients hospitalized in an NHSN inpatient care location with onset of suspected or confirmed COVID-19 14 or more days after hospitalization.
cvdNumC19HospPats	CDCPMDRecord	numc19hosppats - HOSPITALIZED: Patients currently hospitalized in an inpatient care location who have suspected or confirmed COVID-19.
cvdNumC19MechVentPats	CDCPMDRecord	numc19mechventpats - HOSPITALIZED and VENTILATED: Patients hospitalized in an NHSN inpatient care location who have suspected or confirmed COVID-19 and are on a mechanical ventilator.
cvdNumC19OFMechVentPats	CDCPMDRecord	numc19ofmechventpats - ED/OVERFLOW and VENTILATED: Patients with suspected or confirmed COVID-19 who are in the ED or any overflow location awaiting an inpatient bed and on a mechanical ventilator.
cvdNumC19OverflowPats	CDCPMDRecord	numc19overflowpats - ED/OVERFLOW: Patients with suspected or confirmed COVID-19 who are in the ED or any overflow location awaiting an inpatient bed.

Property	On Types	Description
cvdNumICUBeds	CDCPMDRecord	numicubeds - ICU BEDS: Total number of staffed inpatient intensive care unit (ICU) beds.
cvdNumICUBedsOcc	CDCPMDRecord	numicubedsocc - ICU BED OCCUPANCY: Total number of staffed inpatient ICU beds that are occupied.
cvdNumTotBeds	CDCPMDRecord	numtotbeds - ALL HOSPITAL BEDS: Total number of all inpatient and outpatient beds, including all staffed, ICU, licensed, and overflow (surge) beds used for inpatients or outpatients.
cvdNumVent	CDCPMDRecord	numvent - MECHANICAL VENTILATORS: Total number of ventilators available.
cvdNumVentUse	CDCPMDRecord	numventuse - MECHANICAL VENTILATORS IN USE: Total number of ventilators in use.
discount	Order	Any discount applied (to an Order).
doseValue	DoseSchedule	The value of the dose, e.g. 500.
downPayment	RepaymentSpecification	a type of payment made in cash during the onset of the purchase of an expensive good/service. The payment typically represents only a percentage of the full purchase price.
elevation	GeoCoordinates or GeoShape	The elevation of a location (WGS 84). Values may be of the form 'NUMBER UNIT_OF_MEASUREMENT' (e.g., '1,000 m', '3,200

Property	On Types	Description
		ft') while numbers alone should be assumed to be a value in meters.
emissionsCO2	Vehicle	The CO2 emissions in g/km. When used in combination with a QuantitativeValue, put "g/km" into the unitText property of that value, since there is no UN/CEFACT Common Code for "g/km".
endOffset	Clip	The end time of the clip expressed as the number of seconds from the beginning of the work.
estimatedSalary	JobPosting or Occupation	An estimated salary for a job posting or occupation, based on a variety of variables including, but not limited to industry, job title, and location. Estimated salaries are often computed by outside organizations rather than the hiring organization, who may not have committed to the estimated value.
exchangeRateSpread	ExchangeRateSpecification	The difference between the price at which a broker or other intermediary buys and sells foreign currency.
geoRadius	GeoCircle	Indicates the approximate radius of a GeoCircle (metres unless indicated otherwise via Distance notation).
healthPlanCoinsuranceRate	HealthPlanCostSharingSpecification	The rate of coinsurance expressed as a number between 0.0 and 1.0.

Property	On Types	Description
highPrice	AggregateOffer	The highest price of all offers available. Usage guidelines: - Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar Unicode symbols. - Use '.' (Unicode 'FULL STOP' (U+002E)) rather than ',' to indicate a decimal point. Avoid using these symbols as a readability separator.
	FinancialProduct	The interest rate, charged or paid, applicable to the financial product. Note: This is different from the calculated annualPercentageRate.
latitude	GeoCoordinates or Place	The latitude of a location. For example 37.42242 (WGS 84).
loanPaymentFrequency	RepaymentSpecification	Frequency of payments due, i.e. number of months between payments. This is defined as a frequency, i.e. the reciprocal of a period of time.
longitude	GeoCoordinates or Place	The longitude of a location. For example -122.08585 (WGS 84).
lowPrice	AggregateOffer	The lowest price of all offers available.

Property	On Types	Description
		Usage guidelines: - Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar Unicode symbols. - Use '.' (Unicode 'FULL STOP' (U+002E)) rather than ',' to indicate a decimal point. Avoid using these symbols as a readability separator.
maxPrice	PriceSpecification	The highest price if the price is a range.
maxValue	MonetaryAmount or PropertyValue or PropertyValueSpecification or QuantitativeValue	The upper value of some characteristic or property.
median	QuantitativeValueDistribution	The median value.
membershipPointsEarned	MemberProgramTier or PriceSpecification or ProgramMembership	The number of membership points earned by the member. If necessary, the unitText can be used to express the units the points are issued in. (E.g. stars, miles, etc.)
minPrice	PriceSpecification	The lowest price if the price is a range.
minValue	MonetaryAmount or PropertyValue or	The lower value of some characteristic or property.

Property	On Types	Description
	PropertyValueSpecification or QuantitativeValue	
monthlyMinimumRepaymentAmount	PaymentCard	The minimum payment is the lowest amount of money that one is required to pay on a credit card statement each month.
monthsOfExperience	OccupationalExperienceRequirements	Indicates the minimal number of months of experience required for a position.
numberOfAirbags	Vehicle	The number or type of airbags in the vehicle.
numberOfAxles	Vehicle	The number of axles. Typical unit code(s): C62.
numberOfBedrooms	Accommodation or ApartmentComplex or FloorPlan	The total integer number of bedrooms in a some Accommodation, ApartmentComplex or FloorPlan.
numberOfBeds	BedDetails	The quantity of the given bed type available in the HotelRoom, Suite, House, or Apartment.
numberOfDoors	Vehicle	The number of doors. Typical unit code(s): C62.
numberOfForwardGears	Vehicle	The total number of forward gears available for the transmission system of the vehicle. Typical unit code(s): C62.

Property	On Types	Description
numberOfFullBathrooms	Accommodation or FloorPlan	Number of full bathrooms - The total number of full and $\frac{3}{4}$ bathrooms in an Accommodation . This corresponds to the BathroomsFull field in RESO.
numberOfLoanPayments	RepaymentSpecification	The number of payments contractually required at origination to repay the loan. For monthly paying loans this is the number of months from the contractual first payment date to the maturity date.
numberOfPartialBathrooms	Accommodation or FloorPlan	Number of partial bathrooms - The total number of half and $\frac{1}{4}$ bathrooms in an Accommodation . This corresponds to the BathroomsPartial field in RESO.
numberOfPreviousOwners	Vehicle	The number of owners of the vehicle, including the current one. Typical unit code(s) : C62.
numberOfRooms	Accommodation or Apartment or FloorPlan or House or LodgingBusiness or SingleFamilyResidence or Suite	The number of rooms (excluding bathrooms and closets) of the accommodation or lodging business. Typical unit code(s) : ROM for room or C62 for no unit. The type of room can be put in the unitText property of the QuantitativeValue.
numberedPosition	OrganizationRole	A number associated with a role in an organization, for example, the number on an

Property	On Types	Description
		athlete's jersey.
orderQuantity	OrderItem	The number of the item ordered. If the property is not set, assume the quantity is one.
percentile10	QuantitativeValueDistribution	The 10th percentile value.
percentile25	QuantitativeValueDistribution	The 25th percentile value.
percentile75	QuantitativeValueDistribution	The 75th percentile value.
percentile90	QuantitativeValueDistribution	The 90th percentile value.
price	DonateAction or Offer or PriceSpecification or TradeAction	The offer price of a product, or of a price component when attached to PriceSpecification and its subtypes. Usage guidelines: • Use the priceCurrency property (with standard formats: ISO 4217 currency format, e.g. "USD"; Ticker symbol for cryptocurrencies, e.g. "BTC"; well known names for Local Exchange Trading Systems (LETS) and other currency types, e.g. "Ithaca HOUR") instead of including ambiguous symbols such as '\$' in the value. • Use '.' (Unicode 'FULL STOP' (U+002E)) rather than ',' to indicate a decimal point.

Property	On Types	Description
ratingValue		Avoid using these symbols as a readability separator. - Note that both RDFa and Microdata syntax allow the use of a "content=" attribute for publishing simple machine-readable values alongside more human-friendly formatting. - Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar Unicode symbols.
	Rating	The rating for the content. Usage guidelines: - Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar Unicode symbols. - Use '.' (Unicode 'FULL STOP' (U+002E)) rather than ',' to indicate a decimal point. Avoid using these symbols as a readability separator.
	ExercisePlan	Number of times one should repeat the activity.
requiredQuantity	HowToItem	The required quantity of the item(s).

Property	On Types	Description
restockingFee	MerchantReturnPolicy or MerchantReturnPolicySeasonalOverride	Use MonetaryAmount to specify a fixed restocking fee for product returns, or use Number to specify a percentage of the product price paid by the customer.
screenCount	MovieTheater	The number of screens in the movie theater.
seatingCapacity	Vehicle	The number of persons that can be seated (e.g. in a vehicle), both in terms of the physical space available, and in terms of limitations set by law. Typical unit code(s): C62 for persons.
stageAsNumber	MedicalConditionStage	The stage represented as a number, e.g. 3.
startOffset	Clip or SeekToAction	The start time of the clip expressed as the number of seconds from the beginning of the work.
stepValue	PropertyValueSpecification	The stepValue attribute indicates the granularity that is expected (and required) of the value in a PropertyValueSpecification.
strengthValue	DrugStrength	The value of an active ingredient's strength, e.g. 325.
suggestedMaxAge	PeopleAudience	Maximum recommended age in years for the audience or user.

Property	On Types	Description
suggestedMinAge	PeopleAudience	Minimum recommended age in years for the audience or user.
termsPerYear	EducationalOccupationalProgram	The number of times terms of study are offered per year. Semesters and quarters are common units for term. For example, if the student can only take 2 semesters for the program in one year, then termsPerYear should be 2.
totalPrice	Reservation or Ticket	The total price for the reservation or ticket, including applicable taxes, shipping, etc. Usage guidelines: - Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar Unicode symbols. - Use '.' (Unicode 'FULL STOP' (U+002E)) rather than ',' to indicate a decimal point. Avoid using these symbols as a readability separator.
value	MonetaryAmount or PropertyValue or QuantitativeValue	The value of a QuantitativeValue (including Observation) or property value node. For QuantitativeValue and MonetaryAmount, the recommended type for values is 'Number'.

Property	On Types	Description
		- For PropertyValue, it can be 'Text', 'Number', 'Boolean', or 'StructuredValue'. - Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar Unicode symbols. - Use '.' (Unicode 'FULL STOP' (U+002E)) rather than ',' to indicate a decimal point. Avoid using these symbols as a readability separator.
valueMaxLength	PropertyValueSpecification	Specifies the allowed range for number of characters in a literal value.
valueMinLength	PropertyValueSpecification	Specifies the minimum allowed range for number of characters in a literal value.
vehicleSeatingCapacity	Vehicle	The number of passengers that can be seated in the vehicle, both in terms of the physical space available, and in terms of limitations set by law. Typical unit code(s): C62 for persons.
version	CreativeWork	The version of the CreativeWork embodied by a specified resource.
worstRating	Rating	The lowest value allowed in this rating system.

Property	On Types	Description
yearBuilt	Accommodation	The year an Accommodation was constructed. This corresponds to the YearBuilt field in RESO.

More specific Data Types

- **Float**
- **Integer**