

PeopleAudience

A Schema.org Type

[Thing](#) > [Intangible](#) > [Audience](#) > **PeopleAudience**

[\[more...\]](#)

A set of characteristics belonging to people, e.g. who compose an item's target audience.

Property	Expected Type	Description
Properties from PeopleAudience		
healthCondition	MedicalCondition	Specifying the health condition(s) of a patient, medical study, or other target audience.
requiredGender	Text	Audiences defined by a person's gender.
requiredMaxAge	Integer	Audiences defined by a person's maximum age.
requiredMinAge	Integer	Audiences defined by a person's minimum age.
suggestedAge	QuantitativeValue	The age or age range for the intended audience or person, for example 3-12 months for infants, 1-5 years for toddlers.

Property	Expected Type	Description
suggestedGender	GenderType or Text	The suggested gender of the intended person or audience, for example "male", "female", or "unisex".
suggestedMaxAge	Number	Maximum recommended age in years for the audience or user.
suggestedMeasurement	QuantitativeValue	A suggested range of body measurements for the intended audience or person, for example inseam between 32 and 34 inches or height between 170 and 190 cm. Typically found on a size chart for wearable products.
suggestedMinAge	Number	Minimum recommended age in years for the audience or user.
Properties from Audience		
audienceType	Text	The target group associated with a given audience (e.g. veterans, car owners, musicians, etc.).
geographicArea	AdministrativeArea	The geographic area associated with the audience.
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.

Property	Expected Type	Description
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about

Property	Expected Type	Description
url	URL	URL of the item.

More specific Types

- **MedicalAudience**
- **ParentAudience**