

# Place

A Schema.org Type

**Thing** > **Place**

[\[more...\]](#)

Entities that have a somewhat fixed, physical extension.

| Property                     | Expected Type        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Properties from <b>Place</b> |                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                              | <b>PropertyValue</b> | A property-value pair representing an additional characteristic of the entity, e.g. a product feature or another characteristic for which there is no matching property in schema.org.                                                                                                                                                                                                                                                              |
| <b>additionalProperty</b>    |                      | Note: Publishers should be aware that applications designed to use specific schema.org properties (e.g. <a href="https://schema.org/width">https://schema.org/width</a> , <a href="https://schema.org/color">https://schema.org/color</a> , <a href="https://schema.org/gtin13">https://schema.org/gtin13</a> , ...) will typically expect such data to be provided using those properties, rather than using the generic property/value mechanism. |

| Property                | Expected Type                | Description                                                                                                                                                                                                                                                                                                                                              |
|-------------------------|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>address</b>          | PostalAddress or Text        | Physical address of the item.                                                                                                                                                                                                                                                                                                                            |
| <b>aggregateRating</b>  | AggregateRating              | The overall rating, based on a collection of reviews or ratings, of the item.                                                                                                                                                                                                                                                                            |
| <b>amenityFeature</b>   | LocationFeatureSpecification | An amenity feature (e.g. a characteristic or service) of the Accommodation. This generic property does not make a statement about whether the feature is included in an offer for the main accommodation or available at extra costs.                                                                                                                    |
| <b>branchCode</b>       | Text                         | <p>A short textual code (also called "store code") that uniquely identifies a place of business. The code is typically assigned by the parentOrganization and used in structured URLs.</p> <p>For example, in the URL <code>http://www.starbucks.co.uk/store-locator/etc/detail/3047</code> the code "3047" is a branchCode for a particular branch.</p> |
| <b>containedInPlace</b> | Place                        | <p>The basic containment relation between a place and one that contains it. Supersedes <b>containedIn</b>.</p> <p>Inverse property: <b>containsPlace</b></p>                                                                                                                                                                                             |
| <b>containsPlace</b>    | Place                        | <p>The basic containment relation between a place and another that it contains.</p> <p>Inverse property: <b>containedInPlace</b></p>                                                                                                                                                                                                                     |

| Property            | Expected Type                             | Description                                                                                                                                                                                                                                                                                                          |
|---------------------|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>event</b>        | <b>Event</b>                              | Upcoming or past event associated with this place, organization, or action. Supersedes <b>events</b> .                                                                                                                                                                                                               |
| <b>faxNumber</b>    | <b>Text</b>                               | The fax number.                                                                                                                                                                                                                                                                                                      |
| <b>geo</b>          | <b>GeoCoordinates</b> or <b>GeoShape</b>  | The geo coordinates of the place.                                                                                                                                                                                                                                                                                    |
| <b>geoContains</b>  | <b>GeospatialGeometry</b> or <b>Place</b> | Represents a relationship between two geometries (or the places they represent), relating a containing geometry to a contained geometry. "a contains b iff no points of b lie in the exterior of a, and at least one point of the interior of b lies in the interior of a". As defined in <b>DE-9IM</b> .            |
| <b>geoCoveredBy</b> | <b>GeospatialGeometry</b> or <b>Place</b> | Represents a relationship between two geometries (or the places they represent), relating a geometry to another that covers it. As defined in <b>DE-9IM</b> .                                                                                                                                                        |
| <b>geoCovers</b>    | <b>GeospatialGeometry</b> or <b>Place</b> | Represents a relationship between two geometries (or the places they represent), relating a covering geometry to a covered geometry. "Every point of b is a point of (the interior or boundary of) a". As defined in <b>DE-9IM</b> .                                                                                 |
| <b>geoCrosses</b>   | <b>GeospatialGeometry</b> or <b>Place</b> | Represents a relationship between two geometries (or the places they represent), relating a geometry to another that crosses it: "a crosses b: they have some but not all interior points in common, and the dimension of the intersection is less than that of at least one of them". As defined in <b>DE-9IM</b> . |

| Property             | Expected Type               | Description                                                                                                                                                                                                                                                                                                                                        |
|----------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>geoDisjoint</b>   | GeospatialGeometry or Place | Represents spatial relations in which two geometries (or the places they represent) are topologically disjoint: "they have no point in common. They form a set of disconnected geometries." (A symmetric relationship, as defined in <a href="#">DE-9IM</a> .)                                                                                     |
| <b>geoEquals</b>     | GeospatialGeometry or Place | Represents spatial relations in which two geometries (or the places they represent) are topologically equal, as defined in <a href="#">DE-9IM</a> . "Two geometries are topologically equal if their interiors intersect and no part of the interior or boundary of one geometry intersects the exterior of the other" (a symmetric relationship). |
| <b>geoIntersects</b> | GeospatialGeometry or Place | Represents spatial relations in which two geometries (or the places they represent) have at least one point in common. As defined in <a href="#">DE-9IM</a> .                                                                                                                                                                                      |
| <b>geoOverlaps</b>   | GeospatialGeometry or Place | Represents a relationship between two geometries (or the places they represent), relating a geometry to another that geospatially overlaps it, i.e. they have some but not all points in common. As defined in <a href="#">DE-9IM</a> .                                                                                                            |
| <b>geoTouches</b>    | GeospatialGeometry or Place | Represents spatial relations in which two geometries (or the places they represent) touch: "they have at least one boundary point in common, but no interior points." (A symmetric relationship, as defined in <a href="#">DE-9IM</a> .)                                                                                                           |
| <b>geoWithin</b>     | GeospatialGeometry or Place | Represents a relationship between two geometries (or the places they represent), relating a geometry to one                                                                                                                                                                                                                                        |

| Property                      | Expected Type | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               |               | that contains it, i.e. it is inside (i.e. within) its interior. As defined in <b>DE-9IM</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>globalLocationNumber</b>   | Text          | The <b>Global Location Number</b> (GLN, sometimes also referred to as International Location Number or ILN) of the respective organization, person, or place. The GLN is a 13-digit number used to identify parties and physical locations.                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>hasCertification</b>       | Certification | Certification information about a product, organization, service, place, or person.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>hasDriveThroughService</b> | Boolean       | Indicates whether some facility (e.g. <b>FoodEstablishment</b> , <b>CovidTestingFacility</b> ) offers a service that can be used by driving through in a car. In the case of <b>CovidTestingFacility</b> such facilities could potentially help with social distancing from other potentially-infected users.                                                                                                                                                                                                                                                                                                                                                           |
| <b>hasGS1DigitalLink</b>      | URL           | <p>The <b>GS1 digital link</b> associated with the object. This URL should conform to the particular requirements of digital links. The link should only contain the Application Identifiers (AIs) that are relevant for the entity being annotated, for instance a <b>Product</b> or an <b>Organization</b>, and for the correct granularity. In particular, for products:</p> <ul style="list-style-type: none"> <li>• A Digital Link that contains a serial number (AI 21) should only be present on instances of <b>IndividualProduct</b></li> <li>• A Digital Link that contains a lot number (AI 10) should be annotated as <b>SomeProduct</b> if only</li> </ul> |

| Property                   | Expected Type                                   | Description                                                                                                                                                                                                                                                                                                                                   |
|----------------------------|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                            |                                                 | <p>products from that lot are sold, or <b>IndividualProduct</b> if there is only a specific product.</p> <ul style="list-style-type: none"> <li>A Digital Link that contains a global model number (AI 8013) should be attached to a <b>Product</b> or a <b>ProductModel</b>.</li> </ul> <p>Other item types should be adapted similarly.</p> |
| <b>hasMap</b>              | <b>Map</b> or <b>URL</b>                        | A URL to a map of the place. Supersedes <b>map</b> , <b>maps</b> .                                                                                                                                                                                                                                                                            |
| <b>isAccessibleForFree</b> | <b>Boolean</b>                                  | A flag to signal that the item, event, or place is accessible for free. Supersedes <b>free</b> .                                                                                                                                                                                                                                              |
| <b>isicV4</b>              | <b>Text</b>                                     | The International Standard of Industrial Classification of All Economic Activities (ISIC), Revision 4 code for a particular organization, business person, or place.                                                                                                                                                                          |
| <b>keywords</b>            | <b>DefinedTerm</b> or <b>Text</b> or <b>URL</b> | Keywords or tags used to describe some item. Multiple textual entries in a keywords list are typically delimited by commas, or by repeating the property.                                                                                                                                                                                     |
| <b>latitude</b>            | <b>Number</b> or <b>Text</b>                    | The latitude of a location. For example 37.42242 ( <b>WGS 84</b> ).                                                                                                                                                                                                                                                                           |
| <b>logo</b>                | <b>ImageObject</b> or <b>URL</b>                | An associated logo.                                                                                                                                                                                                                                                                                                                           |
| <b>longitude</b>           | <b>Number</b> or <b>Text</b>                    | The longitude of a location. For example -122.08585 ( <b>WGS 84</b> ).                                                                                                                                                                                                                                                                        |

| Property                                | Expected Type             | Description                                                                                                                                                                                    |
|-----------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>maximumAttendeeCapacity</b>          | Integer                   | The total number of individuals that may attend an event or venue.                                                                                                                             |
| <b>openingHoursSpecification</b>        | OpeningHoursSpecification | The opening hours of a certain place.                                                                                                                                                          |
| <b>photo</b>                            | ImageObject or Photograph | A photograph of this place. Supersedes <b>photos</b> .                                                                                                                                         |
| <b>publicAccess</b>                     | Boolean                   | A flag to signal that the <b>Place</b> is open to public visitors. If this property is omitted there is no assumed default boolean value.                                                      |
| <b>review</b>                           | Review                    | A review of the item. Supersedes <b>reviews</b> .                                                                                                                                              |
| <b>slogan</b>                           | Text                      | A slogan or motto associated with the item.                                                                                                                                                    |
| <b>smokingAllowed</b>                   | Boolean                   | Indicates whether it is allowed to smoke in the place, e.g. in the restaurant, hotel or hotel room.                                                                                            |
| <b>specialOpeningHoursSpecification</b> | OpeningHoursSpecification | <p>The special opening hours of a certain place.</p> <p>Use this to explicitly override general opening hours brought in scope by <b>openingHoursSpecification</b> or <b>openingHours</b>.</p> |
| <b>telephone</b>                        | Text                      | The telephone number.                                                                                                                                                                          |

| Property                         | Expected Type      | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>tourBookingPage</b>           | URL                | A page providing information on how to book a tour of some <b>Place</b> , such as an <b>Accommodation</b> or <b>ApartmentComplex</b> in a real estate setting, as well as other kinds of tours as appropriate.                                                                                                                                                                                                                                                                                                                                                             |
| Properties from <b>Thing</b>     |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>additionalType</b>            | Text or URL        | An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org <a href="#">style guide</a> . |
| <b>alternateName</b>             | Text               | An alias for the item.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>description</b>               | Text or TextObject | A description of the item.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>disambiguatingDescription</b> | Text               | A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.                                                                                                                                                                                                                                                                                                                               |



| Property                | Expected Type                                     | Description                                                                                                                                                                                                                                                                                            |
|-------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>identifier</b>       | <b>PropertyValue</b> or <b>Text</b> or <b>URL</b> | The identifier property represents any kind of identifier for any kind of <b>Thing</b> , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See <b>background notes</b> for more details. |
| <b>image</b>            | <b>ImageObject</b> or <b>URL</b>                  | An image of the item. This can be a <b>URL</b> or a fully described <b>ImageObject</b> .                                                                                                                                                                                                               |
| <b>mainEntityOfPage</b> | <b>CreativeWork</b> or <b>URL</b>                 | Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See <b>background notes</b> for details.<br>Inverse property: <b>mainEntity</b>                                                                                                                      |
| <b>name</b>             | <b>Text</b>                                       | The name of the item.                                                                                                                                                                                                                                                                                  |
| <b>potentialAction</b>  | <b>Action</b>                                     | Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.                                                                                                                                                                                     |
| <b>sameAs</b>           | <b>URL</b>                                        | URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.                                                                                                                                          |
| <b>subjectOf</b>        | <b>CreativeWork</b> or <b>Event</b>               | A CreativeWork or Event about this Thing.<br>Inverse property: <b>about</b>                                                                                                                                                                                                                            |
| <b>url</b>              | <b>URL</b>                                        | URL of the item.                                                                                                                                                                                                                                                                                       |

Instances of **Place** may appear as a value for the following properties

| Property                 | On Types                                                                                                                                              | Description                                                                                               |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>area</b>              | <b>BroadcastService</b>                                                                                                                               | The area within which users can expect to reach the broadcast service.                                    |
| <b>areaServed</b>        | <b>ContactPoint</b> or<br><b>DeliveryChargeSpecification</b><br>or<br><b>Demand</b> or<br><b>Offer</b> or<br><b>Organization</b> or<br><b>Service</b> | The geographic area where a service or offered item is provided.                                          |
| <b>availableAtOrFrom</b> | <b>Demand</b> or<br><b>Offer</b>                                                                                                                      | The place(s) from which the offer can be obtained (e.g. store locations).                                 |
| <b>birthPlace</b>        | <b>Person</b>                                                                                                                                         | The place where the person was born.                                                                      |
| <b>containedIn</b>       | <b>Place</b>                                                                                                                                          | The basic containment relation between a place and one that contains it.                                  |
| <b>containedInPlace</b>  | <b>Place</b>                                                                                                                                          | The basic containment relation between a place and one that contains it.                                  |
| <b>containsPlace</b>     | <b>Place</b>                                                                                                                                          | The basic containment relation between a place and another that it contains.                              |
| <b>contentLocation</b>   | <b>CreativeWork</b>                                                                                                                                   | The location depicted or described in the content. For example, the location in a photograph or painting. |
| <b>course</b>            | <b>ExerciseAction</b>                                                                                                                                 | A sub property of location. The course where this action was taken.                                       |
| <b>deathPlace</b>        | <b>Person</b>                                                                                                                                         | The place where the person died.                                                                          |

| Property                 | On Types                                                                                                            | Description                                                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>dropoffLocation</b>   | <b>RentalCarReservation</b>                                                                                         | Where a rental car can be dropped off.                                                                                                                                                                                                                                                                    |
| <b>eligibleRegion</b>    | <b>ActionAccessSpecification</b> or<br><b>DeliveryChargeSpecification</b><br>or<br><b>Demand</b> or<br><b>Offer</b> | The ISO 3166-1 (ISO 3166-1 alpha-2) or ISO 3166-2 code, the place, or the GeoShape for the geo-political region(s) for which the offer or delivery charge specification is valid.<br><br>See also <b>ineligibleRegion</b> .                                                                               |
| <b>exerciseCourse</b>    | <b>ExerciseAction</b>                                                                                               | A sub property of location. The course where this action was taken.                                                                                                                                                                                                                                       |
| <b>foodEstablishment</b> | <b>CookAction</b>                                                                                                   | A sub property of location. The specific food establishment where the action occurred.                                                                                                                                                                                                                    |
| <b>foundingLocation</b>  | <b>Organization</b>                                                                                                 | The place where the Organization was founded.                                                                                                                                                                                                                                                             |
| <b>fromLocation</b>      | <b>ExerciseAction</b> or<br><b>MoveAction</b> or<br><b>TransferAction</b>                                           | A sub property of location. The original location of the object or the agent before the action.                                                                                                                                                                                                           |
| <b>gameLocation</b>      | <b>Game</b> or<br><b>VideoGameSeries</b>                                                                            | Real or fictional location of the game (or part of game).                                                                                                                                                                                                                                                 |
| <b>geoContains</b>       | <b>GeospatialGeometry</b> or<br><b>Place</b>                                                                        | Represents a relationship between two geometries (or the places they represent), relating a containing geometry to a contained geometry. "a contains b iff no points of b lie in the exterior of a, and at least one point of the interior of b lies in the interior of a". As defined in <b>DE-9IM</b> . |
| <b>geoCoveredBy</b>      | <b>GeospatialGeometry</b> or<br><b>Place</b>                                                                        | Represents a relationship between two geometries (or the places they represent), relating a geometry to another that covers it. As defined in <b>DE-9IM</b> .                                                                                                                                             |

| Property             | On Types                                                    | Description                                                                                                                                                                                                                                                                                                                                        |
|----------------------|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>geoCovers</b>     | <a href="#">GeospatialGeometry</a> or <a href="#">Place</a> | Represents a relationship between two geometries (or the places they represent), relating a covering geometry to a covered geometry. "Every point of b is a point of (the interior or boundary of) a". As defined in <a href="#">DE-9IM</a> .                                                                                                      |
| <b>geoCrosses</b>    | <a href="#">GeospatialGeometry</a> or <a href="#">Place</a> | Represents a relationship between two geometries (or the places they represent), relating a geometry to another that crosses it: "a crosses b: they have some but not all interior points in common, and the dimension of the intersection is less than that of at least one of them". As defined in <a href="#">DE-9IM</a> .                      |
| <b>geoDisjoint</b>   | <a href="#">GeospatialGeometry</a> or <a href="#">Place</a> | Represents spatial relations in which two geometries (or the places they represent) are topologically disjoint: "they have no point in common. They form a set of disconnected geometries." (A symmetric relationship, as defined in <a href="#">DE-9IM</a> .)                                                                                     |
| <b>geoEquals</b>     | <a href="#">GeospatialGeometry</a> or <a href="#">Place</a> | Represents spatial relations in which two geometries (or the places they represent) are topologically equal, as defined in <a href="#">DE-9IM</a> . "Two geometries are topologically equal if their interiors intersect and no part of the interior or boundary of one geometry intersects the exterior of the other" (a symmetric relationship). |
| <b>geoIntersects</b> | <a href="#">GeospatialGeometry</a> or <a href="#">Place</a> | Represents spatial relations in which two geometries (or the places they represent) have at least one point in common. As defined in <a href="#">DE-9IM</a> .                                                                                                                                                                                      |
| <b>geoOverlaps</b>   | <a href="#">GeospatialGeometry</a> or <a href="#">Place</a> | Represents a relationship between two geometries (or the places they represent), relating a geometry to another that geospatially overlaps it, i.e. they have some but not all points in common. As defined in <a href="#">DE-9IM</a> .                                                                                                            |
| <b>geoTouches</b>    | <a href="#">GeospatialGeometry</a> or <a href="#">Place</a> | Represents spatial relations in which two geometries (or the places they represent) touch: "they have at least one boundary point in common, but no interior points." (A symmetric relationship, as defined in <a href="#">DE-9IM</a> .)                                                                                                           |

| Property                | On Types                                                                                                                      | Description                                                                                                                                                                                                                                                                             |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>geoWithin</b>        | <a href="#">GeospatialGeometry</a> or <b>Place</b>                                                                            | Represents a relationship between two geometries (or the places they represent), relating a geometry to one that contains it, i.e. it is inside (i.e. within) its interior. As defined in <a href="#">DE-9IM</a> .                                                                      |
| <b>hasPOS</b>           | <b>Organization</b> or <b>Person</b>                                                                                          | Points-of-Sales operated by the organization or person.                                                                                                                                                                                                                                 |
| <b>homeLocation</b>     | <b>Person</b>                                                                                                                 | A contact location for a person's residence.                                                                                                                                                                                                                                            |
| <b>ineligibleRegion</b> | <b>ActionAccessSpecification</b> or <b>DeliveryChargeSpecification</b> or <b>Demand</b> or <b>MediaObject</b> or <b>Offer</b> | <p>The ISO 3166-1 (ISO 3166-1 alpha-2) or ISO 3166-2 code, the place, or the GeoShape for the geo-political region(s) for which the offer or delivery charge specification is not valid, e.g. a region where the transaction is not allowed.</p> <p>See also <b>eligibleRegion</b>.</p> |
| <b>itemLocation</b>     | <a href="#">ArchiveComponent</a>                                                                                              | Current location of the item.                                                                                                                                                                                                                                                           |
| <b>itinerary</b>        | <b>Trip</b>                                                                                                                   | Destination(s) ( <b>Place</b> ) that make up a trip. For a trip where destination order is important use <b>ItemList</b> to specify that order (see examples).                                                                                                                          |
| <b>jobLocation</b>      | <b>JobPosting</b>                                                                                                             | A (typically single) geographic location associated with the job position.                                                                                                                                                                                                              |
| <b>location</b>         | <b>Action</b> or <b>Event</b> or <b>InteractionCounter</b> or <b>Organization</b>                                             | The location of, for example, where an event is happening, where an organization is located, or where an action takes place.                                                                                                                                                            |
| <b>locationCreated</b>  | <b>CreativeWork</b>                                                                                                           | The location where the CreativeWork was created, which may not be the same as the location depicted in the CreativeWork.                                                                                                                                                                |

| Property                | On Types                                                     | Description                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|--------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>observationAbout</b> | <b>Observation</b>                                           | The <b>observationAbout</b> property identifies an entity, often a <b>Place</b> , associated with an <b>Observation</b> .                                                                                                                                                                                                                                                             |
| <b>pickupLocation</b>   | <b>RentalCarReservation</b> or <b>TaxiReservation</b>        | Where a taxi will pick up a passenger or a rental car can be picked up.                                                                                                                                                                                                                                                                                                               |
| <b>regionsAllowed</b>   | <b>MediaObject</b>                                           | The regions where the media is allowed. If not specified, then it's assumed to be allowed everywhere. Specify the countries in <b>ISO 3166 format</b> .                                                                                                                                                                                                                               |
| <b>serviceArea</b>      | <b>ContactPoint</b> or <b>Organization</b> or <b>Service</b> | The geographic area where the service is provided.                                                                                                                                                                                                                                                                                                                                    |
| <b>serviceLocation</b>  | <b>ServiceChannel</b>                                        | The location (e.g. civic structure, local business, etc.) where a person can go to access the service.                                                                                                                                                                                                                                                                                |
| <b>spatial</b>          | <b>CreativeWork</b>                                          | The "spatial" property can be used in cases when more specific properties (e.g. <b>locationCreated</b> , <b>spatialCoverage</b> , <b>contentLocation</b> ) are not known to be appropriate.                                                                                                                                                                                           |
| <b>spatialCoverage</b>  | <b>CreativeWork</b>                                          | The spatialCoverage of a CreativeWork indicates the place(s) which are the focus of the content. It is a subproperty of contentLocation intended primarily for more technical and detailed materials. For example with a Dataset, it indicates areas that the dataset describes: a dataset of New York weather would have spatialCoverage which was the place: the state of New York. |

| Property            | On Types                                                                                            | Description                                                                                 |
|---------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <b>toLocation</b>   | <b>ExerciseAction</b> or<br><b>InsertAction</b> or<br><b>MoveAction</b> or<br><b>TransferAction</b> | A sub property of location. The final location of the object or the agent after the action. |
| <b>tripOrigin</b>   | <b>Trip</b>                                                                                         | The location of origin of the trip, prior to any destination(s).                            |
| <b>workLocation</b> | <b>Person</b>                                                                                       | A contact location for a person's place of work.                                            |

## More specific Types

- **Accommodation**
- **AdministrativeArea**
- **CivicStructure**
- **Landform**
- **LandmarksOrHistoricalBuildings**
- **LocalBusiness**
- **Residence**
- **TouristAttraction**
- **TouristDestination**

## Examples

📄 **Example 1**

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Place",
  "geo": {
    "@type": "GeoCoordinates",
    "latitude": "40.75",
    "longitude": "-73.98"
  },
  "name": "Empire State Building"
}
</script>
```

## 📄 Example 2

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Event",
```



```
"location": {
  "@type": "Place",
  "address": {
    "@type": "PostalAddress",
    "addressLocality": "Denver",
    "addressRegion": "CO",
    "postalCode": "80209",
    "streetAddress": "7 S. Broadway"
  },
  "name": "The Hi-Dive"
},
"name": "Typhoon with Radiation City",
"offers": {
  "@type": "Offer",
  "price": "13.00",
  "priceCurrency": "USD",
  "url": "http://www.ticketfly.com/purchase/309433"
},
"startDate": "2013-09-14T21:30"
}
</script>
```

### 📄 Example 3

No Markup

Microdata

RDFa

**JSON-LD**

Structure

---

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "LocalBusiness",
  "address": {
    "@type": "PostalAddress",
    "addressLocality": "Mexico Beach",
    "addressRegion": "FL",
    "streetAddress": "3102 Highway 98"
  },
  "description": "A superb collection of fine gifts and clothing to accent your stay in Mexico Beach.",
  "name": "Beachwalk Beachwear & Giftware",
  "telephone": "850-648-4200"
}
</script>
```

#### 📄 Example 4

|           |           |      |                |           |
|-----------|-----------|------|----------------|-----------|
| No Markup | Microdata | RDFa | <b>JSON-LD</b> | Structure |
|-----------|-----------|------|----------------|-----------|

---

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "CivicStructure",
  "name": "Springfield Town Hall",
```

```
"openingHours": [  
  "Mo-Fr 09:00-17:30",  
  "Sa 09:00-12:00"  
]  
}  
</script>
```

## 📄 Example 5

|           |           |      |                |           |
|-----------|-----------|------|----------------|-----------|
| No Markup | Microdata | RDFa | <b>JSON-LD</b> | Structure |
|-----------|-----------|------|----------------|-----------|

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">  
{  
  "@context": "https://schema.org",  
  "@type": "Event",  
  "eventStatus": "https://schema.org/EventCancelled",  
  "location": {  
    "@type": "Place",  
    "address": {  
      "@type": "PostalAddress",  
      "addressLocality": "Denver",  
      "addressRegion": "CO",  
      "postalCode": "80209",  
      "streetAddress": "7 S. Broadway"  
    },  
    "name": "The Hi-Dive"  
  }  
}
```

```
    },  
    "name": "CANCELLED - Typhoon with Radiation City",  
    "offers": {  
      "@type": "Offer",  
      "price": "13.00",  
      "priceCurrency": "USD",  
      "url": "http://www.ticketfly.com/purchase/309433"  
    },  
    "startDate": "2013-09-14T21:30"  
  }  
</script>
```

## 📄 Example 6

|           |           |      |                |           |
|-----------|-----------|------|----------------|-----------|
| No Markup | Microdata | RDFa | <b>JSON-LD</b> | Structure |
|-----------|-----------|------|----------------|-----------|

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">  
{  
  "@context": "https://schema.org",  
  "@graph": [  
    {  
      "@type": "Place",  
      "address": {  
        "@type": "PostalAddress",  
        "addressLocality": "Denver",  
        "addressRegion": "CO",  

```

```

        "postalCode": "80209",
        "streetAddress": "7 S. Broadway"
    },
    "name": "The Hi-Dive"
},
{
    "@type": "Offer",
    "price": "13.00",
    "priceCurrency": "USD",
    "url": "http://www.ticketfly.com/purchase/309433"
}
]
}
</script>

```

## Example 7

No Markup      Microdata      RDFa      **JSON-LD**      Structure

---

Example encoded as JSON-LD in a HTML script tag.

```

<script type="application/ld+json">
{
    "@context": "https://schema.org",
    "@type": "Event",
    "location": {
        "@type": "Place",
        "address": {

```

```
    "@type": "PostalAddress",
    "addressLocality": "Denver",
    "addressRegion": "CO",
    "postalCode": "80209",
    "streetAddress": "7 S. Broadway"
  },
  "name": "The Hi-Dive"
},
"name": "SOLD OUT! Typhoon with Radiation City",
"offers": {
  "@type": "Offer",
  "availability": "https://schema.org/SoldOut",
  "price": "13.00",
  "priceCurrency": "USD",
  "url": "http://www.ticketfly.com/purchase/309433"
},
"startDate": "2013-09-14T21:30"
}
</script>
```

## 📄 Example 8

No Markup

**JSON-LD**

Structure

---

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
```

```
"@context" : "https://schema.org",
"@type" : "Event",
"name" : "Typhoon with Radiation City",
"startDate" : "2013-09-14T21:30",
"location" : {
  "@type" : "Place",
  "sameAs" : "http://www.hi-dive.com",
  "name" : "The Hi-Dive",
  "address" : {
    "@type" : "PostalAddress",
    "streetAddress" : "7 S. Broadway",
    "addressLocality" : "Denver",
    "addressRegion" : "CO",
    "postalCode" : "80209" }
},
"performer" : [
  { "@type" : "MusicGroup",
    "name" : "Typhoon",
    "sameAs" : "http://en.wikipedia.org/wiki/Typhoon_(American_band)" },
  { "@type" : "MusicGroup",
    "name" : "RadiationCity",
    "sameAs" : "http://en.wikipedia.org/wiki/Radiation_City" }],
"offers" : {
  "@type" : "Offer",
  "availability" : "https://schema.org/LimitedAvailability",
  "priceCurrency": "USD",
  "price" : "13.00",
  "url" : "http://www.ticketfly.com/purchase/309433" },
```

```
"typicalAgeRange" : "18+"
}
</script>
```

## 📄 Example 9

No Markup

**JSON-LD**

Structure

---

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
[ {
  "@context" : "https://schema.org",
  "@type" : "MusicEvent",
  "name" : "B.B. King",
  "startDate" : "2014-04-12T19:30",
  "location" : {
    "@type" : "Place",
    "name" : "Lupo's Heartbreak Hotel",
    "address" : "79 Washington St., Providence, RI"
  },
  "offers" : {
    "@type" : "Offer",
    "url" : "https://www.etix.com/ticket/1771656"
  }
},
{
  "@context" : "https://schema.org",
```



```
"@type" : "MusicEvent",
"name" : "B.B. King",
"startDate" : "2014-04-13T20:00",
"location" : {
  "@type" : "Place",
  "name" : "Lynn Auditorium",
  "address" : "Lynn, MA, 01901"
},
"offers" : {
  "@type" : "Offer",
  "url" : "http://frontgatetickets.com/venue.php?id=11766"
}
}]
</script>
```

## 📄 Example 10

No Markup

**JSON-LD**

Structure

---

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
[ {
  "@context" : "https://schema.org",
  "@type" : "MusicEvent",
  "name" : "B.B. King with Jonathon \"Boogie\" Long",
  "image" : "http://www.bbking.com/gallery/b-b-king-live.jpg",
  "url" : "http://www.bbking.com/events/apr12-providence.html",
```

```
"startDate" : "2014-04-12T19:30",
"doorTime" : "18:30:00",
"endDate" : "2014-04-12T22:00",
"location" : {
  "@type" : "Place",
  "name" : "Lupo's Heartbreak Hotel",
  "sameAs" : "http://lupos.com/",
  "address" : {
    "@type" : "PostalAddress",
    "streetAddress" : "79 Washington St.",
    "addressLocality" : "Providence",
    "addressRegion" : "RI",
    "postalCode" : "02903",
    "addressCountry" : "US"
  }
},
"offers" : [ {
  "@type" : "Offer",
  "name" : "General Admission",
  "priceCurrency": "USD",
  "price" : "63.25",
  "availability" : "SoldOut",
  "url" : "http://www.ticketmaster.com/event/17004C29"
},{
  "@type" : "Offer",
  "name" : "VIP Experience",
  "url" : "http://www.example.com/Abcde12345",
  "priceCurrency": "USD",
```

```

    "price" : "299.00",
    "validFrom" : "2014-02-05T10:00",
    "validThrough" : "2014-03-19T23:59"
  } ],
  "performer" : [ {
    "@type" : "MusicGroup",
    "name" : "B.B. King",
    "sameAs" : "http://en.wikipedia.org/wiki/B.B._King"
  }, {
    "@type" : "MusicGroup",
    "name" : "Jonathon \"Boogie\" Long",
    "sameAs" : "http://jonathonboogielong.com/"
  } ],
  "eventStatus" : "EventRescheduled",
  "previousStartDate" : "2013-09-30T19:30",
  "typicalAgeRange" : "18+"
}]
</script>

```

## Example 11

No Markup

Microdata

RDFa

**JSON-LD**

Structure

Example encoded as JSON-LD in a HTML script tag.

```

<script type="application/ld+json">
{
  "@context": "https://schema.org",

```

```
"@type": "Event",
"name": "Miami Heat at Philadelphia 76ers - Game 3 (Home Game 1)",
"location": {
  "@type": "Place",
  "address": {
    "@type": "PostalAddress",
    "addressLocality": "Philadelphia",
    "addressRegion": "PA"
  },
  "url": "wells-fargo-center.html"
},
"offers": {
  "@type": "AggregateOffer",
  "priceCurrency": "USD",
  "lowPrice": "35",
  "offerCount": "1938"
},
"startDate": "2016-04-21T20:00",
"url": "nba-miami-philidelphia-game3.html"
}
</script>
```

