

PostalAddress

A Schema.org Type

[Thing](#) › [Intangible](#) › [StructuredValue](#) › [ContactPoint](#) › **PostalAddress**

[\[more...\]](#)

The mailing address.

Property	Expected Type	Description
Properties from PostalAddress		
addressCountry	Country or Text	The country. Recommended to be in 2-letter ISO 3166-1 alpha-2 format, for example "US". For backward compatibility, a 3-letter ISO 3166-1 alpha-3 country code such as "SGP" or a full country name such as "Singapore" can also be used.
addressLocality	Text	The locality in which the street address is, and which is in the region. For example, Mountain View.
addressRegion	Text	The region in which the locality is, and which is in the country. For example, California or another appropriate first-level Administrative division .
postOfficeBoxNumber	Text	The post office box number for PO box addresses.

Property	Expected Type	Description
postalCode	Text	The postal code. For example, 94043.
streetAddress	Text	The street address. For example, 1600 Amphitheatre Pkwy.
Properties from ContactPoint		
areaServed	AdministrativeArea or GeoShape or Place or Text	The geographic area where a service or offered item is provided. Supersedes serviceArea .
availableLanguage	Language or Text	A language someone may use with or at the item, service or place. Please use one of the language codes from the IETF BCP 47 standard . See also inLanguage .
contactOption	ContactPointOption	An option available on this contact point (e.g. a toll-free number or support for hearing-impaired callers).
contactType	Text	A person or organization can have different contact points, for different purposes. For example, a sales contact point, a PR contact point and so on. This property is used to specify the kind of contact point.
email	Text	Email address.
faxNumber	Text	The fax number.
hoursAvailable	OpeningHoursSpecification	The hours during which this service or contact is available.
productSupported	Product or Text	The product or service this support contact point is related to (such as product support for a particular product line). This can be a

Property	Expected Type	Description
		specific product or product line (e.g. "iPhone") or a general category of products or services (e.g. "smartphones").
telephone	Text	The telephone number.
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.

Property	Expected Type	Description
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Instances of **PostalAddress** may appear as a value for the following properties

Property	On Types	Description
address	GeoCoordinates or GeoShape or Organization or Person or Place	Physical address of the item.
billingAddress	Order	The billing address for the order.
deliveryAddress	ParcelDelivery	Destination address.
gameLocation	Game or VideoGameSeries	Real or fictional location of the game (or part of game).
itemLocation	ArchiveComponent	Current location of the item.
location	Action or Event or InteractionCounter or Organization	The location of, for example, where an event is happening, where an organization is located, or where an action takes place.
originAddress	ParcelDelivery	Shipper's address.
servicePostalAddress	ServiceChannel	The address for accessing the service by mail.

Examples

Example 1

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Person",
  "address": {
    "@type": "PostalAddress",
    "addressLocality": "Seattle",
    "addressRegion": "WA",
    "postalCode": "98052",
    "streetAddress": "20341 Whitworth Institute 405 N. Whitworth"
  },
  "colleague": [
    "http://www.xyz.edu/students/alicejones.html",
    "http://www.xyz.edu/students/bobsmith.html"
  ],
  "email": "mailto:jane-doe@xyz.edu",
  "image": "janedoe.jpg",
  "jobTitle": "Professor",
  "name": "Jane Doe",
  "telephone": "(425) 123-4567",
  "url": "http://www.janedoe.com"
}
```

</script>

📄 Example 2

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Organization",
  "address": {
    "@type": "PostalAddress",
    "addressLocality": "Paris, France",
    "postalCode": "F-75002",
    "streetAddress": "38 avenue de l'Opéra"
  },
  "email": "secretariat(at)google.org",
  "faxNumber": "+33142685301",
  "iso6523Code": "0009:44306184100039",
  "iso6523Code": "9957:FR64443061841",
  "member": [
    {
      "@type": "Organization"
    },
    {
      "@type": "Organization"
    }
  ]
}
```

```
    }  
  ],  
  "alumni": [  
    {  
      "@type": "Person",  
      "name": "Jack Dan"  
    },  
    {  
      "@type": "Person",  
      "name": "John Smith"  
    }  
  ],  
  "name": "Google.org (GOOG)",  
  "telephone": "+33 1 42 68 53 00"  
}  
</script>
```

❏ Example 3

No Markup	Microdata	RDFa	JSON-LD	Structure
-----------	-----------	------	----------------	-----------

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">  
{  
  "@context": "https://schema.org",  
  "@type": "Event",  
  "location": {
```



```
"@type": "Place",
"address": {
  "@type": "PostalAddress",
  "addressLocality": "Denver",
  "addressRegion": "CO",
  "postalCode": "80209",
  "streetAddress": "7 S. Broadway"
},
"name": "The Hi-Dive"
},
"name": "Typhoon with Radiation City",
"offers": {
  "@type": "Offer",
  "price": "13.00",
  "priceCurrency": "USD",
  "url": "http://www.ticketfly.com/purchase/309433"
},
"startDate": "2013-09-14T21:30"
}
</script>
```

❏ Example 4

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
```

```
{
  "@context": "https://schema.org",
  "@type": "LocalBusiness",
  "address": {
    "@type": "PostalAddress",
    "addressLocality": "Mexico Beach",
    "addressRegion": "FL",
    "streetAddress": "3102 Highway 98"
  },
  "description": "A superb collection of fine gifts and clothing to accent your stay in Mexico Beach.",
  "name": "Beachwalk Beachwear & Giftware",
  "telephone": "850-648-4200"
}
</script>
```

Example 5

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as *JSON-LD* in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "PostalAddress",
  "addressCountry": "United States",
  "addressLocality": "Mountain View",
  "addressRegion": "CA",
```

```
"name": "Google Inc.",  
"postOfficeBoxNumber": "1234",  
"postalCode": "94043"  
}  
</script>
```

📄 Example 6

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">  
{  
  "@context": "https://schema.org",  
  "@type": "Event",  
  "eventStatus": "https://schema.org/EventCancelled",  
  "location": {  
    "@type": "Place",  
    "address": {  
      "@type": "PostalAddress",  
      "addressLocality": "Denver",  
      "addressRegion": "CO",  
      "postalCode": "80209",  
      "streetAddress": "7 S. Broadway"  
    },  
    "name": "The Hi-Dive"  
  },  
}
```

```
"name": "CANCELLED - Typhoon with Radiation City",
"offers": {
  "@type": "Offer",
  "price": "13.00",
  "priceCurrency": "USD",
  "url": "http://www.ticketfly.com/purchase/309433"
},
"startDate": "2013-09-14T21:30"
}
</script>
```

📄 Example 7

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "Place",
      "address": {
        "@type": "PostalAddress",
        "addressLocality": "Denver",
        "addressRegion": "CO",
        "postalCode": "80209",

```

```
    "streetAddress": "7 S. Broadway"
  },
  "name": "The Hi-Dive"
},
{
  "@type": "Offer",
  "price": "13.00",
  "priceCurrency": "USD",
  "url": "http://www.ticketfly.com/purchase/309433"
}
]
}
</script>
```

📄 Example 8

No Markup	Microdata	RDFa	JSON-LD	Structure
-----------	-----------	------	----------------	-----------

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Event",
  "location": {
    "@type": "Place",
    "address": {
      "@type": "PostalAddress",
```

```
    "addressLocality": "Denver",
    "addressRegion": "CO",
    "postalCode": "80209",
    "streetAddress": "7 S. Broadway"
  },
  "name": "The Hi-Dive"
},
"name": "SOLD OUT! Typhoon with Radiation City",
"offers": {
  "@type": "Offer",
  "availability": "https://schema.org/SoldOut",
  "price": "13.00",
  "priceCurrency": "USD",
  "url": "http://www.ticketfly.com/purchase/309433"
},
"startDate": "2013-09-14T21:30"
}
</script>
```

📄 Example 9

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context" : "https://schema.org",
```

```
"@type" : "Event",
"name" : "Typhoon with Radiation City",
"startDate" : "2013-09-14T21:30",
"location" : {
  "@type" : "Place",
  "sameAs" : "http://www.hi-dive.com",
  "name" : "The Hi-Dive",
  "address" : {
    "@type" : "PostalAddress",
    "streetAddress" : "7 S. Broadway",
    "addressLocality" : "Denver",
    "addressRegion" : "CO",
    "postalCode" : "80209" }
},
"performer" : [
  { "@type" : "MusicGroup",
    "name" : "Typhoon",
    "sameAs" : "http://en.wikipedia.org/wiki/Typhoon_(American_band)" },
  { "@type" : "MusicGroup",
    "name" : "RadiationCity",
    "sameAs" : "http://en.wikipedia.org/wiki/Radiation_City" }],
"offers" : {
  "@type" : "Offer",
  "availability" : "https://schema.org/LimitedAvailability",
  "priceCurrency": "USD",
  "price" : "13.00",
  "url" : "http://www.ticketfly.com/purchase/309433" },
"typicalAgeRange" : "18+"
}
```

```
}  
</script>
```

📄 Example 10

No Markup	Microdata	RDFa	JSON-LD	Structure
-----------	-----------	------	----------------	-----------

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">  
{  
  "@context": "https://schema.org",  
  "@type": "Store",  
  "name": "Delia's Daily Supplies",  
  "description": "For your daily newspapers, candies, snacks and (via our in-store pharmacy) drugs and heal  
  "openingHours": "Mo-Fr 07:00-23:00",  
  "telephone": "+155501001110",  
  "address":  
  {  
    "@type": "PostalAddress",  
    "streetAddress": "Unit 42, Land of Bargains Shopping Paradise, 12 Highway 101",  
    "addressLocality": "Boston",  
    "addressRegion": "MA",  
    "addressCountry": "USA"  
  },  
  "department":  
  {  
    "@type": "Pharmacy",
```



```

    "name": "Philippa's Pharmacy",
    "description": "A superb collection of fine pharmaceuticals for your beauty and healthcare needs, a c
    "openingHours": "Mo-Th 09:00-12:00",
    "telephone": "+155501001111"
  }
}
</script>

```

Example 11

No Markup	Microdata	RDFa	JSON-LD	Structure
-----------	-----------	------	----------------	-----------

Example encoded as JSON-LD in a HTML script tag.

```

<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Store",
  "name": "Delia's Daily Supplies",
  "description": "For your daily newspapers, candies, snacks and (via our in-store pharmacy) drugs and heal
  "openingHours": "Mo-Fr 07:00-23:00",
  "telephone": "+155501001110",
  "address":
  {
    "@type": "PostalAddress",
    "streetAddress": "Unit 42, Land of Bargains Shopping Paradise, 12 Highway 101",
    "addressLocality": "Boston",

```

```
"addressRegion": "MA",
"addressCountry": "USA"
},
"department":
{
  "@type": "Pharmacy",
  "name": "Philippa's Pharmacy",
  "description": "A superb collection of fine pharmaceuticals for your beauty and healthcare needs, a c
  "openingHours": "Mo-Th 09:00-12:00",
  "telephone": "+155501001111",
  "address":
  {
    "@type": "PostalAddress",
    "streetAddress": "Unit 42b, Land of Bargains Shopping Paradise, 12 Highway 101",
    "addressLocality": "Boston",
    "addressRegion": "MA",
    "addressCountry": "USA"
  }
}
}
</script>
```

Example 12

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
[
  {
    "@context" : "https://schema.org",
    "@type" : "MusicEvent",
    "name" : "B.B. King with Jonathon \"Boogie\" Long",
    "image" : "http://www.bbking.com/gallery/b-b-king-live.jpg",
    "url" : "http://www.bbking.com/events/apr12-providence.html",
    "startDate" : "2014-04-12T19:30",
    "doorTime" : "18:30:00",
    "endDate" : "2014-04-12T22:00",
    "location" : {
      "@type" : "Place",
      "name" : "Lupo's Heartbreak Hotel",
      "sameAs" : "http://lupos.com/",
      "address" : {
        "@type" : "PostalAddress",
        "streetAddress" : "79 Washington St.",
        "addressLocality" : "Providence",
        "addressRegion" : "RI",
        "postalCode" : "02903",
        "addressCountry" : "US"
      }
    },
    "offers" : [ {
      "@type" : "Offer",
      "name" : "General Admission",
```

```
    "priceCurrency": "USD",
    "price" : "63.25",
    "availability" : "SoldOut",
    "url" : "http://www.ticketmaster.com/event/17004C29"
  }, {
    "@type" : "Offer",
    "name" : "VIP Experience",
    "url" : "http://www.example.com/Abcde12345",
    "priceCurrency": "USD",
    "price" : "299.00",
    "validFrom" : "2014-02-05T10:00",
    "validThrough" : "2014-03-19T23:59"
  } ],
  "performer" : [ {
    "@type" : "MusicGroup",
    "name" : "B.B. King",
    "sameAs" : "http://en.wikipedia.org/wiki/B.B._King"
  }, {
    "@type" : "MusicGroup",
    "name" : "Jonathon \"Boogie\" Long",
    "sameAs" : "http://jonathonboogielong.com/"
  } ],
  "eventStatus" : "EventRescheduled",
  "previousStartDate" : "2013-09-30T19:30",
  "typicalAgeRange" : "18+"
}]
</script>
```

📄 Example 13

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "Event",
  "name": "Miami Heat at Philadelphia 76ers - Game 3 (Home Game 1)",
  "location": {
    "@type": "Place",
    "address": {
      "@type": "PostalAddress",
      "addressLocality": "Philadelphia",
      "addressRegion": "PA"
    },
    "url": "wells-fargo-center.html"
  },
  "offers": {
    "@type": "AggregateOffer",
    "priceCurrency": "USD",
    "lowPrice": "35",
    "offerCount": "1938"
  },
  "startDate": "2016-04-21T20:00",
  "url": "nba-miami-philidelphia-game3.html"
}
```

```
}  
</script>
```

[Terms and conditions](#) • [Schema.org](#) • V28.1 | 2024-11-22