

QualitativeValue

A Schema.org Enumeration Type

Thing > **Intangible** > **Enumeration** > **QualitativeValue**

[\[more...\]](#)

A predefined value for a product characteristic, e.g. the power cord plug type 'US' or the garment sizes 'S', 'M', 'L', and 'XL'.

Property	Expected Type	Description
Properties from QualitativeValue		
additionalProperty	PropertyValue	A property-value pair representing an additional characteristic of the entity, e.g. a product feature or another characteristic for which there is no matching property in schema.org. Note: Publishers should be aware that applications designed to use specific schema.org properties (e.g. https://schema.org/width , https://schema.org/color , https://schema.org/gtin13 , ...) will typically expect such data to be provided using those properties, rather than using the generic property/value mechanism.
equal	QualitativeValue	This ordering relation for qualitative values indicates that the subject is equal to the object.

Property	Expected Type	Description
greater	QualitativeValue	This ordering relation for qualitative values indicates that the subject is greater than the object.
greaterOrEqual	QualitativeValue	This ordering relation for qualitative values indicates that the subject is greater than or equal to the object.
lesser	QualitativeValue	This ordering relation for qualitative values indicates that the subject is lesser than the object.
lesserOrEqual	QualitativeValue	This ordering relation for qualitative values indicates that the subject is lesser than or equal to the object.
nonEqual	QualitativeValue	This ordering relation for qualitative values indicates that the subject is not equal to the object.
valueReference	DefinedTerm or Enumeration or MeasurementTypeEnumeration or PropertyValue or QualitativeValue or QuantitativeValue or StructuredValue or Text	A secondary value that provides additional information on the original value, e.g. a reference temperature or a type of measurement.
Properties from Enumeration		
supersededBy	Class or Enumeration or Property	Relates a term (i.e. a property, class or enumeration) to one that supersedes it.

Property	Expected Type	Description
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of <code>rdf:type</code> in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .

Property	Expected Type	Description
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Instances of **QualitativeValue** may appear as a value for the following properties

Property	On Types	Description
bodyType	Vehicle	Indicates the design and body style of the vehicle (e.g. station wagon, hatchback, etc.).
broadcastSignalModulation	BroadcastFrequencySpecification	The modulation (e.g. FM, AM, etc) used by a particular broadcast service.
costPerUnit	DrugCost	The cost per unit of the drug.

Property	On Types	Description
doseValue	DoseSchedule	The value of the dose, e.g. 500.
engineType	EngineSpecification	The type of engine or engines powering the vehicle.
equal	QualitativeValue	This ordering relation for qualitative values indicates that the subject is equal to the object.
fuelType	EngineSpecification or Vehicle	The type of fuel suitable for the engine or engines of the vehicle. If the vehicle has only one engine, this property can be attached directly to the vehicle.
greater	QualitativeValue	This ordering relation for qualitative values indicates that the subject is greater than the object.
greaterOrEqual	QualitativeValue	This ordering relation for qualitative values indicates that the subject is greater than or equal to the object.
lesser	QualitativeValue	This ordering relation for qualitative values indicates that the subject is lesser than the object.
lesserOrEqual	QualitativeValue	This ordering relation for qualitative values indicates that the subject is lesser than or equal to the object.
lodgingUnitType	LodgingReservation	Textual description of the unit type (including suite vs. room, size of bed, etc.).
meetsEmissionStandard	Vehicle	Indicates that the vehicle meets the respective emission standard.
nonEqual	QualitativeValue	This ordering relation for qualitative values indicates that the subject is not equal to the object.

Property	On Types	Description
passengerPriorityStatus	FlightReservation	The priority status assigned to a passenger for security or boarding (e.g. FastTrack or Priority).
seatingType	Seat	The type/class of the seat.
valueReference	PropertyValue or QualitativeValue or QuantitativeValue	A secondary value that provides additional information on the original value, e.g. a reference temperature or a type of measurement.
vehicleTransmission	Vehicle	The type of component used for transmitting the power from a rotating power source to the wheels or other relevant component(s) ("gearbox" for cars).

Enumeration Subtypes

- **BedType**
- **DriveWheelConfigurationValue**
- **SizeSpecification**
- **SteeringPositionValue**

Acknowledgements

GoodRelations Vocabulary Classes

This class is derived from the GoodRelations Vocabulary for E-Commerce, created by Martin Hepp. GoodRelations is a data model for sharing e-commerce data on the Web that can be expressed in a variety of syntaxes, including RDFa and HTML5 Microdata. More information about GoodRelations can be found at <http://purl.org/goodrelations/>.

[Terms and conditions](#) • [Schema.org](#) • V28.1 | 2024-11-22