

Service

A Schema.org Type

Thing › **Intangible** › **Service**

[\[more...\]](#)

A service provided by an organization, e.g. delivery service, print services, etc.

Property	Expected Type	Description
Properties from Service		
aggregateRating	AggregateRating	The overall rating, based on a collection of reviews or ratings, of the item.
areaServed	AdministrativeArea or GeoShape or Place or Text	The geographic area where a service or offered item is provided. Supersedes serviceArea .
audience	Audience	An intended audience, i.e. a group for whom something was created. Supersedes serviceAudience .
availableChannel	ServiceChannel	A means of accessing the service (e.g. a phone bank, a web site, a location, etc.).

Property	Expected Type	Description
award	Text	An award won by or for this item. Supersedes awards .
brand	Brand or Organization	The brand(s) associated with a product or service, or the brand(s) maintained by an organization or business person.
broker	Organization or Person	An entity that arranges for an exchange between a buyer and a seller. In most cases a broker never acquires or releases ownership of a product or service involved in an exchange. If it is not clear whether an entity is a broker, seller, or buyer, the latter two terms are preferred. Supersedes bookingAgent .
category	CategoryCode or PhysicalActivityCategory or Text or Thing or URL	A category for the item. Greater signs or slashes can be used to informally indicate a category hierarchy.
hasCertification	Certification	Certification information about a product, organization, service, place, or person.
hasOfferCatalog	OfferCatalog	Indicates an OfferCatalog listing for this Organization, Person, or Service.
hoursAvailable	OpeningHoursSpecification	The hours during which this service or contact is available.
isRelatedTo	Product or Service	A pointer to another, somehow related product (or multiple products).

Property	Expected Type	Description
isSimilarTo	Product or Service	A pointer to another, functionally similar product (or multiple products).
logo	ImageObject or URL	An associated logo.
offers	Demand or Offer	An offer to provide this item—for example, an offer to sell a product, rent the DVD of a movie, perform a service, or give away tickets to an event. Use businessFunction to indicate the kind of transaction offered, i.e. sell, lease, etc. This property can also be used to describe a Demand. While this property is listed as expected on a number of common types, it can be used in others. In that case, using a second type, such as Product or a subtype of Product, can clarify the nature of the offer. Inverse property: itemOffered
provider	Organization or Person	The service provider, service operator, or service performer; the goods producer. Another party (a seller) may offer those services or goods on behalf of the provider. A provider may also serve as the seller. Supersedes carrier .
providerMobility	Text	Indicates the mobility of a provided service (e.g. 'static', 'dynamic').
review	Review	A review of the item. Supersedes reviews .
serviceOutput	Thing	The tangible thing generated by the service, e.g. a passport, permit, etc. Supersedes produces .
serviceType	GovernmentBenefitsType or Text	The type of service being offered, e.g. veterans' benefits, emergency relief, etc.

Property	Expected Type	Description
slogan	Text	A slogan or motto associated with the item.
termsOfService	Text or URL	Human-readable terms of service documentation.
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.

Property	Expected Type	Description
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Instances of **Service** may appear as a value for the following properties

Property	On Types	Description
isRelatedTo	Product or Service	A pointer to another, somehow related product (or multiple products).
isSimilarTo	Product or Service	A pointer to another, functionally similar product (or multiple products).
issuedThrough	Permit	The service through which the permit was granted.
itemOffered	Demand or Offer	An item being offered (or demanded). The transactional nature of the offer or demand is documented using businessFunction , e.g. sell, lease etc. While several common expected types are listed explicitly in this definition, others can be used. Using a second type, such as Product or a subtype of Product, can clarify the nature of the offer.
orderedItem	Order or OrderItem	The item ordered.
providesService	ServiceChannel	The service provided by this channel.
typeOfGood	OwnershipInfo or TypeAndQuantityNode	The product that this structured value is referring to.

More specific Types

- **BroadcastService**
- **CableOrSatelliteService**
- **FinancialProduct**
- **FoodService**

- **GovernmentService**
- **TaxiService**
- **WebAPI**

Examples

📄 Example 1

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org/",
  "@type": "Invoice",
  "broker": {
    "@type": "LocalBusiness",
    "name": "ACME Home Heating"
  },
  "accountId": "xxxx-xxxx-xxxx-1234",
  "customer": {
    "@type": "Person",
    "name": "Jane Doe"
  },
  "paymentDueDate": "2015-01-30",
  "minimumPaymentDue": {
    "@type": "PriceSpecification",
```

```
    "price": 0.00,
    "priceCurrency": "USD"
  },
  "totalPaymentDue": {
    "@type": "PriceSpecification",
    "price": 0.00,
    "priceCurrency": "USD"
  },
  "paymentStatus": "https://schema.org/PaymentComplete",
  "referencesOrder": [
    {
      "@type": "Order",
      "description": "furnace",
      "orderDate": "2014-12-01",
      "orderNumber": "123ABC",
      "paymentMethod": "http://purl.org/goodrelations/v1#ByInvoice",
      "orderedItem": {
        "@type": "Product",
        "name": "ACME Furnace 3000",
        "productID": "ABC123"
      }
    },
    {
      "@type": "Order",
      "description": "furnace installation",
      "orderDate": "2014-12-02",
      "paymentMethod": "http://purl.org/goodrelations/v1#ByInvoice",
      "orderedItem": {
```



```

        "@type": "Service",
        "description": "furnace installation"
    }
}
]
}
</script>

```

📄 Example 2

No Markup Microdata RDFa **JSON-LD** Structure

Example encoded as JSON-LD in a HTML script tag.

```

<script type="application/ld+json">
{
  "@context": "https://schema.org/",
  "@type": "Service",
  "serviceType": "Weekly home cleaning",
  "provider": {
    "@type": "LocalBusiness",
    "name": "ACME Home Cleaning"
  },
  "areaServed": {
    "@type": "State",
    "name": "Massachusetts"
  },
  "hasOfferCatalog": {

```

```
"@type": "OfferCatalog",
"name": "Cleaning services",
"itemListElement": [
  {
    "@type": "OfferCatalog",
    "name": "House Cleaning",
    "itemListElement": [
      {
        "@type": "Offer",
        "itemOffered": {
          "@type": "Service",
          "name": "Apartment light cleaning"
        }
      },
      {
        "@type": "Offer",
        "itemOffered": {
          "@type": "Service",
          "name": "House light cleaning up to 2 bedrooms"
        }
      },
      {
        "@type": "Offer",
        "itemOffered": {
          "@type": "Service",
          "name": "House light cleaning 3+ bedrooms"
        }
      }
    ]
  }
]
```

```
]
},
{
  "@type": "OfferCatalog",
  "name": "One-time services",
  "itemListElement": [
    {
      "@type": "Offer",
      "itemOffered": {
        "@type": "Service",
        "name": "Window washing"
      }
    },
    {
      "@type": "Offer",
      "itemOffered": {
        "@type": "Service",
        "name": "Carpet cleaning"
      }
    },
    {
      "@type": "Offer",
      "itemOffered": {
        "@type": "Service",
        "name": "Move in/out cleaning"
      }
    }
  ]
}
```

```
    }  
  ]  
}  
}  
</script>
```

📄 Example 3

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">  
{  
  "@context": "https://schema.org/",  
  "@type": "TaxiService",  
  "provider": {  
    "@type": "LocalBusiness",  
    "name": "driver #123",  
    "location": {  
      "@type": "Place",  
      "geo": {  
        "@type": "GeoCircle",  
        "geoMidpoint": {  
          "@type": "GeoCoordinates",  
          "latitude": "42.362757",  
          "longitude": "-71.087109"  
        },  
      },  
    },  
  },  
}
```

```

        "geoRadius": "50"
    }
}
},
"providerMobility": "dynamic"
}
</script>

```

Example 4

No Markup

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

See <https://github.com/ESIPFed/science-on-schema.org/blob/master/guides/DataRepository.md> for a complete guide.

```

<script type="application/ld+json">
{
  "@context": {
    "@vocab": "https://schema.org/"
  },
  "@type": [
    "Service",
    "ResearchProject"
  ],
  "legalName": "Sample Data Repository Office",
  "name": "SDRO",
  "url": "https://www.sample-data-repository.org",

```

```
"description": "The Sample Data Repository Service provides access to data from an imaginary domain acces
"sameAs": [
  "http://www.re3data.org/repository/r3d1000000xx",
  "https://twitter.com/SDRO",
  "https://www.linkedin.com/company/123456789/"
],
"category": [
  "Biological Oceanography",
  "Chemical Oceanography"
],
"provider": [
  {
    "@type": "ResearchProject",
    "name": "SDRO Technical Office",
    "description": "We provide all the infrastructure for the SDRO"
  },
  {
    "@type": "ResearchProject",
    "name": "SDRO Science Support Office",
    "description": "We provide all the science support functionality for the SDRO"
  }
],
"logo": {
  "@type": "ImageObject",
  "url": "https://www.sample-data-repository.org/images/logo.jpg"
},
"contactPoint": {
  "@type": "ContactPoint",
```

```
"name": "Support",
"email": "info@bco-dmo.org",
"url": "https://www.sample-data-repository.org/about-us",
"contactType": "customer support"
},
"foundingDate": "2006-09-01",
"address": {
  "@type": "PostalAddress",
  "streetAddress": "123 Main St.",
  "addressLocality": "Anytown",
  "addressRegion": "ST",
  "postalCode": "12345",
  "addressCountry": "USA"
},
"parentOrganization": {
  "@type": "Organization",
  "@id": "http://www.someinstitute.edu",
  "legalName": "Some Institute",
  "name": "SI",
  "url": "http://www.someinstitute.edu",
  "address": {
    "@type": "PostalAddress",
    "streetAddress": "234 Main St.",
    "addressLocality": "Anytown",
    "addressRegion": "ST",
    "postalCode": "12345",
    "addressCountry": "USA"
  }
}
```

```
},
"identifier": {
  "@type": "PropertyValue",
  "name": "Re3data DOI: 10.17616/R37P4C",
  "propertyID": "https://registry.identifiers.org/registry/doi",
  "value": "doi:10.17616/R37P4C",
  "url": "https://doi.org/10.17616/R37P4C"
},
"funder": {
  "@type": "Organization",
  "@id": "https://doi.org/10.13039/100000141",
  "legalName": "Division of Ocean Sciences",
  "alternateName": "OCE",
  "url": "https://www.nsf.gov/div/index.jsp?div=OCE",
  "identifier": {
    "@type": "PropertyValue",
    "propertyID": "https://registry.identifiers.org/registry/doi",
    "value": "doi:10.13039/100000141",
    "url": "https://doi.org/10.13039/100000141"
  },
  "parentOrganization": {
    "@type": "Organization",
    "@id": "http://doi.org/10.13039/100000085",
    "legalName": "Directorate for Geosciences",
    "alternateName": "NSF-GEO",
    "url": "http://www.nsf.gov",
    "identifier": {
      "@type": "PropertyValue",
```



```
    "propertyID": "https://registry.identifiers.org/registry/doi",
    "value": "doi:10.13039/1000000085",
    "url": "https://doi.org/10.13039/1000000085"
  },
  "parentOrganization": {
    "@type": "Organization",
    "@id": "http://dx.doi.org/10.13039/1000000001",
    "legalName": "National Science Foundation",
    "alternateName": "NSF",
    "url": "http://www.nsf.gov",
    "identifier": {
      "@type": "PropertyValue",
      "propertyID": "https://registry.identifiers.org/registry/doi",
      "value": "doi:10.13039/1000000001",
      "url": "https://doi.org/10.13039/1000000001"
    }
  }
}
},
"availableChannel": [
  {
    "@type": "ServiceChannel",
    "serviceUrl": "https://www.sample-data-repository.org/search",
    "providesService": {
      "@type": "Service",
      "name": "SDRO Website Search",
      "description": "Search for webpages, datasets, authors, funding awards, instrumentation and measure
      "potentialAction": {
```

```
        "@type": "SearchAction",
        "target": "https://www.sample-data-repository.org/search?keywords={query_string}"
    }
}
],
"hasOfferCatalog": {
    "@type": "OfferCatalog",
    "name": "Sample Data Repository Resource Catalog",
    "itemListElement": [
        {
            "@type": "DataCatalog",
            "@id": "https://www.sample-data-repository.org/collection/biological-data",
            "name": "Biological Data",
            "audience": {
                "@type": "Audience",
                "audienceType": "public",
                "name": "General Public"
            }
        },
        {
            "@type": "DataCatalog",
            "@id": "https://www.sample-data-repository.org/collection/geological-data",
            "name": "Geological Data",
            "audience": {
                "@type": "Audience",
                "audienceType": "public",
                "name": "General Public"
            }
        }
    ]
}
```

```
}  
}  
]  
}  
}  
</script>
```