

ServiceChannel

A Schema.org Type

Thing > **Intangible** > **ServiceChannel**

[\[more...\]](#)

A means for accessing a service, e.g. a government office location, web site, or phone number.

Property	Expected Type	Description
Properties from ServiceChannel		
availableLanguage	Language or Text	A language someone may use with or at the item, service or place. Please use one of the language codes from the IETF BCP 47 standard . See also inLanguage .
processingTime	Duration	Estimated processing time for the service using this channel.
providesService	Service	The service provided by this channel.
serviceLocation	Place	The location (e.g. civic structure, local business, etc.) where a person can go to access the service.
servicePhone	ContactPoint	The phone number to use to access the service.
servicePostalAddress	PostalAddress	The address for accessing the service by mail.

Property	Expected Type	Description
serviceSmsNumber	ContactPoint	The number to access the service by text message.
serviceUrl	URL	The website to access the service.
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .

Property	Expected Type	Description
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Instances of **ServiceChannel** may appear as a value for the following properties

Property	On Types	Description
availableChannel	Service	A means of accessing the service (e.g. a phone bank, a web site, a location, etc.).

