

TelevisionChannel

A Schema.org Type

Thing > **Intangible** > **BroadcastChannel** > **TelevisionChannel**

[\[more...\]](#)

A unique instance of a television BroadcastService on a CableOrSatelliteService lineup.

Property	Expected Type	Description
Properties from BroadcastChannel		
broadcastChannelId	Text	The unique address by which the BroadcastService can be identified in a provider lineup. In US, this is typically a number.
broadcastFrequency	BroadcastFrequencySpecification or Text	The frequency used for over-the-air broadcasts. Numeric values or simple ranges, e.g. 87-99. In addition a shortcut idiom is supported for frequencies of AM and FM radio channels, e.g. "87 FM".
broadcastServiceTier	Text	The type of service required to have access to the channel (e.g. Standard or Premium).
genre	Text or URL	Genre of the creative work, broadcast channel or group.

Property	Expected Type	Description
inBroadcastLineup	CableOrSatelliteService	The CableOrSatelliteService offering the channel.
providesBroadcastService	BroadcastService	The BroadcastService offered on this channel. Inverse property: hasBroadcastChannel
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing

Property	Expected Type	Description
		many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Examples

Example 1

Example encoded as JSON-LD in a HTML script tag.

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@type": "TelevisionChannel",
  "name": "WAAY 7",
  "broadcastChannelId": "7",
  "broadcastServiceTier": "Premium",
  "inBroadcastLineup": {
    "@type": "CableOrSatelliteService",
    "name": "Comcast"
  },
  "providesBroadcastService": {
    "@type": "BroadcastService",
    "name": "WAAY-TV",
    "broadcastDisplayName": "ABC",
    "broadcastAffiliateOf": {
      "@type": "Organization",
      "name": "ABC"
    }
  }
}
</script>
```

