

TennisComplex

A Schema.org Type

[Thing](#) › [Organization](#) › [LocalBusiness](#) › [SportsActivityLocation](#) › [TennisComplex](#)

[Thing](#) › [Place](#) › [LocalBusiness](#) › [SportsActivityLocation](#) › [TennisComplex](#)

[\[more...\]](#)

A tennis complex.

Property	Expected Type	Description
Properties from LocalBusiness		
currenciesAccepted	Text	The currency accepted. Use standard formats: ISO 4217 currency format, e.g. "USD"; Ticker symbol for cryptocurrencies, e.g. "BTC"; well known names for Local Exchange Trading Systems (LETS) and other currency types, e.g. "Ithaca HOUR".
openingHours	Text	The general opening hours for a business. Opening hours can be specified as a weekly time range, starting with days, then times per day. Multiple days can be listed with commas ','

Property	Expected Type	Description
		separating each day. Day or time ranges are specified using a hyphen '-'. - Days are specified using the following two-letter combinations: Mo, Tu, We, Th, Fr, Sa, Su. - Times are specified using 24:00 format. For example, 3pm is specified as 15:00, 10am as 10:00. - Here is an example: <code><time itemprop="openingHours" datetime="Tu,Th 16:00-20:00">Tuesdays and Thursdays 4-8pm</time></code>. - If a business is open 7 days a week, then it can be specified as <code><time itemprop="openingHours" datetime="Mo-Su">Monday through Sunday, all day</time></code>.
paymentAccepted	Text	Cash, Credit Card, Cryptocurrency, Local Exchange Tradings System, etc.
priceRange	Text	The price range of the business, for example \$\$\$.
Properties from Organization		
acceptedPaymentMethod	LoanOrCredit or PaymentMethod	The payment method(s) that are accepted in general by an organization, or for some specific

Property	Expected Type	Description
	Text	demand or offer.
actionableFeedbackPolicy	CreativeWork or URL	For a NewsMediaOrganization or other news-related Organization , a statement about public engagement activities (for news media, the newsroom's), including involving the public - digitally or otherwise -- in coverage decisions, reporting and activities after publication.
address	PostalAddress or Text	Physical address of the item.
agentInteractionStatistic	InteractionCounter	The number of completed interactions for this entity, in a particular role (the 'agent'), in a particular action (indicated in the statistic), and in a particular context (i.e. interactionService).
aggregateRating	AggregateRating	The overall rating, based on a collection of reviews or ratings, of the item.
alumni	Person	Alumni of an organization. Inverse property: alumniOf
areaServed	AdministrativeArea or GeoShape or Place or Text	The geographic area where a service or offered item is provided. Supersedes serviceArea .
award	Text	An award won by or for this item. Supersedes awards .

Property	Expected Type	Description
brand	Brand or Organization	The brand(s) associated with a product or service, or the brand(s) maintained by an organization or business person.
contactPoint	ContactPoint	A contact point for a person or organization. Supersedes contactPoints .
correctionsPolicy	CreativeWork or URL	For an Organization (e.g. NewsMediaOrganization), a statement describing (in news media, the newsroom's) disclosure and correction policy for errors.
department	Organization	A relationship between an organization and a department of that organization, also described as an organization (allowing different urls, logos, opening hours). For example: a store with a pharmacy, or a bakery with a cafe.
dissolutionDate	Date	The date that this organization was dissolved.
diversityPolicy	CreativeWork or URL	Statement on diversity policy by an Organization e.g. a NewsMediaOrganization . For a NewsMediaOrganization , a statement describing the newsroom's diversity policy on both staffing and sources, typically providing staffing data.
diversityStaffingReport	Article or URL	For an Organization (often but not necessarily a NewsMediaOrganization), a report on staffing diversity issues. In a news context this might be

Property	Expected Type	Description
		for example ASNE or RTDNA (US) reports, or self-reported.
duns	Text	The Dun & Bradstreet DUNS number for identifying an organization or business person.
email	Text	Email address.
employee	Person	Someone working for this organization. Supersedes employees .
ethicsPolicy	CreativeWork or URL	Statement about ethics policy, e.g. of a NewsMediaOrganization regarding journalistic and publishing practices, or of a Restaurant , a page describing food source policies. In the case of a NewsMediaOrganization , an ethicsPolicy is typically a statement describing the personal, organizational, and corporate standards of behavior expected by the organization.
event	Event	Upcoming or past event associated with this place, organization, or action. Supersedes events .
faxNumber	Text	The fax number.
founder	Organization or Person	A person or organization who founded this organization. Supersedes founders .
foundingDate	Date	The date that this organization was founded.

Property	Expected Type	Description
foundingLocation	Place	The place where the Organization was founded.
funder	Organization or Person	A person or organization that supports (sponsors) something through some kind of financial contribution.
funding	Grant	A Grant that directly or indirectly provide funding or sponsorship for this item. See also ownershipFundingInfo . Inverse property: fundedItem
globalLocationNumber	Text	The Global Location Number (GLN, sometimes also referred to as International Location Number or ILN) of the respective organization, person, or place. The GLN is a 13-digit number used to identify parties and physical locations.
hasCertification	Certification	Certification information about a product, organization, service, place, or person.
hasCredential	EducationalOccupationalCredential	A credential awarded to the Person or Organization.
hasGS1DigitalLink	URL	The GS1 digital link associated with the object. This URL should conform to the particular requirements of digital links. The link should only contain the Application Identifiers (AIs) that are relevant for the entity being annotated, for instance a Product or an Organization , and for the correct granularity. In particular, for products:

Property	Expected Type	Description
		- A Digital Link that contains a serial number (AI 21) should only be present on instances of IndividualProduct - A Digital Link that contains a lot number (AI 10) should be annotated as SomeProduct if only products from that lot are sold, or IndividualProduct if there is only a specific product. - A Digital Link that contains a global model number (AI 8013) should be attached to a Product or a ProductModel. Other item types should be adapted similarly.
hasMemberProgram	MemberProgram	MemberProgram offered by an Organization, for example an eCommerce merchant or an airline.
hasMerchantReturnPolicy	MerchantReturnPolicy	Specifies a MerchantReturnPolicy that may be applicable. Supersedes hasProductReturnPolicy .
hasOfferCatalog	OfferCatalog	Indicates an OfferCatalog listing for this Organization, Person, or Service.
hasPOS	Place	Points-of-Sales operated by the organization or person.

Property	Expected Type	Description
interactionStatistic	InteractionCounter	The number of interactions for the CreativeWork using the WebSite or SoftwareApplication. The most specific child type of InteractionCounter should be used. Supersedes interactionCount .
isicV4	Text	The International Standard of Industrial Classification of All Economic Activities (ISIC), Revision 4 code for a particular organization, business person, or place.
iso6523Code	Text	An organization identifier as defined in ISO 6523(-1) . The identifier should be in the XXXX:YYYYYY:ZZZ or XXXX:YYYYYYformat. Where XXXX is a 4 digit <i>ICD</i> (International Code Designator), YYYYYY is an <i>OID</i> (Organization Identifier) with all formatting characters (dots, dashes, spaces) removed with a maximal length of 35 characters, and ZZZ is an optional <i>OPI</i> (Organization Part Identifier) with a maximum length of 35 characters. The various components (ICD, OID, OPI) are joined with a colon character (ASCII 0x3a). Note that many existing organization identifiers defined as attributes like leiCode (0199), duns (0060) or GLN (0088) can be expressed using ISO-6523. If possible, ISO-6523 codes should be preferred to populating vatID or taxID , as ISO identifiers are less ambiguous.

Property	Expected Type	Description
keywords	DefinedTerm or Text or URL	Keywords or tags used to describe some item. Multiple textual entries in a keywords list are typically delimited by commas, or by repeating the property.
knowsAbout	Text or Thing or URL	Of a Person , and less typically of an Organization , to indicate a topic that is known about - suggesting possible expertise but not implying it. We do not distinguish skill levels here, or relate this to educational content, events, objectives or JobPosting descriptions.
knowsLanguage	Language or Text	Of a Person , and less typically of an Organization , to indicate a known language. We do not distinguish skill levels or reading/writing/speaking/signing here. Use language codes from the IETF BCP 47 standard .
legalName	Text	The official name of the organization, e.g. the registered company name.
leiCode	Text	An organization identifier that uniquely identifies a legal entity as defined in ISO 17442.
location	Place or PostalAddress or Text or VirtualLocation	The location of, for example, where an event is happening, where an organization is located, or where an action takes place.

Property	Expected Type	Description
logo	ImageObject or URL	An associated logo.
makesOffer	Offer	A pointer to products or services offered by the organization or person. Inverse property: offeredBy
member	Organization or Person	A member of an Organization or a ProgramMembership. Organizations can be members of organizations; ProgramMembership is typically for individuals. Supersedes musicGroupMember , members . Inverse property: memberOf
memberOf	MemberProgramTier or Organization or ProgramMembership	An Organization (or ProgramMembership) to which this Person or Organization belongs. Inverse property: member
naics	Text	The North American Industry Classification System (NAICS) code for a particular organization or business person.
nonprofitStatus	NonprofitType	nonprofitStatus indicates the legal status of a non-profit organization in its primary place of business.
numberOfEmployees	QuantitativeValue	The number of employees in an organization, e.g. business.
ownershipFundingInfo	AboutPage or CreativeWork or	For an Organization (often but not necessarily a NewsMediaOrganization), a description of

Property	Expected Type	Description
	Text or URL	organizational ownership structure; funding and grants. In a news/media setting, this is with particular reference to editorial independence. Note that the funder is also available and can be used to make basic funder information machine-readable.
owns	OwnershipInfo or Product	Products owned by the organization or person.
parentOrganization	Organization	The larger organization that this organization is a subOrganization of, if any. Supersedes branchOf . Inverse property: subOrganization
publishingPrinciples	CreativeWork or URL	The publishingPrinciples property indicates (typically via URL) a document describing the editorial principles of an Organization (or individual, e.g. a Person writing a blog) that relate to their activities as a publisher, e.g. ethics or diversity policies. When applied to a CreativeWork (e.g. NewsArticle) the principles are those of the party primarily responsible for the creation of the CreativeWork. While such policies are most typically expressed in natural language, sometimes related information (e.g. indicating a funder) can be expressed using schema.org terminology.

Property	Expected Type	Description
review	Review	A review of the item. Supersedes reviews .
seeks	Demand	A pointer to products or services sought by the organization or person (demand).
skills	DefinedTerm or Text	A statement of knowledge, skill, ability, task or any other assertion expressing a competency that is either claimed by a person, an organization or desired or required to fulfill a role or to work in an occupation.
slogan	Text	A slogan or motto associated with the item.
sponsor	Organization or Person	A person or organization that supports a thing through a pledge, promise, or financial contribution. E.g. a sponsor of a Medical Study or a corporate sponsor of an event.
subOrganization	Organization	A relationship between two organizations where the first includes the second, e.g., as a subsidiary. See also: the more specific 'department' property. Inverse property: parentOrganization
taxID	Text	The Tax / Fiscal ID of the organization or person, e.g. the TIN in the US or the CIF/NIF in Spain.
telephone	Text	The telephone number.
unnamedSourcesPolicy	CreativeWork or URL	For an Organization (typically a NewsMediaOrganization), a statement about

Property	Expected Type	Description
		policy on use of unnamed sources and the decision process required.
vatID	Text	The Value-added Tax ID of the organization or person.
Properties from Place		
	PropertyValue	A property-value pair representing an additional characteristic of the entity, e.g. a product feature or another characteristic for which there is no matching property in schema.org.
additionalProperty		Note: Publishers should be aware that applications designed to use specific schema.org properties (e.g. https://schema.org/width , https://schema.org/color , https://schema.org/gtin13 , ...) will typically expect such data to be provided using those properties, rather than using the generic property/value mechanism.
address	PostalAddress or Text	Physical address of the item.
aggregateRating	AggregateRating	The overall rating, based on a collection of reviews or ratings, of the item.
amenityFeature	LocationFeatureSpecification	An amenity feature (e.g. a characteristic or service) of the Accommodation. This generic property does not make a statement about

Property	Expected Type	Description
		whether the feature is included in an offer for the main accommodation or available at extra costs.
branchCode	Text	A short textual code (also called "store code") that uniquely identifies a place of business. The code is typically assigned by the parentOrganization and used in structured URLs. For example, in the URL http://www.starbucks.co.uk/store-locator/etc/detail/3047 the code "3047" is a branchCode for a particular branch.
containedInPlace	Place	The basic containment relation between a place and one that contains it. Supersedes containedIn. Inverse property: containsPlace
containsPlace	Place	The basic containment relation between a place and another that it contains. Inverse property: containedInPlace
event	Event	Upcoming or past event associated with this place, organization, or action. Supersedes events.
faxNumber	Text	The fax number.
geo	GeoCoordinates or GeoShape	The geo coordinates of the place.

Property	Expected Type	Description
geoContains	GeospatialGeometry or Place	Represents a relationship between two geometries (or the places they represent), relating a containing geometry to a contained geometry. "a contains b iff no points of b lie in the exterior of a, and at least one point of the interior of b lies in the interior of a". As defined in DE-9IM .
geoCoveredBy	GeospatialGeometry or Place	Represents a relationship between two geometries (or the places they represent), relating a geometry to another that covers it. As defined in DE-9IM .
geoCovers	GeospatialGeometry or Place	Represents a relationship between two geometries (or the places they represent), relating a covering geometry to a covered geometry. "Every point of b is a point of (the interior or boundary of) a". As defined in DE-9IM .
geoCrosses	GeospatialGeometry or Place	Represents a relationship between two geometries (or the places they represent), relating a geometry to another that crosses it: "a crosses b: they have some but not all interior points in common, and the dimension of the intersection is less than that of at least one of them". As defined in DE-9IM .
geoDisjoint	GeospatialGeometry or Place	Represents spatial relations in which two geometries (or the places they represent) are topologically disjoint: "they have no point in common. They form a set of disconnected

Property	Expected Type	Description
		geometries." (A symmetric relationship, as defined in DE-9IM .)
geoEquals	GeospatialGeometry or Place	Represents spatial relations in which two geometries (or the places they represent) are topologically equal, as defined in DE-9IM . "Two geometries are topologically equal if their interiors intersect and no part of the interior or boundary of one geometry intersects the exterior of the other" (a symmetric relationship).
geoIntersects	GeospatialGeometry or Place	Represents spatial relations in which two geometries (or the places they represent) have at least one point in common. As defined in DE-9IM .
geoOverlaps	GeospatialGeometry or Place	Represents a relationship between two geometries (or the places they represent), relating a geometry to another that geospatially overlaps it, i.e. they have some but not all points in common. As defined in DE-9IM .
geoTouches	GeospatialGeometry or Place	Represents spatial relations in which two geometries (or the places they represent) touch: "they have at least one boundary point in common, but no interior points." (A symmetric relationship, as defined in DE-9IM .)
geoWithin	GeospatialGeometry or Place	Represents a relationship between two geometries (or the places they represent), relating a geometry to one that contains it, i.e. it is

Property	Expected Type	Description
globalLocationNumber		inside (i.e. within) its interior. As defined in DE-9IM .
	Text	The Global Location Number (GLN, sometimes also referred to as International Location Number or ILN) of the respective organization, person, or place. The GLN is a 13-digit number used to identify parties and physical locations.
hasCertification	Certification	Certification information about a product, organization, service, place, or person.
hasDriveThroughService	Boolean	Indicates whether some facility (e.g. FoodEstablishment , CovidTestingFacility) offers a service that can be used by driving through in a car. In the case of CovidTestingFacility such facilities could potentially help with social distancing from other potentially-infected users.
hasGS1DigitalLink	URL	The GS1 digital link associated with the object. This URL should conform to the particular requirements of digital links. The link should only contain the Application Identifiers (AIs) that are relevant for the entity being annotated, for instance a Product or an Organization, and for the correct granularity. In particular, for products: A Digital Link that contains a serial number (AI 21) should only be present on instances of IndividualProduct

Property	Expected Type	Description
		- A Digital Link that contains a lot number (AI 10) should be annotated as SomeProduct if only products from that lot are sold, or IndividualProduct if there is only a specific product. - A Digital Link that contains a global model number (AI 8013) should be attached to a Product or a ProductModel. Other item types should be adapted similarly.
hasMap	Map or URL	A URL to a map of the place. Supersedes map , maps .
isAccessibleForFree	Boolean	A flag to signal that the item, event, or place is accessible for free. Supersedes free .
isicV4	Text	The International Standard of Industrial Classification of All Economic Activities (ISIC), Revision 4 code for a particular organization, business person, or place.
keywords	DefinedTerm or Text or URL	Keywords or tags used to describe some item. Multiple textual entries in a keywords list are typically delimited by commas, or by repeating the property.
latitude	Number or Text	The latitude of a location. For example 37.42242 (WGS 84).

Property	Expected Type	Description
logo	ImageObject or URL	An associated logo.
longitude	Number or Text	The longitude of a location. For example -122.08585 (WGS 84).
maximumAttendeeCapacity	Integer	The total number of individuals that may attend an event or venue.
openingHoursSpecification	OpeningHoursSpecification	The opening hours of a certain place.
photo	ImageObject or Photograph	A photograph of this place. Supersedes photos .
publicAccess	Boolean	A flag to signal that the Place is open to public visitors. If this property is omitted there is no assumed default boolean value.
review	Review	A review of the item. Supersedes reviews .
slogan	Text	A slogan or motto associated with the item.
smokingAllowed	Boolean	Indicates whether it is allowed to smoke in the place, e.g. in the restaurant, hotel or hotel room.

Property	Expected Type	Description
	OpeningHoursSpecification	The special opening hours of a certain place.
specialOpeningHoursSpecification		Use this to explicitly override general opening hours brought in scope by openingHoursSpecification or openingHours .
telephone	Text	The telephone number.
tourBookingPage	URL	A page providing information on how to book a tour of some Place , such as an Accommodation or ApartmentComplex in a real estate setting, as well as other kinds of tours as appropriate.
Properties from Thing		
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of rdf:type in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.

Property	Expected Type	Description
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.

Property	Expected Type	Description
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.