

# Text

A Schema.org Data Type

**DataType** › **Text**

[\[more...\]](#)

Data type: Text.

Instances of **Text** may appear as a value for the following properties

| Property                     | On Types                                                   | Description                                                                                                                                                   |
|------------------------------|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>abstract</b>              | <b>CreativeWork</b>                                        | An abstract is a short description that summarizes a                                                                                                          |
| <b>acceptedPaymentMethod</b> | <b>Demand</b> or<br><b>Offer</b> or<br><b>Organization</b> | The payment method(s) that are accepted in general or for some specific demand or offer.                                                                      |
| <b>acceptsReservations</b>   | <b>FoodEstablishment</b>                                   | Indicates whether a FoodEstablishment accepts reservations. A Boolean, an URL at which reservations can be made (e.g. a compatibility) the strings Yes or No. |
| <b>accessCode</b>            | <b>DeliveryEvent</b>                                       | Password, PIN, or access code needed for delivery (e.g.                                                                                                       |

| Property                     | On Types             | Description                                                                                                                                                                                                                                                                                                          |
|------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>accessMode</b>            | <b>CreativeWork</b>  | The human sensory perceptual system or cognitive function that a person may process or perceive information. Values should be drawn from the <b>approved vocabulary</b> .                                                                                                                                            |
| <b>accessibilityAPI</b>      | <b>CreativeWork</b>  | Indicates that the resource is compatible with the requirements of the accessibility API. Values should be drawn from the <b>approved vocabulary</b> .                                                                                                                                                               |
| <b>accessibilityControl</b>  | <b>CreativeWork</b>  | Identifies input methods that are sufficient to fully control the resource. Values should be drawn from the <b>approved vocabulary</b> .                                                                                                                                                                             |
| <b>accessibilityFeature</b>  | <b>CreativeWork</b>  | Content features of the resource, such as accessible text, images, and supported enhancements for accessibility. Values should be drawn from the <b>approved vocabulary</b> .                                                                                                                                        |
| <b>accessibilityHazard</b>   | <b>CreativeWork</b>  | A characteristic of the described resource that is potentially hazardous to some users. Related to WCAG 2.0 guideline 2.3. Values should be drawn from the <b>approved vocabulary</b> .                                                                                                                              |
| <b>accessibilitySummary</b>  | <b>CreativeWork</b>  | A human-readable summary of specific accessibility features of the resource, consistent with the other accessibility metadata but more concise, such as "short descriptions are present but long descriptions are needed for non-visual users" or "short descriptions are present but long descriptions are needed". |
| <b>accommodationCategory</b> | <b>Accommodation</b> | Category of an <b>Accommodation</b> , following real estate industry standards (see <b>PropertySubType</b> , and <b>PropertyType</b> fields for more information).                                                                                                                                                   |
| <b>accountId</b>             | <b>Invoice</b>       | The identifier for the account the payment will be applied to.                                                                                                                                                                                                                                                       |

| Property                  | On Types                                                                           | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>acrissCode</b>         | <b>BusOrCoach</b> or <b>Car</b>                                                    | The ACRISS Car Classification Code is a code used by rental companies, for classifying vehicles. ACRISS stands for Automotive Rental Industry Systems and Standards.                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>actionOption</b>       | <b>ChooseAction</b>                                                                | A sub property of object. The options subject to this property.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>actionPlatform</b>     | <b>EntryPoint</b>                                                                  | The high level platform(s) where the Action can be performed. To specify a specific application or operating system use the actionApplication.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>activeIngredient</b>   | <b>DietarySupplement</b> or <b>Drug</b> or <b>DrugStrength</b> or <b>Substance</b> | An active ingredient, typically chemical compounds or biological substances.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>activityFrequency</b>  | <b>ExercisePlan</b>                                                                | How often one should engage in the activity.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>additionalName</b>     | <b>Person</b>                                                                      | An additional name for a Person, can be used for a middle name.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>additionalType</b>     | <b>Thing</b>                                                                       | An additional type for the item, typically used for additional types from external vocabularies in microdata syntax. This should be used in combination with <code>schema:isTypeOf</code> or <code>schema:is_a</code> to indicate something and a class that the thing is in. Typically the additional type is an RDF class, and in this case corresponds to the use of <code>schema:isTypeOf</code> values can be used sparingly, for cases where useful without their being an appropriate schema to reference. If using values, the class label should follow the schema.org convention. |
| <b>additionalVariable</b> | <b>ExercisePlan</b>                                                                | Any additional component of the exercise prescription articulated to the patient. This may include the order of repetitions of movement, quantitative distance, p                                                                                                                                                                                                                                                                                                                                                                                                                           |

| Property                   | On Types                                                                                                     | Description                                                                                                                                                                                                            |
|----------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>address</b>             | <b>GeoCoordinates</b> or<br><b>GeoShape</b> or<br><b>Organization</b> or<br><b>Person</b> or<br><b>Place</b> | Physical address of the item.                                                                                                                                                                                          |
| <b>addressCountry</b>      | <b>DefinedRegion</b> or<br><b>GeoCoordinates</b> or<br><b>GeoShape</b> or<br><b>PostalAddress</b>            | The country. Recommended to be in 2-letter <b>ISO 3166-1</b> code such as "US". For backward compatibility, a 3-letter <b>ISO 3166-1</b> code such as "SGP" or a full country name such as "Switzerland" is also used. |
| <b>addressLocality</b>     | <b>PostalAddress</b>                                                                                         | The locality in which the street address is, and which is the most specific part of the address. For example, Mountain View.                                                                                           |
| <b>addressRegion</b>       | <b>DefinedRegion</b> or<br><b>PostalAddress</b>                                                              | The region in which the locality is, and which is in the first-level administrative division of the country. For example, California or another appropriate first-level <b>AdministrativeArea</b> .                    |
| <b>administrationRoute</b> | <b>Drug</b>                                                                                                  | A route by which this drug may be administered, e.g. intravenous.                                                                                                                                                      |
| <b>aircraft</b>            | <b>Flight</b>                                                                                                | The kind of aircraft (e.g., "Boeing 747").                                                                                                                                                                             |
| <b>alcoholWarning</b>      | <b>Drug</b>                                                                                                  | Any precaution, guidance, contraindication, etc. relating to the consumption of alcohol while taking this drug.                                                                                                        |
| <b>algorithm</b>           | <b>MedicalRiskScore</b>                                                                                      | The algorithm or rules to follow to compute the score.                                                                                                                                                                 |
| <b>alignmentType</b>       | <b>AlignmentObject</b>                                                                                       | A category of alignment between the learning resource and the learning node. Recommended values include: 'requires', 'text', 'prerequisite', 'readingLevel', and 'educationalSubject'.                                 |
|                            |                                                                                                              |                                                                                                                                                                                                                        |

| Property                      | On Types                                                                                                 | Description                                                                                                                                                                                                      |
|-------------------------------|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>alternateName</b>          | Thing                                                                                                    | An alias for the item.                                                                                                                                                                                           |
| <b>alternativeHeadline</b>    | CreativeWork                                                                                             | A secondary title of the CreativeWork.                                                                                                                                                                           |
| <b>applicableCountry</b>      | MerchantReturnPolicy                                                                                     | A country where a particular merchant return policy two-letter ISO 3166-1 alpha-2 country code.                                                                                                                  |
| <b>applicationCategory</b>    | SoftwareApplication                                                                                      | Type of software application, e.g. 'Game, Multimedia                                                                                                                                                             |
| <b>applicationDeadline</b>    | EducationalOccupationalProgram                                                                           | The date on which the program stops collecting applications for the current enrollment cycle. Flexible application deadlines (for e.g. rolling admissions) can be described in a textual string with a DateTime. |
| <b>applicationSubCategory</b> | SoftwareApplication                                                                                      | Subcategory of the application, e.g. 'Arcade Game'.                                                                                                                                                              |
| <b>applicationSuite</b>       | SoftwareApplication                                                                                      | The name of the application suite to which the application belongs (e.g. Office).                                                                                                                                |
| <b>areaServed</b>             | ContactPoint or<br>DeliveryChargeSpecification or<br>Demand or<br>Offer or<br>Organization or<br>Service | The geographic area where a service or offered item is provided.                                                                                                                                                 |
| <b>arrivalGate</b>            | Flight                                                                                                   | Identifier of the flight's arrival gate.                                                                                                                                                                         |
| <b>arrivalPlatform</b>        | TrainTrip                                                                                                | The platform where the train arrives.                                                                                                                                                                            |
| <b>arrivalTerminal</b>        | Flight                                                                                                   | Identifier of the flight's arrival terminal.                                                                                                                                                                     |

| Property              | On Types                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>artEdition</b>     | VisualArtwork              | The number of copies when multiple copies of a piece are made - e.g. for a limited edition of 20 prints, 'artEdition' refers to the number of copies (in this example "20").                                                                                                                                                                                                                                                                                                                                     |
| <b>artMedium</b>      | VisualArtwork              | The material used. (E.g. Oil, Watercolour, Acrylic, Linocut, Digital, Lithograph, DryPoint, Intaglio, Pastel, Woodcut etc.)                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>artform</b>        | VisualArtwork              | e.g. Painting, Drawing, Sculpture, Print, Photograph, etc.                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>articleBody</b>    | Article                    | The actual body of the article.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>articleSection</b> | Article                    | Articles may belong to one or more 'sections' in a magazine or newspaper, such as Sports, Lifestyle, etc.                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>artworkSurface</b> | VisualArtwork              | The supporting materials for the artwork, e.g. Canvas, Paper, etc.                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>asin</b>           | Demand or Offer or Product | <p>An Amazon Standard Identification Number (ASIN) is a alphanumeric unique identifier assigned by Amazon to each product for identification within the Amazon organization (see <a href="#">Wikipedia's</a> article).</p> <p>Note also that this is a definition for how to include ASINs in a product description and not a definition of ASINs in general - see documentation for authoritative details. ASINs are most commonly encountered in the [asin] property supports URL/URI as potential values.</p> |
| <b>aspect</b>         | MedicalWebPage             | An aspect of medical practice that is considered on the basis of a 'diagnosis', 'treatment', 'causes', 'prognosis', 'etiology', etc.                                                                                                                                                                                                                                                                                                                                                                             |

| Property                         | On Types                                                                                                                        | Description                                                                                                                                                                                                |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>assembly</b>                  | <b>APIReference</b>                                                                                                             | Library file name, e.g., mscorlib.dll, system.web.dll.                                                                                                                                                     |
| <b>assemblyVersion</b>           | <b>APIReference</b>                                                                                                             | Associated product/technology version. E.g., .NET Framework 4.0.                                                                                                                                           |
| <b>assesses</b>                  | <b>CreativeWork</b> or<br><b>EducationEvent</b> or<br><b>LearningResource</b>                                                   | The item being described is intended to assess the outcome defined by the referenced term.                                                                                                                 |
| <b>associatedPathophysiology</b> | <b>AnatomicalStructure</b> or<br><b>AnatomicalSystem</b> or<br><b>SuperficialAnatomy</b>                                        | If applicable, a description of the pathophysiology associated with the anatomical system, including potential abnormal changes in structure, function, physical, and biochemical functions of the system. |
| <b>audienceType</b>              | <b>Audience</b>                                                                                                                 | The target group associated with a given audience (e.g., children, adults, musicians, etc.).                                                                                                               |
| <b>availableLanguage</b>         | <b>ContactPoint</b> or<br><b>Course</b> or<br><b>LodgingBusiness</b> or<br><b>ServiceChannel</b> or<br><b>TouristAttraction</b> | A language someone may use with or at the item, specified by one of the language codes from the <b>IETF BCP 47 standard</b> in <b>inLanguage</b> .                                                         |
| <b>availableOnDevice</b>         | <b>SoftwareApplication</b>                                                                                                      | Device required to run the application. Used in cases where the make/model is required to run the application.                                                                                             |
| <b>award</b>                     | <b>CreativeWork</b> or<br><b>Organization</b> or<br><b>Person</b> or<br><b>Product</b> or<br><b>Service</b>                     | An award won by or for this item.                                                                                                                                                                          |

| Property                  | On Types                                                                                                                   | Description                                                                                                                                                                                                                                         |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>awards</b>             | <a href="#">CreativeWork</a> or<br><a href="#">Organization</a> or<br><a href="#">Person</a> or<br><a href="#">Product</a> | Awards won by or for this item.                                                                                                                                                                                                                     |
| <b>backstory</b>          | <a href="#">Article</a>                                                                                                    | For an <a href="#">Article</a> , typically a <a href="#">NewsArticle</a> , the backs textual summary giving a brief explanation of why ar created. In a journalistic setting this could include in process, methods, interviews, data sources, etc. |
| <b>bankAccountType</b>    | <a href="#">BankAccount</a>                                                                                                | The type of a bank account.                                                                                                                                                                                                                         |
| <b>bed</b>                | <a href="#">Accommodation</a> or<br><a href="#">HotelRoom</a> or<br><a href="#">Suite</a>                                  | The type of bed or beds included in the accommodat just one bed of a certain type, you use bed directly w indicate the quantity of a certain kind of bed, use an more detailed information, use the amenityFeature p                                |
| <b>beneficiaryBank</b>    | <a href="#">MoneyTransfer</a>                                                                                              | A bank or bank's branch, financial institution or inter institution operating the beneficiary's bank account beneficiary.                                                                                                                           |
| <b>benefits</b>           | <a href="#">JobPosting</a>                                                                                                 | Description of benefits associated with the job.                                                                                                                                                                                                    |
| <b>bestRating</b>         | <a href="#">Rating</a>                                                                                                     | The highest value allowed in this rating system.                                                                                                                                                                                                    |
| <b>biomechanicalClass</b> | <a href="#">Joint</a>                                                                                                      | The biomechanical properties of the bone.                                                                                                                                                                                                           |
| <b>bitrate</b>            | <a href="#">MediaObject</a>                                                                                                | The bitrate of the media object.                                                                                                                                                                                                                    |
| <b>boardingGroup</b>      | <a href="#">FlightReservation</a>                                                                                          | The airline-specific indicator of boarding order / pref                                                                                                                                                                                             |





| Property                         | On Types                                                       | Description                                                                                                                                                                      |
|----------------------------------|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>broadcastFrequency</b>        | <b>BroadcastChannel</b> or <b>BroadcastService</b>             | The frequency used for over-the-air broadcasts. Numerical ranges, e.g. 87-99. In addition a shortcut idiom is supported for AM and FM radio channels, e.g. "87 FM".              |
| <b>broadcastServiceTier</b>      | <b>BroadcastChannel</b>                                        | The type of service required to have access to the channel (e.g. Premium).                                                                                                       |
| <b>broadcastSignalModulation</b> | <b>BroadcastFrequencySpecification</b>                         | The modulation (e.g. FM, AM, etc) used by a particular broadcast.                                                                                                                |
| <b>broadcastSubChannel</b>       | <b>BroadcastFrequencySpecification</b>                         | The subchannel used for the broadcast.                                                                                                                                           |
| <b>broadcastTimezone</b>         | <b>BroadcastService</b>                                        | The timezone in <b>ISO 8601 format</b> for which the service is available.                                                                                                       |
| <b>browserRequirements</b>       | <b>WebApplication</b>                                          | Specifies browser requirements in human-readable form, e.g. 'HTML5 support'.                                                                                                     |
| <b>busName</b>                   | <b>BusTrip</b>                                                 | The name of the bus (e.g. Bolt Express).                                                                                                                                         |
| <b>busNumber</b>                 | <b>BusTrip</b>                                                 | The unique identifier for the bus.                                                                                                                                               |
| <b>byDay</b>                     | <b>Schedule</b>                                                | Defines the day(s) of the week on which a recurring trip occurs. It is specified using either <b>DayOfWeek</b> , or alternatively <b>Text</b> syntax for byDay recurrence rules. |
| <b>callSign</b>                  | <b>BroadcastService</b> or <b>Person</b> or <b>Vehicle</b>     | A <b>callsign</b> , as used in broadcasting and radio communication by police, people, radio and TV stations, or vehicles.                                                       |
| <b>caption</b>                   | <b>AudioObject</b> or <b>ImageObject</b> or <b>VideoObject</b> | The caption for this object. For downloadable machine-readable captions (e.g. caption, subtitles etc.) use <b>MediaObject</b> and indicate the type of media object.             |

| Property                           | On Types                                                                                                                                                                                                      | Description                                                                                                                                                                                                                                                |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>carrierRequirements</b>         | <b>MobileApplication</b>                                                                                                                                                                                      | Specifies specific carrier(s) requirements for the app; the application may only work on a specific carrier network.                                                                                                                                       |
| <b>catalogNumber</b>               | <b>MusicRelease</b>                                                                                                                                                                                           | The catalog number for the release.                                                                                                                                                                                                                        |
| <b>category</b>                    | <b>ActionAccessSpecification</b> or<br><b>Invoice</b> or<br><b>Offer</b> or<br><b>PhysicalActivity</b> or<br><b>Product</b> or<br><b>Recommendation</b> or<br><b>Service</b> or<br><b>SpecialAnnouncement</b> | A category for the item. Greater signs or slashes can indicate a category hierarchy.                                                                                                                                                                       |
| <b>certificationIdentification</b> | <b>Certification</b>                                                                                                                                                                                          | Identifier of a certification instance (as registered with the certification body). Typically this identifier can be used to identify the certification instance. See also <b>gs1:certificationInstanceID</b> .                                            |
| <b>characterName</b>               | <b>PerformanceRole</b>                                                                                                                                                                                        | The name of a character played in some acting or performance.                                                                                                                                                                                              |
| <b>checkoutPageURLTemplate</b>     | <b>Offer</b>                                                                                                                                                                                                  | A URL template (RFC 6570) for a checkout page for an offer that allows merchants to specify a URL for online checkout by interpolating parameters such as the logged in user, a discount code etc. Parameter naming and standardization is described here. |
| <b>chemicalComposition</b>         | <b>ChemicalSubstance</b>                                                                                                                                                                                      | The chemical composition describes the identity and chemical elements that make up the substance.                                                                                                                                                          |

| Property                    | On Types                                  | Description                                                                                                                                                     |
|-----------------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>childTaxon</b>           | <b>Taxon</b>                              | Closest child taxa of the taxon in question.                                                                                                                    |
| <b>circle</b>               | <b>GeoShape</b>                           | A circle is the circular region of a specified radius centered on a specified latitude and longitude. A circle is expressed as a pair of coordinates in meters. |
| <b>citation</b>             | <b>CreativeWork</b>                       | A citation or reference to another creative work, such as a book, web page, scholarly article, etc.                                                             |
| <b>claimReviewed</b>        | <b>ClaimReview</b>                        | A short summary of the specific claims reviewed in a review.                                                                                                    |
| <b>clinicalPharmacology</b> | <b>Drug</b>                               | Description of the absorption and elimination of drug concentration (pharmacokinetics, pK) and biological activity (pharmacodynamics, pD).                      |
| <b>clinicalPharmacology</b> | <b>Drug</b>                               | Description of the absorption and elimination of drug concentration (pharmacokinetics, pK) and biological activity (pharmacodynamics, pD).                      |
| <b>clipNumber</b>           | <b>Clip</b>                               | Position of the clip within an ordered group of clips.                                                                                                          |
| <b>codeSampleType</b>       | <b>SoftwareSourceCode</b>                 | What type of code sample: full (compile ready) solution, code, scripts, template.                                                                               |
| <b>codeValue</b>            | <b>CategoryCode</b> or <b>MedicalCode</b> | A short textual code that uniquely identifies the value.                                                                                                        |
| <b>codingSystem</b>         | <b>MedicalCode</b>                        | The coding system, e.g. 'ICD-10'.                                                                                                                               |
| <b>color</b>                | <b>Product</b>                            | The color of the product.                                                                                                                                       |

| Property                  | On Types                                                                  | Description                                                                                                                                                                                                                                   |
|---------------------------|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>commentText</b>        | <b>UserComments</b>                                                       | The text of the UserComment.                                                                                                                                                                                                                  |
| <b>competencyRequired</b> | <b>EducationalOccupationalCredential</b><br>or<br><b>LearningResource</b> | Knowledge, skill, ability or personal attribute that mu<br>person or other entity in order to do something such<br>Occupational Credential or understand a LearningRe                                                                         |
|                           | <b>CreativeWork</b>                                                       | Conditions that affect the availability of, or method(s)<br>Typically used for real world items such as an <b>Archiv</b><br><b>ArchiveOrganization</b> . This property is not suitabl<br>access control mechanism. It is expressed only in na |
| <b>conditionsOfAccess</b> |                                                                           | For example "Available by appointment from the Rea<br>only from logged-in accounts ".                                                                                                                                                         |
| <b>confirmationNumber</b> | <b>Invoice</b> or<br><b>Order</b>                                         | A number that confirms the given order or payment t                                                                                                                                                                                           |
| <b>contactType</b>        | <b>ContactPoint</b>                                                       | A person or organization can have different contact p<br>purposes. For example, a sales contact point, a PR co<br>This property is used to specify the kind of contact p                                                                      |
| <b>contentRating</b>      | <b>CreativeWork</b>                                                       | Official rating of a piece of content—for example, 'MF                                                                                                                                                                                        |
| <b>contentSize</b>        | <b>MediaObject</b>                                                        | File size in (mega/kilo)bytes.                                                                                                                                                                                                                |
| <b>contentType</b>        | <b>EntryPoint</b>                                                         | The supported content type(s) for an EntryPoint res                                                                                                                                                                                           |
| <b>contraindication</b>   | <b>MedicalDevice</b> or<br><b>MedicalTherapy</b>                          | A contraindication for this therapy.                                                                                                                                                                                                          |

| Property                       | On Types                   | Description                                                                                                                                   |
|--------------------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>cookingMethod</b>           | <b>Recipe</b>              | The method of cooking, such as Frying, Steaming, ...                                                                                          |
| <b>copyrightNotice</b>         | <b>CreativeWork</b>        | Text of a notice appropriate for describing the copyright of a Creative Work, ideally indicating the owner of the copyright.                  |
| <b>correction</b>              | <b>CreativeWork</b>        | Indicates a correction to a <b>CreativeWork</b> , either via textually or in another document.                                                |
| <b>costCurrency</b>            | <b>DrugCost</b>            | The currency (in 3-letter) of the drug cost. See: <a href="http://en.wikipedia.org/wiki/ISO_4217">http://en.wikipedia.org/wiki/ISO_4217</a> . |
| <b>costOrigin</b>              | <b>DrugCost</b>            | Additional details to capture the origin of the cost data. Part B'.                                                                           |
| <b>costPerUnit</b>             | <b>DrugCost</b>            | The cost per unit of the drug.                                                                                                                |
| <b>countriesNotSupported</b>   | <b>SoftwareApplication</b> | Countries for which the application is not supported. Two-letter ISO 3166-1 alpha-2 country code.                                             |
| <b>countriesSupported</b>      | <b>SoftwareApplication</b> | Countries for which the application is supported. Two-letter ISO 3166-1 alpha-2 country code.                                                 |
| <b>countryOfAssembly</b>       | <b>Product</b>             | The place where the product was assembled.                                                                                                    |
| <b>countryOfLastProcessing</b> | <b>Product</b>             | The place where the item (typically <b>Product</b> ) was last processed before importation.                                                   |
| <b>courseCode</b>              | <b>Course</b>              | The identifier for the <b>Course</b> used by the course <b>prerequisites</b> (e.g., 6.001).                                                   |
|                                |                            |                                                                                                                                               |

| Property                   | On Types                                 | Description                                                                                                                                                                                                                                                                                                                    |
|----------------------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>courseMode</b>          | <b>CourseInstance</b>                    | The medium or means of delivery of the course instance either as a text label (e.g. "online"; "onsite" or "blended"; "asynchronous"; "full-time" or "part-time") or as a URI to a controlled vocabulary (e.g. <a href="https://ceds.ed.gov/element/001311#Asynchronous">https://ceds.ed.gov/element/001311#Asynchronous</a> ). |
| <b>coursePrerequisites</b> | <b>Course</b>                            | Requirements for taking the Course. May be complete or partial. May be a textual description like "permission of instructor". Referenced using <b>Alignment</b> property.                                                                                                                                                      |
| <b>courseWorkload</b>      | <b>CourseInstance</b>                    | The amount of work expected of students taking the course. May be a figure per week or per month, and may be broken down by type of work, e.g. "2 hours of lectures, 1 hour of lab work and 3 hours of self-paced work".                                                                                                       |
| <b>creativeWorkStatus</b>  | <b>CreativeWork</b>                      | The status of a creative work in terms of its stage in the publication lifecycle. May include Incomplete, Draft, Published, Obsolete. Some Creative Works may have a set of terms for the stages of their publication lifecycle.                                                                                               |
| <b>credentialCategory</b>  | <b>EducationalOccupationalCredential</b> | The category or type of credential being described, for example "certificate", "badge", or more specific term.                                                                                                                                                                                                                 |
| <b>creditText</b>          | <b>CreativeWork</b>                      | Text that can be used to credit person(s) and/or organization with a published Creative Work.                                                                                                                                                                                                                                  |
| <b>currenciesAccepted</b>  | <b>LocalBusiness</b>                     | The currency accepted.<br><br>Use standard formats: <b>ISO 4217 currency format</b> , e.g. "USD"; cryptocurrencies, e.g. "BTC"; well known names for <b>Local Exchange Trading Systems</b> (LETS) and other currency types, e.g. "Ithaca                                                                                       |

| Property                 | On Types                                                                                                                                                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>currency</b>          | <b>DatedMoneySpecification</b> or <b>ExchangeRateSpecification</b> or <b>LoanOrCredit</b> or <b>MonetaryAmount</b> or <b>MonetaryAmountDistribution</b> | <p>The currency in which the monetary amount is expressed.</p> <p>Use standard formats: <b>ISO 4217 currency format</b>, e.g. "USD"; cryptocurrencies, e.g. "BTC"; well known names for <b>Local Currencies</b> (LETS) and other currency types, e.g. "Ithaca".</p>                                                                                                                                                                                                                                                                                                  |
| <b>cvdCollectionDate</b> | <b>CDCPMDRecord</b>                                                                                                                                     | collectiondate - Date for which patient counts are reported.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>cvdFacilityCounty</b> | <b>CDCPMDRecord</b>                                                                                                                                     | Name of the County of the NHSN facility that this data record applies to. <b>cvdFacilityId</b> to identify the facility. To provide other information, <b>healthcareReportingData</b> can be used on a <b>Hospital</b> .                                                                                                                                                                                                                                                                                                                                             |
| <b>cvdFacilityId</b>     | <b>CDCPMDRecord</b>                                                                                                                                     | Identifier of the NHSN facility that this data record applies to. <b>cvdFacilityCounty</b> to indicate the county. To provide other information, <b>healthcareReportingData</b> can be used on a <b>Hospital</b> .                                                                                                                                                                                                                                                                                                                                                   |
| <b>dataFeedElement</b>   | <b>DataFeed</b>                                                                                                                                         | An item within a data feed. Data feeds may have many elements.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>dateline</b>          | <b>NewsArticle</b>                                                                                                                                      | <p>A <b>dateline</b> is a brief piece of text included in news articles and when the story was written or filed through the dateline. Sometimes only a placename is provided.</p> <p>Structured representations of dateline-related information can be expressed more explicitly using <b>locationCreated</b> where work was created, e.g. where a news report was written or described in the content, use <b>contentLocation</b>.</p> <p>Dateline summaries are oriented more towards human reading and automated processing, and can vary substantially. Some</p> |



| Property                         | On Types                          | Description                                                                                                                                                                                                      |
|----------------------------------|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>defaultValue</b>              |                                   | Lebanon, June 2.", "Paris, France", "December 19, 2017", "Washington", "Beijing/Moscow", "QUEZON CITY, Philip                                                                                                    |
|                                  | <b>PropertyValueSpecification</b> | The default value of the input. For properties that expect a literal value, for properties that expect an object, it is the current values.                                                                      |
| <b>departureGate</b>             | <b>Flight</b>                     | Identifier of the flight's departure gate.                                                                                                                                                                       |
| <b>departurePlatform</b>         | <b>TrainTrip</b>                  | The platform from which the train departs.                                                                                                                                                                       |
| <b>departureTerminal</b>         | <b>Flight</b>                     | Identifier of the flight's departure terminal.                                                                                                                                                                   |
| <b>dependencies</b>              | <b>TechArticle</b>                | Prerequisites needed to fulfill steps in article.                                                                                                                                                                |
| <b>description</b>               | <b>Thing</b>                      | A description of the item.                                                                                                                                                                                       |
| <b>device</b>                    | <b>SoftwareApplication</b>        | Device required to run the application. Used in cases where make/model is required to run the application.                                                                                                       |
| <b>dietFeatures</b>              | <b>Diet</b>                       | Nutritional information specific to the dietary plan. May include recommendations on what foods to avoid, what foods to eat, specific alterations/deviations from the USDA or other approved dietary guidelines. |
| <b>disambiguatingDescription</b> | <b>Thing</b>                      | A sub property of description. A short description of the item to disambiguate from other, similar items. Information from a particular, name) may be necessary for the descriptive disambiguation.              |
| <b>discount</b>                  | <b>Order</b>                      | Any discount applied (to an Order).                                                                                                                                                                              |

| Property                       | On Types                             | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>discountCode</b>            | <b>Order</b>                         | Code used to redeem a discount.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                                | <b>Order</b>                         | The currency of the discount.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>discountCurrency</b>        |                                      | Use standard formats: <b>ISO 4217 currency format</b> , e.g. cryptocurrencies, e.g. "BTC"; well known names for <b>Local Systems</b> (LETS) and other currency types, e.g. "Ithaca                                                                                                                                                                                                                                                                                                                                 |
| <b>dosageForm</b>              | <b>Drug</b>                          | A dosage form in which this drug/supplement is available, e.g. 'suspension', 'injection'.                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>doseUnit</b>                | <b>DoseSchedule</b>                  | The unit of the dose, e.g. 'mg'.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>driveWheelConfiguration</b> | <b>Vehicle</b>                       | The drive wheel configuration, i.e. which roadwheels the vehicle's engine via the drivetrain.                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>drugUnit</b>                | <b>Drug</b> or <b>DrugCost</b>       | The unit in which the drug is measured, e.g. '5 mg taken                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>duns</b>                    | <b>Organization</b> or <b>Person</b> | The Dun & Bradstreet DUNS number for identifying a person.                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>editEIDR</b>                | <b>CreativeWork</b>                  | <p>An <b>EIDR</b> (Entertainment Identifier Registry) <b>identifier</b> specific edit / edition for a work of film or television.</p> <p>For example, the motion picture known as "Ghostbusters" has several EIDRs: "10.5240/7EC7-228A-510A-053E-CBB8-J" has several EIDRs: "10.5240/7EC7-228A-510A-053E-CBB8-J", "10.5240/E1C5-680A-14C6-E76B-I" and "10.5240/8A35-3BEE-6</p> <p>Since schema.org types like <b>Movie</b> and <b>TVEpisode</b> and their multiple expressions, it is possible to use <b>t</b></p> |

| Property                            | On Types                                                                                                                        | Description                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                     |                                                                                                                                 | general description), or alongside <b>editEIDR</b> for a more detailed description.                                                                                                                                                                                                                                                                                    |
| <b>eduQuestionType</b>              | <b>Question</b> or<br><b>SolveMathAction</b>                                                                                    | For questions that are part of learning resources (e.g. "multiple choice", "open-ended", "Flashcard").                                                                                                                                                                                                                                                                 |
| <b>educationRequirements</b>        | <b>JobPosting</b> or<br><b>Occupation</b>                                                                                       | Educational background needed for the position or Occupation.                                                                                                                                                                                                                                                                                                          |
| <b>educationalCredentialAwarded</b> | <b>Course</b> or<br><b>EducationalOccupationalProgram</b>                                                                       | A description of the qualification, award, certificate, diploma, or degree awarded as a consequence of completing this course or program.                                                                                                                                                                                                                              |
| <b>educationalFramework</b>         | <b>AlignmentObject</b>                                                                                                          | The framework to which the resource being described is aligned.                                                                                                                                                                                                                                                                                                        |
| <b>educationalLevel</b>             | <b>CreativeWork</b> or<br><b>EducationEvent</b> or<br><b>EducationalOccupationalCredential</b><br>or<br><b>LearningResource</b> | The level in terms of progression through an educational program. Examples of educational levels include 'beginner', 'intermediate', 'advanced', and formal sets of level indicators.                                                                                                                                                                                  |
| <b>educationalProgramMode</b>       | <b>EducationalOccupationalProgram</b>                                                                                           | Similar to courseMode, the medium or means of delivery for the program. The value may either be a text label (e.g. "online", "synchronous" or "asynchronous"; "full-time" or "part-time") or a reference to a term from a controlled vocabulary (e.g. <a href="https://ceds.ed.gov/element/001311#Asynchronous">https://ceds.ed.gov/element/001311#Asynchronous</a> ). |
| <b>educationalRole</b>              | <b>EducationalAudience</b>                                                                                                      | An educationalRole of an EducationalAudience.                                                                                                                                                                                                                                                                                                                          |

| Property                            | On Types                                                                                                | Description                                                                                                                                                                                          |
|-------------------------------------|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>educationalUse</b>               | <b>CreativeWork</b> or <b>LearningResource</b>                                                          | The purpose of a work in the context of education; for example, 'group work'.                                                                                                                        |
| <b>elevation</b>                    | <b>GeoCoordinates</b> or <b>GeoShape</b>                                                                | The elevation of a location ( <b>WGS 84</b> ). Values may be in 'UNIT_OF_MEASUREMENT' (e.g., '1,000 m', '3,200 ft') or should be assumed to be a value in meters.                                    |
| <b>eligibilityToWorkRequirement</b> | <b>JobPosting</b>                                                                                       | The legal requirements such as citizenship, visa and other requirements required for an applicant to this job.                                                                                       |
| <b>eligibleRegion</b>               | <b>ActionAccessSpecification</b> or <b>DeliveryChargeSpecification</b> or <b>Demand</b> or <b>Offer</b> | <p>The ISO 3166-1 (ISO 3166-1 alpha-2) or ISO 3166-2 code for the <b>GeoShape</b> for the geo-political region(s) for which the specification is valid.</p> <p>See also <b>ineligibleRegion</b>.</p> |
| <b>email</b>                        | <b>ContactPoint</b> or <b>Organization</b> or <b>Person</b>                                             | Email address.                                                                                                                                                                                       |
| <b>embeddedTextCaption</b>          | <b>AudioObject</b> or <b>ImageObject</b> or <b>VideoObject</b>                                          | Represents textual captioning from a <b>MediaObject</b> .                                                                                                                                            |
| <b>employerOverview</b>             | <b>JobPosting</b>                                                                                       | A description of the employer, career opportunities and other information about this position.                                                                                                       |
| <b>employmentType</b>               | <b>JobPosting</b>                                                                                       | Type of employment (e.g. full-time, part-time, contract, internship).                                                                                                                                |

| Property                       | On Types                                           | Description                                                                                                                                                      |
|--------------------------------|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>encodingFormat</b>          | <b>CreativeWork</b> or <b>MediaObject</b>          | Media type typically expressed using a MIME format ( <b>reference</b> ), e.g. application/zip for a SoftwareApplication or .mp3 etc.                             |
|                                |                                                    | In cases where a <b>CreativeWork</b> has several media types, <b>encoding</b> can be used to indicate each <b>MediaObject</b> <b>encodingFormat</b> information. |
|                                |                                                    | Unregistered or niche encoding and file formats can be used to indicate the most appropriate URL, e.g. defining Web page or entry.                               |
| <b>encodingType</b>            | <b>EntryPoint</b>                                  | The supported encoding type(s) for an EntryPoint resource.                                                                                                       |
| <b>engineType</b>              | <b>EngineSpecification</b>                         | The type of engine or engines powering the vehicle.                                                                                                              |
| <b>epidemiology</b>            | <b>MedicalCondition</b> or <b>PhysicalActivity</b> | The characteristics of associated patients, such as age, sex, etc.                                                                                               |
| <b>episodeNumber</b>           | <b>Episode</b>                                     | Position of the episode within an ordered group of episodes.                                                                                                     |
| <b>estimatedCost</b>           | <b>HowTo</b> or <b>HowToSupply</b>                 | The estimated cost of the supply or supplies consumed in following the instructions.                                                                             |
| <b>estimatedFlightDuration</b> | <b>Flight</b>                                      | The estimated time the flight will take.                                                                                                                         |
| <b>evidenceOrigin</b>          | <b>MedicalGuideline</b>                            | Source of the data used to formulate the guidance, e.g. clinical trial, expert opinion, etc.                                                                     |
| <b>executableLibraryName</b>   | <b>APIReference</b>                                | Library file name, e.g., mscorlib.dll, system.web.dll.                                                                                                           |

| Property                               | On Types                                                                                                        | Description                                                                                                                                                                                                                                                                                  |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>exerciseType</b>                    | <a href="#">ExerciseAction</a> or <a href="#">ExercisePlan</a>                                                  | Type(s) of exercise or activity, such as strength training, aerobics, cardiac rehabilitation, etc.                                                                                                                                                                                           |
| <b>exifData</b>                        | <a href="#">ImageObject</a>                                                                                     | exif data for this object.                                                                                                                                                                                                                                                                   |
| <b>expectedPrognosis</b>               | <a href="#">MedicalCondition</a>                                                                                | The likely outcome in either the short term or long term condition.                                                                                                                                                                                                                          |
| <b>experienceRequirements</b>          | <a href="#">JobPosting</a> or <a href="#">Occupation</a>                                                        | Description of skills and experience needed for the position.                                                                                                                                                                                                                                |
| <b>expertConsiderations</b>            | <a href="#">Diet</a>                                                                                            | Medical expert advice related to the plan.                                                                                                                                                                                                                                                   |
| <b>familyName</b>                      | <a href="#">Person</a>                                                                                          | Family name. In the U.S., the last name of a Person.                                                                                                                                                                                                                                         |
| <b>faxNumber</b>                       | <a href="#">ContactPoint</a> or <a href="#">Organization</a> or <a href="#">Person</a> or <a href="#">Place</a> | The fax number.                                                                                                                                                                                                                                                                              |
| <b>featureList</b>                     | <a href="#">SoftwareApplication</a>                                                                             | Features or modules provided by this application (and other applications).                                                                                                                                                                                                                   |
| <b>feesAndCommissionsSpecification</b> | <a href="#">FinancialProduct</a> or <a href="#">FinancialService</a>                                            | Description of fees, commissions, and other terms associated with a financial product, or by a financial service organization.                                                                                                                                                               |
| <b>fileFormat</b>                      | <a href="#">CreativeWork</a>                                                                                    | Media type, typically MIME format (see <a href="#">IANA site</a> ) of the application/zip of a SoftwareApplication binary. In cases where an object has several media type representations, 'encoding' can be used to identify each MediaObject alongside particular fileFormat information. |

| Property                    | On Types                                                  | Description                                                                                                                                          |
|-----------------------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             |                                                           | niche file formats can be indicated instead via the media defining Web page or a Wikipedia entry.                                                    |
| <b>fileSize</b>             | <b>SoftwareApplication</b>                                | Size of the application / package (e.g. 18MB) . In the absence of a unit (e.g. MB, KB, etc.), KB will be assumed.                                    |
| <b>financialAidEligible</b> | <b>Course</b> or<br><b>EducationalOccupationalProgram</b> | A financial aid type or program which students may use to pay fees associated with the program.                                                      |
| <b>flightDistance</b>       | <b>Flight</b>                                             | The distance of the flight.                                                                                                                          |
| <b>flightNumber</b>         | <b>Flight</b>                                             | The unique identifier for a flight including the airline describing United flight 110, where the IATA code for flightNumber is 'UA110'.              |
| <b>floorLevel</b>           | <b>Accommodation</b>                                      | The floor level for an <b>Accommodation</b> in a multi-story building system; <b>vary internationally</b> , the local system should be used.         |
| <b>followup</b>             | <b>MedicalProcedure</b>                                   | Typical or recommended followup care after the procedure.                                                                                            |
| <b>foodWarning</b>          | <b>Drug</b>                                               | Any precaution, guidance, contraindication, etc. relating to specific foods while taking this drug.                                                  |
| <b>frequency</b>            | <b>DoseSchedule</b>                                       | How often the dose is taken, e.g. 'daily'.                                                                                                           |
| <b>fuelType</b>             | <b>EngineSpecification</b> or<br><b>Vehicle</b>           | The type of fuel suitable for the engine or engines of the vehicle. If the vehicle has only one engine, this property can be attached to the engine. |
| <b>functionalClass</b>      | <b>Joint</b>                                              | The degree of mobility the joint allows.                                                                                                             |

| Property                    | On Types                                                                                       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>gameAvailabilityType</b> | <a href="#">PlayGameAction</a>                                                                 | Indicates the availability type of the game content as such as whether it is a full version or a demo.                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>gameEdition</b>          | <a href="#">VideoGame</a>                                                                      | The edition of a video game.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>gamePlatform</b>         | <a href="#">VideoGame</a> or <a href="#">VideoGameSeries</a>                                   | The electronic systems used to play <b>video games</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>gender</b>               | <a href="#">Person</a> or <a href="#">SportsTeam</a>                                           | Gender of something, typically a <b>Person</b> , but possibly animals, etc. While <a href="https://schema.org/Male">https://schema.org/Male</a> and <a href="https://schema.org/Female">https://schema.org/Female</a> may be used, text strings are also acceptable for specifying a binary gender. The <b>gender</b> property can also be used to cover e.g. the gender of sports teams. As with the <a href="#">sex</a> property, do not try to enumerate all possibilities. A mixed-gender entity is indicated with a text value of "Mixed". |
| <b>genre</b>                | <a href="#">BroadcastChannel</a> or <a href="#">CreativeWork</a> or <a href="#">MusicGroup</a> | Genre of the creative work, broadcast channel or group.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>geoRadius</b>            | <a href="#">GeoCircle</a>                                                                      | Indicates the approximate radius of a <a href="#">GeoCircle</a> (measured otherwise via Distance notation).                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>givenName</b>            | <a href="#">Person</a>                                                                         | Given name. In the U.S., the first name of a <a href="#">Person</a> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>globalLocationNumber</b> | <a href="#">Organization</a> or <a href="#">Person</a> or <a href="#">Place</a>                | The <b>Global Location Number</b> (GLN, sometimes also referred to as Location Number or ILN) of the respective organization. GLN is a 13-digit number used to identify parties and                                                                                                                                                                                                                                                                                                                                                             |
| <b>gtin</b>                 | <a href="#">Demand</a> or <a href="#">Offer</a> or                                             | A Global Trade Item Number ( <b>GTIN</b> ). GTINs identify trade products and services, using numeric identification                                                                                                                                                                                                                                                                                                                                                                                                                            |



| Property      | On Types                                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|               | <b>Product</b>                                  | <p>A correct <b>gtin</b> value should be a valid GTIN, which means an all-numeric string of either 8, 12, 13 or 14 digits, or a "0" on such a string. The numeric component should also be a <b>digit</b> and meet the other rules for valid GTINs. See also <a href="#">Wikipedia</a> for more details. Left-padding of the gtin value is encouraged. The <b>gtin</b> property generalizes the earlier <b>gtin13</b>, and <b>gtin14</b> properties.</p> <p>The GS1 <a href="#">digital link specifications</a> expresses GTINs as Digital Links should be populated into the <b>hasGS1DigitalLink</b> property.</p> <p>Note also that this is a definition for how to include GTINs in Digital Links and not a definition of GTINs in general - see the GS1 <a href="#">GTIN Summary</a> for authoritative details.</p> |
| <b>gtin12</b> | <b>Demand</b> or <b>Offer</b> or <b>Product</b> | The GTIN-12 code of the product, or the product to which the GTIN-12 is the 12-digit GS1 Identification Key composed of Prefix, Item Reference, and Check Digit used to identify the product. See <a href="#">GTIN Summary</a> for more details.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>gtin13</b> | <b>Demand</b> or <b>Offer</b> or <b>Product</b> | The GTIN-13 code of the product, or the product to which the GTIN-13 is equivalent to 13-digit ISBN codes and EAN UCC-13. ISBN codes can be converted into a GTIN-13 code by simply adding a leading zero. See <a href="#">GS1 GTIN Summary</a> for more details.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>gtin14</b> | <b>Demand</b> or <b>Offer</b> or <b>Product</b> | The GTIN-14 code of the product, or the product to which the GTIN-14 is equivalent to 14-digit GTIN codes. See <a href="#">GS1 GTIN Summary</a> for more details.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

| Property                           | On Types                                              | Description                                                                                                                                                                                                                                                                                                           |
|------------------------------------|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>gtin8</b>                       | <b>Demand</b> or<br><b>Offer</b> or<br><b>Product</b> | The GTIN-8 code of the product, or the product to which the code is also known as EAN/UCC-8 or 8-digit EAN. See <a href="#">GTIN-8</a> for more details.                                                                                                                                                              |
| <b>hasBioPolymerSequence</b>       | <b>Gene</b> or<br><b>Protein</b>                      | A symbolic representation of a BioChemEntity. For example, the sequence of a Gene or an amino acid sequence of a Protein.                                                                                                                                                                                             |
| <b>hasMenu</b>                     | <b>FoodEstablishment</b>                              | Either the actual menu as a structured representation or a link to the menu.                                                                                                                                                                                                                                          |
| <b>hasRepresentation</b>           | <b>BioChemEntity</b>                                  | A common representation such as a protein sequence or a chemical structure for this entity. For images use <a href="https://schema.org/image">schema.org/image</a> .                                                                                                                                                  |
| <b>hasTierRequirement</b>          | <b>MemberProgramTier</b>                              | A requirement for a user to join a membership tier, for example, the tier requires sign up for a credit card, A UnitPrice required to pay a (periodic) fee, or a MonetaryAmount required to spend a minimum amount to join the tier. If a tier is for a specific product, the property does not need to be specified. |
| <b>headline</b>                    | <b>CreativeWork</b>                                   | Headline of the article.                                                                                                                                                                                                                                                                                              |
| <b>healthPlanCoinsuranceOption</b> | <b>HealthPlanCostSharingSpecification</b>             | Whether the coinsurance applies before or after deductible, etc. or a closed set?                                                                                                                                                                                                                                     |
| <b>healthPlanCopayOption</b>       | <b>HealthPlanCostSharingSpecification</b>             | Whether the copay is before or after deductible, etc. or a closed set?                                                                                                                                                                                                                                                |
| <b>healthPlanDrugOption</b>        | <b>HealthInsurancePlan</b>                            | TODO.                                                                                                                                                                                                                                                                                                                 |



| Property                    | On Types                                                                                                                                                        | Description                                                                                                                                                                                                                                                                       |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>httpMethod</b>           | <b>EntryPoint</b>                                                                                                                                               | An HTTP method that specifies the appropriate HTTP method for an HTTP EntryPoint. Values are capitalized strings as                                                                                                                                                               |
| <b>iataCode</b>             | <b>Airline</b> or <b>Airport</b>                                                                                                                                | IATA identifier for an airline or airport.                                                                                                                                                                                                                                        |
| <b>icaoCode</b>             | <b>Airport</b>                                                                                                                                                  | ICAO identifier for an airport.                                                                                                                                                                                                                                                   |
| <b>identifier</b>           | <b>Thing</b>                                                                                                                                                    | The identifier property represents any kind of identifier such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides properties for representing many of these, either as <a href="#">Text</a> or <a href="#">Image</a> (URI) links. See <b>background notes</b> for more details. |
| <b>inChI</b>                | <b>MolecularEntity</b>                                                                                                                                          | Non-proprietary identifier for molecular entity that comes from electronic data sources thus enabling easier linking and compilations.                                                                                                                                            |
| <b>inChIKey</b>             | <b>MolecularEntity</b>                                                                                                                                          | InChIKey is a hashed version of the full InChI (using the                                                                                                                                                                                                                         |
| <b>inLanguage</b>           | <b>BroadcastService</b> or <b>CommunicateAction</b> or <b>CreativeWork</b> or <b>Event</b> or <b>LinkRole</b> or <b>PronounceableText</b> or <b>WriteAction</b> | The language of the content or performance or use of the content or one of the language codes from the <b>IETF BCP 47 star availableLanguage</b> .                                                                                                                                |
| <b>inProductGroupWithID</b> | <b>Product</b>                                                                                                                                                  | Indicates the <b>productGroupID</b> for a <b>ProductGroup</b> that <b>isVariantOf</b> .                                                                                                                                                                                           |

| Property                     | On Types                                                                                                                                  | Description                                                                                                                                                               |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>inSupportOf</b>           | <b>Thesis</b>                                                                                                                             | Qualification, candidature, degree, application that t                                                                                                                    |
| <b>incentiveCompensation</b> | <b>JobPosting</b>                                                                                                                         | Description of bonus and commission compensator                                                                                                                           |
| <b>incentives</b>            | <b>JobPosting</b>                                                                                                                         | Description of bonus and commission compensator                                                                                                                           |
| <b>industry</b>              | <b>JobPosting</b>                                                                                                                         | The industry associated with the job position.                                                                                                                            |
| <b>ineligibleRegion</b>      | <b>ActionAccessSpecification</b> or<br><b>DeliveryChargeSpecification</b> or<br><b>Demand</b> or<br><b>MediaObject</b> or<br><b>Offer</b> | The ISO 3166-1 (ISO 3166-1 alpha-2) or ISO 3166-2 co<br>GeoShape for the geo-political region(s) for which th<br>specification is not valid, e.g. a region where the tran |
|                              |                                                                                                                                           | See also <b>eligibleRegion</b> .                                                                                                                                          |
| <b>infectiousAgent</b>       | <b>InfectiousDisease</b>                                                                                                                  | The actual infectious agent, such as a specific bacte                                                                                                                     |
| <b>ingredients</b>           | <b>Recipe</b>                                                                                                                             | A single ingredient used in the recipe, e.g. sugar, flou                                                                                                                  |
| <b>intensity</b>             | <b>ExercisePlan</b>                                                                                                                       | Quantitative measure gauging the degree of force in<br>example, heartbeats per minute. May include the vel                                                                |
|                              | <b>CreativeWork</b>                                                                                                                       | The predominant mode of learning supported by the<br>Acceptable values are 'active', 'expositive', or 'mixed'                                                             |
| <b>isbn</b>                  | <b>Book</b>                                                                                                                               | The ISBN of the book.                                                                                                                                                     |
| <b>isicV4</b>                | <b>Organization</b> or<br><b>Person</b> or<br><b>Place</b>                                                                                | The International Standard of Industrial Classificatio<br>Activities (ISIC), Revision 4 code for a particular orga<br>or place.                                           |
|                              |                                                                                                                                           |                                                                                                                                                                           |

| Property               | On Types                                                                              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>iso6523Code</b>     | <b>Organization</b>                                                                   | An organization identifier as defined in <b>ISO 6523(-1)</b> . The XXXX : YYYYYY : ZZZ or XXXX : YYYYYY format. Where XXXX (International Code Designator), YYYYYY is an <i>OID</i> (Country Code) with all formatting characters (dots, dashes, spaces) removed, length of 35 characters, and ZZZ is an optional OPI (Country Code Identifier) with a maximum length of 35 characters. The (ICD, OID, OPI) are joined with a colon character (ASCII 58). Existing organization identifiers defined as attribute <b>vatID</b> ( <b>0060</b> ) or <b>GLN</b> ( <b>0088</b> ) can be expressed using ISO-6523 codes should be preferred to populating <b>vatID</b> or <b>taxID</b> for less ambiguous. |
| <b>isrcCode</b>        | <b>MusicRecording</b>                                                                 | The International Standard Recording Code for the recording.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>issn</b>            | <b>Blog</b> or<br><b>CreativeWorkSeries</b> or<br><b>Dataset</b> or<br><b>WebSite</b> | The International Standard Serial Number (ISSN) that identifies the publication. You can repeat this property to identify multiple linking ISSN (ISSN-L) for, this serial publication.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>issueNumber</b>     | <b>PublicationIssue</b>                                                               | Identifies the issue of publication; for example, "iii" of "iii" of "iii".                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>iswcCode</b>        | <b>MusicComposition</b>                                                               | The International Standard Musical Work Code for the composition.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>itemListElement</b> | <b>ItemList</b>                                                                       | <p>For itemListElement values, you can use simple strings (e.g., "Mary"), existing entities, or use ListItem.</p> <p>Text values are best if the elements in the list are plain text. Lists are best for a simple, unordered list of existing things. Lists are used with ordered lists when you want to provide additional information about an element in that list or when the same item might be identified in multiple lists.</p>                                                                                                                                                                                                                                                               |

| Property               | On Types                                                                                     | Description                                                                                                                                                                                                                                          |
|------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                        |                                                                                              | different lists.                                                                                                                                                                                                                                     |
|                        |                                                                                              | Note: The order of elements in your mark-up is not significant. The order of elements in the list is determined by the 'position' property or elements. Use ListItem with a 'position' property to indicate the position of the element in the list. |
| <b>itemListOrder</b>   | <b>ItemList</b>                                                                              | Type of ordering (e.g. Ascending, Descending, Unordered).                                                                                                                                                                                            |
| <b>itemLocation</b>    | <b>ArchiveComponent</b>                                                                      | Current location of the item.                                                                                                                                                                                                                        |
| <b>iupacName</b>       | <b>MolecularEntity</b>                                                                       | Systematic method of naming chemical compounds<br>International Union of Pure and Applied Chemistry (IUPAC).                                                                                                                                         |
| <b>jobBenefits</b>     | <b>JobPosting</b>                                                                            | Description of benefits associated with the job.                                                                                                                                                                                                     |
| <b>jobLocationType</b> | <b>JobPosting</b>                                                                            | A description of the job location (e.g. TELECOMMUTING, REMOTE, etc.).                                                                                                                                                                                |
| <b>jobStartDate</b>    | <b>JobPosting</b>                                                                            | The date on which a successful applicant for this job should start work. Choose a specific date in the future or use the 'now' property to indicate the position is to be filled as soon as possible.                                                |
| <b>jobTitle</b>        | <b>Person</b>                                                                                | The job title of the person (for example, Financial Manager).                                                                                                                                                                                        |
| <b>jurisdiction</b>    | <b>GovernmentService</b> or <b>Legislation</b>                                               | Indicates a legal jurisdiction, e.g. of some legislation government service is based.                                                                                                                                                                |
| <b>keywords</b>        | <b>CreativeWork</b> or <b>Event</b> or <b>Organization</b> or <b>Place</b> or <b>Product</b> | Keywords or tags used to describe some item. Multiple keywords list are typically delimited by commas, or by a semicolon.                                                                                                                            |

| Property                       | On Types                                                        | Description                                                                                                                                                                                                                     |
|--------------------------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>knownVehicleDamages</b>     | <b>Vehicle</b>                                                  | A textual description of known damages, both repair                                                                                                                                                                             |
| <b>knowsAbout</b>              | <b>Organization</b> or <b>Person</b>                            | Of a <b>Person</b> , and less typically of an <b>Organization</b> , known about - suggesting possible expertise but no distinguish skill levels here, or relate this to education objectives or <b>JobPosting</b> descriptions. |
| <b>knowsLanguage</b>           | <b>Organization</b> or <b>Person</b>                            | Of a <b>Person</b> , and less typically of an <b>Organization</b> , language. We do not distinguish skill levels or reading/writing/speaking/signing here. Use language <b>47 standard</b> .                                    |
| <b>latitude</b>                | <b>GeoCoordinates</b> or <b>Place</b>                           | The latitude of a location. For example 37 . 42242 ( <b>W</b>                                                                                                                                                                   |
| <b>learningResourceType</b>    | <b>CreativeWork</b> or <b>LearningResource</b>                  | The predominant type or kind characterizing the learning example, 'presentation', 'handout'.                                                                                                                                    |
| <b>legalName</b>               | <b>Organization</b>                                             | The official name of the organization, e.g. the registered                                                                                                                                                                      |
| <b>legalStatus</b>             | <b>DietarySupplement</b> or <b>Drug</b> or <b>MedicalEntity</b> | The drug or supplement's legal status, including any schedules that apply.                                                                                                                                                      |
| <b>legislationIdentifier</b>   | <b>Legislation</b>                                              | An identifier for the legislation. This can be either a source the CELEX at EU level or the NOR in France, or a web-like an ELI (European Legislation Identifier) or an URL                                                     |
| <b>legislationJurisdiction</b> | <b>Legislation</b>                                              | The jurisdiction from which the legislation originates                                                                                                                                                                          |





| Property                    | On Types                                                                                                                                | Description                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             |                                                                                                                                         | <ul style="list-style-type: none"> <li>Use values from 0123456789 (Unicode 'DIGIT NINE' (U+0039)) rather than superficially similar symbols such as 0, 1, 2, 3, 4, 5, 6, 7, 8, 9.</li> <li>Use '.' (Unicode 'FULL STOP' (U+002E)) rather than a comma as a decimal point. Avoid using these symbols as part of a name.</li> </ul>                                                                                                  |
| <b>material</b>             | <b>CreativeWork</b> or <b>Product</b>                                                                                                   | A material that something is made from, e.g. leather, wood, metal.                                                                                                                                                                                                                                                                                                                                                                 |
| <b>materialExtent</b>       | <b>CreativeWork</b>                                                                                                                     | The quantity of the materials being described or an estimate of the space they occupy.                                                                                                                                                                                                                                                                                                                                             |
| <b>mathExpression</b>       | <b>MathSolver</b>                                                                                                                       | A mathematical expression (e.g. 'x^2-3x=0') that may be solved for a variable, simplified, or transformed. This can take many forms: LaTeX, Ascii-Math, or math as you would write with a keyboard.                                                                                                                                                                                                                                |
| <b>mealService</b>          | <b>Flight</b>                                                                                                                           | Description of the meals that will be provided or available on a flight.                                                                                                                                                                                                                                                                                                                                                           |
| <b>measurementMethod</b>    | <b>DataCatalog</b> or <b>DataDownload</b> or <b>Dataset</b> or <b>Observation</b> or <b>PropertyValue</b> or <b>StatisticalVariable</b> | A subproperty of <b>measurementTechnique</b> that can be used to specify specific methods, in particular via <b>MeasurementMethod</b> .                                                                                                                                                                                                                                                                                            |
| <b>measurementTechnique</b> | <b>DataCatalog</b> or <b>DataDownload</b> or <b>Dataset</b> or <b>Observation</b> or <b>PropertyValue</b> or <b>StatisticalVariable</b> | A technique, method or technology used in an <b>Observation</b> , <b>StatisticalVariable</b> or <b>Dataset</b> (or <b>DataDownload</b> ) corresponding to the method used for measuring the variable(s) (for datasets, described using <b>variableMeasured</b> , an <b>Observation</b> , a <b>StatisticalVariable</b> ). Often but not always, <b>variableMeasured</b> will have an explicit representation of the technique used. |

| Property                     | On Types                                | Description                                                                                                                                                                                                                                                                          |
|------------------------------|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                              |                                         | property such as those defined in Schema.org, or other "knowledge graphs". In that case the subproperty of called <b>measuredProperty</b> is applicable.                                                                                                                             |
|                              |                                         | The <b>measurementTechnique</b> property helps when needed about how a <b>measuredProperty</b> was measured towards scientific and scholarly dataset publication applicability; it is not intended as a full representation can often serve as a high level summary for dataset c    |
|                              |                                         | For example, if <b>variableMeasured</b> is: molecule con <b>measurementTechnique</b> could be: "mass spectrom spectroscopy" or "colorimetry" or "immunofluoresce <b>variableMeasured</b> is "depression rating", the <b>meas</b> be "Zung Scale" or "HAM-D" or "Beck Depression Inve |
|                              |                                         | If there are several <b>variableMeasured</b> properties r data object, use a <b>PropertyValue</b> for each <b>variab</b> the corresponding <b>measurementTechnique</b> . The va enumeration, organized as a <b>MeasurementMethold</b>                                                |
| <b>mechanismOfAction</b>     | <b>DietarySupplement</b> or <b>Drug</b> | The specific biochemical interaction through which produces its pharmacological effect.                                                                                                                                                                                              |
| <b>meetsEmissionStandard</b> | <b>Vehicle</b>                          | Indicates that the vehicle meets the respective emis                                                                                                                                                                                                                                 |
| <b>membershipNumber</b>      | <b>ProgramMembership</b>                | A unique identifier for the membership.                                                                                                                                                                                                                                              |
| <b>memoryRequirements</b>    | <b>SoftwareApplication</b>              | Minimum memory requirements.                                                                                                                                                                                                                                                         |

| Property                | On Types                       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>menu</b>             | <b>FoodEstablishment</b>       | Either the actual menu as a structured representation of a menu.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>mobileUrl</b>        | <b>Offer</b> or <b>Product</b> | <p>The <b>mobileUrl</b> property is provided for specific situations where consumers need to determine whether one of several URLs is a dedicated 'mobile site'.</p> <p>To discourage over-use, and reflecting initial usecases, this property is expected only on <b>Product</b> and <b>Offer</b>, rather than <b>Thing</b>. As web technology is towards <b>responsive design</b> in which a single URL is adapted to a wide range of browsing environments. For consistency with the long-established <b>url</b> property should ideally be used for a variety of devices, including mobile phones. In most cases, it is pointless and counter productive to attempt to update a <b>url</b> to <b>mobileUrl</b> for more mobile-oriented pages. The property is only in case when items (primarily <b>Product</b> and <b>Offer</b>) have an additional "mobile site" alongside the main one. It should not be an endorsement of this publication style.</p> |
|                         | <b>Product</b>                 | The model of the product. Use with the URL of a Product or Service representation of the model identifier. The URL of the model should be from an external source. It is recommended to additionally use other product identifiers via the gtin8/gtin13/gtin14 and model numbers.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>molecularFormula</b> | <b>MolecularEntity</b>         | The empirical formula is the simplest whole number ratio of atoms in a molecule.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>molecularWeight</b>  | <b>MolecularEntity</b>         | <p>This is the molecular weight of the entity being described. Units should be included in the form '&lt;Number&gt; &lt;unit&gt;' as '&lt;QuantitativeValue&gt; .</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

| Property                           | On Types                                              | Description                                                                                                                                                                                                                                     |
|------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>monoisotopicMolecularWeight</b> | <b>MolecularEntity</b>                                | The monoisotopic mass is the sum of the masses of using the unbound, ground-state, rest mass of the p isotope for each element instead of the isotopic aver the units in the form '<Number> <unit>', for example '<QuantitativeValue>'.<br><br> |
| <b>mpn</b>                         | <b>Demand</b> or<br><b>Offer</b> or<br><b>Product</b> | The Manufacturer Part Number (MPN) of the produc the offer refers.                                                                                                                                                                              |
| <b>muscleAction</b>                | <b>Muscle</b>                                         | The movement the muscle generates.                                                                                                                                                                                                              |
| <b>musicCompositionForm</b>        | <b>MusicComposition</b>                               | The type of composition (e.g. overture, sonata, symph                                                                                                                                                                                           |
| <b>musicalKey</b>                  | <b>MusicComposition</b>                               | The key, mode, or scale this composition uses.                                                                                                                                                                                                  |
| <b>naics</b>                       | <b>Organization</b> or<br><b>Person</b>               | The North American Industry Classification System ( particular organization or business person.                                                                                                                                                 |
| <b>name</b>                        | <b>Thing</b>                                          | The name of the item.                                                                                                                                                                                                                           |
| <b>namedPosition</b>               | <b>Role</b>                                           | A position played, performed or filled by a person or c organization. For example, an athlete in a SportsTear named 'Quarterback'.                                                                                                              |
| <b>naturalProgression</b>          | <b>MedicalCondition</b>                               | The expected progression of the condition if it is not progress naturally.                                                                                                                                                                      |
| <b>negativeNotes</b>               | <b>Product</b> or<br><b>Review</b>                    | Provides negative considerations regarding somethi pro/con lists for reviews (alongside <b>positiveNotes</b>                                                                                                                                    |

| Property                  | On Types                                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                           |                                         | <p>In the case of a <b>Review</b>, the property describes the <b>negativeNotes</b> from the perspective of the review; in the case of a <b>Product</b>, the property describes the <b>negativeNotes</b> of the <b>Product</b> as described. Since product descriptions tend to emphasize positive aspects, it may be relatively unusual to find <b>negativeNotes</b> used on <b>Product</b>. Nevertheless for the sake of symmetry, <b>negativeNotes</b> is also used on <b>Product</b>.</p> <p>The property values can be expressed either as unsorted list (if necessary), or if ordered, as a list (in which case the values are ordered from the beginning of the list).</p> |
| <b>nonProprietaryName</b> | <b>DietarySupplement</b> or <b>Drug</b> | The generic name of this drug or supplement.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>normalRange</b>        | <b>MedicalTest</b>                      | Range of acceptable values for a typical patient, when the test is performed under normal conditions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>nsn</b>                | <b>Product</b>                          | Indicates the <b>NATO stock number</b> (nsn) of a <b>Product</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>numberOfAirbags</b>    | <b>Vehicle</b>                          | The number or type of airbags in the vehicle.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>observationPeriod</b>  | <b>Observation</b>                      | The length of time an Observation took place over. Time is expressed in ISO 8601 [Y M D h m s] . For example, P1Y is Period 1 Year, P3H is Period 3 hours.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |



| Property                               | On Types                                                                                | Description                                                                                                                                                                                                                                                                                     |
|----------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>operatingSystem</b>                 | <b>SoftwareApplication</b>                                                              | Operating systems supported (Windows 7, OS X 10.6                                                                                                                                                                                                                                               |
| <b>option</b>                          | <b>ChooseAction</b>                                                                     | A sub property of object. The options subject to this                                                                                                                                                                                                                                           |
| <b>orderItemNumber</b>                 | <b>OrderItem</b>                                                                        | The identifier of the order item.                                                                                                                                                                                                                                                               |
| <b>orderNumber</b>                     | <b>Order</b>                                                                            | The identifier of the transaction.                                                                                                                                                                                                                                                              |
| <b>originalMediaContextDescription</b> | <b>MediaReview</b>                                                                      | Describes, in a <b>MediaReview</b> when dealing with <b>Dec</b> background information that can contribute to better <b>MediaObject</b> .                                                                                                                                                       |
| <b>overdosage</b>                      | <b>Drug</b>                                                                             | Any information related to overdose on a drug, including treatments, contact information for emergency response                                                                                                                                                                                 |
| <b>ownershipFundingInfo</b>            | <b>NewsMediaOrganization</b> or <b>Organization</b>                                     | For an <b>Organization</b> (often but not necessarily a <b>NewsMediaOrganization</b> ), a description of organizational structure; funding and grants. In a news/media setting reference to editorial independence. Note that the <b>f</b> can be used to make basic funder information machine |
| <b>pageEnd</b>                         | <b>Article</b> or <b>Chapter</b> or <b>PublicationIssue</b> or <b>PublicationVolume</b> | The page on which the work ends; for example "138"                                                                                                                                                                                                                                              |
| <b>pageStart</b>                       | <b>Article</b> or <b>Chapter</b> or <b>PublicationIssue</b> or <b>PublicationVolume</b> | The page on which the work starts; for example "135"                                                                                                                                                                                                                                            |



| Property                       | On Types                                                                                         | Description                                                                                                                                   |
|--------------------------------|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>pagination</b>              | <b>Article</b> or<br><b>Chapter</b> or<br><b>PublicationIssue</b> or<br><b>PublicationVolume</b> | Any description of pages that is not separated into p<br>example, "1-6, 9, 55" or "10-12, 46-49".                                             |
| <b>parentTaxon</b>             | <b>Taxon</b>                                                                                     | Closest parent taxon of the taxon in question.                                                                                                |
| <b>passengerPriorityStatus</b> | <b>FlightReservation</b>                                                                         | The priority status assigned to a passenger for secu<br>FastTrack or Priority).                                                               |
| <b>passengerSequenceNumber</b> | <b>FlightReservation</b>                                                                         | The passenger's sequence number as assigned by th                                                                                             |
| <b>pathophysiology</b>         | <b>MedicalCondition</b> or<br><b>PhysicalActivity</b>                                            | Changes in the normal mechanical, physical, and bio<br>are associated with this activity or condition.                                        |
| <b>pattern</b>                 | <b>CreativeWork</b> or<br><b>Product</b>                                                         | A pattern that something has, for example 'polka dot<br>Values are typically expressed as text, although links<br>schemes are also supported. |
| <b>paymentAccepted</b>         | <b>LocalBusiness</b>                                                                             | Cash, Credit Card, Cryptocurrency, Local Exchange                                                                                             |
| <b>paymentMethod</b>           | <b>Invoice</b> or<br><b>Order</b>                                                                | The name of the credit card or other method of paym                                                                                           |
| <b>paymentMethodId</b>         | <b>Invoice</b> or<br><b>Order</b>                                                                | An identifier for the method of payment used (e.g. th<br>card).                                                                               |
| <b>paymentStatus</b>           | <b>Invoice</b>                                                                                   | The status of payment; whether the invoice has bee                                                                                            |
| <b>permissions</b>             | <b>SoftwareApplication</b>                                                                       | Permission(s) required to run the app (for example, a<br>full internet access or may run only on wifi).                                       |

| Property                     | On Types                                                                                      | Description                                                                                                                                                                                                                                                                            |
|------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>permittedUsage</b>        | <b>Accommodation</b>                                                                          | Indications regarding the permitted usage of the accommodation.                                                                                                                                                                                                                        |
| <b>petsAllowed</b>           | <b>Accommodation</b> or <b>ApartmentComplex</b> or <b>FloorPlan</b> or <b>LodgingBusiness</b> | Indicates whether pets are allowed to enter the accommodation or business. More detailed information can be put in a text property.                                                                                                                                                    |
| <b>phoneticText</b>          | <b>PronounceableText</b>                                                                      | Representation of a text <b>textValue</b> using the special <b>speechToTextMarkup</b> . For example the city name of London can be represented as 'hju:stən/.                                                                                                                          |
| <b>physicalRequirement</b>   | <b>JobPosting</b>                                                                             | A description of the types of physical activity associated with the job. Terms such as those in O*net may be used, but note that they do not specify the level of ability as well as its nature when used in isolation.                                                                |
| <b>physiologicalBenefits</b> | <b>Diet</b>                                                                                   | Specific physiologic benefits associated to the plan.                                                                                                                                                                                                                                  |
| <b>playerType</b>            | <b>MediaObject</b>                                                                            | Player type required—for example, Flash or Silverlight.                                                                                                                                                                                                                                |
| <b>polygon</b>               | <b>GeoShape</b>                                                                               | A polygon is the area enclosed by a point-to-point path where the starting and ending points are the same. A polygon is expressed as a space delimited points where the first and final points are the same.                                                                           |
| <b>position</b>              | <b>CreativeWork</b> or <b>ListItem</b>                                                        | The position of an item in a series or sequence of items.                                                                                                                                                                                                                              |
| <b>positiveNotes</b>         | <b>Product</b> or <b>Review</b>                                                               | Provides positive considerations regarding something. In the case of a <b>Review</b> , the property describes the positive highlights or (alongside <b>negativeNotes</b> ) pro/con list. In the case of a <b>Product</b> , the property describes the positive aspects of the product. |

| Property                    | On Types                                                                                          | Description                                                                                                                                                       |
|-----------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                             |                                                                                                   | described.                                                                                                                                                        |
|                             |                                                                                                   | The property values can be expressed either as unst<br>necessary), or if ordered, as a list (in which case the<br>beginning of the list).                         |
| <b>possibleComplication</b> | <b>MedicalCondition</b>                                                                           | A possible unexpected and unfavorable evolution of<br>Complications may include worsening of the signs or<br>extension of the condition to other organ systems, e |
| <b>postOfficeBoxNumber</b>  | <b>PostalAddress</b>                                                                              | The post office box number for PO box addresses.                                                                                                                  |
| <b>postOp</b>               | <b>MedicalDevice</b>                                                                              | A description of the postoperative procedures, care,<br>device.                                                                                                   |
| <b>postalCode</b>           | <b>DefinedRegion</b> or<br><b>GeoCoordinates</b> or<br><b>GeoShape</b> or<br><b>PostalAddress</b> | The postal code. For example, 94043.                                                                                                                              |
| <b>postalCodeBegin</b>      | <b>PostalCodeRangeSpecification</b>                                                               | First postal code in a range (included).                                                                                                                          |
| <b>postalCodeEnd</b>        | <b>PostalCodeRangeSpecification</b>                                                               | Last postal code in the range (included). Needs to be                                                                                                             |
| <b>postalCodePrefix</b>     | <b>DefinedRegion</b>                                                                              | A defined range of postal codes indicated by a comm<br>non-numeric systems such as UK.                                                                            |
| <b>preOp</b>                | <b>MedicalDevice</b>                                                                              | A description of the workup, testing, and other prep<br>implanting this device.                                                                                   |
|                             |                                                                                                   |                                                                                                                                                                   |

| Property                  | On Types                                                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>pregnancyWarning</b>   | Drug                                                       | Any precaution, guidance, contraindication, etc. related to the use of the drug during pregnancy.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>preparation</b>        | MedicalProcedure                                           | Typical preparation that a patient must undergo before the procedure is performed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>prescriptionStatus</b> | Drug                                                       | Indicates the status of drug prescription, e.g. local or national, and whether the drug is available by prescription or over-the-counter.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>price</b>              | DonateAction or Offer or PriceSpecification or TradeAction | <p>The offer price of a product, or of a price component of a product.</p> <p>PriceSpecification and its subtypes.</p> <p>Usage guidelines:</p> <ul style="list-style-type: none"><li>Use the <b>priceCurrency</b> property (with standard <b>currency format</b>, e.g. "USD"; <b>Ticker symbol</b> for cryptocurrencies, e.g. "BTC"; well known names for <b>Local Exchange</b> and other currency types, e.g. "Ithaca HOUR") rather than <b>ambiguous symbols</b> such as '\$' in the value.</li><li>Use '.' (Unicode 'FULL STOP' (U+002E)) rather than comma for decimal point. Avoid using these symbols as part of a currency code.</li><li>Note that both <b>RDFa</b> and Microdata syntax allow the use of the "content=" attribute for publishing simple machine-readable values alongside more human-friendly formatting.</li><li>Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially simulating unicode subscripts, superscripts etc.</li></ul> |
|                           |                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

| Property             | On Types                                                                                                                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>priceCurrency</b> | <b>DonateAction</b> or<br><b>Offer</b> or<br><b>PriceSpecification</b> or<br><b>Reservation</b> or<br><b>Ticket</b> or<br><b>TradeAction</b> | The currency of the price, or a price component where the currency is specified by <b>PriceSpecification</b> and its subtypes.<br><br>Use standard formats: <b>ISO 4217 currency format</b> , e.g. "USD"; cryptocurrencies, e.g. "BTC"; well known names for <b>LocalBusiness</b> (LETS) and other currency types, e.g. "Ithaca Dollars".                                                                                                                              |
| <b>priceRange</b>    | <b>LocalBusiness</b>                                                                                                                         | The price range of the business, for example "\$\$-\$\$\$\$".                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>priceType</b>     | <b>CompoundPriceSpecification</b> or<br><b>UnitPriceSpecification</b>                                                                        | Defines the type of a price specified for an offered product or service. It can be a sale price, a (temporary) sale price or a manufacturer suggested retail price. If multiple prices are specified for an offer the <b>priceType</b> is used to identify the type of each such specified price. The type is specified as a value from enumeration <b>PriceTypeEnum</b> or as a text string for price types that are not already predefined in <b>PriceTypeEnum</b> . |
| <b>printColumn</b>   | <b>NewsArticle</b>                                                                                                                           | The number of the column in which the <b>NewsArticle</b> appears in the print edition.                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>printEdition</b>  | <b>NewsArticle</b>                                                                                                                           | The edition of the print product in which the <b>NewsArticle</b> appears.                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>printPage</b>     | <b>NewsArticle</b>                                                                                                                           | If this <b>NewsArticle</b> appears in print, this field indicates the page in which the article is found. Please note that this field indicates the page name (e.g. A5, B18).                                                                                                                                                                                                                                                                                          |
| <b>printSection</b>  | <b>NewsArticle</b>                                                                                                                           | If this <b>NewsArticle</b> appears in print, this field indicates the section in which the article appeared.                                                                                                                                                                                                                                                                                                                                                           |

| Property                     | On Types                       | Description                                                                                                                                                                                                        |
|------------------------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>procedure</b>             | MedicalDevice                  | A description of the procedure involved in setting up the device.                                                                                                                                                  |
| <b>processorRequirements</b> | SoftwareApplication            | Processor architecture required to run the application.                                                                                                                                                            |
| <b>productGroupID</b>        | ProductGroup                   | Indicates a textual identifier for a ProductGroup.                                                                                                                                                                 |
| <b>productID</b>             | Product                        | The product identifier, such as ISBN. For example: metadataitemprop="productID" content="isbn:123-456789".                                                                                                         |
| <b>productSupported</b>      | ContactPoint                   | The product or service this support contact point is for (e.g. support for a particular product line). This can be a specific product line (e.g. "iPhone") or a general category of products (e.g. "smartphones"). |
| <b>proficiencyLevel</b>      | TechArticle                    | Proficiency needed for this content; expected values: Beginner, Intermediate, Advanced.                                                                                                                            |
| <b>programName</b>           | ProgramMembership              | The program providing the membership. It is preferred over programType.                                                                                                                                            |
| <b>programPrerequisites</b>  | EducationalOccupationalProgram | Prerequisites for enrolling in the program.                                                                                                                                                                        |
| <b>programType</b>           | EducationalOccupationalProgram | The type of educational or occupational program. For example: internship, alternance, etc.                                                                                                                         |
| <b>programmingLanguage</b>   | SoftwareSourceCode             | The computer programming language.                                                                                                                                                                                 |
| <b>programmingModel</b>      | APIReference                   | Indicates whether API is managed or unmanaged.                                                                                                                                                                     |
| <b>propertyID</b>            | PropertyValue                  | A commonly used identifier for the characteristic represented by the property, e.g. a manufacturer or a standard code for a property.                                                                              |

| Property                 | On Types                                | Description                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          |                                         | <p>prefixed string, mainly meant to be used with standard (1) a site-specific, prefixed string (e.g. the primary key of the property), (2) a site-specific, non-prefixed string (e.g. the primary key of the property), or (3) a URL identifying the property, either pointing to an external vocabulary, or describing the property (e.g. a glossary entry). Standard promotes a standard prefix for the identifiers of properties.</p> |
| <b>proprietaryName</b>   | <b>DietarySupplement</b> or <b>Drug</b> | Proprietary name given to the diet plan, typically by its manufacturer.                                                                                                                                                                                                                                                                                                                                                                  |
| <b>providerMobility</b>  | <b>Service</b>                          | Indicates the mobility of a provided service (e.g. 'stationary' or 'mobile').                                                                                                                                                                                                                                                                                                                                                            |
| <b>publicationType</b>   | <b>MedicalScholarlyArticle</b>          | The type of the medical article, taken from the US National Library of Medicine catalog. See also <a href="#">MeSH documentation</a> .                                                                                                                                                                                                                                                                                                   |
| <b>qualifications</b>    | <b>JobPosting</b> or <b>Occupation</b>  | Specific qualifications required for this role or Occupation.                                                                                                                                                                                                                                                                                                                                                                            |
| <b>query</b>             | <b>SearchAction</b>                     | A sub property of instrument. The query used on this instrument.                                                                                                                                                                                                                                                                                                                                                                         |
| <b>ratingExplanation</b> | <b>Rating</b>                           | A short explanation (e.g. one to two sentences) providing context and other information that led to the conclusion expressed in the rating. Particularly applicable to ratings associated with "fact" or "opinion" <b>ClaimReview</b> .                                                                                                                                                                                                  |
| <b>ratingValue</b>       | <b>Rating</b>                           | <p>The rating for the content.</p> <p>Usage guidelines:</p> <ul style="list-style-type: none"> <li>Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar symbols such as '+' or '*'.</li> </ul>                                                                                                                                                                          |

| Property                      | On Types                       | Description                                                                                                                                                                                                                                    |
|-------------------------------|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               |                                | <ul style="list-style-type: none"><li>Use '.' (Unicode 'FULL STOP' (U+002E)) rather than comma, especially in amounts before decimal point. Avoid using these symbols as thousand separators or ordinals (e.g. '1st', '2nd', '3rd').</li></ul> |
| <b>recipeCategory</b>         | Recipe                         | The category of the recipe—for example, appetizer, entrée, etc.                                                                                                                                                                                |
| <b>recipeCuisine</b>          | Recipe                         | The cuisine of the recipe (for example, French or Ethiopian).                                                                                                                                                                                  |
| <b>recipeIngredient</b>       | Recipe                         | A single ingredient used in the recipe, e.g. sugar, flour, etc.                                                                                                                                                                                |
| <b>recipeInstructions</b>     | Recipe                         | A step in making the recipe, in the form of a single item or an ordered list with <code>HowToStep</code> and/or <code>HowToSection</code> .                                                                                                    |
| <b>recipeYield</b>            | Recipe                         | The quantity produced by the recipe (for example, number of servings, etc).                                                                                                                                                                    |
| <b>recommendationStrength</b> | MedicalGuidelineRecommendation | Strength of the guideline's recommendation (e.g. 'clearly', 'possibly', etc).                                                                                                                                                                  |
| <b>releaseNotes</b>           | SoftwareApplication            | Description of what changed in this version.                                                                                                                                                                                                   |
| <b>repeatFrequency</b>        | Schedule                       | Defines the frequency at which <b>Events</b> will occur according to the <b>Schedule</b> . The intervals between events should be constant over time.                                                                                          |
| <b>reportNumber</b>           | Report                         | The number or other unique designator assigned to the report by the organization.                                                                                                                                                              |
| <b>requiredCollateral</b>     | LoanOrCredit                   | Assets required to secure loan or credit repayments such as property pledge, goods, financial instruments (cash, securities, etc).                                                                                                             |
| <b>requiredGender</b>         | PeopleAudience                 | Audiences defined by a person's gender.                                                                                                                                                                                                        |



| Property                   | On Types                  | Description                                                                                                                                                                                                                                                                                   |
|----------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>requiredQuantity</b>    | HowToItem                 | The required quantity of the item(s).                                                                                                                                                                                                                                                         |
| <b>requirements</b>        | SoftwareApplication       | Component dependency requirements for application environments and shared libraries that are not included in the distribution package, but required to run the application (e.g. Java or .NET runtime).                                                                                       |
| <b>reservationId</b>       | Reservation               | A unique identifier for the reservation.                                                                                                                                                                                                                                                      |
| <b>responsibilities</b>    | JobPosting or Occupation  | Responsibilities associated with this role or Occupation.                                                                                                                                                                                                                                     |
| <b>restPeriods</b>         | ExercisePlan              | How often one should break from the activity.                                                                                                                                                                                                                                                 |
| <b>returnPolicyCountry</b> | MerchantReturnPolicy      | The country where the product has to be sent to for return. For example, "Ireland" using the <b>name</b> property of <b>Country</b> . You can also use the three letter <b>ISO 3166-1 alpha-2 country code</b> . Note that this is the country where the product was originally shipped from. |
| <b>reviewAspect</b>        | Guide or Rating or Review | This Review or Rating is relevant to this part or facet of the item.                                                                                                                                                                                                                          |
| <b>reviewBody</b>          | Review                    | The actual body of the review.                                                                                                                                                                                                                                                                |
| <b>risks</b>               | Diet                      | Specific physiologic risks associated to the diet plan.                                                                                                                                                                                                                                       |

| Property                   | On Types                                 | Description                                                                                                                                                                                                                                                                                             |
|----------------------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>roleName</b>            | <b>Role</b>                              | A role played, performed or filled by a person or organization. A team of creators for a comic book might fill the roles of 'writer' and 'letterer'; or an athlete in a SportsTeam might play the role of 'Quarterback'.                                                                                |
| <b>runtime</b>             | <b>SoftwareSourceCode</b>                | Runtime platform or script interpreter dependencies (e.g. Java 2.3, .NET Framework 3.0).                                                                                                                                                                                                                |
| <b>runtimePlatform</b>     | <b>SoftwareSourceCode</b>                | Runtime platform or script interpreter dependencies (e.g. Java 2.3, .NET Framework 3.0).                                                                                                                                                                                                                |
| <b>rxcul</b>               | <b>Drug</b>                              | The RxCUI drug identifier from RXNORM.                                                                                                                                                                                                                                                                  |
| <b>safetyConsideration</b> | <b>DietarySupplement</b>                 | Any potential safety concern associated with the substance, including interactions with other drugs and foods, pregnancy, lactation, adverse reactions, and documented efficacy of the substance.                                                                                                       |
| <b>salaryCurrency</b>      | <b>EmployeeRole</b> or <b>JobPosting</b> | The currency (coded using <b>ISO 4217</b> ) used for the monetary value of this job posting or for this employee.                                                                                                                                                                                       |
| <b>sampleType</b>          | <b>SoftwareSourceCode</b>                | What type of code sample: full (compile ready) solution, snippet, code, scripts, template.                                                                                                                                                                                                              |
| <b>scheduleTimezone</b>    | <b>Schedule</b>                          | Indicates the timezone for which the time(s) indicated are given. The value provided should be among those listed in the IANA Time Zone Database.                                                                                                                                                       |
| <b>schemaVersion</b>       | <b>CreativeWork</b>                      | Indicates (by URL or string) a particular version of a schema.org CreativeWork. This property was created primarily to indicate a specific schema.org release, e.g. 10.0 as a simple string, or a full URL, <a href="https://schema.org/docs/releases.html">https://schema.org/docs/releases.html</a> . |

| Property                            | On Types                                                        | Description                                                                                                                                                                                                     |
|-------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                     |                                                                 | situations in which other schemas might usefully be<br><a href="http://dublincore.org/specifications/dub">http://dublincore.org/specifications/dub</a><br>07-02/ but this has not been carefully explored in th |
| <b>seasonNumber</b>                 | <b>CreativeWorkSeason</b>                                       | Position of the season within an ordered group of se                                                                                                                                                            |
| <b>seatNumber</b>                   | <b>Seat</b>                                                     | The location of the reserved seat (e.g., 27).                                                                                                                                                                   |
| <b>seatRow</b>                      | <b>Seat</b>                                                     | The row location of the reserved seat (e.g., B).                                                                                                                                                                |
| <b>seatSection</b>                  | <b>Seat</b>                                                     | The section location of the reserved seat (e.g. Orche                                                                                                                                                           |
| <b>seatingType</b>                  | <b>Seat</b>                                                     | The type/class of the seat.                                                                                                                                                                                     |
| <b>securityClearanceRequirement</b> | <b>JobPosting</b>                                               | A description of any security clearance requirements                                                                                                                                                            |
| <b>securityScreening</b>            | <b>FlightReservation</b>                                        | The type of security screening the passenger is subj                                                                                                                                                            |
| <b>sensoryRequirement</b>           | <b>JobPosting</b>                                               | A description of any sensory requirements and levels<br>the job, including hearing and vision. Defined terms s<br>be used, but note that there is no way to specify the<br>nature when using a defined term.    |
| <b>serialNumber</b>                 | <b>Demand</b> or<br><b>IndividualProduct</b> or<br><b>Offer</b> | The serial number or any alphanumeric identifier of a<br>attached to an offer, it is a shortcut for the serial num<br>included in the offer.                                                                    |
| <b>servesCuisine</b>                | <b>FoodEstablishment</b>                                        | The cuisine of the restaurant.                                                                                                                                                                                  |
| <b>serviceType</b>                  | <b>Service</b>                                                  | The type of service being offered, e.g. veterans' bene                                                                                                                                                          |

| Property             | On Types                                                      | Description                                                                                                                                                                                                                                                                     |
|----------------------|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>servingSize</b>   | <b>NutritionInformation</b>                                   | The serving size, in terms of the number of volume or                                                                                                                                                                                                                           |
| <b>sha256</b>        | <b>MediaObject</b>                                            | The <b>SHA-2</b> SHA256 hash of the content of the item. For input has value<br>'e3b0c44298fc1c149afbf4c8996fb92427ae41e4649                                                                                                                                                    |
| <b>shippingLabel</b> | <b>OfferShippingDetails</b> or<br><b>ShippingRateSettings</b> | Label to match an <b>OfferShippingDetails</b> with a <b>S</b><br>(within the context of a <b>shippingSettingsLink</b> cr                                                                                                                                                        |
| <b>significance</b>  | <b>SuperficialAnatomy</b>                                     | The significance associated with the superficial ana<br>characteristics of the superficial anatomy can sugge<br>conditions or courses of treatment.                                                                                                                             |
| <b>size</b>          | <b>CreativeWork</b> or<br><b>Product</b>                      | A standardized size of a product or creative work, spe<br>simple textual string (for example 'XL', '32Wx34L'), a c<br>unitCode, or a comprehensive and structured <b>SizeS</b><br>cases, the <b>width</b> , <b>height</b> , <b>depth</b> and <b>weight</b> prope<br>applicable. |
| <b>sizeGroup</b>     | <b>SizeSpecification</b>                                      | The size group (also known as "size type") for a prod<br>common in the fashion industry to define size segme<br>audiences for wearable products. Multiple values can<br>example "men's big and tall", "petite maternity" or "re                                                 |
| <b>sizeSystem</b>    | <b>SizeSpecification</b>                                      | The size system used to identify a product's size. Typ<br>(for example, "GS1" or "ISO-EN13402"), country code<br>or a measuring system (for example "Metric" or "Imp                                                                                                            |
|                      |                                                               |                                                                                                                                                                                                                                                                                 |

| Property                    | On Types                                                                                            | Description                                                                                                                                                                                                           |
|-----------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>skills</b>               | <b>JobPosting</b> or<br><b>Occupation</b> or<br><b>Organization</b> or<br><b>Person</b>             | A statement of knowledge, skill, ability, task or any other competency that is either claimed by a person, an organization or required to fulfill a role or to work in an occupation.                                 |
| <b>sku</b>                  | <b>Demand</b> or<br><b>Offer</b> or<br><b>Product</b>                                               | The Stock Keeping Unit (SKU), i.e. a merchant-specific identifier for a product or service, or the product to which the offer refers.                                                                                 |
| <b>slogan</b>               | <b>Brand</b> or<br><b>Organization</b> or<br><b>Place</b> or<br><b>Product</b> or<br><b>Service</b> | A slogan or motto associated with the item.                                                                                                                                                                           |
| <b>smiles</b>               | <b>MolecularEntity</b>                                                                              | A specification in form of a line notation for describing chemical species using short ASCII strings. Double backslash indicators may need to be escaped in the string in form of \\ is an escape character.          |
| <b>softwareRequirements</b> | <b>SoftwareApplication</b>                                                                          | Component dependency requirements for applications, application environments and shared libraries that are not included in the distribution package, but required to run the application (e.g. Java or .NET runtime). |
| <b>softwareVersion</b>      | <b>SoftwareApplication</b>                                                                          | Version of the software instance.                                                                                                                                                                                     |
| <b>specialCommitments</b>   | <b>JobPosting</b>                                                                                   | Any special commitments associated with this job posting. Examples include VeteranCommit, MilitarySpouseCommit, etc.                                                                                                  |

| Property                   | On Types                                                                                                   | Description                                                                                                                                                                                                                                                                                            |
|----------------------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>speechToTextMarkup</b>  | <a href="#">PronounceableText</a>                                                                          | Form of markup used. eg. <a href="#">SSML</a> or <a href="#">IPA</a> .                                                                                                                                                                                                                                 |
| <b>sport</b>               | <a href="#">SportsEvent</a> or<br><a href="#">SportsOrganization</a>                                       | A type of sport (e.g. Baseball).                                                                                                                                                                                                                                                                       |
| <b>statType</b>            | <a href="#">StatisticalVariable</a>                                                                        | Indicates the kind of statistic represented by a <a href="#">Stat</a> mean, count etc. The value of statType is a property, Schema.org (e.g. <a href="#">median</a> , <a href="#">marginOfError</a> , <a href="#">maxValue</a> ) or other compatible (e.g. RDF) systems such as DataCamp Wikidata.org. |
| <b>status</b>              | <a href="#">MedicalCondition</a> or<br><a href="#">MedicalProcedure</a> or<br><a href="#">MedicalStudy</a> | The status of the study (enumerated).                                                                                                                                                                                                                                                                  |
| <b>step</b>                | <a href="#">HowTo</a>                                                                                      | A single step item (as <a href="#">HowToStep</a> , text, document, video or <a href="#">HowToSection</a> ).                                                                                                                                                                                            |
| <b>steps</b>               | <a href="#">HowTo</a> or<br><a href="#">HowToSection</a>                                                   | A single step item (as <a href="#">HowToStep</a> , text, document, video or <a href="#">HowToSection</a> (originally misnamed 'steps'; 'step' is preferred).                                                                                                                                           |
| <b>storageRequirements</b> | <a href="#">SoftwareApplication</a>                                                                        | Storage requirements (free space required).                                                                                                                                                                                                                                                            |
| <b>streetAddress</b>       | <a href="#">PostalAddress</a>                                                                              | The street address. For example, 1600 Amphitheatre                                                                                                                                                                                                                                                     |
| <b>strengthUnit</b>        | <a href="#">DrugStrength</a>                                                                               | The units of an active ingredient's strength, e.g. mg.                                                                                                                                                                                                                                                 |
| <b>structuralClass</b>     | <a href="#">Joint</a>                                                                                      | The name given to how bone physically connects to                                                                                                                                                                                                                                                      |
| <b>subStageSuffix</b>      | <a href="#">MedicalConditionStage</a>                                                                      | The substage, e.g. 'a' for Stage IIIa.                                                                                                                                                                                                                                                                 |

| Property                 | On Types                                                                           | Description                                                                                                              |
|--------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>subtitleLanguage</b>  | <b>BroadcastEvent</b> or <b>Movie</b> or <b>ScreeningEvent</b> or <b>TVEpisode</b> | Languages in which subtitles/captions are available, <b>format</b> .                                                     |
| <b>suggestedGender</b>   | <b>PeopleAudience</b> or <b>SizeSpecification</b>                                  | The suggested gender of the intended person or audience, e.g. "female", or "unisex".                                     |
| <b>supply</b>            | <b>HowTo</b> or <b>HowToDirection</b>                                              | A sub-property of instrument. A supply consumed with instructions or a direction.                                        |
| <b>surface</b>           | <b>VisualArtwork</b>                                                               | A material used as a surface in some artwork, e.g. Canvas, etc.                                                          |
| <b>targetDescription</b> | <b>AlignmentObject</b>                                                             | The description of a node in an established educational framework.                                                       |
| <b>targetName</b>        | <b>AlignmentObject</b>                                                             | The name of a node in an established educational framework.                                                              |
| <b>targetPlatform</b>    | <b>APIReference</b>                                                                | Type of app development: phone, Metro style, desktop.                                                                    |
| <b>targetPopulation</b>  | <b>DietarySupplement</b> or <b>DoseSchedule</b>                                    | Characteristics of the population for which this is intended, e.g. uses it, e.g. 'adults'.                               |
| <b>taxID</b>             | <b>Organization</b> or <b>Person</b>                                               | The Tax / Fiscal ID of the organization or person, e.g. CIF/NIF in Spain.                                                |
| <b>taxonRank</b>         | <b>Taxon</b>                                                                       | The taxonomic rank of this taxon given preferably as vocabulary – typically the ranks from TDWG TaxonRank Wikidata URIs. |

| Property                | On Types                                                                                                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>taxonomicRange</b>   | <a href="#">BioChemEntity</a>                                                                                   | The taxonomic grouping of the organism that expresses a way related to the BioChemEntity.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>teaches</b>          | <a href="#">CreativeWork</a> or <a href="#">EducationEvent</a> or <a href="#">LearningResource</a>              | The item being described is intended to help a person achieve a learning outcome defined by the referenced term.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>telephone</b>        | <a href="#">ContactPoint</a> or <a href="#">Organization</a> or <a href="#">Person</a> or <a href="#">Place</a> | The telephone number.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>temporal</b>         | <a href="#">CreativeWork</a>                                                                                    | The "temporal" property can be used in cases where the temporal range is not known to be appropriate (e.g. <a href="#">temporalCoverage</a> , <a href="#">dateCreated</a> , <a href="#">dateModified</a> ).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>temporalCoverage</b> | <a href="#">CreativeWork</a>                                                                                    | <p>The temporalCoverage of a CreativeWork indicates the time period that the CreativeWork applies to, i.e. that it describes, either as a DateTime or a range of DateTime values indicating a time period in <a href="#">ISO 8601 time interval format</a>. For a Dataset it will typically indicate the relevant time period for the data (e.g. for a 2011 census dataset, the year 2011 would be indicated). Other forms of content, e.g. ScholarlyArticle, Book, Text, etc. may also indicate their temporalCoverage in broader terms - for example, a ScholarlyArticle may indicate its temporalCoverage via a start and end URL. Written works such as books may sometimes have a temporal coverage too, e.g. a work set in 1939 - 1945 can be indicated in the title format via "1939/1945".</p> <p>Open-ended date ranges can be written with ".." in place of the end date. For example, "2015-11/.." indicates a range beginning in 2015 and continuing to the present.</p> |



| Property              | On Types                                                 | Description                                                                                                                                                                                                                                                    |
|-----------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       |                                                          | specified final date. This is tentative and might be updated when 8601 is officially updated.                                                                                                                                                                  |
| <b>termCode</b>       | <a href="#">DefinedTerm</a>                              | A code that identifies this <b>DefinedTerm</b> within a <b>De</b>                                                                                                                                                                                              |
| <b>termsOfService</b> | <a href="#">Service</a>                                  | Human-readable terms of service documentation.                                                                                                                                                                                                                 |
| <b>text</b>           | <a href="#">CreativeWork</a>                             | The textual content of this CreativeWork.                                                                                                                                                                                                                      |
| <b>textValue</b>      | <a href="#">PronounceableText</a>                        | Text value being annotated.                                                                                                                                                                                                                                    |
| <b>tickerSymbol</b>   | <a href="#">Corporation</a>                              | The exchange traded instrument associated with a C<br>tickerSymbol is expressed as an exchange and an ins<br>by a space character. For the exchange component c<br>attribute, we recommend using the controlled vocabat<br>Codes (MIC) specified in ISO 15022. |
| <b>ticketNumber</b>   | <a href="#">Ticket</a>                                   | The unique identifier for the ticket.                                                                                                                                                                                                                          |
| <b>ticketToken</b>    | <a href="#">Ticket</a>                                   | Reference to an asset (e.g., Barcode, QR code image<br>entrance.                                                                                                                                                                                               |
| <b>timeOfDay</b>      | <a href="#">EducationalOccupationalProgram</a>           | The time of day the program normally runs. For exam                                                                                                                                                                                                            |
| <b>tissueSample</b>   | <a href="#">PathologyTest</a>                            | The type of tissue sample required for the test.                                                                                                                                                                                                               |
| <b>title</b>          | <a href="#">JobPosting</a>                               | The title of the job.                                                                                                                                                                                                                                          |
| <b>titleEIDR</b>      | <a href="#">Movie</a> or<br><a href="#">TVEpisode</a> or | An <b>EIDR</b> (Entertainment Identifier Registry) <b>identifi</b><br>most general/abstract level, a work of film or televisio                                                                                                                                 |

| Property           | On Types                                                                    | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                    | <b>TVSeason</b> or <b>TVSeries</b>                                          | <p>For example, the motion picture known as "Ghostbusters" has the title "10.5240/7EC7-228A-510A-053E-CBB8-J". This title (or its variants, which EIDR calls "edits". See <b>editEIDR</b>.</p> <p>Since schema.org types like <b>Movie</b>, <b>TVEpisode</b>, <b>TVSeason</b> can be used for both works and their multiple expressions, <b>titleEIDR</b> alone (for a general description), or along with <b>editEIDR</b> for an edit-specific description.</p> |
|                    | <b>HowTo</b> or <b>HowToDirection</b>                                       | A sub property of instrument. An object used (but not necessarily performing instructions or a direction.                                                                                                                                                                                                                                                                                                                                                        |
| <b>tool</b>        | <b>Reservation</b> or <b>Ticket</b>                                         | <p>The total price for the reservation or ticket, including shipping, etc.</p> <p>Usage guidelines:</p> <ul style="list-style-type: none"> <li>Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar symbols.</li> <li>Use '.' (Unicode 'FULL STOP' (U+002E)) rather than comma, colon, dash or decimal point. Avoid using these symbols as thousands separators.</li> </ul>                     |
|                    | <b>totalPrice</b>                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>touristType</b> | <b>TouristAttraction</b> or <b>TouristDestination</b> or <b>TouristTrip</b> | Attraction suitable for type(s) of tourist. E.g. children, adults, family, country, etc.                                                                                                                                                                                                                                                                                                                                                                         |
|                    | <b>trackingNumber</b>                                                       | Shipper tracking number.                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>trainName</b>   | <b>TrainTrip</b>                                                            | The name of the train (e.g. The Orient Express).                                                                                                                                                                                                                                                                                                                                                                                                                 |

| Property                  | On Types                                                                                                        | Description                                                                                                                                                                 |
|---------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>trainNumber</b>        | <b>TrainTrip</b>                                                                                                | The unique identifier for the train.                                                                                                                                        |
| <b>transcript</b>         | <b>AudioObject</b> or <b>VideoObject</b>                                                                        | If this MediaObject is an AudioObject or VideoObject object.                                                                                                                |
| <b>transitTimeLabel</b>   | <b>DeliveryTimeSettings</b> or <b>OfferShippingDetails</b>                                                      | Label to match an <b>OfferShippingDetails</b> with a <b>DeliveryTimeSettings</b> (within the context of a <b>shippingSettingsLink</b> or <b>offerShippingDetailsLink</b> ). |
| <b>transmissionMethod</b> | <b>InfectiousDisease</b>                                                                                        | How the disease spreads, either as a route or vector, contact', 'Aedes aegypti', etc.                                                                                       |
| <b>typeOfBed</b>          | <b>BedDetails</b>                                                                                               | The type of bed to which the BedDetail refers, i.e. the type of bed to which the quantity indicated by quantity.                                                            |
| <b>typicalAgeRange</b>    | <b>CreativeWork</b> or <b>Event</b>                                                                             | The typical expected age range, e.g. '7-9', '11-'.                                                                                                                          |
| <b>unitCode</b>           | <b>PropertyValue</b> or <b>QuantitativeValue</b> or <b>TypeAndQuantityNode</b> or <b>UnitPriceSpecification</b> | The unit of measurement given using the UN/CEFA characters) or a URL. Other codes than the UN/CEFA used with a prefix followed by a colon.                                  |
| <b>unitText</b>           | <b>PropertyValue</b> or <b>QuantitativeValue</b> or <b>TypeAndQuantityNode</b> or <b>UnitPriceSpecification</b> | A string or text indicating the unit of measurement. Use the unit code for <b>unitCode</b> .                                                                                |
| <b>urlTemplate</b>        | <b>EntryPoint</b>                                                                                               | An url template (RFC6570) that will be used to construct the url for the execution of the action.                                                                           |

| Property                        | On Types                                                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------------|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>usNPI</b>                    | Physician                                                  | A <b>National Provider Identifier</b> (NPI) is a unique 10-digit issued to health care providers in the United States by Medicare and Medicaid Services.                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>usesHealthPlanIdStandard</b> | HealthInsurancePlan                                        | The standard for interpreting the Plan ID. The preferred Centers for Medicare & Medicaid Services for more details.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>utterances</b>               | HyperTocEntry                                              | Text of an utterances (spoken words, lyrics etc.) that is a section of a media object, represented as a <b>HyperTocEntry</b> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>value</b>                    | MonetaryAmount or<br>PropertyValue or<br>QuantitativeValue | <p>The value of a <b>QuantitativeValue</b> (including <b>ObservedValue</b>) value node.</p> <ul style="list-style-type: none"> <li>For <b>QuantitativeValue</b> and <b>MonetaryAmount</b>, the type for values is 'Number'.</li> <li>For <b>PropertyValue</b>, it can be 'Text', 'Number', 'Image', 'StructuredValue'.</li> <li>Use values from 0123456789 (Unicode 'DIGIT ZERO' (U+0030) to 'DIGIT NINE' (U+0039)) rather than superficially similar symbols such as '¾'.</li> <li>Use '.' (Unicode 'FULL STOP' (U+002E)) rather than comma as decimal point. Avoid using these symbols as part of a numeric value.</li> </ul> |
| <b>valueName</b>                | PropertyValueSpecification                                 | Indicates the name of the PropertyValueSpecification templates and form encoding in a manner analogous to the name of the template.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>valuePattern</b>             | PropertyValueSpecification                                 | Specifies a regular expression for testing literal value against the spec.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| Property                           | On Types                                                                    | Description                                                                                                                                                                                                                                                            |
|------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>valueReference</b>              | <b>PropertyValue</b> or <b>QualitativeValue</b> or <b>QuantitativeValue</b> | A secondary value that provides additional information, e.g. a reference temperature or a type of measurement.                                                                                                                                                         |
| <b>variableMeasured</b>            | <b>Dataset</b> or <b>Observation</b>                                        | The variableMeasured property can indicate (repeated as necessary) the variables that are measured in some dataset, either described as text or as pairs of identifier and description using <b>PropertyValue</b> or <b>StatisticalVariable</b> .                      |
| <b>variablesMeasured</b>           | <b>Dataset</b>                                                              | Originally named <b>variablesMeasured</b> , the <b>variableMeasured</b> property can indicate (repeated as necessary) the variables that are measured in some dataset, either described as text or as pairs of identifier and description using <b>PropertyValue</b> . |
| <b>variantCover</b>                | <b>ComicIssue</b>                                                           | A description of the variant cover for the issue, if the issue has a variant cover. For example, "Bryan Hitch Variant Cover" or "2nd Printing Variant Cover".                                                                                                          |
| <b>variesBy</b>                    | <b>ProductGroup</b>                                                         | Indicates the property or properties by which the variable varies, e.g. their size, color etc. Schema.org properties can be used as short name e.g. "color"; terms defined elsewhere can be used as full URIs.                                                         |
| <b>vatID</b>                       | <b>Organization</b> or <b>Person</b>                                        | The Value-added Tax ID of the organization or person.                                                                                                                                                                                                                  |
| <b>vehicleConfiguration</b>        | <b>Vehicle</b>                                                              | A short text indicating the configuration of the vehicle, e.g. '2.5 MT 225 hp' or 'limited edition'.                                                                                                                                                                   |
| <b>vehicleIdentificationNumber</b> | <b>Vehicle</b>                                                              | The Vehicle Identification Number (VIN) is a unique serial number that the automotive industry to identify individual motor vehicles.                                                                                                                                  |

| Property                    | On Types                                                                  | Description                                                                                                                                                                                                                                                        |
|-----------------------------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>vehicleInteriorColor</b> | <b>Vehicle</b>                                                            | The color or color combination of the interior of the vehicle.                                                                                                                                                                                                     |
| <b>vehicleInteriorType</b>  | <b>Vehicle</b>                                                            | The type or material of the interior of the vehicle (e.g. wood, etc.). While most interior types are characterized by the material used, an interior type can also be based on vehicle usage category.                                                             |
| <b>vehicleSpecialUsage</b>  | <b>Vehicle</b>                                                            | Indicates whether the vehicle has been used for special purposes such as commercial rental, driving school, or as a taxi. The legal requirements for a vehicle to be used in this way requires this information to be revealed when offering the vehicle for sale. |
| <b>vehicleTransmission</b>  | <b>Vehicle</b>                                                            | The type of component used for transmitting the power from the engine to the wheels or other relevant component(s).                                                                                                                                                |
| <b>version</b>              | <b>CreativeWork</b>                                                       | The version of the CreativeWork embodied by a specified file.                                                                                                                                                                                                      |
| <b>videoFormat</b>          | <b>BroadcastEvent</b> or <b>BroadcastService</b> or <b>ScreeningEvent</b> | The type of screening or video broadcast used (e.g. live broadcast, on-demand).                                                                                                                                                                                    |
| <b>videoFrameSize</b>       | <b>VideoObject</b>                                                        | The frame size of the video.                                                                                                                                                                                                                                       |
| <b>videoQuality</b>         | <b>VideoObject</b>                                                        | The quality of the video.                                                                                                                                                                                                                                          |
| <b>volumeNumber</b>         | <b>PublicationVolume</b>                                                  | Identifies the volume of publication or multi-part work.                                                                                                                                                                                                           |
| <b>warning</b>              | <b>Drug</b>                                                               | Any FDA or other warnings about the drug (text or URL).                                                                                                                                                                                                            |
| <b>workHours</b>            | <b>JobPosting</b>                                                         | The typical working hours for this job (e.g. 1st shift, night shift).                                                                                                                                                                                              |
| <b>worstRating</b>          | <b>Rating</b>                                                             | The lowest value allowed in this rating system.                                                                                                                                                                                                                    |

| Property     | On Types     | Description                                                                             |
|--------------|--------------|-----------------------------------------------------------------------------------------|
| <b>yield</b> | <b>HowTo</b> | The quantity that results by performing instructions airplane, 10 personalized candles. |
|              |              |                                                                                         |

More specific Data Types

- [CssSelectorType](#)
- [PronounceableText](#)
- [URL](#)
- [XPathType](#)