

TouristTrip

A Schema.org Type

This term is in the "new" area - implementation feedback and adoption from applications and websites can help improve our definitions.

Thing > **Intangible** > **Trip** > **TouristTrip**

[\[more...\]](#)

A tourist trip. A created itinerary of visits to one or more places of interest (**TouristAttraction**/**TouristDestination**) often linked by a similar theme, geographic area, or interest to a particular **touristType**. The **UNWTO** defines tourism trip as the Trip taken by visitors. (See examples below.)

Property	Expected Type	Description
Properties from TouristTrip		
touristType	Audience or Text	Attraction suitable for type(s) of tourist. E.g. children, visitors from a particular country, etc.
Properties from Trip		
arrivalTime	DateTime or Time	The expected arrival time.

Property	Expected Type	Description
departureTime	DateTime or Time	The expected departure time.
itinerary	ItemList or Place	Destination(s) (Place) that make up a trip. For a trip where destination order is important use ItemList to specify that order (see examples).
offers	Demand or Offer	An offer to provide this item—for example, an offer to sell a product, rent the DVD of a movie, perform a service, or give away tickets to an event. Use businessFunction to indicate the kind of transaction offered, i.e. sell, lease, etc. This property can also be used to describe a Demand . While this property is listed as expected on a number of common types, it can be used in others. In that case, using a second type, such as Product or a subtype of Product, can clarify the nature of the offer. Inverse property: itemOffered
partOfTrip	Trip	Identifies that this Trip is a subTrip of another Trip. For example Day 1, Day 2, etc. of a multi-day trip. Inverse property: subTrip
provider	Organization or Person	The service provider, service operator, or service performer; the goods producer. Another party (a seller) may offer those services or goods on behalf of the provider. A provider may also serve as the seller. Supersedes carrier .
subTrip	Trip	Identifies a Trip that is a subTrip of this Trip. For example Day 1, Day 2, etc. of a multi-day trip. Inverse property: partOfTrip
tripOrigin	Place	The location of origin of the trip, prior to any destination(s).
Properties from Thing		

Property	Expected Type	Description
additionalType	Text or URL	An additional type for the item, typically used for adding more specific types from external vocabularies in microdata syntax. This is a relationship between something and a class that the thing is in. Typically the value is a URI-identified RDF class, and in this case corresponds to the use of <code>rdf:type</code> in RDF. Text values can be used sparingly, for cases where useful information can be added without their being an appropriate schema to reference. In the case of text values, the class label should follow the schema.org style guide .
alternateName	Text	An alias for the item.
description	Text or TextObject	A description of the item.
disambiguatingDescription	Text	A sub property of description. A short description of the item used to disambiguate from other, similar items. Information from other properties (in particular, name) may be necessary for the description to be useful for disambiguation.
identifier	PropertyValue or Text or URL	The identifier property represents any kind of identifier for any kind of Thing , such as ISBNs, GTIN codes, UUIDs etc. Schema.org provides dedicated properties for representing many of these, either as textual strings or as URL (URI) links. See background notes for more details.
image	ImageObject or URL	An image of the item. This can be a URL or a fully described ImageObject .
mainEntityOfPage	CreativeWork or URL	Indicates a page (or other CreativeWork) for which this thing is the main entity being described. See background notes for details. Inverse property: mainEntity
name	Text	The name of the item.

Property	Expected Type	Description
potentialAction	Action	Indicates a potential Action, which describes an idealized action in which this thing would play an 'object' role.
sameAs	URL	URL of a reference Web page that unambiguously indicates the item's identity. E.g. the URL of the item's Wikipedia page, Wikidata entry, or official website.
subjectOf	CreativeWork or Event	A CreativeWork or Event about this Thing. Inverse property: about
url	URL	URL of the item.

Acknowledgements

Future Internet Lab, Institute of Informatics and Telematics

This element is based on work by the Web Applications for the Future Internet Lab, Institute of Informatics and Telematics, Pisa, Italy.

Tourism Structured Web Data Community Group

This element is based on the work of the **Tourism Structured Web Data Community Group**.

Source

<https://github.com/schemaorg/schemaorg/issues/1810>

Examples

📄 Example 1

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
{
  "@context": "https://schema.org",
  "@type": "TouristTrip",
  "name": "Shakespeare's London",
  "description": "Follow in the footsteps of the world-renowned dramatist and discover the city he made his",
  "touristType": [
    "Urban tourism",
    "Cultural tourism"
  ],
  "subjectOf": {
    "@type": "CreativeWork",
    "name": "All about the trip",
    "url": "https://www.cityoflondon.gov.uk/things-to-do/visit-the-city/walks/Documents/Shakespeare_Wa",
  },
  "itinerary": {
    "@type": "ItemList",
    "numberOfItems": 2,
    "itemListElement": [
      {
        "@type": "ListItem",
```

```

    "position": 1,
    "item":
    {
      "@type": "TouristAttraction",
      "name": "Shakespeare's Gatehouse",
      "description": "The Cockpit pub marks the approximate site of Shakespeare's gatehouse. On 10 Marc
    }
  },
  {
    "@type": "ListItem",
    "position": 2,
    "item":
    {
      "@type": "TouristAttraction",
      "name": "Blackfriars Playhouse",
      "description": "Shakespeare's Blackfriars Playhouse stood in Playhouse Yard and is regarded as or
    }
  }
]
}
}

```

Example 2

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
{
  "@context": "https://schema.org",
  "@type": "TouristTrip",
  "name": "Australia and New Zealand",
  "description": "This trip is modeled as two distinct Tourist Trips using the subTrip property.",
  "subTrip": [
    {
      "@type": "TouristTrip",
      "name": "Australia",
      "description": "This is a trip on its own."
    },
    {
      "@type": "TouristTrip",
      "name": "New Zealand",
      "description": "This is another trip nested inside the main one."
    }
  ]
}
```

Example 3

No Markup

Microdata

RDFa

JSON-LD

Structure

Example encoded as JSON-LD in a HTML script tag.

```
{
  "@context": "https://schema.org",
  "@type": "TouristTrip",
  "name": "Weekend in San Francisco",
  "description": "Short trip to San Francisco for first-time visitors.",
  "touristType": [
    "Urban tourism",
    "Nightlife tourism",
    "Shopping tourism"
  ],
  "offers": {
    "@type": "Offer",
    "name": "Trip proposed by MyTripco for tourists located in the USA.",
    "description": "The price includes two hotel nights in a 4 star hotel. Plane tickets not included.",
    "price": "500",
    "priceCurrency": "USD",
    "availabilityEnds": "2017-10-31",
    "url": "https://mytripco.com/trip/12345",
    "eligibleRegion": {
      "@type": "Country",
      "name": "USA"
    },
  },
  "offeredBy": {
    "@type": "Organization",
    "name": "MyTripCo",
    "url": "https://mytripco.com"
  }
},
```



```
"itinerary": {
  "@type": "ItemList",
  "numberOfItems": 2,
  "itemListElement": [
    {
      "@type": ["ItemList", "ListItem"],
      "name": "Saturday",
      "position": 1,
      "numberOfItems": 3,
      "itemListElement": [
        {
          "@type": "ListItem",
          "name": "Morning",
          "description": "Pedestrian visit of the Golden Gate Bridge.",
          "position": 1,
          "item": {
            "@type": [
              "TouristAttraction",
              "Bridge"
            ],
            "name": "Golden Gate Bridge",
            "description": "Very popular suspension bridge. The bridge is one of the most internationally",
            "url": "https://en.wikipedia.org/wiki/Golden_Gate_Bridge",
            "geo": {
              "@type": "GeoCoordinates",
              "latitude": 37.8199286,
              "longitude": -122.4804438
            }
          }
        }
      ]
    }
  ]
}
```

```
    }
  },
  {
    "@type": "ListItem",
    "name": "Afternoon",
    "description": "Visit of the famous SF Chinatown.",
    "position": 2,
    "item": {
      "@type": [
        "TouristAttraction"
      ],
      "name": "Chinatown",
      "description": "Oldest Chinatown in North America and the largest Chinese enclave outside Asi
      "address": "Stockton St and Clay St, San Francisco CA"
    }
  },
  {
    "@type": "ListItem",
    "name": "Night",
    "description": "Enjoy the SF nightlife",
    "position": 3,
    "item": {
      "@type": [
        "TouristAttraction"
      ],
      "name": "The Mission",
      "description": "The Mission District offers visitors an unparalleled menu of food and flavors
      "address": "Mission St and 19th St, San Francisco CA"
```

```
    }
  }
]
},
{
  "@type": ["ItemList","ListItem"],
  "name": "Sunday",
  "position":2,
  "numberOfItems": 2,
  "itemListElement": [
    {
      "@type": "ListItem",
      "name": "Morning",
      "description":"Spend your morning shopping in one of the best spots in America.",
      "position": 1,
      "item": {
        "@type": [
          "TouristAttraction"
        ],
        "name": "Union Street Area",
        "description": "Union Street is the major commercial hub of San Francisco. You will find most
        "address":"Union St and Buchanan St, San Francisco CA"
      }
    },
    {
      "@type": "ListItem",
      "name": "Afternoon",
      "description": "Take your plane back home.",
```

```

    "position": 2,
    "item": {
      "@type": [
        "Airport"
      ],
      "name": "San Francisco Airport"
    }
  ]
}

```

📄 Example 4

No Markup	Microdata	RDFa	JSON-LD	Structure
-----------	-----------	------	----------------	-----------

Example encoded as JSON-LD in a HTML script tag.

```

{
  "@context": "https://schema.org",
  "@type": "Trip",
  "name": "Your ideal trip to England",
  "description": "The dozen best places and areas that should be on you list when visiting England.  Choc
  "itinerary": [
    {

```

```
    "@type": "City",
    "name": "London",
    "description": "While it's not impossible to plan a trip to England without visiting London, it
    "url": "https://en.wikipedia.org/wiki/London"
  },
  {
    "@type": "City",
    "name": "Edinburgh",
    "description": "One of Scotland's most attractive cities, the capital city of Edinburgh is also
    "url": "https://en.wikipedia.org/wiki/Edinburgh"
  },
  {
    "@type": "City",
    "name": "Bath",
    "description": "Although one of England's smaller cities, Bath more than makes up for its diminutive
    "url": "https://en.wikipedia.org/wiki/Bath,_Somerset"
  },
  {
    "@type": "LandmarksOrHistoricalBuildings",
    "name": "Stonehenge",
    "description": "One of the planet's oldest World Heritage Sites, Stonehenge has been a place of
    "url": "https://en.wikipedia.org/wiki/Stonehenge"
  },
  {
    "@type": "AdministrativeArea",
    "name": "Windsor",
    "description": "The historic town of Windsor, conveniently located a short train ride west of London
    "url": "https://en.wikipedia.org/wiki/Windsor,_Berkshire"
```

```
},
{
  "@type": "AdministrativeArea",
  "name": "The Cotswolds",
  "description": "Covering almost 1,287 square kilometers of pristine countryside, the beautiful
  "url": "https://en.wikipedia.org/wiki/Cotswolds"
},
{
  "@type": "AdministrativeArea",
  "name": "The Lake District",
  "description": "In the north west of England and covering an area of 1,448 square kilometers is
  "url": "https://en.wikipedia.org/wiki/Lake_District_National_Park"
},
{
  "@type": "City",
  "name": "York",
  "description": "One of northern England's most popular tourist destinations, the medieval city
  "url": "https://en.wikipedia.org/wiki/York"
},
{
  "@type": "City",
  "name": "Oxford",
  "description": "England has long been a center of learning, with Oxford being one of the two mc
  "url": "https://en.wikipedia.org/wiki/Oxford"
},
{
  "@type": "City",
  "name": "Cambridge",
```

```
    "description": "England has long been a center of learning, with Cambridge being one of the twc  
    "url": "https://en.wikipedia.org/wiki/Cambridge"  
  },  
  {  
    "@type": "City",  
    "name": "Canterbury",  
    "description": "Pay a visit to historic Canterbury, and you'll soon discover why this beautiful  
    "url": "https://en.wikipedia.org/wiki/Canterbury"  
  },  
  {  
    "@type": "LakeBodyOfWater",  
    "name": "Loch Ness",  
    "description": "Despite the fact that the legends of mythical monsters have largely been debunk  
    "url": "https://en.wikipedia.org/wiki/Loch_Ness"  
  }  
]  
}
```