



Sensor: ABRK


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: ACMT


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: AIL_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: AIL_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: ALT


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: ALTR


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: ALTS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: AOA1

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std

Diff Coef Of Variation

Acf1







Sensor: AOA2

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: AOAC


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: AOA1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: BAL1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: BAL2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: BLAC

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: BLV


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: BPGR_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: BPGR_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: BPYR_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: BPYR_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1



Sensor: CAS

Mean

Std

Coef Of Variation









Mean Sq

Diff Mean

Diff Std

Diff Coef Of Variation

Acf1







Sensor: CASM

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std

Diff Coef Of Variation

Acf1







Sensor: CASS

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: CCPC


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: CCPF

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: CRSS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: CTAC


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std




Diff Coef Of Variation




Acf1



Sensor: CWPC




Sensor: CWPf




Sensor: DA


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: DWPT


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: EAI


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: EGT_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: EGT_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: EGT_3


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: EGT_4


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: ELEV_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: ELEV_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: FF_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: FF_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: FF_3

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: FF_4


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: FGC3


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: FLAP


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: FPAC


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: FQTY_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: FQTY_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: FQTY_4


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: FRMC


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: GLS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: GMT_MINUTE


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: GMT_SEC


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: GS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: HDGS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: ILSF


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: IVV


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: LATG

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean


Diff Std

Diff Coef Of Variation

Acf1




Sensor: LATP




Sensor: LOC


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: LONG


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std




Diff Coef Of Variation



Acf1




Sensor: LONP




Sensor: MACH


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: MH


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: MNS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: MSQT_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: N1C

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean


Diff Std

Diff Coef Of Variation

Acf1




Sensor: N1T




Sensor: N1_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: N1_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: N1_3


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: N1_4


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: N2_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: N2_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: N2_3


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: N2_4

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std

Diff Coef Of Variation

Acf1







Sensor: OIPL

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: OIP_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: OIP_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: OIP_3


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: OIP_4


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: OIT_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: OIT_2


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: OIT_3


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: OIT_4

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: PACK


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: PI


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: PLA_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1



Sensor: PLA_2

Mean

Std

Coef Of Variation









Mean Sq

Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: PLA_3


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: PLA_4


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: PS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1



Sensor: PSA

Mean

Std

Coef Of Variation









Mean Sq

Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: PT


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1



Sensor: PTCH

Mean

Std

Coef Of Variation









Mean Sq

Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: PTRM


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: RALT


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: ROLL


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: RUDD


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: RUDP

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: SAT


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: SPL_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: SPL_2

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: TAS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: TAT


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: TH


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: TMODE


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation




Acf1




Sensor: TRK


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: TRKM

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: VIB_1


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std




Diff Coef Of Variation



Acf1




Sensor: VIB_2




Sensor: VIB_3


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std




Diff Coef Of Variation



Acf1




Sensor: VIB_4




Sensor: VMODE


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std




Diff Coef Of Variation



Acf1




Sensor: VRTG




Sensor: VSPS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean




Diff Std



Diff Coef Of Variation



Acf1







Sensor: WD

Mean

Std

Coef Of Variation

Mean Sq







Diff Mean

Diff Std


Diff Coef Of Variation

Acf1




Sensor: WS


Mean




Std




Coef Of Variation




Mean Sq




Diff Mean



Diff Std



Diff Coef Of Variation



Acf1

