



Feature			Scenario			Step			
Name	Duration	<b>T</b>	P	F	S	<b>T</b>	P	F	S
Search product and select and add to cart with other functionalities	13.680 s	1	0	1	0	15	0	1	14
Login Page Feature	20.068 s	1	0	1	0	4	3	1	0
Login for Amazon website	12.914 s	1	1	0	0	6	6	0	0

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Search product and select and add to cart with other functionalities	1	0	1	0	13.680 s
2	Login Page Feature	1	0	1	0	20.068 s
3	Login for Amazon website	1	1	0	0	12.914 s


SCENARIOS SUMMARY -- 4 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Search product and select and add to cart with other functionalities	Adding product to the cart and validating accordingly chrome	15	0	1	14	13.675 s
2	Login Page Feature	Customer login to the app and validate Forgot Password Link chrome	4	3	1	0	20.068 s
3	Login for Amazon website	Verify the Account for amazon chrome	6	6	0	0	12.914 s

DETAILED SECTION

#### Search product and select and add to cart with other functionalities



### Adding product to the cart and validating accordingly chrome



#	Step / Hook Details	Status	Duration
1	Given user is on application	FAILED	9.524 s
	java.lang.Exception: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='nav-global-location-popover-link']"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9c2c91f550be1cc92671c80e0e79946, findElement {using=xpath, value=//a[@id='nav-global-location-popover-link']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\Admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51485}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51485/devtoo, se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f9c2c91f550be1cc92671c80e0e79946		
	at com.amazon.automation.parallel.ProductStepDefinition.user_is_on_application(ProductStepDefinition.java:74) at ?.user is on application(file:///C:/Users/Admin/Desktop/Amazon%20Cucumber%20with%20positive%20negative/Amazon_Cucumber/src/test/resources/parallel/AmazonProduct.feature:3)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='nav-global-location-popover-link']"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.3' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration
	[f9c2c91f550be1cc92671c80e0e79946, findElement {using=xpath, value=//a[@id='nav-global-location-popover-link']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\Admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51485}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51485/devtoo, se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:virtualAuthenticators: true} Session ID: f9c2c91f550be1cc92671c80e0e79946		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy32.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:52)		
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:477)		
	at com.amazon.automation.util.ElementUtil.highlightElement(ElementUtil.java:1198)		
	at com.amazon.automation.pages.ProductPage.changepincode(ProductPage.java:170)		
	at com.amazon.automation.parallel.ProductStepDefinition.user_is_on_application(ProductStepDefinition.java:51)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:806)		
	at org.testng.TestRunner.run(TestRunner.java:601)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:433)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		


#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)  * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.278 s
	anyname		
	SORRY something went wrong on our end  Plazer to back and to gain or put to the control of the c		
2	Then user search the product "Amazon Essentials Women's Digital Chronograph Resin Strap Watch"	SKIPPED	0.000 s
3	Then product add to the cart	SKIPPED	0.000 s
4	And user validates the product with quantity "1" in the cart	SKIPPED	0.001 s
5	Then user search the product "Mouse"	SKIPPED	0.001 s
6	And increase the quantity of the product by 2 in cart	SKIPPED	0.002 s
7	Then product add to the cart	SKIPPED	0.001 s
8	And user validates the product with quantity "2" in the cart	SKIPPED	0.001 s
9	Then user search the product "Apple AirTag Leather Key Ring - California Poppy"	SKIPPED	0.000 s
10	Then product add to the cart	SKIPPED	0.001 s
11	And user validates the product with quantity "1" in the cart	SKIPPED	0.001 s
12	Then user deletes the product "Apple AirTag Leather Key Ring - California Poppy"	SKIPPED	0.001 s
13	Then user search the product "office chair"	SKIPPED	0.001 s
14	Then product add to the cart	SKIPPED	0.001 s
15	Then navigate to cart and validate the save later functionality	SKIPPED	0.000 s
	AFTER - com.amazon.automation.AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.805 s
	Adding_product_to_the_cart_and_validating_accordingly_chrome		
	SORRY something went wrong on our end  Place go back and try spain of yor to Accessors home page.		

DETAILED SECTION -- 9 --

# **Login Page Feature**

FAILED	DURATION - 20.068 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 2:56:15.514 pm // 2	:56:35.582 pm /	Pass - 0	1	Pass - 3	4
		Fail - 1		Fail - 1	<b>                                   </b>
		Skip - 0		Skip - 0	

## **Customer login to the app and validate Forgot Password Link chrome**



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	11.147 s
	Launch the application using URL		
	Launching Application		
	AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.205 s
	anyname		
	Sign 16  Sign 16  Man death death control.  The state of		
2	When user enter Username	PASSED	2.883 s
	Enter userName		
	AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.220 s
	anyname	1	

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
	Sign is  **The production of the production of t		
3	And user enter Password	PASSED	2.623 s
	Enter password		
	AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.228 s
	anyname		
	Stips in Management and Management a		
4	Then forgot your password link should be displayed	FAILED	0.104 s
	Validate Forgot Your Password		
	java.lang.AssertionError: expected [false] but found [true]   at org.testng.Assert.fail(Assert.java:110)   at org.testng.Assert.failNotEquals(Assert.java:1413)   at org.testng.Assert.assertFalse(Assert.java:78)   at org.testng.Assert.assertFalse(Assert.java:88)   at com.amazon.automation.parallel.LoginStepDefinition.forgot_your_password_link_should_be_displayed(LoginStepDefinition.java:96)   at ?.forgot your password link should be displayed(file:///C:/Users/Admin/Desktop/Amazon%20Cucumber%20with%20positive%20negative/Amazon_Cucumber/src/test/resources/parallel/Login.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.180 s
	anyname		
	Sign in  With part to the second to the seco		
	AFTER - com.amazon.automation.AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.785 s
	Customer_login_to_the_app_and_validate_Forgot_Password_Link_chrome		

#	Step / Hook Details	Status	Duration
	Amazzon .  Sign in		
	Table 1		
	MATERIAL MAT		
	100 Ed Sente And 100 Ed		

# **Login for Amazon website**

PASSED	DURATION - 12.914 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 2:56:35.620 pm /	// 2:56:48.534 pm /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### **Verify the Account for amazon chrome**



#	Step / Hook Details	Status	Duration
1	Given as a user login for amazon website	PASSED	4.263 s
	Launching Application		
	AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.390 s
	anyname		
	Fill your basket with joy  Carry answers Carry and the state of the st		
2	Then as a user click signin	PASSED	1.699 s

Landing on Home screen & clicking Sig	nin		
AFTED OTED			
AFTER_STEP - com.amazon.a	utomation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.470 s
anyname			
Sign in  Manual whole me manual  Manual whole me me manual  Manual whole me me manual  Manual whole whole whole whole whole whole whole whole whole wh			
3 Then as a user click create a ac	count	PASSED	2.292 s
clicking on create account		7	
AFTER_STEP - com.amazon.a	utomation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.168 s
anyname			
Creste account  Water  1 to the crest  1 to th			
4 Then as a user Verify the usern		PASSED	0.295 s
Validating the Mandatory Message for u			
AFTER_STEP - com.amazon.a	utomation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.232 s
anyname			
CONTROL COLOUTE  WOM TO THE			
5 Then as a user Verify the Mobil	enumber Validate the Message	PASSED	0.290 s
Validating the Mandatory Message for N	Mobile Number		
AFTER_STEP - com.amazon.a	utomation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.227 s
anyname			
Credit account  Water  Water  Town Credit  T			
6 Then as a user Verify the Passy	word Validate the Message	PASSED	0.275 s

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	Validating the Mandatory Message for Password		
	AFTER_STEP - com.amazon.automation.AppHooks.ApplicationHooks.as(io.cucumber.java.Scenario)	PASSED	0.228 s
	anyname		
	emison		
	Create account  Montan  Microscope  Il Researce  Il Resea		
	Milotate and Milot		
	MILESTERS CONTRACTOR OF THE PROPERTY OF THE PR		
	Notified State Assessment Authority State Assessment		