



 $\square$   $\Lambda$  layers

Figure 1: Encoder.

$$F^{[\Lambda],[D],[\ell]} = \text{feed\_forward\_nn}(N^{[\Lambda],[D],[\ell]})$$
(1a)

$$K^{[\Lambda],[D],[\ell]} = W_{\underline{k}}^{[D],[d]} e^{[\Lambda],[d],[\ell]}$$
 (1b)

$$N^{[\Lambda],[D],[\ell]} = \text{normalize}(e^{[\Lambda],[d],[\ell]} + O^{[\Lambda],[D],[\ell]})$$
(1c)

$$O^{[\Lambda],[D],[\ell]} = \text{multi\_headed\_attention}(Q^{[\Lambda],[D],[\ell]},K^{[\Lambda],[D],[\ell]},V^{[\Lambda],[D],[\ell]}) \tag{1d}$$

$$Q^{[\Lambda],[D],[\ell]} = W_{\underline{q}}^{[D],[d]} e^{[\Lambda],[d],[\ell]}$$
(1e)

$$V^{[\Lambda],[D],[\ell]} = W_{\underline{v}}^{[D],[d]} e^{[\Lambda],[d],[\ell]}$$
(1f)

$$e^{[\Lambda],[d],[\ell]} = E^{[\Lambda],[d],[L]} x^{[L],[\ell]}$$
 (1g)

$$k^{[\Lambda],[D],[\ell]} = n^{[\Lambda],[D],[\ell]}$$
 (1h)

$$n^{[\Lambda],[D],[\ell]} = \text{normalize}(N^{[\Lambda],[D],[\ell]} + F^{[\Lambda],[D],[\ell]})$$
(1i)

$$v^{[\Lambda],[D],[\ell]} = n^{[\Lambda],[D],[\ell]}$$
 (1j)

$$x^{[L],[\ell]} = \text{prior} \tag{1k}$$