



ComponentRow Class

Specialization of a row for the Component table.

Properties

Property	Description
Component	Gets or sets the identifier for this Component row.
Condition	Gets or sets the condition of the Component.
Directory	Gets or sets the Directory_ of the Component.
Guid	Gets or sets the ComponentId for this Component row.
Is64Bit	Gets or sets the 64 bit attribute of the Component.
IsLocalOnly	Gets or sets the local only attribute of the Component.
IsOdbcDataSourceKeyPath	Gets or sets the ODBC data source key path attribute of the Component.

Property	Description
<code>IsOptional</code>	Gets or sets the optional attribute of the Component.
<code>IsPermanent</code>	Gets or sets the permanent attribute of the Component.
<code>IsRegistryKeyPath</code>	Gets or sets the registry key path attribute of the Component.
<code>IsSharedDll</code>	Gets or sets the shared dll ref count attribute of the Component.
<code>IsSourceOnly</code>	Gets or sets the source only attribute of the Component.
<code>KeyPath</code>	Gets or sets the key path of the Component.
<code>SourceFile</code>	Gets or sets the source location to the file to fill in the Text of the control.

`WixToolset.Data.dll` version `4.0.2+644ed0118bae1aa885bb6cc906dc6c0b904de4d9`

Component Property

Gets or sets the identifier for this Component row.

Declaration

```
public string Component { get; set; }
```

Condition Property

Gets or sets the condition of the Component.

Declaration

```
public string Condition { get; set; }
```

Directory Property

Gets or sets the Directory_ of the Component.

Declaration

```
public string Directory { get; set; }
```

Guid Property

Gets or sets the ComponentId for this Component row.

Declaration

```
public string Guid { get; set; }
```

Gets or sets the 64 bit attribute of the Component.

Declaration

```
public bool Is64Bit { get; set; }
```

IsLocalOnly Property

Gets or sets the local only attribute of the Component.

Declaration

```
public bool IsLocalOnly { get; set; }
```

IsOdbcDataSourceKeyPath Property

Gets or sets the ODBC data source key path attribute of the Component.

Declaration

```
public bool IsOdbcDataSourceKeyPath { get; set; }
```

Gets or sets the optional attribute of the Component.

Declaration

```
public bool IsOptional { get; set; }
```

IsPermanent Property

Gets or sets the permanent attribute of the Component.

Declaration

```
public bool IsPermanent { get; set; }
```

IsRegistryKeyPath Property

Gets or sets the registry key path attribute of the Component.

Declaration

```
public bool IsRegistryKeyPath { get; set; }
```

Gets or sets the shared dll ref count attribute of the Component.

Declaration

```
public bool IsSharedDll { get; set; }
```

IsSourceOnly Property

Gets or sets the source only attribute of the Component.

Declaration

```
public bool IsSourceOnly { get; set; }
```

KeyPath Property

Gets or sets the key path of the Component.

Declaration

```
public string KeyPath { get; set; }
```

Gets or sets the source location to the file to fill in the Text of the control.

Declaration

```
public string SourceFile { get; set; }
```