

WiX managed SDK

WixToolset.Dtf.WindowsInstaller namespace

ColumnInfo Class

Columninfo Class

Defines a single column of a table in an installer database.

Methods

Method	Description	
ToString()	Gets the name of the column.	

Properties

Property	Description
ColumnDefinitionString	Gets a short string defining the type and size of the column.
DBType	Gets the type of the column as an integer that can be cast to a System.Data.DbType. This is one of the following: Int16, Int32, String, or Binary
IsLocalizable	Gets a value indicating whether the column is a string column that is localizable.

Property	Description
IsRequired	Gets a value indicating whether the column must be non-null when inserting a record.
IsTemporary	Gets a value indicating whether the column is temporary. Temporary columns are not persisted when the database is saved to disk.
Name	Gets the name of the column.
Size	Gets the size of the column.
SqlCreateString	Gets an SQL fragment that can be used to create this column within a CREATE TABLE statement.
Туре	Gets the type of the column as a System.Type. This is one of the following: Int16, Int32, String, or Stream

Remarks

Once created, a ColumnInfo object is immutable. wixToolset.Dtf.WindowsInstaller.dll version wixtoolset.Dtf.WindowsInstaller.dll version wixtoolset.Dtf.WindowsInstaller.dll version

ToString() Method

Gets the name of the column.

Declaration

```
public string ToString()
```

Return value

string Name of the column.

ColumnDefinitionString Property

Gets a short string defining the type and size of the column.

Declaration

```
public string ColumnDefinitionString { get; set; }
```

Remarks

- s? String, variable length (?=1-255)
- s0 String, variable length
- i2 Short integer
- i4 Long integer
- v0 Binary Stream

- g? Temporary string (?=0-255)
- j? Temporary integer (?=0,1,2,4)
- O0 Temporary object (stream)
- I? Localizable string, variable length (?=1-255)
- 10 Localizable string, variable length

DBType Property

Gets the type of the column as an integer that can be cast to a System.Data.DbType. This is one of the following: Int16, Int32, String, or Binary

Declaration

```
public int DBType { get; set; }
```

IsLocalizable Property

Gets a value indicating whether the column is a string column that is localizable.

Declaration

```
public bool IsLocalizable { get; set; }
```

IsRequired Property

Gets a value indicating whether the column must be non-null when inserting a record.

Declaration

```
public bool IsRequired { get; set; }
```

IsTemporary Property

Gets a value indicating whether the column is temporary. Temporary columns are not persisted when the database is saved to disk.

Declaration

```
public bool IsTemporary { get; set; }
```

Name Property

Gets the name of the column.

Declaration

```
public string Name { get; set; }
```

Gets the size of the column.

Declaration

```
public int Size { get; set; }
```

SqlCreateString Property

Gets an SQL fragment that can be used to create this column within a CREATE TABLE statement.

Declaration

```
public string SqlCreateString { get; set; }
```

Remarks

Examples:

- LONG
- SHORT TEMPORARY
- CHAR(0) LOCALIZABLE

- CHAR(72) NOT NULL LOCALIZABLE
- OBJECT

Type Property

Gets the type of the column as a System. Type. This is one of the following: Int16, Int32, String, or Stream

Declaration

```
public System.Type Type { get; set; }
```