

[WiX managed SDK](#)[WixToolset.Data.WindowsInstaller.Rows namespace](#)[FileRow Class](#)

# FileRow Class

Specialization of a row for the file table.

## Properties

Property	Description
<a href="#">Attributes</a>	Gets or sets the attributes on a file.
<a href="#">Component</a>	Gets or sets the component this file row belongs to.
<a href="#">Compressed</a>	Gets or sets whether this file should be compressed.
<a href="#">DiskId</a>	Gets or sets the disk id for this file.
<a href="#">File</a>	Gets or sets the primary key of the file row.
<a href="#">FileName</a>	Gets or sets the name of the file.
<a href="#">FileSize</a>	Gets or sets the size of the file.

Property	Description
Language	Gets or sets the LCID of the file.
LongFileName	Gets or sets the real filesystem name of the file (without a pipe). This is typically the long name of the file. However, if no long name is available, falls back to the short name.
PreviousSource	Gets or sets the source location to the previous file.
Sequence	Gets or sets the sequence of the file row.
Source	Gets or sets the source location to the file.
Version	Gets or sets the version of the file.

```
WixToolset.Data.dll version 4.0.2+644ed0118bae1aa885bb6cc906dc6c0b904de4d9
```

## Attributes Property

Gets or sets the attributes on a file.

## Declaration

```
public int Attributes { get; set; }
```

# Component Property

Gets or sets the component this file row belongs to.

## Declaration

```
public string Component { get; set; }
```

# Compressed Property

Gets or sets whether this file should be compressed.

## Declaration

```
public WixToolset.Data.YesNoType Compressed { get; set; }
```

# DiskId Property

Gets or sets the disk id for this file.

## Declaration

```
public int DiskId { get; set; }
```

Gets or sets the primary key of the file row.

## Declaration

```
public string File { get; set; }
```

## FileName Property

Gets or sets the name of the file.

## Declaration

```
public string FileName { get; set; }
```

## FileSize Property

Gets or sets the size of the file.

## Declaration

```
public int FileSize { get; set; }
```

Gets or sets the LCID of the file.

## Declaration

```
public string Language { get; set; }
```

## LongFileName Property

Gets or sets the real filesystem name of the file (without a pipe). This is typically the long name of the file. However, if no long name is available, falls back to the short name.

## Declaration

```
public string LongFileName { get; set; }
```

## PreviousSource Property

Gets or sets the source location to the previous file.

## Declaration

```
public string PreviousSource { get; set; }
```

## Sequence Property

Gets or sets the sequence of the file row.

### Declaration

```
public int Sequence { get; set; }
```

## Source Property

Gets or sets the source location to the file.

### Declaration

```
public string Source { get; set; }
```

## Version Property

Gets or sets the version of the file.

## Declaration

```
public string Version { get; set; }
```