

WiX managed SDK

WixToolset.Dtf.WindowsInstaller namespace

ColumnCollection Class

ColumnCollection Class

Collection of column information related to a «see T:WixToolset.Dtf.WindowsInstaller.TableInfo» or «see T:WixToolset.Dtf.WindowsInstaller.View».

Methods

| Method | Description |
|---------------------------|--|
| Add(item) | Not supported because the collection is read-only. |
| Clear() | Not supported because the collection is read-only. |
| Contains(columnName) | Checks if a column with a given name exists in the collection. |
| CopyTo(array, arrayIndex) | Copies the columns from this collection into an array. |
| GetEnumerator() | Gets an enumerator over the columns in the collection. |
| IndexOf(columnName) | Gets the index of a column within the collection. |

Properties

| Property | Description | | |
|--------------|---|--|--|
| Count | Gets the number of columns in the collection. | | |
| FormatString | Gets a string suitable for printing all the values of a record containing these columns. | | |
| IsReadOnly | Gets a boolean value indicating whether the collection is read-only. A ColumnCollection is read-only if it is associated with a «see T:WixToolset.Dtf.WindowsInstaller.View» or a read-only «see T:WixToolset.Dtf.WindowsInstaller.Database». | | |
| Item | Gets information about a specific column in the collection. | | |
| Item | Gets information about a specific column in the collection. | | |

WixToolset.Dtf.WindowsInstaller.dll version 4.0.2+644ed0118bae1aa885bb6cc906dc6c0b904de4d9

Add(item) Method

Not supported because the collection is read-only.

Declaration

public void Add(

```
ColumnInfo item
)
```

Parameters

| Parameter | Туре | Description |
|-----------|------------|--|
| item | ColumnInfo | information about the column being added |

Exceptions

| Exception | Description |
|------------------------------------|-----------------------------|
| T:System.InvalidOperationException | the collection is read-only |

Clear() Method

Not supported because the collection is read-only.

Declaration

```
public void Clear()
```

Exceptions

| Exception | Description |
|------------------------------------|-----------------------------|
| T:System.InvalidOperationException | the collection is read-only |

Contains(columnName) Method

Checks if a column with a given name exists in the collection.

Declaration

```
public bool Contains(
  string columnName
)
```

Parameters

| Parameter | Туре | Description |
|------------|--------|---|
| columnName | string | case-sensitive name of the column to look for |

Return value

bool true if the column exists in the collection, false otherwise

CopyTo(array, arrayIndex) Method

Copies the columns from this collection into an array.

Declaration

```
public void CopyTo(
   ColumnInfo[] array,
   int arrayIndex
)
```

Parameters

| Parameter | Туре | Description |
|------------|--------------|--|
| array | ColumnInfo[] | destination array to be filed |
| arrayIndex | int | offset into the destination array where copying begins |

GetEnumerator() Method

Gets an enumerator over the columns in the collection.

Declaration

```
public IEnumerator<WixToolset.Dtf.WindowsInstaller.ColumnInfo> GetEnumerator()
```

Return value

IEnumerator<WixToolset.Dtf.WindowsInstaller.ColumnInfo> An enumerator of ColumnInfo objects.

IndexOf(columnName) Method

Gets the index of a column within the collection.

Declaration

```
public int IndexOf(
   string columnName
)
```

Parameters

| Parameter | Туре | Description |
|------------|--------|---|
| columnName | string | case-sensitive name of the column to look for |

Return value

int 0-based index of the column, or -1 if not found

Count Property

Gets the number of columns in the collection.

Declaration

```
public int Count { get; set; }
```

FormatString Property

Gets a string suitable for printing all the values of a record containing these columns.

Declaration

```
public string FormatString { get; set; }
```

IsReadOnly Property

Gets a boolean value indicating whether the collection is read-only. A ColumnCollection is read-only if it is associated with a «see T:WixToolset.Dtf.WindowsInstaller.View» or a read-only «see T:WixToolset.Dtf.WindowsInstaller.Database».

Declaration

```
public bool IsReadOnly { get; set; }
```

Item Property

Gets information about a specific column in the collection.

Declaration

```
public ColumnInfo Item[
  int columnIndex
] { get; set; }
```

Parameters

| Parameter | Туре | Description |
|-------------|------|--|
| columnIndex | int | 1-based index into the column collection |

Exceptions

| Exception | Description |
|--|-------------|
| T:System.ArgumentOutOfRangeException | is less |
| than 1 or greater than the number of columns in the collection | |

Item Property

Gets information about a specific column in the collection.

Declaration

```
public ColumnInfo Item[
  string columnName
] { get; set; }
```

Parameters

| Parameter | Туре | Description |
|------------|--------|--|
| columnName | string | case-sensitive name of a column collection |

Exceptions

| Exception | Description |
|--------------------------------------|-------------|
| T:System.ArgumentOutOfRangeException | does |
| not exist in the collection | |