

WiX managed SDK

WixToolset.Dtf.WindowsInstaller namespace

TableCollection Class

TableCollection Class

Contains information about all the tables in a Windows Installer database.

Methods

Method	Description	
Add(item)	Adds a new table to the database.	
Clear()	Removes all tables (and all data) from the database.	
Contains(item)	Checks if the database contains a table with the given name.	
CopyTo(array, arrayIndex)	Copies the table information from this collection into an array.	
GetEnumerator()	Enumerates the tables in the database.	
Remove(item)	Removes a table from the database.	

Properties

Property	Description
Count	Gets the number of tables in the database.
IsReadOnly	Gets a boolean value indicating whether the collection is read-only. A TableCollection is read-only when the database is read-only.
Item	Gets information about a given table.

WixToolset.Dtf.WindowsInstaller.dll version 4.0.2+644ed0118bae1aa885bb6cc906dc6c0b904de4d9

Add(item) Method

Adds a new table to the database.

Declaration

```
public void Add(
   TableInfo item
)
```

Parameters

Parameter	Туре	Description

Parameter	Туре	Description
item	TableInfo	information about the table to be added

Exceptions

Exception	Description
T:System.InvalidOperationException	a table with the same name already exists in the database

Clear() Method

Removes all tables (and all data) from the database.

Declaration

public void Clear()

Contains(item) Method

Checks if the database contains a table with the given name.

Declaration

```
public bool Contains(
  string item
)
```

Parameters

Parameter	Туре	Description
item	string	case-sensitive name of the table to search for

Return value

bool True if the table exists, false otherwise.

CopyTo(array, arrayIndex) Method

Copies the table information from this collection into an array.

Declaration

```
public void CopyTo(
   TableInfo[] array,
```

```
int arrayIndex
)
```

Parameters

Parameter	Туре	Description
array	TableInfo[]	destination array to be filed
arrayIndex	int	offset into the destination array where copying begins

GetEnumerator() Method

Enumerates the tables in the database.

Declaration

```
public IEnumerator<WixToolset.Dtf.WindowsInstaller.TableInfo> GetEnumerator()
```

Remove(item) Method

Removes a table from the database.

Declaration

```
public bool Remove(
   string item
)
```

Parameters

Parameter	Туре	Description
item	string	case-sensitive name of the table to be removed

Return value

bool true if the table was removed, false if the table did not exist

Count Property

Gets the number of tables in the database.

Declaration

```
public int Count { get; set; }
```

IsReadOnly Property

Gets a boolean value indicating whether the collection is read-only. A TableCollection is read-only when the database is read-only.

Declaration

```
public bool IsReadOnly { get; set; }
```

Item Property

Gets information about a given table.

Declaration

```
public TableInfo Item[
  string table
] { get; set; }
```

Parameters

Parameter	Туре	Description
table	string	case-sensitive name of the table