

# 732A51 Bioinformatics Lab 1

*Raymond Sseguya, Martin Smelik, Duc Duong*

*2018 M11 7*

## Task 1

### Task 1.1

diploid population = Aa,Aa = 2N (parents)

After random mating for first generation: children = AA, Aa, aA, aa

Total new first generation population = 4

Number of AA homozygotes = 1

Number of aa homozygotes = 1

Number of Aa or aA heterozygotes = 2

Proportion of AA homozygotes =  $1/4 = 0.25$

Proportion of aa homozygotes =  $1/4 = 0.25$

Proportion of Aa or aA heterozygotes =  $2/4 = 0.5$

The proportion AA Homozygotes : Aa Heterozygotes : aa homozygotes is

0.25: 0.5 : 0.25

Again after random mating for first generation:

Probability of getting A allele =  $3/6 = 0.5 = p$

Probability of getting a allele =  $3/6 = 0.5 = q$

The proportion AA Homozygotes : Aa Heterozygotes : aa homozygotes is also

square of p : 2 times p times q : square of q

$(0.5)^2 : 2 \text{ times } 0.5 \text{ times } 0.5 : (0.5)^2$

0.25: 0.5 : 0.25

This satisfies the Hardy Weinberg equilibrium.

### Task 1.1.b

The probability of getting A allele and a allele will remain the same with continued random mating therefore the Hardy Weinberg equilibrium will always hold.

### Task 1.2

Total number of people =  $357 + 485 + 158 = 1000$

Total allele population =  $2 \text{ times } 1000 = 2000$

Total number of M is  $2 \text{ times } 357 \text{ added to } 485 = 1199$

Total number of N is 2 times 158 added to 485 = 801

Probability of getting M is 1199 out of 2000 = 0.5995 (assuming diploid)

Probability of getting N is 801 out of 2000 = 0.4005 (assuming diploid)

Creating vector of number of homozygotes and heterozygotes, R

Creating vector of Probabilities of M and N alleles, S

```
R <- c(357, 485, 158)
S <- c(0.5995*0.5995, 2*0.5995*0.4005, 0.4005*0.4005)

chisq.test(R, p=S)
```

```
##
## Chi-squared test for given probabilities
##
## data:  R
## X-squared = 0.099938, df = 2, p-value = 0.9513
```

The null hypothesis under the chi-square test for goodness of fit, that the population follows the Hardy Weinberg equilibrium, IS ACCEPTED.

## Task 2

### Task 2.1

According to the information in the FEATURES section, the protein product is **RecQ type DNA helicase**

### Task 2.2

The first four amino acids are MVVA, which is **Methionine, Valine, Valine and Alanine**

### Task 2.3

Done.

### Task 2.4

The coding strand sequence obtained from using “backtranseq” exactly matches the nucleotide sequence provided. For instance, the last letter “D” representing **Aspartic acid** exactly matches the last three letter sequence “GAT”

After reversing and complementing, the nucleotide sequence is in the 3’ to 5’ prime direction but amino acid contents are exactly the same. For example, the third amino acid in the reversed and complemented nucleotide sequence is “AAC” which is the same as the “GTT” in the sequence produced by “backtranseq”, which is also the same as “V”.

### Task 2.5

???

## Task 3

### 3.1

According to Wikipedia, *C. elegans* is being extensively used as a model organism. It was the first multicellular organism to have its whole genome sequenced, and as of 2012, is the only organism to have its connectome (neuronal “wiring diagram”) completed. The *C. elegans* genome contains an estimated 20,470 protein-coding genes.[95] About 35% of *C. elegans* genes have human homologs. Remarkably, human genes have been shown repeatedly to replace their *C. elegans* homologs when introduced into *C. elegans*. Conversely, many *C. elegans* genes can function similarly to mammalian genes.

### 3.2

Done. Attached.

### 3.3

The database genomic sequence progresses from 6529 to 8028, and the query sequence from 1 to 1500, both essentially in the same direction.

When the query sequence is reverse complemented, it runs in the direction which is from 8028 to 6529, opposite to 1 to 1500.

However, the two look exactly the same in the Genome Data Viewer.

### 3.4

The query sequence is found on chromosome V and position ????

### 3.5

M R T D V G S I P L M C I L S T L T T G V F G Y L P T E D L T N S I I S G N G G Y P V P P D T  
I I P A D G D E E

### 3.6

The lineage is Eukaryota; Metazoa; Ecdysozoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea; Rhabditidae; Peloderinae; *Caenorhabditis*. It is a **protein coding gene type**.