
1. Design

Overview dashboard: six network KPIs, 24-hour throughput trend, attainment vs target



Cellular System Performance Dashboard · sample data

2. Prototype

Interactive drill-down: site selection, KPI switch and time range (shown: RED-011, latency, 24h)

Cellular Network Performance

4G/5G RAN KPIs · Region: Chennai North · Last 24 hours

1 · Design | 2 · Prototype | 3 · Output

Frame: Drill-down · click a site, switch KPI and range

Cell sites

Site	Tech	Status
CHN-N-001	5G NR	Healthy
CHN-N-014	4G LTE	Healthy
PON-007	5G NR	Degraded
PON-022	4G LTE	Healthy
RED-011	4G LTE	Outage risk
MIN-003	5G NR	Healthy

RED-011 · Latency (ms)

Throughput | Latency | Drop rate | Signal RSRP

6h | 12h | 24h



Showing last 24 hours · 4G LTE · status: Outage risk.
Sample data for prototype purposes.

3. Output

Printable KPI scorecard with pass / watch / fail result against targets

Cellular Network Performance

4G/5G RAN KPIs · Region: Chennai North · Last 24 hours

1 · Design | 2 · Prototype | 3 · Output

Frame: Report / Summary · printable

Network KPI scorecard

KPI	Target	Actual	Attainment	Result
Call setup success	≥ 99%	99.3%	100%	Pass
Call drop rate	≤ 1%	0.8%	100%	Pass
Handover success	≥ 98%	97.2%	99%	Watch
Avg DL throughput	≥ 40 Mbps	46.5 Mbps	100%	Pass
Latency	≤ 30 ms	27 ms	100%	Pass
Cell availability	≥ 99.5%	99.1%	100%	Watch

Summary: 4 of 6 KPIs meet target. Needs attention: handover success, cell availability.

Print / save as PDF