

Introducción

Empezando

Componentes

Alert

Badge

Button

Detail

Dialog

Dropdown

Errors

Filters

Input

Loading

Pagination

ProgressBar

Select

Tab

Table

TextareaResize

Toast

Utilidades

useAction

useFormat

useInputMask

useKeyPress

useTable

useTheme

useTooltip

useValidator

Composables

useFilters

useLogos

Badge

Documentación y ejemplos del componente `badge`. Para **etiquetar o destacar texto** o marcar los distintos estados de un registro.

Props

text

Type: `[String, Number]`

Define el **texto a mostrar** dentro del componente `badge`

Texto a mostrar

Texto a mostrar

```
<BadgeComponent
  text="Texto a mostrar"
  data-eit-variant='blue'
  data-eit-outline
/>
```

html

icon

Type: `String`

Define el **ícono a mostrar** dentro del componente `badge`

✓ Texto

✓ Texto

```
<BadgeComponent
  text="Texto"
  data-eit-variant='blue'
  icon="fa-solid fa-circle-check"
/>
```

html

Styles

Introducción

Empezando

Componentes

Alert

Badge

Button

Detail

Dialog

Dropdown

Errors

Filters

Input

Loading

Pagination

ProgressBar

Select

Tab

Table

TextareaResize

Toast

Utilidades

useAction

useFormat

useInputMask

useKeyPress

useTable

useTheme

useTooltip

useValidator

Composables

useFilters

useLogos

`color` o con su `data-attributes` respectivo.

class	data-attributes
<code>.eit-badge__solid--primary</code>	<code>data-eit-variant="primary"</code>
<code>.eit-badge__solid--secondary</code>	<code>data-eit-variant="secondary"</code>
<code>.eit-badge__solid--tertiary</code>	<code>data-eit-variant="tertiary"</code>
<code>.eit-badge__solid--green</code>	<code>data-eit-variant="green"</code>
<code>.eit-badge__solid--red</code>	<code>data-eit-variant="red"</code>
<code>.eit-badge__solid--yellow</code>	<code>data-eit-variant="yellow"</code>
<code>.eit-badge__solid--blue</code>	<code>data-eit-variant="blue"</code>
<code>.eit-badge__solid--gray</code>	<code>data-eit-variant="gray"</code>

--primary

--secondary

--tertiary

--green

--red

--yellow

--blue

--gray

Ejemplo

```
<!--class-->  
<BadgeComponent  
  text="--primary"  
  class='eit-badge__solid--primary'  
>  
</>  
  
<!--data-attributes-->  
<BadgeComponent  
  text="--primary"  
  data-eit-variant='primary'  
>  
</>
```

html

Outline → Se puede definir con la clase `eit-badge__outline` y su modificador `--color` o con su `data-attributes` respectivo.

class	data-attributes
<code>.eit-badge__outline--primary</code>	<code>data-eit-variant="primary"</code> <code>data-eit-outline</code>
<code>.eit-badge__outline--secondary</code>	<code>data-eit-variant="secondary"</code> <code>data-eit-outline</code>

Introducción

Empezando

Componentes

Alert

Badge

Button

Detail

Dialog

Dropdown

Errors

Filters

Input

Loading

Pagination

ProgressBar

Select

Tab

Table

TextareaResize

Toast

Utilidades

useAction

useFormat

useInputMask

useKeyPress

useTable

useTheme

useTooltip

useValidator

Composables

useFilters

useLogos



Ctrl K

Guía

Componentes

Estilos



.eit-badge__outline--tertiary

data-eit-outline

.eit-badge__outline--green

data-eit-variant="green"
data-eit-outline

.eit-badge__outline--red

data-eit-variant="red"
data-eit-outline

.eit-badge__outline--yellow

data-eit-variant="yellow"
data-eit-outline

.eit-badge__outline--blue

data-eit-variant="blue"
data-eit-outline

.eit-badge__outline--gray

data-eit-variant="gray"
data-eit-outline

--primary

--secondary

--tertiary

--green

--red

--yellow

--blue

--gray

Ejemplo

```
<!--class-->  
<BadgeComponent  
  text="--primary"  
  class='eit-badge__outline--primary'  
>  
  
<!--data-attributes-->  
<BadgeComponent  
  text="--primary"  
  data-eit-variant='primary'  
  data-eit-outline  
>
```

html

Previous page
Alert

Next page
Button