

WiseTransact — Product Requirements Document (MVP)

WiseTransact — Product Requirements Document (MVP)

Document status: DRAFT v1.1 | **Last updated:** 5 May 2026 | **Owner:** Rishi |
Author: Drafted with AI Systems Analyst from elicitation transcript

How to read this document. Sections marked **LOCKED** were explicitly decided during elicitation. Sections marked **PROPOSED** are sensible defaults filled in by the analyst and need explicit sign-off. The MVP+ Parking Lot lists everything explicitly deferred. The Decisions Log (§14) is the single source of truth for what's locked.

1. Executive Summary

WiseTransact is a mobile application (iOS + Android) that helps individuals build a clean, categorized record of their financial transactions through the year, so that at tax time they can hand a CA a comprehensive view of their inflows, outflows, and tax-relevant categorizations without manually building an Excel sheet from scratch.

The app supports two complementary use cases inside one experience: **daily logging** for users who want ongoing visibility into their spend, and **episodic catch-up** for users who want to backfill months of data ahead of meeting their CA. Transactions are entered manually or by pasting bank SMS messages; the app categorizes them, deduplicates intelligently, and produces both an in-app dashboard and a downloadable year-end PDF report.

The MVP is deliberately scoped as a **local-only, free, single-user mobile app** with no backend, no cloud sync, no bank integrations, and no monetization. Anonymized crash reporting and anonymized behavior analytics are the only egress, both opt-out from Settings and disclosed at onboarding.

2. Product Vision & Positioning

2.1 Vision

WiseTransact is a quiet, reliable financial record-keeper that turns the year-end "go through every line of my bank statement" exercise into a problem you've already solved by April 1.

2.2 Problem Statement

Indian salaried professionals, freelancers, and self-employed individuals who file their ITR through a CA are typically asked for payslips and monthly bank statements. The CA expects a clean, categorized view of inflows and outflows. Today, the user either hands over raw statements (creating work for the CA) or builds an Excel sheet by manually going through each transaction line by line — a tedious, error-prone, once-a-year drudgery.

2.3 Target User

Adults in India who file ITR annually through a CA, have one or more bank accounts (savings + credit card is the typical floor), receive bank transaction alerts via SMS, read English fluently, run on relatively modern smartphones (Android 12+ or iOS 17+), and are organized enough to want better records but not so technical that they'd build their own spreadsheet system.

2.4 Positioning Statement

WiseTransact helps you build a clean, categorized record of your expenses and income through the year, so when tax time comes you and your CA have full visibility — including expenses and income classifications that matter for ITR filing. Your data stays only on your device.

Important framing note: WiseTransact is a **complement to ITR filing, not a replacement for it**. The app produces a categorized expense-and-income register; it does not file taxes, calculate liabilities, or provide financial advice.

3. Scope

3.1 MVP+ Parking Lot (Deferred)

Item	Reason for deferral	Tentative priority
Bulk SMS paste	Boundary detection & promotional/OTP filtering complexity	High
Statement upload (JPG / unlocked PDF / CSV)	OCR + format diversity is a major engineering investment	High
Backup & restore	User accepted data-loss risk for MVP simplicity	High (revisit early)

Cloud sync & multi-device support	Requires backend, auth, compliance	Medium
Custom date range reports & PDFs for any period	Adds bucketing logic for short windows	Medium
Mode breakdown report section	Lower-value visualization	Low
Tax-relevant summary report section	Recoverable from other sections in MVP	Medium
Bulk multi-select on Transactions list	UX surface area	Low
FAQ / in-app help content	Maintenance burden; contact email covers MVP	Low
Notifications & reminders	App is silent in MVP by deliberate design	Low
Dark mode	Theming infrastructure built into MVP so dark mode is purely additive later	Medium
Multi-language UI (Hindi, regional languages)	Translation effort	Medium
Multi-language SMS parsing	Most Indian bank SMSes are English	Low
Account Aggregator integration	Significant compliance overhead	Long-term

3.2 Explicitly Out of Roadmap

- **Automatic SMS reading.** Permanently impossible on iOS, heavily restricted on Android. Manual paste is the permanent UX.
 - **Web or desktop versions.** Mobile only.
 - **Tax filing functionality.** WiseTransact does not file taxes or compute tax liability.
 - **Financial advice.**
-

4. Personas

Primary: "Anika the Salaried Professional"

30-year-old salaried product manager in Bangalore. Files ITR every year through her family CA. Has an HDFC savings account, an ICICI credit card, and a Paytm wallet. Receives SMS alerts for every transaction. Wants to stop dreading the annual "send me your statements" email from her CA and instead hand him a tidy categorized PDF.

Secondary: "Rohan the Freelance Designer"

34-year-old freelance designer in Pune. Income is irregular and comes from multiple clients via UPI. Has both personal and "professional" expenses he wants to track separately for deduction purposes. The Personal/Professional purpose tag is meaningful to him.

5. Core User Journeys

5.1 First-time setup

1. User installs and opens the app.
2. Splash screen displays the WiseTransact logo.
3. Onboarding asks for preferred name, then account setup (default "Cash" account pre-populated; user can keep, rename, remove, or add more).
4. Data-loss warning shown — user acknowledges that data is stored only on this device and will be lost on uninstall or device change.
5. "Not financial advice" disclaimer shown — one-time acknowledgment.
6. Privacy notice shown — discloses anonymized crash reporting and anonymized behavior analytics, both default-on, both opt-out from Settings.
7. User lands on the Home screen.

5.2 Daily logging (manual)

1. User opens app → Splash → Home.
2. Taps "+ Add Transaction".
3. Fills the form (Type, Amount, Account, Date, Category, Purpose, Mode, Notes), taps Submit.
4. Dedup check runs. If no duplicate, transaction saves; user returns to Home with confirmation.

5.3 Daily logging (paste SMS)

1. User receives a bank SMS, copies it from messaging app.
2. Opens WiseTransact, taps "+ Add Transaction".
3. Pastes the SMS into the prominent "  Paste SMS" field at the top of the form.

4. App parses and pre-fills as many fields as it can. Unparseable required fields are flagged.
5. User reviews/edits, fills any required-but-empty fields (e.g., Account if the bank in the SMS doesn't match an existing account).
6. Taps Submit. Dedup check runs. Transaction saves.

5.4 Year-end CA handoff

1. User opens app, taps "Reports".
 2. Changes period picker to "This Financial Year".
 3. Reviews in-app charts and totals.
 4. Taps "Download PDF". App generates PDF ($\leq 5s$), saves to device Downloads, shows confirmation with file name and Share button.
 5. Taps Share. System share sheet opens. User emails or WhatsApps the PDF to their CA.
-

6. Functional Requirements

6.1 Onboarding [LOCKED]

- Splash screen with WiseTransact logo on every app launch.
- First-time onboarding: collects preferred name (required), then account setup (default "Cash" pre-populated; user can add/rename/remove).
- Data-loss warning shown once, must be acknowledged.
- "Not financial advice" disclaimer shown once, must be acknowledged.
- Privacy notice shown once: discloses that the app sends anonymized crash reports and anonymized behavior analytics by default, with opt-out toggles in Settings. Acknowledgment required before continuing.
- Subsequent launches go directly from splash to Home.

6.2 Home Screen [LOCKED]

Hybrid layout: minimal dashboard + prominent quick-add.

- Compact "this month so far" header showing three numbers: Income, Expense, Net (Income – Expense).
- Recent transactions list (latest 5–10 entries).
- Persistent "+ Add Transaction" button (FAB or top-anchored).
- Bottom navigation: **Home, Transactions, Reports, Settings** (4 tabs).

6.3 Add Transaction [LOCKED]

Layout: Empty form, all fields visible, with a prominent "  Paste SMS" action at the top. Pasting an SMS auto-populates the form below it. Manual users can ignore the paste action and fill the form directly.

Field order:

1. **Type** — three-button toggle: Income / Expense / Transfer. Default: Expense. Credit/Debit is intentionally not shown to the user.
2. **Amount** — numeric input. Required. Must be > 0 .
3. **Account** — picker. For Income/Expense: single Account. For Transfer: From-Account + To-Account. Required. Defaults to user's most-used account.
4. **Date** — picker. Defaults to today. Allows today and any past date within the current FY; future dates not allowed in MVP.
5. **Category** — dropdown. Income $\rightarrow$ Salary / Interest / Freelance / Rental / Other (or custom). Expense $\rightarrow$ Food / Transport / Healthcare / etc. (or custom). Transfer $\rightarrow$ not applicable. Rule-based auto-suggest fills this when a known merchant is identified.
6. **Purpose** — Expense only: Personal / Professional / Investment / Tax-saving. Default: Personal. Not shown for Income or Transfer.
7. **Mode** — UPI / Card / Cash / Bank Transfer / Other.
8. **Notes** — optional free-text.
9. **Submit** — disabled until all required fields are populated.

Edit behavior: Every auto-extracted field is fully editable. The user has final say on every field, always.

Large-amount soft warning: Amount $\geq$ ₹10,00,000 (₹10 lakh) $\rightarrow$ non-blocking confirmation prompt: "This is a large amount (₹X). Are you sure?" with [Yes] / [Edit].

Zero or negative amount: Inline error on the Amount field; Submit blocked.

6.4 SMS Parsing & Auto-Population [LOCKED]

- **Scope:** Single-SMS paste only in MVP. Bulk SMS paste deferred.
- **Language:** English-only parsing.
- **Multiple-amount SMS:** Keyword-proximity heuristic — amounts adjacent to "debited", "credited", "spent", "received" win; amounts adjacent to "balance", "avl bal", "available" are ignored.

- **Parse-failure ladder:** Full success → all fields pre-filled. Partial success → empty/uncertain fields highlighted. Parse failure → friendly inline message asking the user to enter manually.
- **Account auto-population:** If SMS bank doesn't match any existing account, Account stays empty and required. App does not auto-create accounts.

6.5 Categorization & Auto-suggest [LOCKED]

Rule-based auto-categorization. The app maintains a library of merchant-keyword → category mappings. For SMS-pasted transactions where a merchant is detected, the app suggests a Category. The user can always accept, override, or pick a custom category.

Type	Predefined Categories (starting list)
Income	Salary, Interest, Freelance / Professional Income, Rental, Other
Expense	Food & Dining, Transport, Shopping, Bills & Utilities, Healthcare, Rent, Education, Entertainment, Travel, Insurance, Other
Transfer	Not applicable

Custom categories: user-specific, do not participate in the merchant rule library. Where possible, when a user types a custom category, the UI suggests the closest predefined match.

Purpose tags (Expense only): Personal / Professional / Investment / Tax-saving. Default Personal.

6.6 Deduplication [LOCKED]

Approach: Conservative — always prompt; never silently merge.

When dedup runs: On every Submit, regardless of input method.

Match criteria (all must be true): Same Account, same Type, Amount within $\pm 1\%$ or $\pm ₹1$ (whichever is larger), Date within ± 1 day.

Choice	Behavior
Discard	Throw away the new entry. Existing transaction is unchanged.
Merge	Keep the existing transaction; enrich any empty fields with values from the new entry. On

	conflicts, the existing transaction's values win. Merge history preserved internally but not shown.
Add Anyway	Both records save independently.

6.7 Transactions List Screen [LOCKED]

- **Default time window:** Current month, with period picker to switch.
- **Default sort:** Most recent first; grouped by date with date headers (Today, Yesterday, then explicit dates).
- **Sort toggle:** Date ascending / descending.
- **Per-row info:** Amount (color-coded — red Expense, green Income, neutral Transfer), category, account, date, notes preview.
- **Filters (MVP):** Type, Account, Category, Date range.
- **Search:** Free-text across notes, category, merchant, account name.
- **Header summary:** Income / Expense / Net for the selected period.
- **Tap row →** Full-screen Transaction Detail with Edit / Delete.

6.8 Transaction Detail Screen [LOCKED]

- Full-screen view of all transaction fields.
- **Edit:** All fields editable. Saving an edit re-runs dedup against other transactions.
- **Delete:** Confirmation dialog. On confirm, transaction is permanently removed.
- Editing a previously merged transaction behaves like editing any other transaction. Merge history preserved internally only.

6.9 Reports Screen [LOCKED]

Content: Mirrors the downloadable PDF.

Default time window: Current month.

Period picker (predefined only in MVP): This Week, This Month, This Quarter, This Financial Year, Last Month, Last Financial Year.

MVP report sections (in-app and PDF):

1. Header / metadata — preferred name, FY/period, accounts covered, date range, generation date.
2. Summary — total income, total expense, net, broken down by month.

3. Category & Purpose breakdown — Expense by category (chart + table), Expense by Purpose, Income by source.
4. Monthly trend — line/bar chart, income and expense across the period's months.
5. Account-level breakdown — for each account, total inflow and outflow.
6. Transaction register — full ledger sorted by date.
7. Anomalies / quality flags — uncategorized, "Add Anyway" duplicates, large outliers ($\geq ₹10$ lakh).

PDF generation (MVP): Available *only* when period picker is set to "This Financial Year". For other periods, in-app view is available but Download PDF is disabled.

PDF download flow: Tap → app generates PDF (≤ 5 s with progress indicator) → saves to device Downloads → confirmation screen with file name and Share button (system share sheet). User can re-share without regenerating.

Transfers are excluded from Income and Expense totals in all reports.

6.10 Settings Screen [LOCKED]

Section	Items in MVP
Profile	Edit preferred name
Accounts	View all (with per-account count), Add, Edit, Delete with reassign-or-delete-with prompt
Categories	View all (predefined + custom), Add custom, Edit custom (predefined read-only), Delete custom with reassign-or-delete-with prompt
Data	Delete all data — typed-confirmation gate
Legal	Privacy Policy, Terms of Service, Disclaimer (incl. data-loss reminder & SMS-format disclaimer), About / version
Help	Contact / feedback email
Privacy controls	Crash reporting opt-out toggle (default: on) • Behavior analytics opt-out toggle (default: on)

Account & Custom Category deletion: When the item has transactions tagged to it, the user is prompted with two options — **Reassign** (move all N transactions to another account/category) or **Delete with** (delete the account/category and all N tagged transactions). Cancel does nothing.

7. Data Model

Entity	Fields
UserProfile	preferredName, onboardingComplete, disclaimerAcknowledged, dataLossAcknowledged, privacyNoticeAcknowledged, crashReportingEnabled (default true), behaviorAnalyticsEnabled (default true)
Account	id, name, type (Savings / Credit Card / Cash / Wallet / Other), createdAt
Category	id, name, transactionType (Income / Expense), isPredefined, isActive
Transaction	id, type (Income/Expense/Transfer), amount, accountId, fromAccountId, toAccountId, date, categoryId, purpose, mode, notes, source (Manual/SMSPaste), rawSmsText, mergeHistory (json, internal), createdAt, updatedAt
MerchantRule	id, keyword, suggestedCategoryId, priority — bundled with the app

Storage: Local persistent storage only (SQLite via Flutter `sqflite`). No remote DB. Cache is not used for any persisted user data.

Migration framework: Local DB must support schema migrations from v1, even with no migrations yet. Non-negotiable.

8. Edge Cases & Error Handling

#	Scenario	Behavior
1	Pasted text not a transaction	Friendly inline message; user prompted to enter manually.
2	SMS with multiple amounts	Keyword-proximity heuristic: transaction amount wins over balance.
3	Non-English SMS	Likely parse failure → fall back to manual entry.
4	Amount $\geq$ ₹10,00,000	Soft non-blocking confirmation prompt.
5	Amount = 0 or negative	Block submit; inline error.
6	Editing a merged transaction	Treated as editing a normal transaction.
7	April 1 FY rollover	App auto-shifts current FY view; previous FY accessible via picker.
8	Backdating into previous FY	Allowed. Filed into whichever FY contains its date.
9	Storage full when generating PDF	Catch error; show free-up-space message. No crash.
10	App data growth	No concern for MVP.
11	App killed mid-Add-Transaction	No draft auto-save in MVP.
12	Future data-model changes	DB migration framework built into v1.
13	SMS parses but no matching account	Account field stays empty & required. No auto-create.

9. Non-Functional Requirements

9.1 Platforms & min OS [LOCKED]

- iOS: minimum **iOS 17** (released Sept 2023)
- Android: minimum **Android 12** (API 31, released 2021)

Tradeoff: Aggressive-modern floor cuts off users on older Android (8–11) and older iPhones. For India this excludes a meaningful chunk of mid-range Android users. Engineering velocity prioritized over reach. Revisit post-launch.

9.2 Tech stack [LOCKED]

- Framework: **Flutter**, single codebase iOS + Android.
- Local DB: SQLite via `sqflite`.
- Build optimizations required from day one (split APKs, tree-shaking, asset compression) to meet <30 MB install-size target.
- **Theming infrastructure built into v1:** every color is a semantic token (e.g., `surface.primary`, `text.muted`), not a hard-coded value. Dark mode (MVP+) becomes a token-set addition, not an app-wide refactor.

9.3 Performance targets [LOCKED]

Metric	Target
Cold start (mid-range)	< 2 s
Cold start (flagship)	< 1 s
Add Transaction screen open	< 300 ms
Save Transaction (incl. dedup)	< 500 ms
Transactions list scroll (~3,000 records)	60 FPS, no jank (list virtualization required)
Reports screen load (default month)	< 1 s
PDF generation (full FY, ~2,000 transactions)	< 5 s with progress indicator
SMS parse	< 200 ms
Install size	< 30 MB

9.4 Accessibility [LOCKED]

Basic baseline: readable contrast, tap targets $\geq 44\text{pt}$, OS-level dynamic type, VoiceOver/TalkBack screen-reader navigation for all core flows. Full WCAG 2.1 AA conformance not a target for MVP.

9.5 Language [LOCKED]

English only for MVP UI and SMS parsing. All user-visible strings externalized to a localization file from day one.

9.6 Offline behavior [LOCKED]

App functions identically online and offline for all core flows. No network ever required for core functionality. The only network egress in MVP is anonymized crash reports and anonymized behavior analytics events, both opt-out from Settings (§10.4).

10. Privacy, Legal & Disclaimers [LOCKED]

10.1 Privacy posture

All transaction data, account names, preferred name, and any other personal data is stored on the user's device only, in the app's persistent local database. **No transaction data, account names, or preferred name is ever transmitted off the device.** The only network egress is anonymized crash reports and anonymized behavior analytics — covered in §10.4.

10.2 Required documents

- **Privacy Policy** — public web page, linked from Settings and store listings. Discloses local-only data storage, plus anonymized crash reporting and anonymized behavior analytics in plain language.
- **Terms of Service / EULA** — public web page, standard boilerplate, linked from Settings.
- **DPDP Act compliance statement** — included in Privacy Policy. States that no transaction data, financial data, or personally identifying information is processed off the device.

10.3 Disclaimers

- **"Not financial advice"** — first-launch acknowledgment + Settings access.
- **PDF report footer** — "Generated by WiseTransact based on user-entered data. This report is for personal record-keeping. Verify all entries with original bank statements and consult a qualified Chartered Accountant before tax filing."
- **SMS input format** — inline note on SMS-paste field: "Currently supports English SMS messages from Indian banks. Other formats may not parse correctly."

- **Data-loss warning at onboarding** — one-time acknowledgment + Settings access. "Your data is stored only on this device. Uninstalling the app or changing your phone will permanently delete your data. There is no cloud backup in this version."

10.4 Crash reporting & behavior analytics

The app uses two anonymized data streams to support product quality and improvement. Both default to on, both are disclosed at onboarding, and both have independent opt-out toggles in Settings.

Crash reporting (e.g., Firebase Crashlytics or Sentry — engineering's choice): captures stack traces, device model, OS version, app version, and crash context when the app crashes.

Behavior analytics (privacy-respecting platform such as PostHog, Plausible, or Aptabase — engineering's choice; constraint: no PII, no transaction data, no account names, no preferred name, no advertising SDKs): captures aggregated, anonymous event counts that power the success metrics in §12 — for example, "user opened Add Transaction screen", "user generated PDF", "user added a transaction (manual or SMS)". Every event is anonymous and tied only to a randomly-generated, non-identifying device ID used solely to compute distinct-user counts.

Strict constraints on both streams:

- Never include transaction amounts, merchant names, account names, preferred name, notes, or category names.
- Never include any user-typed content.
- Never include any data that could re-identify a user across devices.

Privacy Policy must disclose in plain language: what is sent, what is *not* sent, why it is sent, the third-party processor, and how to opt out.

10.5 Monetization

MVP is fully free. No paid tier, no subscription, no in-app purchases.

11. Branding & Visual Direction [LOCKED]

A separate **WiseTransact Brand Document** (owned by Rishi) holds the full visual specification — color palette tokens, logo, illustrative style, typography, motion. This PRD section captures only the personality decisions and scope-level choices that affect engineering and product.

11.1 Visual personality [LOCKED]

Axis	Position
Serious ↔ Friendly	Serious / professional
Minimal ↔ Rich	Minimal / restrained
Cool ↔ Warm palette	Cool, restrained
Conservative ↔ Modern	Modern (with restraint)

Reference visual family: apps like Linear, Things 3, Apple Stocks. Quiet, professional, modern, restrained. Not playful, not flashy.

11.2 Color palette

Specified in the WiseTransact Brand Document. The brand document is the single source of truth for color values. Engineering implements all colors as **semantic tokens** in code (see §9.2) so the brand document can change values without any code refactor. Standard finance-app semantic mapping is assumed for Income / Expense / Transfer indicators (the brand document specifies the actual colors).

11.3 Logo & Naming [LOCKED]

- **Product name: WiseTransact** (one word, no space). All app store listings, marketing, social handles, and domain names use the one-word form.
- Logo to be designed as part of the WiseTransact Brand Document.

11.4 Dark mode [DEFERRED to MVP+]

Light mode only in MVP. Dark mode added in MVP+. Theming infrastructure (semantic color tokens) is built into v1 (§9.2) so adding dark mode later is purely additive — a new token-set, not an app-wide rewrite.

11.5 Iconography

Specified in the WiseTransact Brand Document. Default direction: outline / line icons via a standard library (e.g., Lucide, Phosphor), tinted with the primary brand color. Custom illustrations out of scope for MVP.

12. Success Metrics [LOCKED]

Behavior analytics is in scope for MVP per §10.4. All metrics below are technically measurable from day one. Targets are v1 ambitions and should be re-baselined after the first 90 days of real data.

12.1 North Star Metric

Metric	Definition	Target
Activation	% of installed users who add their first transaction within 7 days of install	≥ 50%

Why this is the North Star: WiseTransact's primary risk in MVP is not "will users tell their CA about it" but "will users get over the hump of logging their first transaction." Activation is the leading indicator that all downstream value flows depend on. It will most clearly tell engineering and product whether the onboarding-to-first-transaction path actually works.

12.2 Primary Metric

Metric	Definition	Target
WAU (headline)	% of installed users active in the past 7 days	≥ 30%
MAU (sanity check)	% of installed users active in the past 30 days	≥ 45%

Definition of "active": opened the app and either viewed a screen with data, added a transaction, or generated a report. A pure splash-and-close session does not count.

Why WAU + MAU: WAU gives a tight feedback loop appropriate for an app users are expected to interact with multiple times per week. MAU is a sanity check for users who batch-log monthly and would otherwise look "inactive" by WAU alone.

12.3 Supplementary Metrics

Metric	Definition	Target
Categorization quality	% of transactions left in "Uncategorized" at end of	< 10%

	period	
Tax-prep core action	% of users active 6+ months who generate at least one PDF report	≥ 40%
Stability	Crash-free session rate	99.5%
App store quality	Average rating across iOS App Store + Google Play	≥ 4.0

12.4 Tracked but not targeted

Metric	Definition	Note
SMS-paste adoption	% of all transactions entered via SMS paste vs. manual	Diagnostic only — informs whether to prioritize bulk SMS paste in MVP+.
Performance	p95 cold-start, save-transaction, PDF-generation against §9.3 targets	Engineering quality bar; should meet at p95.
Active accounts per user	Average number of accounts created per active user	Informs whether multi-account was the right call.

12.5 Measurement constraints

All metrics must be derivable from anonymized event data per §10.4. **No metric depends on transaction amounts, merchant names, account names, preferred name, or any user-typed content.** Activation, for example, fires on the *event* that a transaction was saved — not on what it was.

13. Open Questions / TBD

- ☐ Naming, logo, color palette, full visual system → tracked in the **WiseTransact Brand Document** (owned by Rishi).
- ☐ Visual / interaction design — wireframes & mockups (separate design doc, owned by design partner TBD).
- ☐ Detailed acceptance criteria per user story — to be authored as Jira tickets in KAN (held until PRD approval).
- ☐ Privacy Policy & Terms of Service — final legal text to be drafted (templated and reviewed by counsel).
- ☐ Initial merchant rule library — concrete keywords + default category mappings, prioritized by frequency in Indian bank SMSes.
- ☐ Bank SMS format library — sample SMSes from major Indian banks (HDFC, ICICI, SBI, Axis, Kotak, etc.) for parser test fixtures.

- ☐ Default "Cash" account auto-creation — confirm the default Cash account is editable/removable on the same onboarding screen.
 - ☐ Behavior analytics tooling choice (PostHog / Plausible / Aptabase / other) — engineering call, must satisfy §10.4 constraints.
 - ☐ Crash reporting tooling choice (Firebase Crashlytics / Sentry / other) — engineering call.
-

14. Decisions Log (locked items)

- Product name: **WiseTransact** (one word).
- Platforms: iOS + Android only (mobile only).
- Tech stack: Flutter, single codebase.
- Local DB: SQLite via sqflite. Persistent storage, never cache.
- No backend. No cloud sync. No bank API. No backup/restore in MVP.
- Min OS: Android 12 / iOS 17.
- Input methods (MVP): manual entry + single-SMS paste only.
- SMS parsing English-only.
- Auto-SMS-reading permanently off the roadmap.
- Transaction model: Income / Expense / Transfer (not Credit/Debit).
- Categorization: rule-based auto-suggest + CA-friendly taxonomy + custom categories.
- Two-tag classification: Category + Purpose (Purpose for Expense only).
- Multi-account support from MVP.
- Time horizon: financial year (April–March).
- Dedup: conservative; always prompt; Discard / Merge / Add Anyway.
- Home screen: hybrid dashboard + quick-add.
- Bottom nav: Home / Transactions / Reports / Settings.
- Reports default period: current month. PDF only for full FY in MVP.
- PDF saved to device Downloads with system share sheet.
- App is silent — no push notifications/reminders in MVP.
- Free for MVP, no monetization.
- **Crash reporting** (anonymized) + **behavior analytics** (anonymized, no PII, no transaction data, no user-typed content); both default-on, both opt-out from Settings, both disclosed at onboarding.
- Accessibility: basic baseline.
- Language: English only.
- Future dates not allowed in Add Transaction.
- Large-amount soft warning threshold: ₹10,00,000.

- Zero/negative amount blocked.
- Account & custom-category deletion: reassign-or-delete-with prompt.
- Visual personality: Serious / Minimal / Cool / Modern (with restraint). Reference family: Linear / Things 3 / Apple Stocks.
- Light mode only in MVP. Dark mode → MVP+. Semantic color tokens built into v1.
- North Star = Activation ($\geq 50\%$ within 7 days). Primary = WAU $\geq 30\%$, MAU $\geq 45\%$.
- Brand details (colors, logo, iconography, typography) tracked in the separate WiseTransact Brand Document.

15. Assumptions & Risks

#	Type	Item	Mitigation
1	Assumption	Target users are English-fluent and India-based.	Validate with early-user interviews; add Hindi to MVP+ if data shows demand.
2	Assumption	Bank SMS formats are stable enough to parse with rules.	Maintain a bank-format test fixture library; treat parser regressions as P1.
3	Risk	Local-only with no backup means a phone change wipes a year of data.	Disclosed prominently. Backup/restore prioritized in MVP+ if feedback warrants.
4	Risk	Aggressive min-OS floor excludes a slice of Indian Android users.	Revisit after 90 days of install-funnel data.
5	Risk	Rule-based categorization will fail on long-tail merchants.	Track Categorization-quality metric. Consider LLM fallback in MVP+.
6	Risk	Behavior analytics softens the "no data	Be specific in Privacy Policy (what is sent,

		leaves the device" story.	what isn't). Provide opt-out at onboarding and in Settings. Anonymized only — no PII, no transaction data.
7	Risk	Flutter app size pushing past 30 MB.	Build optimizations enforced from day one (§9.2).
8	Risk	PDF generation may exceed 5s on older Android devices with large transaction volume.	Stream PDF generation off the UI thread; show progress; consider chunked rendering.
9	Risk	Activation target of 50% may be too aggressive for a first launch with limited marketing.	Re-baseline after 90 days. The number is a v1 ambition, not a contractual SLA.

16. Document Change Log

Version	Date	Author	Changes
1.0 (DRAFT)	4 May 2026	Rishi (with AI Systems Analyst)	Initial PRD draft from elicitation. Sections 11 & 12 marked PROPOSED.
1.1 (DRAFT)	5 May 2026	Rishi (with AI Systems Analyst)	Section 11 (Branding) finalized & locked. Section 12 (Success Metrics) restructured around North Star (Activation) and Primary (WAU/MAU);

		locked. Behavior analytics added in §10.4 with strict no-PII constraints, default-on, opt-out from Settings. Onboarding §6.1 adds privacy-notice acknowledgment. Settings §6.10 adds behavior-analytics opt-out toggle. Dark mode added to MVP+ Parking Lot. Theming infrastructure (semantic color tokens) added to §9.2 as a v1 architectural requirement. Global rename "Wise Transact" → "WiseTransact".
--	--	---