


Exercício PROZ.

Montando uma topologia de rede.

CONFIGURAÇÃO DESKTOP 1



PC BANDA 1

Physical Config **Desktop** Programming Attributes

IP Configuration

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.2.2

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::2E0:F7FF:FE53:E6E2

Default Gateway:

DNS Server:

802.1X

☐ Use 802.1X Security


Authentication: MDS

Username:

Password:

☐ Top

CONFIGURAÇÃO DESKTOP 2



PC BANDA 2

Physical Config **Desktop** Programming Attributes

IP Configuration X

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.2.3

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::2D0:FFFF:FEC5:A57D

Default Gateway:

DNS Server:

802.1X

☐ Use 802.1X Security


Authentication: MD5

Username:

Password:

☐ Top

CONFIGURAÇÃO DESKTOP 3



PC BANDA 3

Physical Config **Desktop** Programming Attributes

IP Configuration

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.2.4

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::202:17FF:FED1:9A73

Default Gateway:

DNS Server:

802.1X

☐ Use 802.1X Security


Authentication: MD5

Username:

Password:

☐ Top

CONFIGURAÇÃO DESKTOP 4



PC BANDA 4

Physical Config Desktop Programming Attributes

IP Configuration

Interface: FastEthernet0

IP Configuration

☐ DHCP ☒ Static

IPv4 Address: 192.168.2.5

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address: /

Link Local Address: FE80::2D0:97FF:FE55:47D1

Default Gateway:

DNS Server:

802.1X

☐ Use 802.1X Security


Authentication: MD5

Username:

Password:

☐ Top

TESTE DE PING EM CADA UM DOS COMPUTADORES



PC BANDA 1

Physical Config Desktop Programming Attributes

Command Prompt

```
Pinging 192.168.2.3 with 32 bytes of data:

Reply from 192.168.2.3: bytes=32 time<1ms TTL=128
Reply from 192.168.2.3: bytes=32 time=6ms TTL=128
Reply from 192.168.2.3: bytes=32 time<1ms TTL=128
Reply from 192.168.2.3: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.2.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 6ms, Average = 1ms

C:\>ping 192.168.2.4

Pinging 192.168.2.4 with 32 bytes of data:

Reply from 192.168.2.4: bytes=32 time=12ms TTL=128
Reply from 192.168.2.4: bytes=32 time<1ms TTL=128
Reply from 192.168.2.4: bytes=32 time=1ms TTL=128
Reply from 192.168.2.4: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.2.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 12ms, Average = 3ms

C:\>ping 192.168.2.5

Pinging 192.168.2.5 with 32 bytes of data:

Reply from 192.168.2.5: bytes=32 time<1ms TTL=128
Reply from 192.168.2.5: bytes=32 time=1ms TTL=128
Reply from 192.168.2.5: bytes=32 time<1ms TTL=128
Reply from 192.168.2.5: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.2.5:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

☐ Top