



Hierarchical Object Model Versatile Object to Markdown Mapping Wiki-Style Object Linking

Strict Validation with Custom Schema Object Model Diagram Visualisation CLI, MCP, and API Interface

AST Exports for AI/LLMs HTML Export for Developers PDF Export for Customers



Broadcast

Requirements and Architecture Specification

Dr. Ralf S. Engelschall

Version: 0.0
Created: 2026-06-18
Modified: 2026-06-19

Table of Contents

01 ● SPEC: Solution Vision	3
02 ● SPEC: User Personas	3
03 ● SPEC: User Journey	4
04 ● SPEC: Functional Requirements	6
05 ● SPEC: Non-Functional Requirements	10
06 ● SPEC: Business Rules	12
07 ● SPEC: Data Model	14
08 ● SPEC: State Model	20
09 ● SPEC: Glossary	23
10 ● SPEC: Use Cases	30
11 ● SPEC: Test Cases	36
12 ● SPEC: Interaction Concept	40
13 ● SPEC: Language Conventions	41
14 ● SPEC: Dialog Patterns	42
15 ● SPEC: Dialog Storyboard	43
16 ● SPEC: Visual Design	46
17 ● ARCH: Context View	52
18 ● ARCH: Functionality View	54
19 ● ARCH: Information View	56
20 ● ARCH: Concurrency View	60
21 ● ARCH: Development View	62
22 ● ARCH: Deployment View	63
23 ● ARCH: Operations View	65
24 ● ARCH: Quality Perspectives	66
25 ● ARCH: Decision Record	68
26 ● ARCH: Technology Stack	70


03 ● SPEC: User Journey (UJ)



03.01 ● JOURNEY: Attend a Broadcast event


▶ STEP	PERSONAL AREA				
Properties					
Receive personal event invitation URL	STAGE	GOAL	TOUCHPOINT		
	Awareness	Learn that an event is happening and that access is granted	Invitation email containing the individual event URL		
	ACTION	EMOTION	PAIN-POINT		
Open event page and review login info	ACTION	The attendee reads the invitation and clicks the personalized event link	Curious (4)		
	STAGE	GOAL	TOUCHPOINT		
	Consideration	Understand what the event is and how to join	Event landing screen in the web browser		
Authenticate via email token	ACTION	EMOTION	PAIN-POINT		
	The attendee reads the optional login message and any links before deciding to log in.	Interested (3)	Uncertainty whether the link is genuine and what data will be collected.		
	STAGE	GOAL	TOUCHPOINT		
Authenticate via email token	Decision	Gain access to the live video stream	Login dialog with email and token challenge		
	ACTION	EMOTION	PAIN-POINT		
	The attendee enters the email, receives a 6-digit token by mail, and submits it.	Slightly impatient (3)	Waiting for the token email and re-checking the inbox adds friction before the event.		
Watch stream and interact	STAGE	GOAL	TOUCHPOINT		
	Onboarding	Follow the event and contribute questions, chat, and likes	Main attendee screen with video and interaction sidebar		
	ACTION	EMOTION	PAIN-POINT		
Watch stream and interact	The attendee watches the stream, posts questions or chat messages, and likes others' messages.	Engaged (4)	Messages may be delayed by moderation, so the attendee is unsure whether input arrived.		

10.01 ● USE-CASE: Join Event and Watch Stream




ACTOR	PERSONA: Anna						
REQUIREMENTS	● REQUIREMENT: User Authentication ● REQUIREMENT: Explicit User Consent ● REQUIREMENT: Individual Event Access URL ● REQUIREMENT: Limit Parallel Access						
GOAL	Authenticate and watch the live video stream of an event.						
PRE-CONDITION	The attendee holds an event URL, and their email is granted access.						
POST-CONDITION	The attendee holds an active session token and sees the stream.						
SCENARIO	<table><tr><th>TYPE</th><th>Description</th></tr><tr><td>Successful Token Login</td><td>Main 1. The attendee opens the individual event URL in a browser. 2. The system shows the login dialog and optional login message. 3. The attendee enters their email address. 4. The system sends a six-digit authorization token to that email. 5. The attendee enters the received token. 6. The system validates the token and any required consent. 7. The system issues a session token and closes any prior session of the user. 8. The system grants the attendee access to the live video stream.</td></tr><tr><td>Automatic Token in URL</td><td>Alternative 1. The attendee opens an event URL containing email and a pre-generated token.</td></tr></table>	TYPE	Description	Successful Token Login	Main 1. The attendee opens the individual event URL in a browser. 2. The system shows the login dialog and optional login message. 3. The attendee enters their email address. 4. The system sends a six-digit authorization token to that email. 5. The attendee enters the received token. 6. The system validates the token and any required consent. 7. The system issues a session token and closes any prior session of the user. 8. The system grants the attendee access to the live video stream.	Automatic Token in URL	Alternative 1. The attendee opens an event URL containing email and a pre-generated token.
TYPE	Description						
Successful Token Login	Main 1. The attendee opens the individual event URL in a browser. 2. The system shows the login dialog and optional login message. 3. The attendee enters their email address. 4. The system sends a six-digit authorization token to that email. 5. The attendee enters the received token. 6. The system validates the token and any required consent. 7. The system issues a session token and closes any prior session of the user. 8. The system grants the attendee access to the live video stream.						
Automatic Token in URL	Alternative 1. The attendee opens an event URL containing email and a pre-generated token.						

07 ● SPEC: Data Model (DM)




07.01 ● ENTITY: Event



The master entity describing a single live broadcast event and all of its configuration – BECAUSE the entire data model is event-centric and every other entity hangs off an event.

ATTRIBUTE	TYPE	DEFAULT	Description
lastname	string	**	Optional last name of the user – BECAUSE it is displayed on the user's chat and question messages.
RELATION	TYPE	ABILITY	Description
likes	● ENTITY: Message	0..n	Messages the user marked as liked – BECAUSE likes are tracked per user URL stream/session.
sendMessage	● ENTITY: Message	0..n	Messages the user has sent – BECAUSE authorization links a message to its sending user.
statistics	● ENTITY: UserStatistic	0..n	Periodic statistics about the user – BECAUSE viewer information is updated per user-view time.

07.08 ● ENTITY: Message



A single chat, support, or question item tracked for attendees and moderators – BECAUSE all event interaction is represented uniformly as messages with language-specific text.

ATTRIBUTE	TYPE	DEFAULT	Description
messageid	unique uuid		Unique identifier of the message – BECAUSE it is the foreign key for the translated message texts.
type	enum(Chat,Support,QuestionTag)	Chat	The kind of message – BECAUSE each type has a distinct shape and visibility.
timestamp	datetime	Date..now()	Time the sender created the message – BECAUSE ordering and export require the creation time.
timestampanswered	datetime	Date..now()	Time the message was answered – BECAUSE the answered results when a question was answered.
state	enum(pending,accepted,rejected,forwarded,answered,suspended)		Moderation and processing state of the message – BECAUSE the message moves through a defined moderation and presentation lifecycle.
originalLanguage	string		Language the sender originally wrote the message in – BECAUSE the difference between human-written and AI-translated text must always be visible.