

API implementation guide and integration overview

Date : 02-11-2023
Version : 1.10.1

Index

Changelog	3
midocean API.....	5
How to integrate your Website or IT system with the midocean IT systems.	5
Where can i get the required API credentials?	6
What files you can request?	7
SFTP	7
Rest API.....	8
What services does API offer?	9
SFTP Information Files	9
Stock Information XML	9
Product Information v1.0 XML	10
Product Information v1.1 XML	11
Product Information v2.0 CSV.....	13
Printing Information XML	14
USB Product & Accessories Information XML:	16
SFTP Prices.....	18
USB Pricelist XML:	18
Rest API Information Files.....	19
Stock Information.....	19
Product information	20
Printing Data.....	22
Rest API Prices	25
Product Pricelist	25
Print Pricelist	26
Rest API Services.....	29
Order Entry	29
Order Appendix.....	29
Order Format (JSON)	31
Order Entry - Error Resolutions	36
Order Details & Tracking	37
APPENDIX A – Integration with our Rest API	38
APPENDIX A.1 Rest API Integration – Postman	39
APPENDIX B – Pricing type calculation examples	42
APPENDIX C – API Integration Errors	43
APPENDIX C.1 – API General Errors	43

APPENDIX D – SFTP Integration	44
SFTP	44
APPENDIX E – Sales Organizations	46

Changelog

Version 1.10.1

- Compacted SFTP file information
- Remade code snippets

Version 1.10

- Rework of the Rest API method of request
- Added entry about the new Customer API page in the webshop

Version 1.9

- Complete removal of Webservices API references since it's now obsolete
- Added Order Entry Rest API
- Added Order Details & Tracking Rest API
- Rework of the whole layout
- Added SFTP and Rest API setup guides
- Added API error appendix

Version 1.8

- Added Stock API Call
- Added Print Data API Call

Version 1.7, 17-12-2021

- Added description of new pricing and print pricing REST APIs

Version 1.6, 02-11-2021

- Fixed a url for the new product api v2.0

Version 1.5, 27-08-2021

- Added explanation for the new product api available in csv format
- Added explanation for working with textile and the stock file

Version 1.4.1, 20-08-2021

- Fixed a url for the new product api v2.0

Version 1.4, 14-05-2021

- Midocean now supports SFTP protocol for accessing the product information files. Please use for future implementations the following host: <SFTP://transfer.midocean.com>

Version 1.3, 01-12-2020

- Midocean now supports two new versions of the product xmls: v1.1 and v2.0. v1.1 is available as xml download including additional images compared to v1.0. The all new v2.0 is only available as REST API and contains all available product data.

Version 1.2, 01-05-2020

- Existing APIs migrated to secure connections. Please apply the needed url changes.
Test API changed from <http://b2bdev.midoceanbrands.com> to <https://apitest.midocean.com>.
Production API changed from <http://b2b.midoceanbrands.com> to <https://api.midocean.com>.
- Besides that all path changed. Please see the new full production urls at pages 21,23, 25, 30 and 32.


midocean API

How to integrate your Website or IT system with the midocean IT systems.

Who can use the API?

The midocean API can be used by Distributors that have their own Website or IT system. By integrating our API you will get accurate product, stock, pricing and print configuration data to your End Users, without having to perform any manual procedure (everything will run automatically).

In addition, the midocean API can be used to place orders, check order details and order tracking.



Overview

There are two implementation methods to integrate the API into your systems:

1. SFTP

By connecting to the SFTP server you can directly download the available files
Includes XML and/or CSV files

SFTP files are mostly for information purpose generated the same for all customers because the information in them does not use customer details to generate, which is why there is no prices or other services which are available in the Rest API, except for USB prices.

2. Rest API

Using these services you can make API calls that give a response when they are called
Outputs the files in JSON, XML and in most cases CSV format

Difference with SFTP is that it offers files based on the customer details, meaning it generates some of it's files per customer, which is why there's a wider range of information you can request like prices and order entry, details and tracking.

Comma-separated values (CSV) file is a delimited text file that uses a comma to separate values. Each line of the file is a data record. Each record consists of one or more fields, separated by commas.

What files you can request?

SFTP

XML & CSV information files are located at <sftp://transfer.midocean.com>

The files that are available are:

- **Stock Information - v1.0:**
With this XML you can upload in your system the current stock levels of our entire stock product assortment.
Updated every hour.

- **Product Information for regular and textile items - v1.0, v1.1, v2.0:**

With this XML you can upload in your system all the product information that we have available in our Webshop, having also all the product descriptions in most of the European languages: *(English, German, Spanish, French, Italian, Hungarian, Dutch, Polish, Portuguese, Romanian, Russian, Swedish, and Norwegian)*. Other versions will follow.
Updated daily.

Product information is now available in three versions:

- **v1.0 (Legacy)**
This version is the most basic and it's not advised to implement it, mostly kept for legacy purposes for customers that still use it.
This version doesn't include textile products, and it doesn't include any product images.

Example filename on the SFTP server: prodinfo_EN.xml
- **v1.1**
Updated version of 1.0, now includes product images and combines non-textile and textile products in the same .xml file

Example filename on the SFTP server: prodinfo_en_v1.1.xml
- **v2.0**
Most advanced and latest version, containing all product data that midocean is able to share.
The 2.0 is available in CSV only.

This version is also available in the Rest API in JSON, XML and CSV formats.

Example filename on the SFTP server: prodinfo_en.csv

NOTE: New customers are advised to implement v2.0 immediately.

- **Printing Information for regular and textile items:** with this XML you can upload in your system all the Printing options that are available for the midocean products: All Print Positions, the available Printing Techniques per Position, the Max print sizes and the Max print colors.
Updated daily.
- **USB Product & Accessories Information:** on this XML you can find all the product information of our successful USB collection. You can import all this information in your database to be shown on your website.
- **USB Pricing Information:**
This XML shows the latest pricing for you on our USB Product line, this way you will be able also to show to your customers (once you have synchronized your database with this file) the most accurate and lowest price on USB products.
Updated weekly.

Rest API

JSON and Plain XML files available as Rest API calls
The available Rest API files are:

- **Stock Information – v2.0:**
With this JSON/XML you can upload in your system the current stock levels of our entire stock product assortment.
Updated every hour.
<https://api.midocean.com/gateway/stock/2.0>

- **Product Information - v2.0:**
Containing all product data that midocean is able to share like descriptions, images, attributes, etc. It is available as REST API, with this JSON/XML, (also available as .CSV on the SFTP server) you can upload in your system all the product information, including textiles, that we have available in our Webshop,

Having also all the product descriptions in most of the European languages:
(*English, German, Spanish, French, Italian, Hungarian, Dutch, Polish, Portuguese, Romanian, Russian, Swedish, and Norwegian*). Other versions will follow.

Updated daily.

<https://api.midocean.com/gateway/products/2.0?language=en>

NOTE: You can request the file in most European languages by changing the language key in the endpoint URL, “en” is for English, but if requesting in spanish the key is “es” instead on “en”

- **Pricelist - v2.0:**
In order to keep the cost prices updated in your database we strongly recommend the use of the Pricing information web service.
This Rest API will return a JSON/XML which contains the specific customer pricing per item (any discount or condition that you have will be reflected on this file), the price that you see will be the same prices that you can see on the midocean Webshop or the one that will be given by the Customer Care.
Updated daily.

➤ <https://api.midocean.com/gateway/pricelist/2.0/>

- **Print Pricelist – v2.0:**
This Rest API will return a JSON/XML containing the print prices per print technique and handling costs for each code, the price that you see will be the same prices that you can see on the midocean Webshop or the one that will be given by the Customer Care.
Updated daily.

➤ <https://api.midocean.com/gateway/printpricelist/2.0/>

- **Printing Information – v1.0:**
With this JSON/XML you can upload in your system all the Printing options that are available for the midocean products: All Print Positions, the available Printing Techniques per Position, the Max print size, max print colors and template images of the positions.
Updated daily.

➤ <https://api.midocean.com/gateway/printdata/1.0>

What services does API offer?

We also offer some API services that allow customers to create and manage their orders from their own systems without the need to access the Webshop or call Customer Care at all!

Note that these calls require more configuration to setup, since they can be personalized for each case, later on the guide we show how to create a template to make your own order entries and customize them. This Rest API calls available for services are:

- **Order Entry:**
This Rest API will allow you to place orders to midocean without the need to use the Webshop or to call the Customer Care. The Rest API will receive an input json/xml file that will contain all the order details and will return the order confirmation along with the order number and pricing details. You can integrate this functionality in your ERP system or directly on your website, so when a customer places an order the order is transferred directly to midocean.
 - <https://api.midocean.com/gateway/order/2.0/create>
- **Order Details:** This Rest API will return the fully updated order details for any of your orders placed in our midocean systems, as well as updated tracking information for your orders, including forwarder ID and the tracking link.
 - https://api.midocean.com/gateway/order/2.0/detail?order_number=**"order number"**

SFTP Information Files

Stock Information XML

v1.0 – XML

The Stock (**stock.xml**) & Stock Textile (**stock_textile.xml**) are xml files that can be found at the **SFTP://transfer.midocean.com** location.

The characteristics are as follow:

- Stock information files are updated **every hour**.
- Non textile and textile products are divided in stock.xml and stock_textile.xml files.
- Actual Stock shown is the aggregate of the two Warehouses (NL & PL).
- Stock is the actual and the next two arrivals that have been shipped from China.

Example response:

```
<?xml version="1.0"?>
<STOCK>
  <SUPPLIER>mob</SUPPLIER>
  <DATE>20231213</DATE>
  <TIME>8:39:24</TIME>
  <PRODUCTS>
    <PRODUCT>
      <ID>MO8977-16</ID>
      <QUANTITY>4791</QUANTITY>
      <ARRIVAL>
        <QUANTITY>5200</QUANTITY>
        <DATE>20240105</DATE>
      </ARRIVAL>
    </PRODUCT>
    <PRODUCT>
      <ID>MO7818-06</ID>
      <QUANTITY>0</QUANTITY>
      <ARRIVAL>
        <QUANTITY>28096</QUANTITY>
        <DATE>20231222</DATE>
      </ARRIVAL>
      <ARRIVAL>
        <QUANTITY>49750</QUANTITY>
        <DATE>20231228</DATE>
      </ARRIVAL>
    </PRODUCT>
  </PRODUCTS>
</STOCK>
```

In this case the Stock Information tells us that item MO8977-16 has 4791 stock but another shipment will arrive on 01/05/2024 with 5200 extra pcs.

For MO7818-06 there is 0 stock currently but has 2 shipment arrivals.

Product Information v1.0 XML**v1.0 – XML**

The Product Information (**prodinfo_EN.xml**) & Product Information Textile (**prodinfo_TEXTILE_EN.xml**) are a set of XMLs files that can be found at the **SFTP://transfer.midocean.com** location.

The characteristics are as follow:

- Product information files are updated **every night**.
- Non textile and textile products are divided in prodinfo_EN.xml and prodinfo_TEXTILE_EN.xml files.
- The files are divided per languages, in total available in 15 different languages, based on the file name for example “prodinfo_ES.xml” for Spanish or “prodinfo_TEXTILE_NL” for Dutch

Note that the number of products on these files and the one on the Stock xml files is consistent and it has a 1:1 relationship based on the <ID> label of the stock file against the <PRODUCT_NUMBER> on the product information file.

These files are updated every night, so in case that a product is removed from our system (Webshop), this will not be reflected in the files until the next day. We strongly recommend synchronising these files once a day or at least once a week.

Example response:

```
<?xml version="1.0" encoding="utf-8"?>
<PRODUCTINFORMATION>
  <SUPPLIER>Mid Ocean Brands</SUPPLIER>
  <DATE>20231213</DATE>
  <TIME>03:00:01</TIME>
  <LANGUAGE>EN</LANGUAGE>
  <PRODUCTS>
    <PRODUCT>
      <PRODUCT_NUMBER>AR1249-16</PRODUCT_NUMBER>
      <PRODUCT_BASE_NUMBER>AR1249</PRODUCT_BASE_NUMBER>
      <PRODUCT_ID>10134325</PRODUCT_ID>
      <PRODUCT_PRINT_ID>4000011</PRODUCT_PRINT_ID>
      <PRODUCT_NAME>TARGET</PRODUCT_NAME>
      <PLCSTATUS>COLLECTION</PLCSTATUS>
      <SHORT_DESCRIPTION>Target nautical compass</SHORT_DESCRIPTION>
      <LONG_DESCRIPTION>Classic style nautical compass in aluminium. Packed in tin box.</LONG_DESCRIPTION>
      <DIMENSIONS>10,5X8X2 CM</DIMENSIONS>
      <NET_WEIGHT>0,111</NET_WEIGHT>
      <GROSS_WEIGHT>0,138</GROSS_WEIGHT>
      <GROSS_WEIGHT_UNIT>KG</GROSS_WEIGHT_UNIT>
      <COLOR_CODE>16</COLOR_CODE>
      <COLOR_DESCRIPTION>matt silver</COLOR_DESCRIPTION>
      <MATERIAL_TYPE>Metal</MATERIAL_TYPE>
      <CATEGORY_CODE>MOBL&G_SRV COP</CATEGORY_CODE>
      <CATEGORY_LEVEL_1>MIDOCEANBRANDS</CATEGORY_LEVEL_1>
      <CATEGORY_LEVEL_2>LEISURE</CATEGORY_LEVEL_2>
      <CATEGORY_LEVEL_3>SURVIVAL</CATEGORY_LEVEL_3>
      <CATEGORY_LEVEL_4>COMPASS</CATEGORY_LEVEL_4>
      <IMAGE_URL>https://cdn1.midocean.com/image/700X700/ar1249-16.jpg</IMAGE_URL>
      <THUMBNAI URL>https://cdn1.midocean.com/image/170X170/ar1249-16.jpg</THUMBNAI URL>
      <COMMODITY_CODE>9014 1000</COMMODITY_CODE>
      <COUNTRY_OF_ORIGIN>CN</COUNTRY_OF_ORIGIN>
      <PACKAGING_CARTON>
        <LENGTH>0,570</LENGTH>
        <WIDTH>0,240</WIDTH>
        <HEIGHT>0,215</HEIGHT>
        <SIZE_UNIT>M</SIZE_UNIT>
        <WEIGHT>10,960</WEIGHT>
        <WEIGHT_UNIT>KG</WEIGHT_UNIT>
        <VOLUME>0,029</VOLUME>
        <VOLUME_UNIT>M3</VOLUME_UNIT>
        <INNER_CARTON_QUANTITY>10</INNER_CARTON_QUANTITY>
        <CARTON_QUANTITY>80</CARTON_QUANTITY>
      </PACKAGING_CARTON>
    </PRODUCT>
  </PRODUCTS>
</PRODUCTINFORMATION>
```

NOTE: <PLCSTATUS> indicates if the item is a novelty, if it is in the normal collection or if it will be discontinued, the available statuses are:

- **NEW:** Item is a novelty that was added in the latest catalogue
- **COLLECTION:** Item is included in the year collection
- **OUTLET:** Item is discontinued and will be removed from the system when the current stock reaches 0.

Product Information v1.1 XML

v1.1 – XML

Updated version of Product Information 1.0 files. The structure is almost the same as version 1.0
There are a few differences though:

- Product XML v1.1 contains all products including textile. If you're using v1.1 there's no need anymore to import the separate product information textile xml.
- Product XML v1.1 contains additional product images. In v1.0 we can only deliver a single image per product. Additional images are shared at a 700x700 pixels resolution.

This file is updated every night, so in case that a product is removed from our system (Webshop), this will not be reflected in the file until the next day. We strongly recommend synchronising the Product Information file once a day or at least once a week.

Example response:

```
<PRODUCTINFORMATION>
  <SUPPLIER>Mid Ocean Brands</SUPPLIER>
  <DATE>20231212</DATE>
  <TIME>21:29:17</TIME>
  <LANGUAGE>EN</LANGUAGE>
  <PRODUCTS>
    <PRODUCT>
      <PRODUCT_NUMBER>AR1249-16</PRODUCT_NUMBER>
      <PRODUCT_BASE_NUMBER>AR1249</PRODUCT_BASE_NUMBER>
      <PRODUCT_ID>10134325</PRODUCT_ID>
      <PRODUCT_PRINT_ID>40000011</PRODUCT_PRINT_ID>
      <PRODUCT_NAME>TARGET</PRODUCT_NAME>
      <PLCSTATUS>COLLECTION</PLCSTATUS>
      <SHORT_DESCRIPTION>Target nautical compass</SHORT_DESCRIPTION>
      <LONG_DESCRIPTION>Classic style nautical compass in aluminium. Packed in tin
box.</LONG_DESCRIPTION>
      <DIMENSIONS>10,5X8X2 CM</DIMENSIONS>
      <NET_WEIGHT>0,111</NET_WEIGHT>
      <GROSS_WEIGHT>0,138</GROSS_WEIGHT>
      <GROSS_WEIGHT_UNIT>KG</GROSS_WEIGHT_UNIT>
      <COLOR_CODE>16</COLOR_CODE>
      <COLOR_DESCRIPTION>matt silver</COLOR_DESCRIPTION>
      <SIZE></SIZE>
      <MATERIAL_TYPE>stainless steel</MATERIAL_TYPE>
      <CATEGORY_CODE>MOBL&G_SRVCOP</CATEGORY_CODE>
      <CATEGORY_LEVEL_1>MIDOCEANBRANDS</CATEGORY_LEVEL_1>
      <CATEGORY_LEVEL_2>Office & Writing</CATEGORY_LEVEL_2>
      <CATEGORY_LEVEL_3>Office accessories </CATEGORY_LEVEL_3>
      <CATEGORY_LEVEL_4>Desk lights & Accessories</CATEGORY_LEVEL_4>
      <IMAGE_URL>https://cdn1.midocean.com/image/700X700/ar1249-16.jpg</IMAGE_URL>
      <THUMBNAIL_URL>https://cdn1.midocean.com/image/170X170/ar1249-16.jpg</THUMBNAIL_URL>
      <COMMODITY_CODE>9014 1000</COMMODITY_CODE>
      <COUNTRY_OF_ORIGIN>CN</COUNTRY_OF_ORIGIN>
      <PACKAGING_CARTON>
        <LENGTH>0,57</LENGTH>
        <WIDTH>0,24</WIDTH>
        <HEIGHT>0,215</HEIGHT>
        <SIZE_UNIT>M</SIZE_UNIT>
        <WEIGHT>10,96</WEIGHT>
        <WEIGHT_UNIT>KG</WEIGHT_UNIT>
        <VOLUME>0,029</VOLUME>
        <VOLUME_UNIT>M3</VOLUME_UNIT>
        <INNER_CARTON_QUANTITY>10</INNER_CARTON_QUANTITY>
        <CARTON_QUANTITY>80</CARTON_QUANTITY>
      </PACKAGING_CARTON>
    </PRODUCT>
  </PRODUCTS>
</PRODUCTINFORMATION>
```

```

</PACKAGING_CARTON>
<DIGITAL_ASSETS>
  <DIGITAL_ASSET>
    <URL>https://cdn1.midocean.com/image/700X700/ar1249-16.jpg</URL>
    <TYPE>image</TYPE>
    <SUBTYPE>item_picture_front</SUBTYPE>
  </DIGITAL_ASSET>
  <DIGITAL_ASSET>
    <URL>https://cdn1.midocean.com/image/700X700/ar1249-16-ambient.jpg</URL>
    <TYPE>image</TYPE>
    <SUBTYPE>item_ambient_picture</SUBTYPE>
  </DIGITAL_ASSET>
  <DIGITAL_ASSET>
    <URL>https://cdn1.midocean.com/image/700X700/ar1249-16-box.jpg</URL>
    <TYPE>image</TYPE>
    <SUBTYPE>item_picture_box</SUBTYPE>
  </DIGITAL_ASSET>
</DIGITAL_ASSETS>
</PRODUCT>

```

Product Information v2.0 CSV

v2.0 – CSV

NOTE: the REST API itself with the JSON output is the most extended version. If your IT capabilities allow it we recommend to use the REST API version. Only use the CSV version if your IT solution does not allow working with a REST API.

The CSV files can be used to open the product data in Excel or for easier integration with solutions that aren't able to work with XML files.

Example response:

```

master_code;sku;master_id;variant_id;product_name;plc_status;plc_status_description;short_description;long_desc
ription;dimensions;net_weight;net_weight_unit;gross_weight;gross_weight_unit;color_code;color_description;color
_group;pms_color;size_textile;material;release_date;discontinued_date;gtin;category_code;category_level1;catego
ry_level2;category_level3;commodity_code;country_of_origin;length;length_unit;width;width_unit;height;height_un
it;volume;volume_unit;inner_carton_quantity;outer_carton_quantity;item_picture_front;item_picture_back;item_pic
ture_side;item_picture_top;item_picture_open;item_ambient_picture;item_picture_printed;item_detail_picture;item
_picture_box;declaration_of_conformity;test_reach;manual;test_fca;test_performance;declaration_of_sustainabilit
y;size_chart;oeko-tex_certificate

AR1249;AR1249-16;40000011;10134325;TARGET;16;COLLECTION;Target nautical compass;Classic style nautical compass
in aluminium. Packed in tin box.;10,5X8X2 CM;0.112;kg;0.138;kg;16;matt silver;silver;SILVER;aluminium;2015-01-
01;;8719941007840;MOBL&G_SRPCOP;Office & Writing;Office accessories ;Desk lights & Accessories;9014
1000;CN;0;cm;0;cm;0;cm;0.34;cdm3;10;100;https://cdn1.midocean.com/image/700X700/ar1249-
16.jpg;;;;https://cdn1.midocean.com/image/700X700/ar1249-16-
print.jpg;https://cdn1.midocean.com/image/700X700/ar1249-16-
box.jpg;https://cdn1.midocean.com/document/declaration-of-conformity/ar1249-
doc.pdf;https://cdn1.midocean.com/document/test-reach/ar1249-test-reach.pdf;;;;

AR1253;AR1253-16;40000012;10134300;BASICS;16;COLLECTION;Basics 12-digits calculator;12 digit solar energy
calculator with plastic housing. 1 cell battery included.;15,5X10X3 CM;0.109;kg;0.147;kg;16;matt
silver;silver;877C;plastic;2015-01-01;;8719941007888;MOBOFF_CLCSOL;Office & Writing;Office accessories ;Clocks
& Calculators;8470 1000;CN;0;cm;0;cm;0;cm;0.626;cdm3;;60;https://cdn1.midocean.com/image/700X700/ar1253-
16.jpg;;;;https://cdn1.midocean.com/image/700X700/ar1253-16-
print.jpg;;https://cdn1.midocean.com/document/declaration-of-conformity/ar1253-
doc.pdf;https://cdn1.midocean.com/document/manual/ar1253-manual.pdf;;;;

```

The first line contains the field names. After that, every product in the CSV file is put on a new line. Columns are split with a semicolon.

Printing Information XML

v1.0 – XML

The Printing Information (**printinfo.xml**) & Printing Information Textile (**printinfo_TEXTILE.xml**) are xml files that can be found at the <SFTP://transfer.midocean.com> location.

The characteristics are as follow:

- Printing information files are updated **every night**.
- Non textile and textile products are divided in printinfo.xml and printinfo_TEXTILE.xml files.

In the **printinfo.xml** you can find the specifics of printing of each single item in our collection, every time that there is a change on the Printing Information of a product in our system the .xml file is updated overnight. Thus, if you can synchronise this file every night either in your ERP or Website the Printing Information will be aligned with our systems.

The .xml file starts with a set of labels with the translations of each Printing Technique in the different languages, so you will not need to make the translations as they can be picked up directly from the .xml file.

Example response:

```
<?xml version="1.0" encoding="utf-8"?>
<PRINTINGINFORMATION>
  <SUPPLIER>midocean</SUPPLIER>
  <DATE>20231213</DATE>
  <TIME>04:00:02</TIME>
  <PRINTING_TECHNIQUE_DESCRIPTIONS>
    <PRINTING_TECHNIQUE_DESCRIPTION id="B">
      <NAME language="RO">Debossing</NAME>
      <NAME language="CS">Ražba</NAME>
      <NAME language="DE">Prägung</NAME>
      <NAME language="EN">Debossing</NAME>
      <NAME language="FR">Embossage</NAME>
      <NAME language="HU">Dombornyomás</NAME>
      <NAME language="IT">Debossing</NAME>
      <NAME language="DA">Prægning</NAME>
      <NAME language="PL">Tłoczenie</NAME>
      <NAME language="NL">Blinddruk</NAME>
      <NAME language="PT">Impressão à quente</NAME>
      <NAME language="RU">Тиснение</NAME>
      <NAME language="ES">Termo grabado</NAME>
      <NAME language="SV">Prägling</NAME>
    </PRINTING_TECHNIQUE_DESCRIPTION>
  </PRINTING_TECHNIQUE_DESCRIPTIONS>
</PRINTINGINFORMATION>
```

After that information you will get an specific data about the printing options per item. Please, notice that in this case the relation is N:1 as the printing information is the same for the different colours of an item. In this case you can relate the Product Information file with the Printing Information file by the label **<PRODUCT_BASE_NUMBER>**.

Example response:

```

<PRODUCT>
  <PRODUCT_BASE_NUMBER>AR1253</PRODUCT_BASE_NUMBER>
  <PRODUCT_PRINT_ID>40000012</PRODUCT_PRINT_ID>
  <PRINT_EXPRESS_POSSIBLE>N</PRINT_EXPRESS_POSSIBLE>
  <ITEM_COLOR_NUMBER>16</ITEM_COLOR_NUMBER>
  <MANIPULATION>B</MANIPULATION>
  <PRINTING_POSITIONS>
    <PRINTING_POSITION>
      <ID>BELOW BUTTONS</ID>
      <PRINTING_SIZE_UNIT>mm</PRINTING_SIZE_UNIT>
      <MAX_PRINT_SIZE_HEIGHT>9</MAX_PRINT_SIZE_HEIGHT>
      <MAX_PRINT_SIZE_WIDTH>65</MAX_PRINT_SIZE_WIDTH>
      <PRINT_POSITION_URL color="16">https://printposition-images-api.cdn.midocean.com/AR1253-
16_POS1.jpg</PRINT_POSITION_URL>
      <PRINTING_TECHNIQUE>
        <ID>P3</ID>
        <MAX_COLORS>4</MAX_COLORS>
      </PRINTING_TECHNIQUE>
    </PRINTING_POSITION>
    <PRINTING_POSITION>
      <ID>RIGHT OF SOLAR CEL</ID>
      <PRINTING_SIZE_UNIT>mm</PRINTING_SIZE_UNIT>
      <MAX_PRINT_SIZE_HEIGHT>8</MAX_PRINT_SIZE_HEIGHT>
      <MAX_PRINT_SIZE_WIDTH>25</MAX_PRINT_SIZE_WIDTH>
      <PRINT_POSITION_URL color="16">https://printposition-images-api.cdn.midocean.com/AR1253-
16_POS2.jpg</PRINT_POSITION_URL>
      <PRINTING_TECHNIQUE>
        <ID>P3</ID>
        <MAX_COLORS>2</MAX_COLORS>
      </PRINTING_TECHNIQUE>
    </PRINTING_POSITION>
    <PRINTING_POSITION>
      <ID>LEFT OF SOLAR CEL</ID>
      <PRINTING_SIZE_UNIT>mm</PRINTING_SIZE_UNIT>
      <MAX_PRINT_SIZE_HEIGHT>8</MAX_PRINT_SIZE_HEIGHT>
      <MAX_PRINT_SIZE_WIDTH>25</MAX_PRINT_SIZE_WIDTH>
      <PRINT_POSITION_URL color="16">https://printposition-images-api.cdn.midocean.com/AR1253-
16_POS3.jpg</PRINT_POSITION_URL>
      <PRINTING_TECHNIQUE>
        <ID>P3</ID>
        <MAX_COLORS>2</MAX_COLORS>
      </PRINTING_TECHNIQUE>
    </PRINTING_POSITION>
  </PRINTING_POSITIONS>
  <PRINT_POSITION_DOCUMENT>https://printtemplates.cdn.midocean.com/AR1253-print-
template.pdf</PRINT_POSITION_DOCUMENT>
</PRODUCT>

```

In case that there are several Print Positions in one item, you will see that reflecting on the file as different <PRINTING_POSITION><ID> will be shown. Each one of them will have their specific Printing Techniques, Max. Print Size and Max. Print Colours.

The tags <PRINT_POSITION_URL color="XX"> contain the image URLs for the different print positions per color variation. Each color is indicated in the tag containing the image.

On the <PRINT_POSITION_DOCUMENT> you can get the link to the .PDF that shows the Print Positions graphically that can be shown on your website. This is a neutral .PDF and the name of midocean does not appear on it.

Product		
AR1249		
Handling code: B		
 Print position	 Print size	 Print code (no of colours)
1. TOP COMPASS	25,0 mm x 5,0 mm	L3(1)
2. TOP BOX	60,0 mm x 40,0 mm	DL(8),L3(1),P5(1)
3. LASER COMPASS	55,0 mm x 55,0 mm	L3(1)
4. PD BOX	105,0 mm x 82,0 mm	PD3(8)



USB Product & Accessories Information XML:

For USBs the Product and Accessories Information is divided in two different files, USBprodinfo.xml (Product Information) and USBaccessories.xml (Accessories Information).

The USBprodinfo.xml contains all the product information that we have available for the USB product line; this information includes the technical specifications, as well as the product descriptions in the different languages.

Please, be aware that the available Printing Techniques code for USBs is in line with the descriptions mentioned on the Printing Information XML.

Example response:

```
<?xml version="1.0" encoding="UTF-8"?>
<USBPRODUCTINFORMATION>
<SUPPLIER>Mid Ocean Brands</SUPPLIER>
<DATE>20221122</DATE>
<TIME>02:39:50</TIME>
<PRODUCTS>
<PRODUCT>
  <code>M01001</code>
  <article>M01001-03</article>
  <colors>03</colors>
  <hierarchy><![CDATA[MOBUSB]]></hierarchy>
  <name><![CDATA[Techmate]]></name>
  <grossweight><![CDATA[0.03]]></grossweight>
  <netweight><![CDATA[]]></netweight>
  <size><![CDATA[55x19x10]]></size>
  <section><![CDATA[]]></section>
  <printcode><![CDATA[Padprint,Screenprint,Laser]]></printcode>
  <maxprintcolor><![CDATA[]]></maxprintcolor>
  <printingsize><![CDATA[25x10]]></printingsize>
  <maincategory><![CDATA[MOBUSB]]></maincategory>
  <subcategory><![CDATA[]]></subcategory>

```



```

<DESCRIPTIONS>
  <code>M01001</code>
  <nl_long><![CDATA[Mini formaat USB Flash Drive met beschermende metalen cover. Draai de cover en
sluit hem aan op de USB poort.]]></nl_long>
  <nl_short><![CDATA[USB]]></nl_short>
  <en_long><![CDATA[Mini format USB Flash Drive with protective metal cover. Rotate the cover and
connect to USB port to start using it.The price includes printing in 2 colours and door to door
delivery]]></en_long>
  <en_short><![CDATA[USB]]></en_short>
  <fr_long><![CDATA[Mini format pour cette clé USB recouverte d'une protection métallique qui se
tourne en début d'utilisation.Les prix incluent un marquage 2 couleurs et la livraison un point en France
métropolitaine.DEEE & SORECOP non incluses]]></fr_long>
  <fr_short><![CDATA[USB]]></fr_short>
  <de_long><![CDATA[Mini USB Flash Drive mit schützende Metallabdeckung. Preise sind inkl. 2-c Druck
und einer FH Lieferung an eine Adresse in der EU. Zzgl. gesetzlicher GEMA Gebühr.]]></de_long>
  <de_short><![CDATA[Mini USB Flash Drive mit schützende Metallabdeckung. Preise sind inkl. 2-c
Druck und einer FH Lieferung an eine Adresse in der EU. Zzgl. gesetzlicher GEMA Gebühr.]]></de_short>
  <es_long><![CDATA[Memoria USB de pequeño formato con una cubierta protectora metálica. Gira la
cubierta y conecta la unidad al puerto USB para empezar a utilizarla.El Precio incluye marcaje a 2 colores y
entrega a domicilio. ]]]></es_long>
  <es_short><![CDATA[USB]]></es_short>
  <it_long><![CDATA[Mini USB Flash Drive con chiusura protettiva in metallo. ]]]></it_long>
  <it_short><![CDATA[USB]]></it_short>
  <pt_long><![CDATA[Pen Drive USB de formato pequeno com tampa metálica protectora. Gira a tampa e
liga o porto USB para começares a usá-la.
O preço inclui impressão a 2 cores e entrega a domicilio.]]></pt_long>
  <pt_short><![CDATA[USB]]></pt_short>
  <pl_long><![CDATA[Mini Flash Drive USB z ochronną metalową osłoną.W cenie nadruk w 2 kolorach oraz
dostawą]]></pl_long>
  <pl_short><![CDATA[USB]]></pl_short>
  <hu_long><![CDATA[Mini USB fém védőfedéllel. Csatlakoztatáshoz fordítsa el a fedelet! Az ár a
szállítást és 2 szín nyomtatását tartalmazza.]]></hu_long>
  <hu_short><![CDATA[USB]]></hu_short>
  <ro_long><![CDATA[Mini format USB Flash Drive with protective metal cover. Rotate the cover and
connect to USB port to start using it.The price includes printing in 2 colours and door to door
delivery]]></ro_long>
  <ro_short><![CDATA[USB]]></ro_short>
  <ru_long><![CDATA[Mini format USB Flash Drive with protective metal cover. Rotate the cover and
connect to USB port to start using it.The price includes printing in 2 colours and door to door
delivery]]></ru_long>
  <ru_short><![CDATA[USB]]></ru_short>
  <cz_long><![CDATA[Mini format USB Flash Drive with protective metal cover. Rotate the cover and
connect to USB port to start using it.The price includes printing in 2 colours and door to door
delivery]]></cz_long>
  <cz_short><![CDATA[USB]]></cz_short>
  <gr_long><![CDATA[Mini format USB Flash Drive with protective metal cover. Rotate the cover and
connect to USB port to start using it.The price includes printing in 2 colours and door to door
delivery]]></gr_long>
  <gr_short><![CDATA[USB]]></gr_short>
</DESCRIPTIONS>
<IMAGE_URL>https://shopdocs.midocean.com/image/usb/M01001_03.jpg</IMAGE_URL>
<IMAGE_PRINT_POSITIONS>https://shopdocs.midocean.com/image/usb/M01001.gif</IMAGE_PRINT_POSITIONS>
<delivery_time><![CDATA[9]]></delivery_time>
</PRODUCT>

```

We strongly recommend the integration of the USB Product Information XML on your product Database as you will be able then to integrate the USB Pricing XML along with it and to display all correct information about the USB product line in your website.

On the file USB Accessories XML you can find all the information regarding the different options available for the USB collection and the compatibility of models for each option. Please, note that in this case the only languages available are: English, Spanish, French, Italian, Dutch, Polish and Portuguese.

Example response:

```
<?xml version="1.0" encoding="UTF-8"?>
<USB_PRICELIST>
  <SUPPLIER>midocean</SUPPLIER>
  <DATE>20231212</DATE>
  <TIME>14:38:41</TIME>
  <USB_PRICELISTWEEK>50</USB_PRICELISTWEEK>
  <USB_PRICELISTVALIDTILL>19/12/2023</USB_PRICELISTVALIDTILL>
  <USB_CURRENCY>EUR</USB_CURRENCY>
  <PRODUCTS>
    <PRODUCT>
      <CODE>MO1001</CODE>
      <MEMORY>1G</MEMORY>
      <SCALES>
        <SCALE>
          <MINIMUM_SCALE_AMOUNT>100</MINIMUM_SCALE_AMOUNT>
          <SCALE_ITEM_PRICE>1.03</SCALE_ITEM_PRICE>
        </SCALE>
        <SCALE>
          <MINIMUM_SCALE_AMOUNT>200</MINIMUM_SCALE_AMOUNT>
          <SCALE_ITEM_PRICE>1.01</SCALE_ITEM_PRICE>
        </SCALE>
        <SCALE>
          <MINIMUM_SCALE_AMOUNT>300</MINIMUM_SCALE_AMOUNT>
          <SCALE_ITEM_PRICE>1.00</SCALE_ITEM_PRICE>
        </SCALE>
        <SCALE>
          <MINIMUM_SCALE_AMOUNT>500</MINIMUM_SCALE_AMOUNT>
          <SCALE_ITEM_PRICE>.98</SCALE_ITEM_PRICE>
        </SCALE>
        <SCALE>
          <MINIMUM_SCALE_AMOUNT>1000</MINIMUM_SCALE_AMOUNT>
          <SCALE_ITEM_PRICE>.96</SCALE_ITEM_PRICE>
        </SCALE>
        <SCALE>
          <MINIMUM_SCALE_AMOUNT>2000</MINIMUM_SCALE_AMOUNT>
          <SCALE_ITEM_PRICE>.94</SCALE_ITEM_PRICE>
        </SCALE>
        <SCALE>
          <MINIMUM_SCALE_AMOUNT>3500</MINIMUM_SCALE_AMOUNT>
          <SCALE_ITEM_PRICE>.94</SCALE_ITEM_PRICE>
        </SCALE>
      </SCALES>
    </PRODUCT>
  </PRODUCTS>
</USB_PRICELIST>
```

SFTP Prices

USB Pricelist XML:

The USB Pricing Information is a dynamic XML file with the pricing information for the USB Product Line, **this file is updated once a week** (generally on Tuesdays afternoon) as the prices for the product group change on a weekly basis to ensure the best prices in the market.

The folder in which you can find the pricing information for USBs on the <SFTP://transfer.midoceanbrands.com> is the **usbpricelist** folder.

Inside that folder you can find the USBpricelist.xml file that contains the USB pricing per model and unit scales. This file starts with a header indicating the week and validity date for those prices and it is followed by the pricing information:

➤ **USB Validity Header:**

```
<USB_PRICELIST>
  <SUPPLIER>midocean</SUPPLIER>
  <DATE>20230808</DATE>
  <TIME>13:02:39</TIME>
  <USB_PRICELISTWEEK>32</USB_PRICELISTWEEK>
  <USB_PRICELISTVALIDTILL>15/08/2023</USB_PRICELISTVALIDTILL>
  <USB_CURRENCY>EUR</USB_CURRENCY>
```

➤ USB Pricing Data:

```
<PRODUCTS>
  <PRODUCT>
    <CODE>MO1001</CODE>
    <MEMORY>1G</MEMORY>
    <SCALES>
      <SCALE>
        <MINIMUM_SCALE_AMOUNT>100</MINIMUM_SCALE_AMOUNT>
        <SCALE_ITEM_PRICE>1.12</SCALE_ITEM_PRICE>
      </SCALE>
      <SCALE>
        <MINIMUM_SCALE_AMOUNT>200</MINIMUM_SCALE_AMOUNT>
        <SCALE_ITEM_PRICE>1.04</SCALE_ITEM_PRICE>
      </SCALE>
      <SCALE>
        <MINIMUM_SCALE_AMOUNT>300</MINIMUM_SCALE_AMOUNT>
        <SCALE_ITEM_PRICE>1.02</SCALE_ITEM_PRICE>
      </SCALE>
    </SCALES>
  </PRODUCT>
```

Rest API Information Files

Stock Information

v.2.0

The stock information file includes the available stock of all products available on the website, including:

- **Regular Products**
- **Textile Products**
- **USB Products**

Note that for the stock information in this file and the stock file from the SFTP server the technique of request is different but the stock data is the same.

The **Stock Information** Rest API has to be called at the following URL by making a GET call:

➤ <https://api.midocean.com/gateway/stock/2.0>

- Stock information file is updated **every hour**
- Actual Stock shown is the aggregate of all warehouses
- Stock is the actual and the next two arrivals that have been shipped from China
- All midocean Products that are on the Webshop are on the BC Stock

An example could look as follows. Note that this example only shows a small part of the result.

The header of the stock file indicates the last update time, since the stock information is updated hourly this is reflected on the header

```
{
  "modified_at": "2023-08-11T23:45:09+02:00",
  "stock": [
```

The stock API returns the available stock in our warehouse and the next two stock arrivals if applicable. In this case it tells us that item KC2364-37 does not have current stock, but on 25/08/2023 3000 pcs will arrive to the Warehouse and also another shipment will arrive on 22/09/2023 with 5000 extra pcs.

```
{
  "sku": "KC2364-37",
  "qty": 811,
  "first_arrival_date": "2023-08-25",
  "first_arrival_qty": 3000,
  "next_arrival_date": "2023-09-22",
  "next_arrival_qty": 5000
},
```

Product information v.2.0

The new product information version 2.0 file is only available as a REST API. To make things easier we're also providing a CSV version on the SFTP server, based on the REST API.

At this moment it isn't possible yet to retrieve only a portion of the product data. This functionality will also be added during late 2023. That will be useful to only retrieve products that have changed since a certain date.

The **Product Information** Rest API has to be called at the following URL by making a GET call:

➤ <https://api.midocean.com/gateway/products/2.0?language=en>

Note that there's a parameter added to the url that determines the language in which you'll receive the product data (**?language=en**). Available languages are:

cs	Czech
de	German
en	English
es	Spanish
fr	French
hu	Hungarian
it	Italian
nl	Dutch
pl	Polish
pt	Portuguese
ro	Romanian
ru	Russian
se	Swedish

NOTE: The output is by default a .json file.

To change the output format to xml add a header with the key "**Accept**" and set the value to:

text/json - request in .json or

text/xml - request in .xml

Here's an example of the response in json for product AR1804.

The response includes all the details, like the product code, master ID, category, and a list of all available attributes (depends on product)

```
"master_code": "AR1804",
  "master_id": "40000190",
  "type_of_products": "stock",
  "commodity_code": "4820 1030",
  "number_of_print_positions": "5",
  "country_of_origin": "CN",
  "brand": "midocean",
  "product_name": "ARCONOT",
  "category_code": "MOBOFF_NOTOTH",
  "product_class": "Notebooks & notepads",
  "dimensions": "21X14X1,6 CM",
```

Next you can find a list of all included documents, certifications and compliancy documents for the product in PDF format.

```
"digital_assets": [
  {
    "url": "https://cdn1.midocean.com/document/declaration-of-sustainability/ar1804-green.pdf",
    "type": "document",
    "subtype": "declaration_of_sustainability"
  },
  {
    "url": "https://cdn1.midocean.com/document/declaration-of-conformity/ar1804-doc.pdf",
    "type": "document",
    "subtype": "declaration_of_conformity"
  },
  {
    "url": "https://cdn1.midocean.com/document/test-reach/ar1804-test-reach.pdf",
    "type": "document",
    "subtype": "test_reach"
  }
]
```

The short description and the long description, some more information about material and if it can be printed or not.

```
"short_description": "A5 notebook 96 plain sheets",
"long_description": "A5 notebook with hard PU cover. Casebound. 192 plain pages (96 sheets). Matching elastic closure strap and ribbon page-marker.",
"material": "PU",
"green": "yes",
"printable": "yes",
"polybag": "no",
```

After this section all the variants of the product are listed, **a product will have one or multiple variants, containing colours and/or sizes. Images are available on variant level**

```
"variant_id": "10168709",
  "sku": "AR1804-03",
  "release_date": "2015-01-01",
  "product_proposition_category": "295",
  "category_level1": "Office & Writing",
  "category_level2": "Notebooks",
  "category_level3": "Hard cover",
  "color_description": "black",
  "color_group": "black",
  "plc_status": "16",
  "plc_status_description": "COLLECTION",
  "gtin": "8719941012868",
  "color_code": "03",
  "pms_color": "BLACK",
```

```
"digital_assets": [
  {
    "url": "https://cdn1.midocean.com/image/700X700/ar1804-03.jpg",
    "url_highress": "https://cdn1.midocean.com/image/original/ar1804-03.jpg",
    "type": "image",
    "subtype": "item_picture_front"
  },
  {
    "url": "https://cdn1.midocean.com/image/700X700/ar1804-03-back.jpg",
    "url_highress": "https://cdn1.midocean.com/image/original/ar1804-03-back.jpg",
    "type": "image",
    "subtype": "item_picture_back"
  }
]
```

Printing Data

v.1.0

The Print data file contains the specifics of printing of each single item in our collection, every time that there is a change on the printing information of a product in our system the file is updated overnight. Printing Data is an overhauled version of the printinfo files, the difference with the aforementioned is:

- Can be requested via REST API, in *.json* and *.xml* format.
- Includes Printing Information about Textiles
- Product variants are not separated, since they have the same printing information
- Shows specifics print area points

The **Print Data** Rest API has to be called at the following URL by making a GET call:

➤ <https://api.midocean.com/gateway/printdata/1.0>

NOTE:

Available in JSON and XML formats, by default output is in JSON.

Add a header with the key “**Accept**” and set the value depending on the wanted format, **text/”format”** (**text/json**, **text/xml**)

☒	Accept	text/json
-------------------------------------	--------	-----------

The printdata file starts with a set of labels with the translations of each Printing Technique in the different languages, so you will not need to make the translations as they can be picked up directly from the file.

```
<printing_technique_descriptions>
  <printing_technique_description>
    <id>B</id>
    <name>
      <cs>Ražba</cs>
      <da />
      <de>Prägung</de>
      <en>Debossing</en>
      <es>Termino grabado</es>
      <fi>Kohokuviointi</fi>
      <fr>Embossage</fr>
      <hu>Dombornyomás</hu>
      <it>Debossing</it>
      <nl>Blinddruk</nl>
      <pl>Tłoczenie</pl>
      <pt>Impressão à quente</pt>
      <ro>Debossing</ro>
      <ru>Тиснение</ru>
      <sv>Prägling</sv>
    </name>
  </printing_technique_description>
</printing_technique_descriptions>
```

Then, it lists item color variations by code per item.

```
<product>
  <master_code>AR1804</master_code>
  <master_id>40000190</master_id>
  <item_color_numbers>
    <item_color_number>03</item_color_number>
    <item_color_number>04</item_color_number>
    <item_color_number>05</item_color_number>
    <item_color_number>06</item_color_number>
    <item_color_number>10</item_color_number>
    <item_color_number>48</item_color_number>
    <item_color_number>12</item_color_number>
    <item_color_number>37</item_color_number>
  </item_color_numbers>
```

After that information you will get an specific data about the printing options per item. Please, notice that in this case the relation is N:1 as the printing information is the same for the different colours of an item. In this case you can relate the Product Information file with the Printing Information file by the label "master_code".

The tag "print_manipulation" specifies the manipulation group of an item, it can be **A, B, C, D, E** or **Z** (in some cases if there is none the code will show as null)

If you search this letter code in the print pricelist file you can get the prices for the handling of a product.

```
<print_manipulation>Z</print_manipulation>
<print_template>https://printtemplates-v2.cdn.midocean.com/AR1804-print-
template.pdf</print_template>
```

The tags "print_template" contain a pdf with the different print position images which show the layout of the print area, sizes and technique codes.

Product

AR1804

Handling code: Z

Print position 1. FRONT 2. FRONT PD 3. BACK 4. BACK PD 5. FRONT PAD	Print size 120,0 mm x 190,0 mm 147,0 mm x 210,0 mm 90,0 mm x 190,0 mm 111,0 mm x 210,0 mm 50,0 mm x 30,0 mm	Print code (no of colours) B(1),S2(4),T1(8),TD(8) PD4(8) B(1),S2(4),T1(8),TD(8) PD4(8) P3(2)
---	---	--

1

2

3

In case that there are several Print Positions in one item, you will see that reflecting on the file as different "position_id" will be shown. Each one of them will have their specific Printing Techniques, Max. Print Size and Max. Print Colours.

```

<printing_position>
  <position_id>FRONT</position_id>
  <print_size_unit>mm</print_size_unit>
  <max_print_size_height>190.00</max_print_size_height>
  <max_print_size_width>120.00</max_print_size_width>
  <rotation>0.00</rotation>
  <print_position_type>Rectangle</print_position_type>
  <printing_techniques>
    <printing_technique>
      <default>>false</default>
      <id>TD</id>
      <max_colours>0</max_colours>
    </printing_technique>
    <printing_technique>
      <default>>false</default>
      <id>B</id>
      <max_colours>1</max_colours>
    </printing_technique>
    <printing_technique>
      <default>>false</default>
      <id>T1</id>
      <max_colours>8</max_colours>
    </printing_technique>
    <printing_technique>
      <default>true</default>
      <id>S2</id>
      <max_colours>4</max_colours>
    </printing_technique>
    <printing_technique>
      <default>>false</default>
      <id>TR</id>
      <max_colours>1</max_colours>
    </printing_technique>
  </printing_techniques>

```

This file also includes a <points> tag, it indicates the exact location of the printing points in pixels.


```

<point>
  <distance_from_left>67</distance_from_left>
  <distance_from_top>45</distance_from_top>
  <sequence_no>1</sequence_no>
</point>
<point>
  <distance_from_left>632</distance_from_left>
  <distance_from_top>940</distance_from_top>
  <sequence_no>2</sequence_no>
</point>

```

Then it links to the images used in each print position, one with printable area drawn and the other without.



Rest API Prices

Product Pricelist

v.2.0

The output will be a complete json file with the specific customer pricing (**based on the api key on the input**) for the entire midocean Product assortment.

You will have to integrate the content of the output json file into your database.

The **Print Pricelist** API has to be called at the following URL by making a GET call:

➤ <https://api.midocean.com/gateway/pricelist/2.0>

Your API key needs to be added to the header of the GET call.

NOTE: The output is by default a .json file.

To change the output format to xml add a header with the key “**Accept**” and set the value to:

text/json - request in .json or

text/xml - request in .xml

The first part of an example json output will look as follows:

```
{
  "currency": "EUR",
  "date": "2023-10-31",
  "price": [
    {
      "sku": "AR1249-16",
      "variant_id": "10134325",
      "price": "4,22",
      "valid_until": "2024-01-31",
      "scale": [
        {
          "minimum_quantity": "1000",
          "price": "3,77"
        },
        {
          "minimum_quantity": "500",
          "price": "3,92"
        },
        {
          "minimum_quantity": "250",
          "price": "4,07"
        },
        {
          "minimum_quantity": "1",
          "price": "4,22"
        }
      ]
    }
  ],
}
```

Note that tier prices might or might not be available, depending on your region and account.

Print Pricelist v.2.0

The Print Pricelist Rest API will return your specific midocean Print Prices.
You can use the prices included to make your own printed orders using our Order Entry API.

The **Print Pricelist** Rest API has to be called at the following URL by making a GET call:

➤ <https://api.midocean.com/gateway/printpricelist/2.0>

NOTE:

Available in JSON, XML and CSV formats, by default output is in JSON

Add a header with the key **"Accept"** and set the value depending on the wanted format, **text/"format"**
(**text/json**, **text/xml**, **text/csv**)

☒	Accept	text/json
-------------------------------------	--------	-----------

Print pricelist sample response.

The print pricelist starts with a header that shows the pricelist currency, validity date.
After that there's a section with the different print manipulations prices and codes to relate to the printing data information.

```
{
  "currency": "EUR",
  "pricelist_valid_from": "2023-10-31",
  "pricelist_valid_until": "2023-12-15",
  "print_manipulations": [
    {
```

Next it shows the manipulation (handling) prices based on the code available in the [Print Data](#) in the field "print_manipulation"

```
{
  "code": "A",
  "description": "Simple",
  "price": "0,08"
},
```

The printing specific section, here you can check the ID based on info in [Print Data](#) file, the pricing type, which defines the way that the prices are calculated for the print technique, calculation types can be found in [Appendix B](#)

```
"print_techniques": [
  {
    "id": "B",
    "description": "Embossing",
    "pricing_type": "NumberOfPositions",
    "setup": "60,00",
    "setup_repeat": "20,00",
    "next_colour_cost_indicator": "false",
    "var_costs": [
      {
        "range_id": "",
        "area_from": "0",
        "area_to": "0",
        "scales": [
          {
            "minimum_quantity": "1",
            "price": "1,56",
            "next_price": ""
          },
          {
            "minimum_quantity": "50",
            "price": "0,94",
            "next_price": ""
          },
          {
            "minimum_quantity": "100",
            "price": "0,81",
            "next_price": ""
          }
        ]
      }
    ]
  },
```

General explanation of Scales: Scales are based on the item quantity. If you find the scales 1, 50, 100, ... in the file and your item quantity is 60, you have to use the price of scale 50.

General explanation of Manipulation cost: In your calculation you have to multiply the item quantity with the corresponding cost of the manipulation for that item.

The way print prices need to be calculated is described in the former chapter.

Please also take advantage of the calculation examples available in [Appendix B](#).

Pricing Type	Price calculation	Example calculation
Number of positions	Print prices are based on the number of positions that you want to print. For example print technique B (Embossing).	Price calculation in case of 3 positions = scale-prices (depending on the quantity) * 3 positions * item-quantity.
Number of colours	Print prices are based on the number of colors of the logo. If next_colour_cost_indicator='X' than the 2nd and next colors have another price (price_next)	Price calculation in case of a 4 colors logo with next_colour_cost_indicator=' ' = price_1st * 4 * item-quantity Price calculation in case of a 4 colors logo with next_colour_cost_indicator='X' = price_1st * 1 * item-quantity + price_next * 3 * item quantity
Area	Print prices are based on the print area to be used (cm2 of the logo to print).	Price calculation in case of a 3.2cm2 logo = print-price * 3.2 * item-quantity
AreaRange	Print prices are assigned depending on the print area to be used (surface / cm2 of the logo to be printed). There are different price ranges depending on the area. Once the range is located you can use the price assigned (there is no need to multiply it by the logo area size). See example of technique E: <pre> <printing_technique> <id>E</id> <description>Embroidery</description> <pricing_type>AreaRange</pricing_type> <setup>36,00</setup> <setup_repeat>20,00</setup_repeat> <apply_cost_ind/> <apply_cost/> <next_colour_cost_indicator/> <var_costs> <var_cost> <range_id>A</range_id> <area_from>0</area_from> <area_to>8</area_to> <scales> <scale> <qty_min>1</qty_min> <price_1st>2,162</price_1st> <price_next/> </scale> </scales> </var_cost> </var_costs> </pre>	Price calculation in case of a 6 cm2 Logo with print technique Embroidery = 2,162 * item-quantity
ColourAreaRange	Print prices are based on the combination of Area ranges and colors of the logo. (Selection of area range depending on the area and price multiplied by the number of colors of the logo).	print-price (selection of range based on area cm2) * number-of-colors * item-quantity and price multiplied by the number of colors of the logo).

Special calculation for Printing Technique id ST: For this technique, there is a difference in the calculation between white items and colored items. In the calculation you have to add 1x price_next * item-quantity extra in case of colored items. The reason behind this extra cost for non-white items is that an extra white layer needs to be printed before printing the actual logo to get the right quality and expected result.

You can find [Appendix B](#) with a table that contains a sample calculation for each pricing type.

Rest API Services

Order Entry v.2.0

By using this API the Distributors of midocean will be able to place orders directly to the midocean SAP Logistics System. Placing an order using this method will have the same response as of placing it through our Customer Care Agents or by placing the order on the midocean Webshop.

The types of orders that can be placed using this Service are:

- **Normal Orders**
 - Unprinted with no quantity limit
- **Print Orders**
 - Printed with no quantity limit
- **Sample Orders**
 - Unprinted with 5 piece per line limit

NOTE: It's not possible to combine different types of orders in the same order request.

Own Design method:

Depending on your expertise with the creation and design of proofs, you can arrange with your Sales Manager to directly be able to submit your own proofs without having to go through the process of submitting an artwork, waiting for proof creation and having to check the proofs, which will make the whole process a lot faster and easier.

Once the order is placed in the midocean system the only way to cancel it or modify it is by direct contact with our Customer Care Agents.

Notice that to make use of this service the following files need to be integrated in your system:

- **Normal/Sample orders:**
 - [Stock Information](#)
 - [Product Information](#)
 - [Pricing Information](#)
- **Print orders:**
 - [Stock Information](#)
 - [Product Information](#)
 - [Printing Information](#)
 - [Pricing Information](#)
 - [Print Pricing Information](#)

Just once the above mentioned files are integrated; it is then possible to make full use of the Order Entry Rest API

Before explain the format of the INPUT & OUTPUT for the Order Entry Web Service, it is important that in order to minimise errors a **pre-stock check tool is used on the Distributor Website or ERP** to avoid placing orders for which the stock cannot be fulfilled. This can be simply done by integrating the Stock file and doing a simple check at the order entry stage.

The **Order Entry** Rest API has to be called at the following URL by making a **POST** call:

➤ <https://api.midocean.com/gateway/order/2.0/create>

Order Appendix

Header

- **po_number:**
Here you can enter a purchase order number in order to reference your order.
Note that the API blocks the order entry if it detects that you use the same po_number for a different order as to avoid duplicated orders.
- **check_price**
If set to "false" the product/print price calculation is done by the system, if it's set to "true" the order entry will check the prices you specify on "expected_price" and if there is a mismatch with the prices calculated by the system the order entry will fail.
- **proof_approved**
Can be set to false so the proof has to be checked by the customer or true so it's automatically approved and goes to production directly.
- **timestamp**
YYYY-MM-DD then it is followed by a T and the H:MM:SS. **Ex: 2023-03-20T08:17:00**
- **order_type**
Choose if the order is unprinted "**NORMAL**", a sample "**SAMPLE**" or has printing "**PRINT**"
- **preferred_shipping_date**
If you prefer to have the order delivered on a specific date you can specify it here. If set to a previous date than the order the field won't be used and the order will be delivered always as soon as possible.
YYYY-MM-DD | **Ex: 2023-03-20**

Order Lines

- **order_line_id**
If an order has multiple lines then each line uses unique ID, you can assign any number here.
As many order lines as wanted can be added (up to a Max of 50 items per order)
- **sku (only for UNPRINTED & SAMPLE orders)**
The product specific variant SKU which is the {master code}-{variant code}, for textiles it's {master_code}-{variant_code}-{size_code}
"sku" field in product information 2.0
- **master_code (only for PRINTED orders)**
The product specific master {master_code}
"master_code" field in product information 2.0 or printing data 1.0
- **expected_price**
Can be set to 0 always if "check_price" is set to false since the calculation is done by our systems.
If "check_price" is set to true you have to specify the total price of the order line here.

Print Configuration

- **id**
ID of the print position
"position_id" field in print data 1.0
- **print_size_height**
Area height in mm, must be lower than the maximum height size
"max_print_size_height" field in print data 1.0
- **print_size_width**

Area width in mm, must be lower than the maximum width size
"max_print_size_width" field in print data 1.0

- **printing_technique_id**
ID of the print technique
"position_id" field in print data 1.0
- **number_of_print_colours**
The number of colours that your logo has
"max_colours" fields in print data 1.0
NOTE: Techniques with "0" "max_colours" have no limit on number of colours
- **print_item_url**
URL in which the logotype to be printed can be found
- **print_instruction**
Instructions for our pre-press department (Max. 300 characters)
- **color**
Pantone colours that the logotype will be printed with (Max. 12 characters)
Note that the number of "color" specified depends on the "number_of_print_colours"
- **item_color_number**
The code of the variant
"variant_color" in print data 1.0
OR
"color_code" field in product information 2.0
- **item_size (ONLY FOR TEXTILE ITEMS)**
Specifies the textile size

Order Format (JSON)

NORMAL order

These are the usual order types, plain and unprinted, they can have multiple lines a

NOTE: It's not possible to order textile products with NORMAL orders, use SAMPLE or PRINT instead.

Here's an example of the format for a NORMAL order with 2 lines:

```
{
  "order_header": {
    "check_price": "false",
    "proof_approved": "false",
    "timestamp": "2023-03-03T08:17:00",
    "currency": "GBP",
    "po_number": "test order 2.0",
    "contact_name": "Contact name",
    "contact_email": "contact@mail.com",
    "shipping_address": {
      "contact_name": "Name",
      "company_name": "Company",
      "street1": "Address",
      "postal_code": "0000",
      "city": "City",
      "region": "Region",
      "country": "ES",
      "email": "contact@mail.com",
      "phone": "0000000000"
    },
    "order_type": "NORMAL",
    "preferred_shipping_date": "2023-03-03"
  },
  "order_lines": [
    {
      "order_line_id": "1",
      "sku": "AR1804-03",
      "quantity": "50",
      "expected_price": "0"
    },
    {
      "order_line_id": "2",
      "sku": "MO8132-04",
      "quantity": "50",
      "expected_price": "0"
    }
  ]
}
```

PRINT order

With print orders you can specify the printing configuration for each product print position for each order line and also order multiple variants (colors or sizes) in the same line. You can't combine printed and unprinted in the same order request.

NOTE: To make printed orders it's needed to integrate the Print Data and Print Pricelist APIs to get the details.

Here's an example of the format for a PRINT order with 2 lines (one with regular and the other with textile product), 2 print positions and 2 product variants for each product line:


```
{
  "order_header": {
    "check_price": "false",
    "proof_approved": "false",
    "timestamp": "2023-03-03T08:17:00",
    "currency": "EUR",
    "po_number": "test order 2.0",
    "contact_name": "Contact name",
    "contact_email": "contact@mail.com",
    "shipping_address": {
      "contact_name": "Name",
      "company_name": "Company",
      "street1": "Address",
      "postal_code": "0000",
      "city": "City",
      "region": "Region",
      "country": "ES",
      "email": "contact@mail.com",
      "phone": "000000000"
    },
    "order_type": "PRINT",
    "preferred_shipping_date": "2023-03-03"
  },
  "order_lines": [
    {
      "order_line_id": "1",
      "master_code": "AR1804",
      "quantity": "1",
      "expected_price": "0",
      "printing_positions": [
        {
          "id": "FRONT",
          "print_size_height": "190",
          "print_size_width": "120",
          "printing_technique_id": "B",
          "number_of_print_colors": "1",
          "print_item_url": "https://www.url.com/logo",
          "print_instruction": "None",
          "print_colors": [
            {
              "color": "PMS 0 C"
            }
          ]
        },
        {
          "id": "BACK PD",
          "print_size_height": "210",
          "print_size_width": "111",
          "printing_technique_id": "PD4",
          "number_of_print_colors": "1",
          "print_item_url": "https://www.url.com/logo",
          "print_instruction": "None",
          "print_colors": [
            {
              "color": "PMS 0 C"
            }
          ]
        }
      ]
    }
  ],
}
```

```

    "print_items": [
      {
        "item_color_number": "03",
        "quantity": "20"
      },
      {
        "item_color_number": "12",
        "quantity": "5"
      }
    ]
  },
  {
    "order_line_id": "2",
    "master_code": "S11500",
    "quantity": "1",
    "expected_price": "0",
    "printing_positions": [
      {
        "id": "FRONT",
        "print_size_height": "470",
        "print_size_width": "350",
        "printing_technique_id": "ST1",
        "number_of_print_colors": "3",
        "print_item_url": "https://www.url.com/logo",
        "print_instruction": "None",
        "print_colors": [
          {
            "color": "PMS 0 C"
          },
          {
            "color": "PMS 1 C"
          },
          {
            "color": "PMS 2 C"
          }
        ]
      }
    ]
  },
  "print_items": [
    {
      "item_color_number": "AG",
      "quantity": "10",
      "item_size": "L"
    },
    {
      "item_color_number": "WH",
      "quantity": "5",
      "item_size": "XL"
    }
  ]
}
]
}

```

SAMPLE order

These type of orders and Normal orders are structurally almost the same, difference is that these orders are locked to 5 pieces or less for each line and that you can order unprinted textile with these.

They also can't have printing

NOTE: With sample orders you can order unprinted textile, but only up to 5 pieces.

In this example you can see a sample order with 1 line:

```
{
  "order_header": {
    "check_price": "false",
    "proof_approved": "false",
    "timestamp": "2023-03-03T08:17:00",
    "currency": "GBP",
    "po_number": "test order 2.0",
    "contact_name": "Contact name",
    "contact_email": "contact@mail.com",
    "shipping_address": {
      "contact_name": "Name",
      "company_name": "Company",
      "street1": "Address",
      "postal_code": "0000",
      "city": "City",
      "region": "Region",
      "country": "ES",
      "email": "contact@mail.com",
      "phone": "0000000000"
    },
    "order_type": "SAMPLE",
    "preferred_shipping_date": "2023-03-03"
  },
  "order_lines": [
    {
      "order_line_id": "1",
      "sku": "S11500-WH-L",
      "quantity": "1",
      "expected_price": "0"
    }
  ]
}
```

Order Response

After the POST request is made our systems will respond with the “**status_code**” and “**status_text**” to indicate if the order went through or failed. To check on possible error resultions go [here](#).

Response for all types of orders is the same, only difference is for PRINT orders the print costs will show at the price, for the rest they will be at 0.

In this example you can see the response to the PRINT order that we set as example, at the header the prices are indicated. The rest of the response is just the order details we specified on the request.

```
{
  "order_header": {
    "status_code": "0",
    "status_text": "Sales order successfully created",
    "direct_confirmation": "",
    "proof_approved": "false",
    "check_price": "false",
    "currency": "EUR",
    "po_number": "test order 2.0",
    "order_type": "PRINT",
    "order_number": "2623021",
    "total_item_price": "68,00",
    "total_print_costs": "208,40",
    "total_net_price": "297,35",
    "freight_charge": "16.000000000 ",
    "tax": "68,39",
    "print_setup": "140,00",
    "print_cost": "67,40",
    "print_handling": "1,00",
    "shipping_address": {
      "contact_name": "Name",
      "company_name": "Company",
      "street1": "Address",
      "street2": "",
      "street3": "",
      "postal_code": "0000",
      "city": "City",
      "region": "Region",
      "country": "ES",
      "email": "contact@mail.com",
      "phone": "0000000000"
    }
  },
}
```

Order Entry - Error Resolutions

When making an order through the API it is possible that the system exports an error with a message.

Usually the responds with “**status_code**” **99** and the error itself is explained in the “**status_text**” field. The message usually is pretty self explanatory but for some cases here, is a list.

Insufficient stock

The product set on the order request doesn't have enough stock, or the preferred shipping date is set too soon for the stock to arrive to the warehouse.

To check stock availability, you can import the [stock file](#)

Invalid date pattern or input

The “preferred_shipping_date” or “timestamp” field doesn't follow the correct format, they should be set as in here:

- Delivery date: **YYYY-MM-DD** | Example: **2023-03-20**
- Timestamp: **YYYY-MM-DD then a T then HH:MM:SS** | Example: **2023-03-03T08:17:00**

An order with your reference already exist

When entering an API order if your po_number is the same as it was for a previous order the system will respond with an error in order to avoid duplicated orders.

Here's an example error 999 response:

```
{
  "order_header": {
    "status_code": "999",
    "status_text": "Insufficient stock",
    "direct_confirmation": "",

```

For more general errors with the API you can check [Appendix C.1](#)

Order Details & Tracking

v.2.0

By using this API the Distributors of midocean will be able to retrieve all order information, details and updated tracking from any order they already placed in the system

The **Order details & tracking** Rest API has to be called at the following URL by making a GET call:

➤ https://api.midocean.com/gateway/order/2.0/detail?order_number=Order Number

**Change the "Order Number" part for the specific order number to check*

The OUPUT will be a file with the updated order details from midocean systems, here's an example response:

First part, the order_header gives details about the order, the customer and the shipping address. For instance the order creation, date, the order status which can be "OPEN", "COMPLETED" or "CLOSED" order found by the call and the customer that made it as well as about the shipping address, the creation date, the sales organization of the customer (see [Sales organizations](#) table), the order status, etc.

About order status, the order can be on

- OPEN
- COMPLETED
- CLOSED

```
"order_header": {
  "order_found": "true",
  "order_number": "2622891",
  "order_date": "2023-08-10",
  "order_status": "OPEN",
  "sales_org": "0101",
  "currency": "EUR",
  "customer_number": "80865772",
  "contact_person": "Customer Care",
  "po_number": "test order 2.0",
  "order_type": "PRINT",
  "shipping_address": {
    "company_name": "Company",
    "contact_name": "Name",
    "street1": "Address",
    "street2": "",
    "postal_code": "0000",
    "city": "City",
    "region": "",
    "country": "ES",
    "email": "contact@mail.com",
    "phone": "0000000000"
  }
}
```

Order pricing & transport details – This next section shows the total: product, printing, discount, transport and tax prices. It also displays the transport mode (Standard or Express) and the incoterms.

```
"total_item_price": "39.24",
"discounts": "0.0",
"total_print_costs": "164.59",
"freight_charge": "16.0",
"total_net_price": "219.83",
"tax": "50.56",
"total_gross_price": "270.39",
"incoterms": "DAP",
"delivery_service": "STANDARD"
```

```
"order_lines": [
  {
    "order_line_id": "100",
    "master_code": "AR1804",
    "master_id": "40000190",
    "quantity": "1",
    "item_price": "0.0",
    "print_setup": "50.0",
    "print_cost": "5.76",
    "print_handling": "0.24",
    "proof_url": "",
    "shipping_status": "OPEN",
    "shipping_date": "2023-08-22",
    "print_items": [
      {
        "sku": "AR1804-03",
        "variant_id": "10168709",
        "quantity": "6",
        "item_price": "1.2"
      }
    ],
    "printing_positions": [
      {
        "id": "FRONT",
        "print_size_height": "190",
        "print_size_width": "120",
        "printing_technique_id": "B",
        "number_of_print_colors": "1"
      }
    ]
  }
]
```

Notes:

<Order_Status> values: Open/Completed/Cancelled

<Order_Type> values: PRINT/NORMAL/SAMPLE

<Incoterms> values: Exworks/DAP

<Service> values: Standard/Express

<Delivery_Status> values: Open/Shipped

APPENDIX A – Integration with our Rest API

Depending on the software you are using on your website or ERP system you need an XML parser and communication software to integrate with our API.

A common library used for communication is cURL which is available for Java, C/C++, PHP, etc. Website:

<https://curl.haxx.se/libcurl/>

For testing the communication with our webservices, you can have a look at **Postman**.

Postman is collaboration platform for API development which is available in open source on Windows, Linux and Mac OS.

Website: <https://www.postman.com/>

When testing with our Rest API it is handy to have a test environment available. Instead of using live urls (located at <https://api.midocean.com>) you may use our test environment, reachable at <https://apitest.midocean.com>.

(NOTE: You have to request a separate key to use this environment)

APPENDIX A.1 | Rest API Integration – Postman

Here's a quick guide of how to create and manage your Postman Rest API calls.



- Download Postman here: <https://www.postman.com/downloads/>

The Postman app



Download the app to get started with the Postman API Platform.

 Windows 64-bit



- After installing Postman, click on **New** button, then select **Collection**
A collection acts a folder to store every Rest API call




- To add the API calls follow same procedure, but select **HTTP Request**
- Once created you can change the name to know which API it is, in this example we create a request for Product Information file, but the procedure is the same for all files, just changing the link.
- In the request URL type the url of the specific request you are going to make, in this case: **<https://api.midocean.com/gateway/products/2.0?language=en>**



- Press on the **Save** button to save the HTTP Request, set a name to identify which call you're making, then select the collection you created and click **save** to add it in the collection folder



- Now last step is to add the authorization, meaning the Rest API key. To do that select the **Authorization** tab
- In Type, select **API Key**, then put the next values
 - Key: **x-Gateway-APIKey**
 - Value: **(your Rest API key)**



- If you want to choose between **.xml** and **.json** output; Go to **Headers** tab and set create a new header with
 - Key: **Accept**
 - Value:
 - text/xml** - to request in xml
 - text/json** - to request in json

Params		Authorization	Headers (8)	Body	Pre-request Script	Tests	Settings
☒	x-Gateway-APIKey						① Your Rest API Key
☒	Postman-Token						① <calculated when request is sent>
☒	Host						① <calculated when request is sent>
☒	User-Agent						① PostmanRuntime/7.31.0
☒	Accept						① */*
☒	Accept-Encoding						① gzip, deflate, br
☒	Connection						① keep-alive
☒	Accept						text/xml
	Key						Value

- Now save the call and click on **Send** to request the data, and that's it! Later on the guide we'll present you the many options for API information and service calls you can make.

APPENDIX B – Pricing type calculation examples

Pricing Type	Sample Prices	Quantity	Number of Colors	Cm2	Positions	Setup Costs	Printing Costs	Handling Costs
Number of colours	Setup Costs = 29,25 Printing Costs = 0,16 Handling A = 0,05	100	3			29,25 * 3 colors = 88,5	(100 * 0,16 * 3) = 48	A = (0,05 * 100) = 5
Colour Area Range	Setup Costs = 31,5 Printing Costs 1st Color = 0,44 Printing Costs Next Colors = 0,23 Handling A = 0,05	350	5	Up to 150		31,5 * 5 colors = 157,5	(350 * 0,44) + (350 * 0,23 * 4) = 476	A = (0,05 * 350) = 17,5
Area	Setup Costs = 31,5 Printing Costs = 0,01 Handling D = 0,23	400	6	100	Front	31,5	(400 * 0,01 * 100) = 400	D = (0,23 * 400) = 92
		400	6	80	Back	31,5	(400 * 0,01 * 80) = 320	D = (0,23 * 400) = 92
		400	6	28	Side	31,5	(400 * 0,01 * 28) = 112	D = (0,23 * 400) = 92
Number of positions	Setup Costs = 45 Printing Costs = 0,48 Handling C = 0,14	250	1		1	45	(250 * 0,48) = 120	C = (0,14 * 250) = 35
AreaRange	Setup Costs = 29,5 Printing Costs Range A= 1,64 Printing Costs Range B= 1,86 Printing Costs Range D= 2,21 Handling A = 0,05	350	6	5	2	29,5 * 2 positions = 59	(350 * 1,64 * 2) = 1148	A = (0,05 * 350) = 17,5
		350	6	10	2	29,5 * 2 positions = 59	(350 * 1,86 * 2) = 1302	A = (0,05 * 350) = 17,5
		350	6	25,01	2	29,5 * 2 positions = 59	(350 * 2,21 * 2) = 1547	A = (0,05 * 350) = 17,5

APPENDIX C – API Integration Errors

When using our API services there are an assortment of errors, sometimes they happen because of connection issues, error with the setup for an API call a wrong parameter, wrong link or ID and many more variables.

Here is a compilation of errors and the possible workarounds, starting with:

APPENDIX C.1 – API General Errors

Error “503 Service Temporarily Unavailable”

This error means that communication to the API service is not available or that there are connection issues, this can be for many reasons:

- If connecting to the TEST Environment API.
 - Note that the TEST Environment is switched off over the evening, during out of business hours in Europe.

Error “Unauthorized Application Request”

This error means that the authorization to make the request is not working, can happen for this reasons:

- The Rest API Key is not setup correctly
 - **Solution:** Make sure the Rest API Key is written correctly with the right header “Value” and “Key”
If unsure you can test the API calls using Postman
- The Rest API Key is invalid or doesn't have the right API permissions
 - **Solution:** From the Webshop, go to Account > Customer API and click on “Request new API key” button to request an API key.
Select the missing APIs and click on “Subscribe” to gain permission to access the calls.

Error “Service not found”

This error means the endpoint URL is not correct | List of API endpoint urls found [here](#)


APPENDIX D – SFTP Integration

SFTP - <SFTP://transfer.midocean.com>



In order to make your first connection to the SFTP server you can start with software like **FileZilla**, it is free and open source, really simple to use and once setup the connections are instant.

SFTP files are mostly for information purpose generated the same for all customers because the information in them does not use customer details to generate, which is why there is no prices or other services which are available in the Rest API

- Download **FileZilla Client** here: <https://filezilla-project.org/>




- After installing the program, click on the highlighted button, the **Site Manager** button
- Then on **New Site** button to add the midocean SFTP server as a site



- Now it's time to add the server URL and the credentials
 - Protocol: **SFTP**
 - Host: **SFTP://transfer.midocean.com**

- User: (**username given by Sales contact**)
- Password: (**password given by Sales contact**)
- Click OK to save, then click the **Arrow button** next to the Site Manager button to list all the sites and select the one created to connect.



General Advanced Transfer Settings Charset


Protocol: SFTP - SSH File Transfer Protocol

Host: SFTP://transfer.midocean.com

Logon Type: Normal

User: your_username

Password:



- And that's it! Now you can start to download and import files from the server to your systems, From product information to printing information and stock.

APPENDIX E – Sales Organizations

CODE	REGION
0101	Iberia
0102	France
0103	Italy
0104	Germany
0105	Benelux
0106	UK
0107	Nordic
0108	Export
0109	CEE
2300	Poland
3500	Russia