

```

# question 8,9
# import csv, string, random
# def name():
#     fir='김 이 박 최 정 황 강 백 성 오 신 안'.split(' ')
#     sec='태 명 동 현 지 유 운 장 준 은 선 주'.split(' ')
#     las='찬 민 원 현 흠 연 현 우 영 대 혁 진'.split(' ')
#     name=random.choice(fir)+random.choice(sec)+random.choice(las)
#     return name

# def phone():
#     num='010-'
#     for k in range(8):
#         num+=str(random.randint(0,9))
#         if k==3:
#             num+='-'
#     return num

# def mail():
#     mane=''
#     lag=string.ascii_letters
#     num=string.digits
#     for q in range(8):
#         mane+=str(random.choice(lag+num))
#     return mane+'@gmail.com'

# filename='MMMMMM.csv'
# with open(filename,'w',newline='',encoding='cp949') as f:
#     Writer=csv.writer(f)
#     Writer.writerow(['Name','Phone','MAil'])
#     for i in range(20):
#         Writer.writerow([name(),phone(),mail()])

```

```

#question 1
# x=int(input())
# y=int(input())
# if x>0:
#     if y>0:
#         print('제1사분면')
#     else:
#         print('제4사분면')
# else:
#     if y>0:
#         print('제2사분면')
#     else:
#         print('제3사분면')

```

```

# question 2
# Y, M =map(int,input().split())
# if Y%4==0 and Y%100!=0 or Y%400==0:
#     if M==2:
#         print(29)
#     elif M in [1,3,5,7,8,10,12]:
#         print(31)
#     else:
#         print(30)
# else:
#     if M==2:
#         print(28)
#     elif M in [1,3,5,7,8,10,12]:
#         print(31)
#     else:
#         print(30)

```

```

# question 3
# a,b=map(int, input().split())
# sum=0
# words=''
# for i in range(a,b+1):
#     if i%2==0:

```

```

#         sum-=i
#         words+='-'+str(i)
#     else:
#         sum+=i
#         words+=' '+str(i)
# print(sum)
# if words[0]==' ':
#     words=words[1:]
# print(words+'='+str(sum))

# question 4
# pose=['rock','paper','scissors']
# C_ch=random.choice(pose)
# P_ch=input('user choice: ')
# print(f"User: {P_ch}, Computer: {C_ch}")
# if P_ch==C_ch:
#     print('Draw')
# elif (P_ch=='rock' and C_ch=='scissors') or (P_ch=='paper' and C_ch=='rock') or
(P_ch=='scissors' and C_ch=='paper'):
#     print('User wins')
# else:
#     print('Computer wins')

# question 5
# LST=[]
# while True:
#     name=input('if you want to exit, input exit. input animal name: ')
#     if name=='exit':
#         break
#     elif name in LST:
#         print('Already in the list')
#     elif name not in LST:
#         if len(name)<3:
#             print('Name is too short')
#         elif name.isalpha()==False:
#             print('Name is not valid')
#         else:
#             LST.append(name)
# LST.sort(key=len)
# print(LST)

# question 6
# C_num=random.randint(10,99)
# i=1
# while True:
#     P_num=str(input('Chance ' + str(i) + ': '))
#
#     if P_num.isdigit()==False or len(P_num)!=2:
#         print("This is not valid.")
#     elif int(P_num)<C_num:
#         print("Too low.")
#         i+=1
#     elif int(P_num)>C_num:
#         print("Too high.")
#         i+=1
#     else:
#         print("Correct!")
#         print(f"It took you {i} chances.")
#         break

# question 7
# list=[[0,0,0,0,0,0,0,0,0,0],
#        [0,0,0,1,1,1,1,0,0,0],
#        [0,1,1,0,0,0,0,1,1,0],
#        [1,0,0,0,1,1,0,0,0,1],
#        [0,1,1,0,0,0,0,1,1,0],
#        [0,0,0,1,1,1,1,0,0,0]]

# for y in range(len(list)):

```

```

#         for x in range(len(list[y])):
#             if list[y][x]==0:
#                 print('■',end='')
#             else:print('□',end='')
#         print()

# question 10,11,12
# Lt=[12,314,23,22,7,88,5,0,99,65]
# def bubble_sort(list):
#     for i in range(len(list)-1):
#         for j in range(len(list)-1-i):
#             if list[j]>list[j+1]:
#                 list[j],list[j+1]=list[j+1],list[j]
#         print(list)
# bubble_sort(Lt)

# def selection_sort(list):
#     for i in range(len(list)-1):
#         min=i
#         for j in range(i+1,len(list)):
#             if list[j]<list[min]:
#                 min=j
#         list[i],list[min]=list[min],list[i]
#         print(list)
# selection_sort(Lt)

# def insertion_sort(list):
#     for i in range(1,len(list)):
#         key=list[i]
#         j=i-1
#         while j>=0 and list[j]>key:
#             list[j+1]=list[j]
#             j-=1
#         list[j+1]=key
#         print(list)
# insertion_sort(Lt)

```