

# **Detection Challenges in Cloud Connected Credential Abuse Attacks**

@rodsoto


# \$whoami





**Rod Soto @rodsoto**

Principal Security Research Engineer at Splunk. Worked at Prolexic Technologies (now Akamai), and Caspida. Cofounder of Hackmiami and Pacific Hackers meetups and conferences. Creator of Kommand && KonTroll / NoQrtr-CTF.

# How the cloud permeates inside the perimeter



# Amazon transit gateway / Azure vnet




# The hot potato of security ownership

## Shared responsibility model

Responsibility	SaaS	PaaS	IaaS	On-prem	
Information and data	Customer	Customer	Customer	Customer	RESPONSIBILITY ALWAYS RETAINED BY CUSTOMER
Devices (Mobile and PCs)	Customer	Customer	Customer	Customer	
Accounts and identities	Customer	Customer	Customer	Customer	
Identity and directory infrastructure	Microsoft	Microsoft	Customer	Customer	RESPONSIBILITY VARIES BY SERVICE TYPE
Applications	Microsoft	Microsoft	Customer	Customer	
Network controls	Microsoft	Microsoft	Customer	Customer	
Operating system	Microsoft	Microsoft	Customer	Customer	
Physical hosts	Microsoft	Microsoft	Microsoft	Customer	RESPONSIBILITY TRANSFERS TO CLOUD PROVIDER
Physical network	Microsoft	Microsoft	Microsoft	Customer	
Physical datacenter	Microsoft	Microsoft	Microsoft	Customer	

Microsoft Customer


# CLOUD REAL ESTATE + PERIMETER



# It's not a vulnerability it's a feature



# Federated environments





# Federated Environments

- Formal connection of perimeter and cloud real estate resources
- Increase in Cloud utilization (Move of on-premise resources to the cloud)
- Increases resource availability and geographical reach
- Requires standards that allow passage of data, identification, authentication (Tokens, Certificates, Passwords, API Keys)
- Formal federations (Trust between cloud/perimeter) aim to implement stricter control on access
- You can have informal federations

# Converged perimeter risks scenarios

- Credential leakage in public repositories
- Use of vulnerable components from cloud (Open source libraries, containers)
- Exposure of cloud apps and infrastructure may lead to internal access
- Re-use of federated credentials (Golden SAML, OAuth Token hijack, Pass The Cookie)
- Pivoting from Cloud Providers to internal or converged perimeter resources

# Examples of Cloud Connected Credential Abuse Attacks

```

Dates : 1/17/2021 1:08:06 PM
* using BCrypt with AES-256-GCM
Cookie: 0xA
EqSt_Dne4RZ




Host : login.microsoftonline.com ( / )
Name : E5SAUHPERSISTENT
Dates : 1/17/2021 1:08:06 PM -> 4/17/2021 1:08:07 PM
* using BCrypt with AES-256-GCM
Cookie: 0x
Size7m7h7od
F30pU27bXk
fMQ8A6vKupr
52-Z2Qo7bkl

Host : login.microsoftonline.com ( / )
Name : brcap
Dates : 1/17/2021 12:55:04 PM -> 2/11/2022 12:55:04 PM
* using BCrypt with AES-256-GCM
Cookie: 0

Host : login.microsoftonline.com ( / )
Name : ch
Dates : 1/17/2021 1:08:06 PM -> 4/17/2021 1:08:07 PM
* using BCrypt with AES-256-GCM
Cookie: H78u4WA

Host : login.microsoftonline.com ( / )

```




# Oauth token hijack

[illegible]


# SAML Forging

```
"mimeType": "application/x-www-form-urlencoded",
"params": [
  {
    "name": "SAMLResponse",
    "value":
      "PHNhbWxwO1Jlc3BvbmlIELEPSJfMmE0MzQ4NDctNDc2YS00ODQ1LWljOTMtN2JjMTQyZ
      1c0NvZGUgVmFsdWU9InVybjpvYXNpczpuYwllczp0YzptQU1M0jIuMDpzdGF0dXN6U3Vj
      nbmVhSw5mbz48Q2Fub25pY2FsaXphdGlvbk1ldGhvZCBBbGdvcml0aG09Imh0dHA6Ly93
      tZXhjbWxwNG4jIi8+PC9UcmFuc2ZvcmlzPjxEaWdlc3RlZ3RlZ3RlZ3RlZ3RlZ3RlZ3Rl
      rSzfFreGVoc0hEa3cvSit0K2RIR0crd2tP0HBma1VZTStRHg5TlZId0Fv0Xl0RHFRQTk4I
      NekF5TwxvWERUSXlNREV3TmPJeU5UQXlNbG93SVRFZk1CMEdBMVVFQXd3V1lXUmljeTVoZ
      KUu1KN09HdGpGaGpHeURUL2RVZHR2QlVxc2ZGMjdjQXJlVDVXZ0dtOFdYK1dXckpUSmdx
      kVW5XK05IYUFIWmZkVHZ0dnExd1Bvcw5FRmRlZ3RlZ3RlZ3RlZ3RlZ3RlZ3RlZ3RlZ3Rl
      NTd0xLjE6bmFtZWlkLWZvcmlhdDplbWFPbEFkZHZJlc3MiPnJvZHNvdG9Ac9kc290by5v
      00j000jE1LjQ3Ml0lPjxBdWRpZw5jZVJlc3RyaWN0aw9uPjxBdWRpZw5jZT5odHRwc2ov
      LY3RpZGVudGlmawVyIj48QXR0cmllidXRlVmFsdWU+YmZiOGMzNjYtMDQwNi00MWE1LWlZ
      t0TYxyYi1kZmNkZGY5MmVmMDGvPC9BdHRyaWJ1dGVWYXN1ZT48L0F0dHJpYnV0ZT48QXR0
      0NzYwNjpyb2x1L3JvZG9ubWljcm90ZXR0cm9Sc25hcml0aG09Imh0dHA6Ly93dGVWYXN1
      +PC9BdHRyaWJ1dGU+PEF0dHJpYnV0ZSBOYwllPSJodHRwOi8vc2NoZW1hcy54bWxwZ2Fw
      jB20vU0FNTC9BdHRyaWJ1dGVzL1JvbGUlPjxBdHRyaWJ1dGVWYXN1ZT5hcml0aG09Imh0
      uY29tL1NBTUwvQXR0cmllidXRlc3RyaW9uRlVhYXN1ZT5hcml0aG09Imh0dHA6Ly93dGVW
      YXN1ZT5hcml0aG09Imh0dHA6Ly93dGVWYXN1ZT5hcml0aG09Imh0dHA6Ly93dGVWYXN1ZT5h
      cml0aG09Imh0dHA6Ly93dGVWYXN1ZT5hcml0aG09Imh0dHA6Ly93dGVWYXN1ZT5hcml0aG09
      Imh0dHA6Ly93dGVWYXN1ZT5hcml0aG09Imh0dHA6Ly93dGVWYXN1ZT5hcml0aG09Imh0dHA6
      Ly93dGVWYXN1ZT5hcml0aG09Imh0dHA6Ly93dGVWYXN1ZT5hcml0aG09Imh0dHA6Ly93dGVW
      YXN1ZT5hcml0aG09Imh0dHA6Ly93dGVWYXN1ZT5hcml0aG09Imh0dHA6Ly93dGVWYXN1ZT5h
      cmllidXRlc3BvbmlPq=="
```



Source: [Sygnia Advisory – Detection of Golden SAML attacks](#)

# Post exploitation tools



Created by @doughsec

```
## Extracting Private Key from Active Directory Store
```

```
[-] Domain is attackrange.local
```


```
[-] Private Key: 54-C3-63-08-58-26-29-E2-D4-96-B2-2B-F7-60-8C-E2-66-B6-AD-0B-D3-DB-0A-  
28-80-4E-60-DE-1A-C9-94-7C
```

```
## Reading Encrypted Signing Key from Database
```

```
[-] Encrypted Token Signing Key Begin
```

```
AAAAAQAAAAEEFF5yD4oSaFNss3YuYwjVfYGCWCGSAFlAwQCAQYJYIZIAWUDBAIBBg1ghkgBZQMEAAQIEIFpRO3  
1U0EWm3FIjHRuSiMnjbrDwXMofKyHdeouR3v1SBBD1fJ27zbewmt7abeUD83k+IIIJ8ET4WRLALzSr71zPpfBj  
X1lKAyn/8Qbknhy75JmjCOexaIQ72VwFleVhazgRwDfBW01JP/0QH2raMjRliiRCSTxK3oQ5QewejsXlFctABH  
zHYQJhp8EN2nJkOZ4GhpzpPVoyFf4B+SPEgSS0pgZp160hz7Z8EOWnfERa+NLf84XJGaqf0CSN7gCSL/R1nNT  
f/t6dVTcVV3gpexL5NVdDYclWzq6Jcds91u20aXG18XTNdvxGnz10Ov0FPw+9/ovvWd1ICX+SOJSw7GwaMHOj
```

# Exploitation Circle Cloud App/Service / perimeter secrets



# So how do we approach these attacks?



## Endpoint

Certutil.exe

Uncommon processes

Registry keys used for privesc

Mimikatz



## Cloud

AWS SAML access

AWS SAML update identity provider

O365 Excessive SSO logon errors

O365 added service principal

O365 new federated domain added



# Detections by TTPs - Endpoint

Name	Technique ID	Tactic	Note
Certutil.exe certificate extraction	<a href="#">T1552.004</a>	Credential access	New detection
Uncommon Processes on endpoint	<a href="#">T1204.002</a>	Execution	Helps detect ADFSDump
Registry keys used for privilege escalation	<a href="#">T1546.012</a>	Privilege escalation, persistence	
Detect Mimikatz using loaded images	<a href="#">T1003.001</a>	Credential access	
Detect Mimikatz via PowerShell and event code 4703	<a href="#">T1003.001</a>	Credential access	

# Detection by TTPs - Cloud

Name	Technique ID	Tactic	Provider
AWS SAML access by provider user and principal	<a href="#">T1078</a>	Defense evasion, persistence, privilege escalation, initial access	AWS
AWS SAML update identity provider	<a href="#">T1078</a>	Defense evasion, persistence, privilege escalation, initial access	AWS
O365 Excessive SSO logon errors	<a href="#">T1556</a>	Credential access, defense evasion	Azure
O365 added service principal	<a href="#">T1136.003</a>	Persistence	Azure
O365 added service principal	<a href="#">T1136.003</a>	Persistence	Azure
O365 new federated domain added	<a href="#">T1136.003</a>	Persistence	Azure



# Detection - excessive SSO errors

**splunk>enterprise** App: ES Content Updates ▾ Administrator ▾ Messages ▾ Settings ▾ Activity ▾ Help ▾ Find 🔍

Content Library Analytic Story Detail Keyword Search Feedback Center **Search** Usage Details Docs Take a Tour

**New Search** Save As ▾ Close

index=o365\_rod sourcetype="o365:management:activity" Workload=AzureActiveDirectory ActorIpAddress=\* UserAgent=\* LogonError=SsoArtifactInvalidOrExpired | spath UserId | search UserId=\* | table ActorIpAddress UserAgent LogonError UserId | stats count by LogonError ActorIpAddress UserAgent UserId

All time 🔍

✓ 33 events (before 2/1/21 8:36:37:000 PM) No Event Sampling ▾ Job ▾ || || ⚙️ 📄 ⬇️ 🔊 Verbose Mode ▾

Events (33) Patterns **Statistics (5)** Visualization

20 Per Page ▾ ⚙️ Format Preview ▾

LogonError ▾	ActorIpAddress ▾	UserAgent ▾	UserId ▾	count ▾
SsoArtifactInvalidOrExpired	66.1	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 10.0; Win64; x64; Trident/7.0; .NET4.0C; .NET4.0E)	rodsoto@onmicrosoft.com	4
SsoArtifactInvalidOrExpired	66.1	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/87.0.4280.88 Safari/537.36	rodsoto@onmicrosoft.com	9
SsoArtifactInvalidOrExpired	66.1	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/87.0.4280.88 Safari/537.36	rodsoto@onmicrosoft.com	8
SsoArtifactInvalidOrExpired	66.1	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/605.1.15 (KHTML, like Gecko)	rodsoto@onmicrosoft.com	5
SsoArtifactInvalidOrExpired	73.1	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/87.0.4280.88 Safari/537.36	bpatel@onmicrosoft.com	7

# Q&A

@rodsoto

rodsoto.net