CQLOE.1_A Flight Crew Paperwork

B747-400F / CF680C2B#F / PW#### Callsign: GIANT 416 HEAVY RKSI / RJAA

NOTE: ALL DATA IS FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC
OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

GTI416/## **RKSI - RJAA** **## XXX ##** **N###MC**
COST INDEX 041 **Revision: 0**
B747-400F / CF6-80C2-B1F / KG / IFR / **FF +5.5**
PROGS ###### Release Valid Until ####Z ##XXX##

ORIG	RKSI/ICN SEOUL/INCHEON INTL	N37278E126263 ####Z
DEST	RJAA/NRT TOKYO/NARITA INTL	N35459E140231 ####Z
PALT	RJTT/HND TOKYO/HANEDA INTL	N35332E139469 ####Z

RKSI/F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/F360 Y30 SWAMP SWAMPN RJAA

Coldest Fuel Temp: N/A A/WC: T088 T-DEV: P05
FMC Reserves: 8.6 ADIS: 812

	RKSI-RJAA		
ALT1/2	RJTT/		
	FUEL	TIME	GDIS
TRIP	**018205**	**01.53**	**0924**
CONT	001736	00.11	
ALT1	004539	00.25	0112
FRES	004024	00.30	
ADD.AL	000343	00.02	
PCF	000000	00.00	
MINF	**028847**	**03.01**	**....**
EXTRA	009553	01.11	
TOF	038400		
TAXI	001600	00.35	
BLOCK	**040000**	**04.47**	
REMF	**020195**	**02.31**	**....**

	Weight	**Actual**	**Limit**	
DOW	161657			
PYLD	078343			
ZFW	240000	.....	S284621	ZFW INC/1000 X 57 MINF ADJ
RAMP	280000		S377270	
TOGW	278400	.....	L320297	
LDGW	260195		S302092	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Remarks

GCC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD

RAIM VALIDATION PASSED

EXTRA FUEL FOR TANKERING

RKSI CAT II/III - RWY 15L/15R/16L/16R/33L/33R/34L/34R
RJAA CAT II/III - RWY 16R
RJTT CAT II/III - RWY 34R

MEL/CDL
No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. ..	
			TO/LNDG Expiry: --	
FO	2	2	.. ..	
			TO/LNDG Expiry: --	

TO/LNDG currency questions? contact Duty Pilot

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

TIME		FUEL			
OUT:	/	ETA RJAA:		UPLIFT:	
OFF:	/	SOB:		PYLD:	
ON:	/	RVSM ALTIMETER RECORD			
IN:	/	L:	S:		R:

```
(FPL-GTI416-IS
-B744/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-RKSI####
-N0486F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI
Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/N0492F360 Y30
SWAMP
-RJAA0153 RJTT
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE
DOF/###### REG/N###MC EET/RJJJ0032 SEL/#### CODE/###### OPR/GTI RMK/TCAS
II EQUIPPED CARGO EMERG CTC 19147018045)
```

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	RKSI 00023 FT							SEOUL/INCHEON INTL			
	N37 27.8										
	E126 26.3										
OSPOT2C	**OSPOT**										
	N36 50.3	123	063	367	341	00.11			CLB	T026	0340
	E127 20.9	114	145	CLB	CLB	00.11		CLB	CLB	281/035	
Y782	**VASLI**										
	N36 42.9	144	011	503	461	00.01			CLB	T043	0336
	E127 30.0	135	149	CLB	CLB	00.12		CLB	CLB	277/054	
Y782	**MAKDU**										
	N36 27.2	144	022	523	478	00.03			CLB	T046	0329
	E127 49.2	135	151	CLB	CLB	00.15		CLB	CLB	270/068	
Y782	**BITUX**										
	N36 16.7	145	014	523	476	00.02			CLB	T048	0326
	E128 01.8	136	153	CLB	CLB	00.17		CLB	CLB	266/080	
Y782	**TOC**										
	N36 10.6	145	009	525	476	00.01			CLB	T050	0324
	E128 09.2	136	153	CLB	CLB	00.18		CLB	CLB	266/082	
Y782	**TGU**		**DALSEONG**					**112.20**			
	N35 48.6	145	031	538	486	00.03			P04	T053	0318
	E128 35.4	136	154	286	836	00.21		F350	-51	266/090	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK NM TTK MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y659	**LAPAL**									
	N35 54.2	085 024	573	485	00.03			P04	T089	0314
	E129 04.9	077 083	285	834	00.24		F350	-51	266/090	
Y659	**KPO**	**POHANG**					**112.50**			
	N35 58.6	086 020	574	484	00.02			P03	T091	0311
	E129 28.5	077 083	285	834	00.26		F350	-51	266/092	
Y685	**BULGA**									
	N35 56.2	107 017	575	484	00.01			P03	T092	0308
	E129 49.4	098 110	285	834	00.27		F350	-52	266/094	
(RJJJ)	AT SAPRA					00.32	FUKUOKA FIR			
Y685	**SAPRA**									
	N35 49.4	107 044	577	484	00.05			P03	T094	0301
	E130 43.4	099 110	285	834	00.32		F350	-51	267/096	
Y599	**KABKI**									
	N35 45.2	101 094	582	484	00.10			P04	T098	0286
	E132 39.5	092 102	284	833	00.42		F350	-50	267/099	
Y597	**PEPOS**									
	N35 43.0	131 005	562	485	00.00			P04	T078	0285
	E132 43.8	122 139	284	834	00.42		F350	-50	266/101	
Y597	**MIHOU**									
	N35 31.9	131 021	568	485	00.02			P04	T085	0281
	E133 05.6	122 140	284	833	00.44		F350	-50	266/110	
Y45	**ATPOD**									
	N35 40.9	080 028	589	483	00.03			P04	T107	0277
	E133 38.5	071 075	283	831	00.47		F350	-50	266/112	
Y45	**SAKYU**									
	N35 55.0	080 045	582	484	00.05			P05	T099	0270
	E134 31.1	071 076	284	831	00.52		F350	-50	267/103	
Y45	**MADUL**									
	N35 59.0	080 013	581	484	00.01			P05	T098	0268
	E134 46.2	072 077	283	830	00.53		F350	-49	267/102	
Y45	**SONBU**									
	N36 11.5	081 041	581	484	00.05			P05	T098	0261
	E135 35.0	072 077	283	830	00.58		F350	-49	267/102	
Y45	**KMC**	**KOMATSU**					**112.00**			
	N36 23.8	081 042	587	483	00.04			P05	T104	0255
	E136 24.3	073 079	283	830	01.02		F350	-50	261/106	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y515	ZUWAI										
	N36 37.8	070	029	586	483	00.03			P04	T105	0250
	E136 57.0	062	065	283	830	01.05		F350	-50	261/112	
Y517	OTARI										
	N36 47.4	088	056	598	482	00.06			P04	T117	0242
110	E138 05.6	080	088	283	829	01.11		F350	-50	262/117	
Y517	HAKKA										
	N36 50.6	089	019	600	483	00.01			P05	T118	0239
	E138 28.8	080	088	283	829	01.12		F350	-50	262/118	
Y517	IKAHO										
	N36 55.2	089	029	592	484	00.03			P06	T109	0235
	E139 04.5	081	088	282	829	01.15		F350	-48	263/109	
Y517	MAUKA										
	N36 58.4	089	020	582	484	00.02			P06	T099	0232
	E139 29.1	081	088	282	829	01.17		F350	-48	264/099	
Y517	YAGAN										
	N37 00.8	089	015	583	484	00.02			P05	T100	0229
	E139 47.9	081	088	283	829	01.19		F350	-49	264/100	
Y517	SYOEN										
	N37 02.3	090	010	583	484	00.01			P05	T100	0228
	E140 00.2	081	089	283	829	01.20		F350	-49	264/100	
Y517	LIVET										
	N37 04.1	089	012	583	484	00.01			P05	T100	0226
	E140 14.6	081	089	283	829	01.21		F350	-49	264/100	
Y517	ESKAS										
	N37 06.6	090	017	583	484	00.02			P05	T100	0223
	E140 35.8	081	089	283	829	01.23		F350	-49	264/100	
Y303	ENTAK										
	N36 59.6	135	012	555	486	00.01			P05	T070	0221
	E140 47.7	126	144	284	833	01.24		F350	-49	264/101	
Y30	GURIP										
	N36 33.3	205	027	436	492	00.04			P07	H055	0215
	E140 37.6	197	216	282	843	01.28		F360	-49	263/111	
Y30	TOD										
	N36 29.6	205	004	431	492	00.01			P07	H060	0214
	E140 36.2	197	216	282	844	01.29		F360	-49	263/119	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK NM TTK MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y30	**SWAMP**									
	N36 19.2	205 011	425	485	00.01			DSC	H059	0214
	E140 32.3	197 216	DSC	DSC	01.30		DSC	DSC	263/118	
SWAMPN	**RJAA**	00135 FT					TOKYO/NARITA INTL			
	N35 45.9	141 119	331	334	00.23			DSC	H004	0202
	E140 23.1	133 193	DSC	DSC	01.53		DSC	DSC	258/045	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

Destination Primary Alternate Route

RJAA DCT MESSE DCT RJTT

RJAA/0170

GCD 032 GDIS112 FUEL 4539 TIME 00.25

MORA 2000

GE - TLR

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
TAKEOFF AND LANDING REPORT GTI 0416 RKSI-RJAA ##XXX##
TLR-2 SEQ-88292711 ##XXX## ####Z
A/C N###MC  B747-400F CF680C2B#F KG

ACARS INIT DATE = ##    ACARS TAKEOFF REQUEST = ####Z-####Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = -4C TO MT      QNH = GREATER OR EQUAL TO 29.61

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
RKSI 15R          6.0 240M02 29.76 10  2784 2784

RMKS PACKS ON
     ENGINE ANTI-ICE ON
     WET RUNWAY
     FLAPS PLANNED AT 10 ONLY

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2

-------- -------- ---------------------------
SMRGN    ACCEL    EFP

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
15L           12303 DT H154
15R           12303 DT H154
16L           13123 DT H154
16R           12303 DT H154
33L           12303 LT H240
33R           12303 LT H240
34L           12303 LT H240
34R           13123 LT H240

-------------- DRY RWY - PTOW - ENG A/I ON - CALM WIND --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
15R          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
16L          2784 57  89.3 D-TO 2 - PACKS ON   10 145 149 158
16R          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
33L          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
33R          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
34L          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
34R          2784 57  89.3 D-TO 2 - PACKS ON   10 145 149 158

--------------- DRY RWY - PTOW - ENG A/I ON - 15KT TW ---------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
15R          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
16L          2784 57  89.3 D-TO 2 - PACKS ON   10 135 149 158
16R          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
33L          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
33R          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
34L          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
34R          2784 57  89.3 D-TO 2 - PACKS ON   10 135 149 158

-------------- WET RWY - PTOW - ENG A/I ON - CALM WIND --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
15R          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
16L          2784 57  89.3 D-TO 2 - PACKS ON   10 145 149 158
16R          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
33L          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
33R          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
34L          2784 57  89.3 D-TO 2 - PACKS ON   10 142 149 158
34R          2784 57  89.3 D-TO 2 - PACKS ON   10 145 149 158

TAKEOFF AND LANDING REPORT GTI 0416 RKSI-RJAA ##XXX##           PAGE 2
TLR-2 SEQ-88292711 ##XXX## ####Z
```

```
--------------- WET RWY - PTOW - ENG A/I ON - 15KT TW ---------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
15R          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
16L          2784 57  89.3 D-TO 2 - PACKS ON   10 135 149 158
16R          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
33L          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
33R          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
34L          2784 53  91.1 D-TO 2 - PACKS ON   10 132 148 158
34R          2784 57  89.3 D-TO 2 - PACKS ON   10 135 149 158

/// LANDING DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PLDW PMRLW
RJAA 16R         10.0 000M00 1008  30  2602 4000

RMKS NONE

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH SLOPE NOTES
16L            8202  0.07
16R           13123  0.07
34L           13123 -0.07
34R            8202 -0.07

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2800  10470    10470
  2700  10115    10115
/ 2602   9767     9767
  2600   9760     9760
  2500   9405     9405
HW/KT     -28      -28
TW/KT    +161     +161
UP/1PCT  -207     -207
DN/1PCT  +150     +150

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2800   9272     9272
  2700   8967     8967
/ 2602   8669     8669
  2600   8663     8663
  2500   8358     8358
HW/KT     -21      -21
TW/KT    +140     +140
UP/1PCT   -92      -92
DN/1PCT   +12      +23

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2800   7880     8225
  2700   7626     7971
/ 2602   7377     7722
  2600   7372     7717
  2500   7119     7464
HW/KT     -14      -15
TW/KT    +115     +121
UP/1PCT     0      -35
DN/1PCT   +12      +46

TAKEOFF AND LANDING REPORT GTI 0416 RKSI-RJAA ##XXX##            PAGE 3
TLR-2 SEQ-88292711 ##XXX## ####Z

 AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
        FLAPS 25
  LDW   DRY      WET
  2800   6432     8082
  2700   6204     7853
/ 2602   5981     7629
  2600   5976     7625
  2500   5748     7397
HW/KT     -11      -17
```

```
TW/KT     +87     +109
UP/1PCT     0     -115
DN/1PCT   +12     +150

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
        FLAPS 25
  LDW   DRY      WET
  2800   5670     7757
  2700   5384     7554
/ 2602   5104     7356
  2600   5098     7352
  2500   4812     7149
HW/KT     -26      -17
TW/KT     +91     +107
UP/1PCT   -74     -138
DN/1PCT   +86     +161

  278400/278400/260195/1600/18205/28847/40000
END TAKEOFF AND LANDING REPORT GTI 0416 RKSI-RJAA ##XXX##
```

GE - Sable

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

ATLAS AIR B747-400F GE LOADSHEET (Rel. 5.2.11-11010) Loadsheet Printout NR: 3
I PROD. TIME: ##:## Loadplan Printout NR: ..

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
ICN/NRT	GTI416	N###MC	0	##-XXX-####	##:##

Data Rev. Date:##-XXX-####

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B1	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R				1650	1650	1650	1320	3963	2980	2650	1320	2320	1320	2300	0	2320	1990	
C	0	660	660															1240
L				990	1990	1320	2320	3970	2980	2980	2320	1320	2320	990	0	1990	1650	
IDX	0.00	-2.29	-2.05	-7.14	-8.15	-5.28	-4.78	-6.75	-2.31	0.42	1.96	3.64	5.33	6.34	0.00	11.17	11.12	4.43

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	53	54
	3870	2320	2320	2320	2320	2320	2320	2320	1100	0	0	0
IDX	-11.52	-6.08	-4.93	-4.11	-3.28	1.80	2.62	3.45	2.03	0.00	0.00	0.00

		WGT KG	INDEX
BASIC OPERATING WGT		161344	74.78
BALLAST		0	0.00
ACM	(00)	0	0.00
SWA		313	0.86
TOTAL TRAFFIC LOAD		78343	-14.36
ZERO FUEL WEIGHT	(Max: 288031)	240000	61.28
TAXI FUEL		1600	0.15
TAKE OFF FUEL		38400	-1.38
TAKE OFF WEIGHT	(Op. Max:396893)	278400	59.90
TRIP FUEL		18205	0.61
LANDING WEIGHT	(Max: 302092)	260195	59.29
ALLOWED PAYLOAD		120240	

CAPTAIN:

FUEL TANK STATUS: ALL FUEL TANKS OK

CAPTAINS INFO BEFORE LMC

IMBALANCE -0.1 %
NOTOC DG NO
NOTOC SC NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD	AFT
ZFW MAC	23.9 %	16	33
TOW MAC	23.0 %	12	33
LDG MAC	23.0 %	14	33
STABTRIM			

LOAD SUPERVISOR: _____ (PRINT NAME)

_____ (SIGNATURE)

CPT ACCEPTANCE : _____ (SIGNATURE)

UNDERLOAD BEFORE LMC: 41897 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY:

RELEASE NOT VALID

LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE
---	---	---	---

GE - FDP

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI 15R Flaps 10

```
RKSI          CF680C2B#F
FLT NO    RLS NO    TIME
0416         0     ####Z
WIND KTS  OAT C      QNH
240/02     +06      1008
------------------------
GRWT 280.0    VREF30 152
FUEL  40.0
ZFW  240.0

REMARKS
WET RUNWAY
29-11-02-01
ENGINE ANTI-ICE ON

RKSI  15R          12303
TOGW  278.4   SMRGN 5707
FLAPS 10        PACKS ON
ATM   ---         V1 138
THR   TO          VR 141
N1    102.8       V2 160
CG    23.0     TRIM  5.0

DT H154      ACCEL  1000
```

RJAA 16R Flaps 25

```
RJAA          CF680C2B#F
FLT NO     LDW      TIME
0416      260.2    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
------------------------
REMARKS
NONE

16R               13123
LDW 260.2   MRLW 400.0/A
FLAPS 25    VREF +05
AUTOBRK 2     9754   3.0
AUTOBRK 3     8663   3.3
AUTOBRK 4     7377   3.6
MAX AUTO      5981   3.9
MAX MAN       5097   4.1
```

RJAA 16R Flaps 25 Reverse Credit

```
RJAA          CF680C2B#F
FLT NO     LDW      TIME
0416      260.2    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
------------------------
REMARKS
THRUST REVERSE CREDIT

16R               13123
LDW 260.2   MRLW 400.0/A
FLAPS 25    VREF +05
AUTOBRK 2     9435   1.2
AUTOBRK 3     8643   1.8
AUTOBRK 4     7377   2.4
MAX AUTO      5981   3.0
MAX MAN       5097   3.6
```

RJAA 16R Flaps 30 Reverse Credit

```
RJAA          CF680C2B#F
FLT NO     LDW      TIME
0416      260.2    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
------------------------
REMARKS
THRUST REVERSE CREDIT

16R               13123
LDW 260.2   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2     8661   1.1
AUTOBRK 3     7996   1.6
AUTOBRK 4     6877   2.2
MAX AUTO      5609   2.7
MAX MAN       4692   3.3
```

RJAA 16R Flaps 30

```
RJAA          CF680C2B#F
FLT NO     LDW      TIME
0416      260.2    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
-----------------------
REMARKS
NONE

16R               13123
LDW 260.2   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2     8990   2.8
AUTOBRK 3     8016   3.0
AUTOBRK 4     6877   3.2
MAX AUTO      5609   3.5
MAX MAN       4692   3.7
```

RJAA 16R Flaps 25 HYD SYS 1+4

```
RJAA          CF680C2B#F
FLT NO     LDW      TIME
0416      260.2    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
-----------------------
REMARKS
THRUST REVERSE CREDIT
HYD PRESS SYS 1+4 -
FLAPS 25 VREF 30+20

16R               13123
LDW 260.2   MRLW 399.1/A
FLAPS 25    VREF +20
AUTOBRK 2    -----   ---
AUTOBRK 3    -----   ---
AUTOBRK 4    -----   ---
MAX AUTO     -----   ---
MAX MAN       6543   4.3
```

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

GTI416/## **RKSI - RJAA** **## XXX ##** **N###MC**
COST INDEX 081 **Revision: 0**
B747-400F / PW4056 / KG / IFR / **FF +4.0**
PROGS ###### Release Valid Until ####Z ##XXX##

ORIG	RKSI/ICN SEOUL/INCHEON INTL	N37278E126263 ####Z
DEST	RJAA/NRT TOKYO/NARITA INTL	N35459E140231 ####Z
PALT	RJTT/HND TOKYO/HANEDA INTL	N35332E139469 ####Z

RKSI/F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/F360 Y30 SWAMP SWAMPN RJAA

Coldest Fuel Temp: N/A A/WC: T087 T-DEV: P05
FMC Reserves: 8.9 ADIS: 812

	RKSI-RJAA		
ALT1/2	RJTT/		
	FUEL	TIME	GDIS
TRIP	**018509**	**01.53**	**0924**
CONT	001739	00.11	
ALT1	004641	00.25	0112
FRES	004251	00.30	
ADD.AL	000476	00.02	
PCF	000000	00.00	
MINF	**029616**	**03.01**	**....**
EXTRA	008784	01.02	
TOF	038400		
TAXI	001600	00.35	
BLOCK	**040000**	**04.38**	
REMF	**019891**	**02.20**	**....**

	Weight	**Actual**	**Limit**	
DOW	162527			
PYLD	077473			
ZFW	240000	.....	S284922	ZFW INC/1000 X 57 MINF ADJ
RAMP	280000		S376560	
TOGW	278400	.....	L320601	
LDGW	259891		S302092	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Remarks

GCC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD

RAIM VALIDATION PASSED

EXTRA FUEL FOR TANKERING

**********N###MC**********
IF APPLICABLE, NO AUTO START. REFER TO FCOM ENGINE MANUAL START
****

RKSI CAT II/III - RWY 15L/15R/16L/16R/33L/33R/34L/34R
RJAA CAT II/III - RWY 16R
RJTT CAT II/III - RWY 34R

MEL/CDL
No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. ..	
			TO/LNDG Expiry: --	
FO	2	2	.. ..	
			TO/LNDG Expiry: --	

TO/LNDG currency questions? contact Duty Pilot

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

TIME		FUEL			
OUT:	/	ETA RJAA:		UPLIFT:	
OFF:	/	SOB:		PYLD:	
ON:	/	RVSM ALTIMETER RECORD			
IN:	/	L:	S:		R:

```
(FPL-GTI416-IS
-B744/H-SDE1E2E3FGHIJ3J5M1P2RWXYZ/LB1D1
-RKSI####
-N0485F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI
Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/N0492F360 Y30
SWAMP
-RJAA0153 RJTT
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE
DOF/###### REG/N###MC EET/RJJJ0033 SEL/#### CODE/###### OPR/GTI RMK/TCAS
II EQUIPPED CARGO EMERG CTC 19147018045)
```

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	RKSI 00023 FT							SEOUL/INCHEON INTL			
	N37 27.8										
	E126 26.3										
OSPOT2C	**OSPOT**										
	N36 50.3	123	063	370	344	00.12			CLB	T026	0338
	E127 20.9	114	145	CLB	CLB	00.12		CLB	CLB	282/035	
Y782	**VASLI**										
	N36 42.9	144	011	511	474	00.01			CLB	T037	0334
	E127 30.0	135	148	CLB	CLB	00.13		CLB	CLB	278/049	
Y782	**MAKDU**										
	N36 27.2	144	022	535	491	00.03			CLB	T044	0327
	E127 49.2	135	150	CLB	CLB	00.16		CLB	CLB	273/063	
Y782	**BITUX**										
	N36 16.7	145	014	535	490	00.01			CLB	T046	0324
	E128 01.8	136	152	CLB	CLB	00.17		CLB	CLB	267/075	
Y782	**TOC**										
	N36 01.0	145	022	537	488	00.03			CLB	T050	0319
	E128 20.6	136	153	CLB	CLB	00.20		CLB	CLB	266/084	
Y782	**TGU**		**DALSEONG**					**112.20**			
	N35 48.6	145	018	537	485	00.02			P04	T052	0315
	E128 35.4	136	154	285	835	00.22		F350	-51	266/090	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY / MORA	WPT	MTK / TTK	NM / MH	GS / IAS	TAS / .M	LEG-T / TOT-T	ETA / ATA	MTRS / FL	ISA / TEMP	WC / WIND	REMF / AREM
Y659	LAPAL										
	N35 54.2	085	024	572	484	00.02			P04	T089	0312
	E129 04.9	077	083	285	833	00.24		F350	-51	266/090	
Y659	KPO		POHANG					112.50			
	N35 58.6	086	020	574	484	00.02			P03	T091	0308
	E129 28.5	077	083	285	833	00.26		F350	-51	266/092	
Y685	BULGA										
	N35 56.2	107	017	574	483	00.02			P03	T092	0306
	E129 49.4	098	110	285	833	00.28		F350	-52	266/094	
(RJJJ)	AT SAPRA						00.33	FUKUOKA FIR			
Y685	SAPRA										
	N35 49.4	107	044	576	483	00.05			P03	T094	0298
	E130 43.4	099	110	284	833	00.33		F350	-51	267/096	
Y599	KABKI										
	N35 45.2	101	094	581	484	00.09			P04	T098	0283
	E132 39.5	092	102	284	832	00.42		F350	-50	267/099	
Y597	PEPOS										
	N35 43.0	131	005	562	485	00.01			P04	T078	0282
	E132 43.8	122	139	284	833	00.43		F350	-50	266/101	
Y597	MIHOU										
	N35 31.9	131	021	568	484	00.02			P04	T085	0279
	E133 05.6	122	140	284	833	00.45		F350	-50	266/110	
Y45	ATPOD										
	N35 40.9	080	028	589	484	00.03			P04	T107	0274
	E133 38.5	071	075	284	831	00.48		F350	-50	266/112	
Y45	SAKYU										
	N35 55.0	080	045	582	484	00.05			P05	T099	0267
	E134 31.1	071	076	284	831	00.53		F350	-50	267/103	
Y45	MADUL										
	N35 59.0	080	013	581	485	00.01			P05	T098	0266
	E134 46.2	072	077	284	831	00.54		F350	-49	267/102	
Y45	SONBU										
	N36 11.5	081	041	582	485	00.04			P05	T098	0259
	E135 35.0	072	077	284	831	00.58		F350	-49	267/102	
Y45	KMC		KOMATSU					112.00			
	N36 23.8	081	042	587	484	00.05			P05	T104	0252
	E136 24.3	073	079	284	831	01.03		F350	-50	261/106	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y515	ZUWAI										
	N36 37.8	070	029	587	483	00.03			P04	T105	0248
	E136 57.0	062	065	283	831	01.06		F350	-50	261/112	
Y517	OTARI										
	N36 47.4	088	056	598	483	00.05			P04	T117	0239
110	E138 05.6	080	088	283	830	01.11		F350	-50	262/117	
Y517	HAKKA										
	N36 50.6	089	019	601	483	00.02			P05	T118	0237
	E138 28.8	080	088	283	830	01.13		F350	-50	262/118	
Y517	IKAHO										
	N36 55.2	089	029	592	485	00.03			P06	T109	0232
	E139 04.5	081	088	283	830	01.16		F350	-48	263/109	
Y517	MAUKA										
	N36 58.4	089	020	583	485	00.02			P06	T099	0229
	E139 29.1	081	088	283	830	01.18		F350	-48	264/099	
Y517	YAGAN										
	N37 00.8	089	015	583	484	00.02			P05	T100	0226
	E139 47.9	081	088	283	830	01.20		F350	-49	264/100	
Y517	SYOEN										
	N37 02.3	090	010	583	484	00.01			P05	T100	0225
	E140 00.2	081	089	283	830	01.21		F350	-49	264/100	
Y517	LIVET										
	N37 04.1	089	012	583	484	00.01			P05	T100	0223
	E140 14.6	081	089	283	830	01.22		F350	-49	264/100	
Y517	ESKAS										
	N37 06.6	090	017	583	484	00.02			P05	T100	0220
	E140 35.8	081	089	283	830	01.24		F350	-49	264/100	
Y303	ENTAK										
	N36 59.6	135	012	555	486	00.01			P05	T070	0218
	E140 47.7	126	144	284	832	01.25		F350	-49	264/101	
Y30	GURIP										
	N36 33.3	205	027	436	492	00.04			P07	H055	0212
	E140 37.6	197	216	282	843	01.29		F360	-49	263/111	
Y30	TOD										
	N36 22.6	205	011	431	492	00.01			P07	H060	0210
	E140 33.6	197	216	282	843	01.30		F360	-49	263/119	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK NM TTK MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y30	**SWAMP**									
	N36 19.2	205 004	430	490	00.01			DSC	H059	0210
	E140 32.3	197 216	DSC	DSC	01.31		DSC	DSC	264/119	
SWAMPN	**RJAA** 00135 FT						TOKYO/NARITA INTL			
	N35 45.9	141 119	335	339	00.22			DSC	H004	0199
	E140 23.1	133 193	DSC	DSC	01.53		DSC	DSC	259/047	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI416/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

Destination Primary Alternate Route

RJAA DCT MESSE DCT RJTT

RJAA/0170

GCD 032 GDIS112 FUEL 4641 TIME 00.25

MORA 2000

PW - TLR

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
TAKEOFF AND LANDING REPORT GTI 0416 RKSI-RJAA ##XXX##
TLR-7 SEQ-88294315 ##XXX## ####Z
A/C N###MC  B747-400F PW4056 KG

ACARS INIT DATE = ##    ACARS TAKEOFF REQUEST = ####Z-####Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = -4C TO MT      QNH = GREATER OR EQUAL TO 29.61

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
RKSI 15R          6.0 240M02 29.76 10  2784 2784

RMKS ENGINE ANTI-ICE ON
     WET RUNWAY
     FLAPS PLANNED AT 10 ONLY

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  EPR   THR/PACKS CONFIG  FLAPS  V1  VR  V2

-------- -------- ---------------------------
SMRGN    ACCEL    EFP

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
15L           12303 DT H154
15R           12303 DT H154
16L           13123 DT H154
16R           12303 DT H154
33L           12303 LT H240
33R           12303 LT H240
34L           12303 LT H240
34R           13123 LT H240

-------------- DRY RWY - PTOW - ENG A/I ON - CALM WIND --------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
15R          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
16L          2784 48  1.29 D-TO 2 - PACKS ON   10 143 148 158
16R          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
33L          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
33R          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
34L          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
34R          2784 48  1.29 D-TO 2 - PACKS ON   10 143 148 158

--------------- DRY RWY - PTOW - ENG A/I ON - 15KT TW ---------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
15R          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
16L          2784 48  1.29 D-TO 2 - PACKS ON   10 137 148 158
16R          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
33L          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
33R          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
34L          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
34R          2784 48  1.29 D-TO 2 - PACKS ON   10 137 148 158

-------------- WET RWY - PTOW - ENG A/I ON - CALM WIND --------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
15R          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
16L          2784 48  1.29 D-TO 2 - PACKS ON   10 143 148 158
16R          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
33L          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
33R          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
34L          2784 48  1.29 D-TO 2 - PACKS ON   10 139 148 158
34R          2784 48  1.29 D-TO 2 - PACKS ON   10 143 148 158

TAKEOFF AND LANDING REPORT GTI 0416 RKSI-RJAA ##XXX##            PAGE 2
TLR-7 SEQ-88294315 ##XXX## ####Z

--------------- WET RWY - PTOW - ENG A/I ON - 15KT TW ---------------
```

```
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
15R          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
16L          2784 48  1.29 D-TO 2 - PACKS ON   10 137 148 158
16R          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
33L          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
33R          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
34L          2784 44  1.31 D-TO 2 - PACKS ON   10 132 147 158
34R          2784 48  1.29 D-TO 2 - PACKS ON   10 137 148 158

/// LANDING DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PLDW PMRLW
RJAA 16R         10.0 000M00 1008  30  2599 4000

RMKS NONE

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH SLOPE NOTES
16L            8202  0.07
16R           13123  0.07
34L           13123 -0.07
34R            8202 -0.07

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2700  10145    10145
  2600   9790     9790
/ 2599   9786     9786
  2500   9435     9435
  2400   9080     9080
HW/KT     -27      -27
TW/KT    +164     +164
UP/1PCT  -161     -161
DN/1PCT   +46      +46

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2700   9040     9040
  2600   8761     8761
/ 2599   8759     8759
  2500   8483     8483
  2400   8204     8204
HW/KT     -20      -20
TW/KT    +141     +141
UP/1PCT   -35      -34
DN/1PCT   +12      +23

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2700   7626     7971
  2600   7372     7717
/ 2599   7370     7715
  2500   7119     7464
  2400   6865     7210
HW/KT     -14      -15
TW/KT    +115     +121
UP/1PCT     0      -35
DN/1PCT   +12      +46

TAKEOFF AND LANDING REPORT GTI 0416 RKSI-RJAA ##XXX##            PAGE 3
TLR-7 SEQ-88294315 ##XXX## ####Z

 AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
        FLAPS 25
  LDW   DRY      WET
  2700   6164     7869
  2600   5911     7641
/ 2599   5908     7639
  2500   5657     7413
  2400   5404     7185
HW/KT     -11      -17
TW/KT     +87     +112
```

```
UP/1PCT     0     -138
DN/1PCT   +12     +161

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
        FLAPS 25
  LDW   DRY      WET
  2700   5361     7566
  2600   5077     7363
/ 2599   5074     7361
  2500   4792     7160
  2400   4508     6958
HW/KT     -26      -18
TW/KT     +91     +109
UP/1PCT   -86     -161
DN/1PCT  +100     +184

  278400/278400/259891/1600/18509/29616/40000
END TAKEOFF AND LANDING REPORT GTI 0416 RKSI-RJAA ##XXX##
```

PW - Sable

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

ATLAS AIR B747-400PW LOADSHEET (Rel. 5.2.11-11010) Loadsheet Printout NR: 2
PROD. TIME: **##:##** Loadplan Printout NR: ..

FROM/TO	**FLIGHT**	**A/C REG**	**ACM**		**TIME**
ICN/NRT	GTI416	N###MC	0	##-XXX-####	**##:##**

Data Rev. Date:##-XXX-####

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	**A2**	**B1**	**C**	**D**	**E**	**F**	**G**	**H**	**J**	**K**	**L**	**M**	**P**	**Q**	**R**	**S**	**T**
R			990	660	660	2970	2310	2310	2310	3960	1650	2310	990	1650	0	1650	1980	1320
C	1320	1320																
L				2290	2310	2640	2970	660	3903	1980	2640	1650	2310	2310	0	2310	1980	
IDX	-5.05	-4.58	-3.08	-7.97	-6.65	-9.97	-6.94	-2.53	-2.41	0.44	2.31	3.96	4.83	7.63	0.00	10.26	12.10	4.72

---------- LOWER DECK ----------

	11P	**12P**	**21P**	**22P**	**23P**	**31P**	**32P**	**41P**	**42P**	**52**	**53**	**54**
	3590	2310	1320	1320	0	2310	2310	2970	1030	0	0	0
IDX	-10.69	-6.05	-2.81	-2.34	0.00	1.79	2.61	4.42	1.90	0.00	0.00	0.00

		WGT KG	**INDEX**
BASIC OPERATING WGT		161970	73.92
BALLAST		0	0.00
ACM	(00)	0	0.00
SWA		557	1.53
TOTAL TRAFFIC LOAD		77473	-14.10
ZERO FUEL WEIGHT	(Max: 288031)	240000	61.35
TAXI FUEL		1600	0.15
TAKE OFF FUEL		38400	-1.37
TAKE OFF WEIGHT	(Op. Max:396893)	278400	59.98
TRIP FUEL		18509	0.58
LANDING WEIGHT	(Max: 302092)	259891	59.40
ALLOWED PAYLOAD		119674	

CAPTAIN:

FUEL TANK STATUS: ALL FUEL TANKS OK

CAPTAINS INFO BEFORE LMC

IMBALANCE 1.1 %
NOTOC DG NO
NOTOC SC NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD	**AFT**
ZFW MAC	24.0 %	16	33
TOW MAC	23.0 %	12	33
LDG MAC	23.0 %	14	33
STABTRIM			

LOAD SUPERVISOR: _____ (PRINT NAME)

_____ (SIGNATURE)

CPT ACCEPTANCE : _____ (SIGNATURE)

UNDERLOAD BEFORE LMC: 42201 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY:

RELEASE NOT VALID

---	---	---	---
LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE

PW - FDP

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI 15R Flaps 10

```
RKSI              PW4056
FLT NO    RLS NO    TIME
0416         0     ####Z
WIND KTS  OAT C      QNH
240/02     +06      1008
------------------------
GRWT 280.0    VREF30 152
FUEL  40.0
ZFW  240.0

REMARKS
WET RUNWAY
29-11-02-01
ENGINE ANTI-ICE ON

RKSI  15R          12303
TOGW  278.4   SMRGN 5587
FLAPS 10        PACKS ON
ATM   ---         V1 138
THR   TO          VR 141
EPR   1.51        V2 160
CG    23.0     TRIM  5.0

DT H154      ACCEL  1000
```

RJAA 16R Flaps 25

```
RJAA              PW4056
FLT NO     LDW      TIME
0416      259.9    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
------------------------
REMARKS
NONE

16R                13123
LDW 259.9   MRLW 400.0/A
FLAPS 25    VREF +05
AUTOBRK 2     9824   2.9
AUTOBRK 3     8755   3.1
AUTOBRK 4     7418   3.3
MAX AUTO      6052   3.6
MAX MAN       5124   3.8
```

RJAA 16R Flaps 25 Reverse Credit

```
RJAA              PW4056
FLT NO     LDW      TIME
0416      259.9    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
------------------------
REMARKS
THRUST REV CREDIT

16R                13123
LDW 259.9   MRLW 400.0/A
FLAPS 25    VREF +05
AUTOBRK 2     9768   1.1
AUTOBRK 3     8744   1.7
AUTOBRK 4     7418   2.2
MAX AUTO      6052   2.9
MAX MAN       5124   3.5
```

RJAA 16R Flaps 30 Reverse Credit

```
RJAA              PW4056
FLT NO     LDW      TIME
0416      259.9    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
------------------------
REMARKS
THRUST REV CREDIT

16R                13123
LDW 259.9   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2     8990   1.0
AUTOBRK 3     8131   1.4
AUTOBRK 4     6910   1.9
MAX AUTO      5674   2.6
MAX MAN       4875   3.1
```

RJAA 16R Flaps 30

```
RJAA              PW4056
FLT NO     LDW      TIME
0416      259.9    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
-----------------------
REMARKS
NONE

16R               13123
LDW 259.9   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2     9080   2.6
AUTOBRK 3     8142   2.9
AUTOBRK 4     6910   3.1
MAX AUTO      5674   3.2
MAX MAN       4875   3.4
```

RJAA 16R Flaps 25 HYD SYS 1+4

```
RJAA              PW4056
FLT NO     LDW      TIME
0416      259.9    ####Z
WIND KTS  OAT C      QNH
000/00     +10      1008
-----------------------
REMARKS
HYD PRESS SYS 1+4 -
FLAPS 25 VREF 30+20

16R               13123
LDW 259.9   MRLW 399.1/A
FLAPS 25    VREF +20
AUTOBRK 2    -----   ---
AUTOBRK 3    -----   ---
AUTOBRK 4    -----   ---
MAX AUTO     -----   ---
MAX MAN       7401   4.7
```

COMPANY NOTAMS

GENERAL

RKSI **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RKSI-FREQ

RKSI IN-RANGE CALL FREQ

ATLAS AIR OPS (B777, B747, B767) USE - 131.000

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-CURFEW

****
NRT CURFEW:
B747-400/F CURFEW = 1400-2100Z DAILY
N###MC, N###MC, N###SG, N###SG, N###BA CURFEW = 1500-2100Z DAILY
B767, B777, B748 CURFEW = 1500-2100Z DAILY
****

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-FLTOPS

NRT RUNWAY USE

DUE TO SLOT RESTRICTIONS IN NRT, POLAR ARRIVALS BETWEEN 1200Z
1400Z MAY BE ASSIGNED RWY 34R/16L. YOU MAY REQUEST RWY 34L/16R
IF NECESSARY.

FOR DEPARTURES, UTILIZE THE DEPARTURE RUNWAY THAT IS ASSIGNED BY
ATC IN THE CLEARANCE. IF 34R/16L IS ASSIGNED IN THE CLEARANCE,
REQUEST 34L/16R IF REQUIRED FOR OPERATIONAL NECESSITY. MUST BE
WHEELS UP BY 1359Z DUE TO CURFEW.

IF AN EXCEPTION TO THIS REQUIREMENT OCCURS, FILE AN FCR.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-AERODATA

AERODATA PERFORMANCE
IF 1/8 INCH OR LESS OF WATER, FROST, DRY SNOW OR WET SNOW
- USE WET RUNWAY FOR TAKEOFF PERFORMANCE.
- USE RCC/BRAKING ACTION, IF PROVIDED, FOR LANDING PERFORMANCE.
  OTHERWISE, USE LANDING SURFACE CONDITION.
THIS IS IN ACCORDANCE WITH FOM 8.1 RCAM MATRIX.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-DEICE

DEICING / ANTI-ICING INFORMATION FORM
---
* 1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE) (CIRCLE ONE) *
*   *
* 2. FLUID TYPE (TYPE I, II, III, OR IV)   (CIRCLE ONE)
*   BRAND:.....................
*   *
* 3. FLUID MIXTURE RATIO -   /   *
*   (FOR TYPE II, III, OR IV FLUID ONLY)   *
*   *
* 4. TIME (UTC) OF THE START OF THE FINAL APPLICATION -   Z *
*   *
*   - - RETAIN THIS FORM WITH THE TRIP ENVELOPE - -   *
*   **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY** *

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-PUBS747A

CURRENT AIRCRAFT LIBRARY REVISIONS

CURRENT / CURRENT EFF ON RECEIPT
747-8F
- QRH..... REV 17 ##-XXX-## / NA
- DDG..... VER 20 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
- ECL ..... BFT2B-4000-01G9 / BFT29-4000-01L0
747-400P GE
- QRH..... REV 16 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400P PW
- QRH..... REV 7 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400F/C GE
- QRH..... REV 16 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400F/C PW
- QRH..... REV 10 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400LCF
- QRH..... REV 16 ##-XXX-## / NA
- DDG..... VER 8 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
ALL 747
- SUPERNUM/JS BRIEFING CARD...##-XXX-## / NA
FOR ALL DDG TRS - REFER TO EFB COMPLY365

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-WB INDEX

INDEX INFO REMOVED FROM W&B CO NOTAM. FOM 14.1.1 BEING REVISED.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ###-WB

N###MC WEIGHT AND BALANCE ADVISORY

BASIC CREW 161,657
+1 - 161,776 / +2 - 161,895 / +3 - 162,014
+4 - 162,133 / +5 - 162,252 / +6 - 162,371

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: B747-MAINDECK

****
FALSE MAIN DECK WARNINGS

THERE HAVE BEEN MULTIPLE FALSE MAIN DECK CARGO FIRE WARNING
MESSAGES CAUSED BY CONDENSATION OF MOISTURE AND FOG WHILE
CARRYING HIGH DENSITY FLOWERS AND LIVE ANIMALS SUCH AS PIGS
*MOST FALSE CARGO FIRE WARNING MESSAGES HAVE OCCURRED SEVERAL HRS
INTO THE FLIGHT AND MAIN DECK TEMP BELOW 8 DEGREES
*ANYTIME PERISHABLES OR LIVE ANIMALS ARE ON BOARD
THE USE OF FCOM SP PROCEDURES FOR CARRIAGE
OF ANIMALS AND PERISHABLES (FREIGHTER) MUST BE FOLLOWED
*IAW WITH FOM GUIDANCE, FLIGHT CREWS SHOULD DETERMINE THE
BEST COURSE OF ACTION BEFORE ENTERING CLASS E CARGO
COMPARTMENTS (MAIN DECK) TO VERIFY THE PRESENCE OF A FIRE

****

APT RKSI

ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

RUNWAY

RKSI ICN A1656/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

RWY 15L/33R CLSD DUE TO CONSTRUCTION
ACFT CROSSING RWY 15L/33R AVBL UNDER ATC INSTRUCTION

RKSI ICN A1657/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

RWY 16L/34R CLSD DUE TO WIP

RAMP

RKSI ICN Z1295/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM - AIRAC AIP SUP 103/25
WEF #### UTC ## XXX #### TO #### UTC ## XXX ####
- ACFT STAND NR 711 OPNL RESTRICTION

AIRSPACE

RKSI ICN A1654/25 ####-XXX-## ##:## - PERM
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 73/24 :
1. RECAT PROC WILL BE USED WI SEOUL TMA(RKSI, RKSS)
2. RECAT WAKE TURB MNM BASED ON GROUPING OF TYP INTO SEVEN GROUPS(A TO G)

OBSTACLE

RKSI ICN A1655/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

TEMP OBST(CRANE) ERECTED AS FLW :
1. AREA BOUNDED BY 372611N1262743E 372615N1262743E 372614N1262748E 372611N1262743E
2. HGT : 74.7M(245.08FT) AMSL
3. RADIUS : 70M

GENERAL

RKSI ICN Z1294/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM - AIRAC AIP SUP 102/25
WEF #### UTC ## XXX #### TO #### UTC ## XXX ####
- OPNL RESTRICTION

RKSI ICN Z1290/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM - PERM AIRAC AIP AMDT 12/25 WEF #### UTC ## XXX ####
- INFORMATION OF ISSUANCE OF DE/ANTI-ICING OPNS PHASE
- INFORMATION OF HOT SPOT, STOP-BAR LGTS, MAG VAR(9 DEGREE W 2020 CHG TO 9 DEGREE W 2025) AND ANNUAL RATE OF CHANGE(6 MIN W CHG TO 2 MIN W)

APT RJAA

NRT - TOKYO/NARITA INTL DESTINATION ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

OBSTACLE

RJAA NRT A1612/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

XXX ##-## ##-## ##-## ##-## XXX
##-## ##-## ##-## ##-## ####/####
HVY EQPT EXIST ABV APCH SFC FOR RWY 34R
1.PSN : BOUNDED BY FLW POINT
354648.43N1402348.29E 354644.60N1402351.06E
354642.96N1402351.06E 354643.33N1402348.76E
354643.43N1402347.48E 354642.18N1402344.88E
354645.23N1402341.08E
(701M TO 875M BFR RWY 34R THR AND
40M RIGHT TO 166M LEFT EXTENDED RCL)
(NARITA-SHI IN CHIBA)
2.NUMBER : 1
3.RMK : WX MNM, INST APCH PROC, DEP PROC NO CHANGE

APT RJTT

HND - TOKYO/HANEDA INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 04/22 05/23 16L/34R 16R/34L

GENERAL

NIL

FIR RKRR

INCHEON FIR

GENERAL

NIL

FIR RJJJ

FUKUOKA FIR

GENERAL

NIL

APT RKSI

ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

TAF

```
TAF RKSI ######Z ####/#### 24002KT 0400 FG OVC001 TX06/####Z TN00/####Z
```

METAR

```
METAR RKSI ######Z 24002KT 0400 R15R/0350 FG OVC001 06/00 Q1008 NOSIG
```

APT RJAA

NRT - TOKYO/NARITA INTL DESTINATION ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

TAF

```
TAF RJAA ######Z ####/#### 00000KT 6000 OVC008
```

METAR

```
METAR RJAA ######Z 00000KT 6000 OVC008 10/06 Q1008 NOSIG
```

APT RJTT

HND - TOKYO/HANEDA INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 04/22 05/23 16L/34R 16R/34L

TAF

```
TAF RJTT ######Z ####/#### 00000KT 6000 OVC008
```

METAR

```
METAR RJTT ######Z 00000KT 6000 OVC008 10/06 Q1008 NOSIG
```

FIR RKRR

INCHEON FIR

SIGMET

```
NIL
```

FIR RJJJ

FUKUOKA FIR


SIGMET

```
NIL
```

Maps and Company Docs

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Note - this is a placeholder or a representative company OFP Weather map and may not reflect the actual enroute weather conditions



CLEARANCE and ATIS

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI DEP ATIS A ####Z

```
EXP RWY 15R
RVR 1200/1200/1200
WIND 240/02KT  VIS 1/4 MILE
OVC 001  T 6  DP 0  QNH 1008
RWY 15L CLOSED DUE TO
CONSTRUCTION.
RWY 16L UNUSABLE DUE TO WORK IN
PROGRESS.
CAUTION BIRD ACTIVITY.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION ALPHA.
```

CLEARANCE - DCL RKSI GTI 416

```
CLD ####Z ###### RKSI PDC 007
GTI416 CLRD RJAA OFF 15R VIA
OSPOT_2C CLIMB VIA SID FL150
SQUAWK 1477
ATIS A
```

RJAA ARR ATIS BRAVO ####Z

```
WIND CALM  VIS 6 KILOMETERS
CEILING 800 OVERCAST
T 10  DP 6
QNH 1008 HECTOPASCALS
APPROACH IN USE ILS Z RWY 16R
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION BRAVO.
```