CQLOE.1_B Flight Crew Paperwork

B747-400F / CF680C2B#F / PW#### Callsign: GIANT 604 HEAVY RKSI / RJAA

NOTE: ALL DATA IS FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

GTI604/## **RKSI - RJAA** **## XXX ##** **N###MC**
COST INDEX 040 **Revision: 0**
B747-400F / CF6-80C2-B1F / KG / IFR / **FF +5.5**
PROGS ###### Release Valid Until ####Z ##XXX##

ORIG	RKSI/ICN SEOUL/INCHEON INTL	N37278E126263 ####Z
DEST	RJAA/NRT TOKYO/NARITA INTL	N35459E140231 ####Z
PALT	RJGG/NGO CHUBU/CENTRAIR INTL	N34515E136483 ####Z

RKSI/F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/F340 Y30 SWAMP SWAMPN RJAA

Coldest Fuel Temp: N/A A/WC: T087 T-DEV: P04
FMC Reserves: 14.1 ADIS: 813

	RKSI-RJAA		
ALT1/2	RJGG/		
	FUEL	TIME	GDIS
TRIP	**020647**	**01.53**	**0924**
CONT	001919	00.11	
ALT1	009598	00.51	0286
FRES	004522	00.30	
ADD.AL	000342	00.02	
PCF	000000	00.00	
MINF	**037028**	**03.27**	**....**
EXTRA	047372	05.08	
TOF	084400		
TAXI	001600	00.35	
BLOCK	**086000**	**09.10**	
REMF	**063753**	**06.54**	**....**

	Weight	**Actual**	**Limit**	
DOW	161657			
PYLD	068343			
ZFW	230000	.....	S288031	ZFW INC/1000 X 57 MINF ADJ
RAMP	316000		S397800	
TOGW	314400	.....	L322739	
LDGW	293753		S302092	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Remarks

RAIM VALIDATION PASSED

EXTRA FUEL FOR TANKERING

GCC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD

RKSI CAT II/III - RWY 15L/15R/16L/16R/33L/33R/34L/34R
RJAA CAT II/III - RWY 16R
RJGG CAT II - RWY 18/36
RJGG CAT III - RWY 36

MEL/CDL
No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. ..	
			TO/LNDG Expiry: --	
FO	2	2	.. ..	
			TO/LNDG Expiry: --	

TO/LNDG currency questions? contact Duty Pilot

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

TIME		FUEL			
OUT:	/	ETA RJAA:		UPLIFT:	
OFF:	/	SOB:		PYLD:	
ON:	/	RVSM ALTIMETER RECORD			
IN:	/	L:	S:		R:

```
(FPL-GTI604-IS
-B744/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-RKSI####
-N0485F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI
Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/N0490F340 Y30
SWAMP
-RJAA0153 RJGG
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE
DOF/###### REG/N###MC EET/RJJJ0031 SEL/#### CODE/###### OPR/GTI
RMK/EMERG CTC 19147018045 TCAS II EQUIPPED)
```

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	RKSI 00023 FT							SEOUL/INCHEON INTL			
	N37 27.8										
	E126 26.3										
OSPOT2C	**OSPOT**										
	N36 50.3	123	063	372	343	00.11			CLB	T029	0794
	E127 20.9	114	143	CLB	CLB	00.11		CLB	CLB	293/035	
Y782	**VASLI**										
	N36 42.9	144	011	523	462	00.01			CLB	T061	0790
	E127 30.0	135	148	CLB	CLB	00.12		CLB	CLB	290/068	
Y782	**MAKDU**										
	N36 27.2	144	022	541	479	00.03			CLB	T063	0782
	E127 49.2	135	149	CLB	CLB	00.15		CLB	CLB	285/075	
Y782	**BITUX**										
	N36 16.7	145	014	542	478	00.01			CLB	T065	0778
	E128 01.8	136	152	CLB	CLB	00.16		CLB	CLB	278/086	
Y782	**TOC**										
	N36 09.1	145	011	549	477	00.01			CLB	T073	0776
	E128 10.9	136	153	CLB	CLB	00.17		CLB	CLB	278/095	
Y782	**TGU**		**DALSEONG**					**112.20**			
	N35 48.6	145	029	558	485	00.03			P04	T074	0770
	E128 35.4	136	153	284	834	00.20		F350	-50	278/099	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK NM GS TAS LEG-T ETA TTK MH IAS .M TOT-T ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y659	**LAPAL**					
	N35 54.2	085 024 574 484 00.03		P04	T091	0766
	E129 04.9	077 080 284 832 00.23	F350	-50	278/099	
Y659	**KPO POHANG**		**112.50**			
	N35 58.6	086 020 573 484 00.02		P04	T090	0762
	E129 28.5	077 081 284 832 00.25	F350	-50	277/097	
Y685	**BULGA**					
	N35 56.2	107 017 578 484 00.02		P04	T095	0759
	E129 49.4	098 107 284 831 00.27	F350	-50	277/095	
(RJJJ)	AT SAPRA	00.31 FUKUOKA FIR				
Y685	**SAPRA**					
	N35 49.4	107 044 579 483 00.04		P04	T096	0751
	E130 43.4	099 108 283 830 00.31	F350	-50	277/097	
Y599	**KABKI**					
	N35 45.2	101 094 580 483 00.10		P04	T097	0734
	E132 39.5	092 099 283 830 00.41	F350	-50	278/098	
Y597	**PEPOS**					
	N35 43.0	131 005 572 484 00.01		P04	T090	0733
	E132 43.8	122 136 284 831 00.42	F350	-50	280/099	
Y597	**MIHOU**					
	N35 31.9	131 021 582 485 00.02		P06	T098	0729
	E133 05.6	122 137 283 830 00.44	F350	-48	278/109	
Y45	**ATPOD**					
	N35 40.9	080 028 579 485 00.03		P06	T095	0724
	E133 38.5	071 072 283 830 00.47	F350	-48	279/109	
Y45	**SAKYU**					
	N35 55.0	080 045 568 484 00.05		P05	T084	0716
	E134 31.1	071 073 284 831 00.52	F350	-50	280/099	
Y45	**MADUL**					
	N35 59.0	080 013 568 484 00.01		P05	T084	0713
	E134 46.2	072 074 283 831 00.53	F350	-49	281/099	
Y45	**SONBU**					
	N36 11.5	081 041 568 484 00.04		P05	T084	0706
	E135 35.0	072 074 283 831 00.57	F350	-49	281/099	
Y45	**KMC KOMATSU**		**112.00**			
	N36 23.8	081 042 568 484 00.05		P05	T085	0698
	E136 24.3	073 074 283 831 01.02	F350	-49	281/099	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y515	ZUWAI										
	N36 37.8	070	029	556	485	00.03			P05	T071	0692
	E136 57.0	062	062	284	833	01.05		F350	-49	281/097	
Y517	OTARI										
^110	N36 47.4	088	056	571	484	00.06			P05	T088	0682
	E138 05.6	080	083	283	831	01.11		F350	-49	281/095	
Y517	HAKKA										
	N36 50.6	089	019	572	484	00.02			P05	T089	0679
	E138 28.8	080	083	284	830	01.13		F350	-50	282/098	
Y517	IKAHO										
	N36 55.2	089	029	569	484	00.03			P05	T085	0674
	E139 04.5	081	084	284	831	01.16		F350	-50	282/093	
Y517	MAUKA										
	N36 58.4	089	020	561	484	00.02			P04	T079	0670
	E139 29.1	081	085	285	832	01.18		F350	-51	281/085	
Y517	YAGAN										
	N37 00.8	089	015	559	482	00.02			P02	T078	0667
	E139 47.9	081	085	284	832	01.20		F350	-52	280/083	
Y517	SYOEN										
	N37 02.3	090	010	560	482	00.01			P02	T078	0665
	E140 00.2	081	086	284	832	01.21		F350	-52	280/083	
Y517	LIVET										
	N37 04.1	089	012	559	482	00.01			P02	T078	0663
	E140 14.6	081	085	284	832	01.22		F350	-52	280/083	
Y517	ESKAS										
	N37 06.6	090	017	560	482	00.02			P02	T078	0660
	E140 35.8	081	086	284	832	01.24		F350	-52	280/083	
Y303	TOD										
	N37 01.7	135	008	559	485	00.01			P04	T075	0659
	E140 44.2	126	139	284	833	01.25		F350	-50	282/084	
Y303	ENTAK										
	N36 59.6	135	004	567	491	00.00			DSC	T077	0658
	E140 47.7	126	139	DSC	DSC	01.25		F340	DSC	284/085	
Y30	GURIP										
	N36 33.3	205	027	474	490	00.03			P05	H015	0652
	E140 37.6	197	215	292	836	01.28		F340	-47	282/086	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK NM TTK MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y30	**SWAMP**									
	N36 19.2	205 015	469	485	00.02			DSC	H015	0651
	E140 32.3	197 216	DSC	DSC	01.30		DSC	DSC	284/096	
SWAMPN	**RJAA**	00135 FT					TOKYO/NARITA INTL			
	N35 45.9	141 119	337	333	00.23			DSC	T004	0638
	E140 23.1	133 185	DSC	DSC	01.53		DSC	DSC	309/030	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

Destination Primary Alternate Route

RJAA PIGOK2 PIGOK Y50 OLTOM OLTOMM RJGG

RJAA/0340

GCD 184 GDIS286 FUEL 9598 TIME 00.51

MORA 8100

GE - TLR

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
TAKEOFF AND LANDING REPORT GTI 0604 RKSI-RJAA XXXXXXX
TLR-3 SEQ-88564344 ##XXX## ####Z
A/C N###MC  B747-400F CF680C2B1F KG

ACARS INIT DATE = ##    ACARS TAKEOFF REQUEST = ####Z-####Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = -10C TO MT      QNH = GREATER OR EQUAL TO 1003

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
RKSI 15R         0.0  240M02 1008  10  3144 3227

RMKS PACKS ON
     ENGINE ANTI-ICE ON
     WET RUNWAY
     FLAPS PLANNED AT 10 ONLY

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2

-------- -------- --------------------------
SMRGN    ACCEL    EFP

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
15L           12303 DT H154
15R           12303 DT H154
16L           13123 DT H154
16R           12303 DT H154
33L           12303 LT H240
33R           12303 LT H240
34L           12303 LT H240
34R           13123 LT H240

-------------- DRY RWY - PTOW - ENG A/I ON - CALM WIND --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3144 49  91.7 D-TO 2 - PACKS ON   10 149 159 168
15R          3144 49  91.7 D-TO 2 - PACKS ON   10 149 159 168
16L          3144 49  91.7 D-TO 2 - PACKS ON   10 153 159 168
16R          3144 49  91.7 D-TO 2 - PACKS ON   10 149 159 168
33L          3144 49  91.7 D-TO 2 - PACKS ON   10 149 159 168
33R          3144 49  91.7 D-TO 2 - PACKS ON   10 149 159 168
34L          3144 49  91.7 D-TO 2 - PACKS ON   10 149 159 168
34R          3144 49  91.7 D-TO 2 - PACKS ON   10 153 159 168

--------- DRY RWY - PTOW PLUS 8300 - ENG A/I ON - CALM WIND ---------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3227 46  92.5 D-TO 2 - PACKS ON   10 151 161 170
15R          3227 46  92.5 D-TO 2 - PACKS ON   10 151 161 170
16L          3227 46  92.5 D-TO 2 - PACKS ON   10 154 161 170
16R          3227 46  92.5 D-TO 2 - PACKS ON   10 151 161 170
33L          3227 46  92.5 D-TO 2 - PACKS ON   10 151 161 170
33R          3227 46  92.5 D-TO 2 - PACKS ON   10 151 161 170
34L          3227 46  92.5 D-TO 2 - PACKS ON   10 151 161 170
34R          3227 46  92.5 D-TO 2 - PACKS ON   10 154 161 170
```

---------- DRY *RWY* - PTOW - ENG A/I ON - 15KT TW ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
15L	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
15R	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
16L	3144	43	93.3	D-TO 2 - PACKS ON	10	140	158	168
16R	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
33L	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
33R	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
34L	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
34R	3144	43	93.3	D-TO 2 - PACKS ON	10	140	158	168

---------- DRY *RWY* - PTOW PLUS 8300 - ENG A/I ON - 15KT TW ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
15L	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
15R	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
16L	3227	40	94.0	D-TO 2 - PACKS ON	10	143	160	170
16R	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
33L	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
33R	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
34L	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
34R	3227	40	94.0	D-TO 2 - PACKS ON	10	143	160	170

---------- WET *RWY* - PTOW - ENG A/I ON - CALM WIND ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
15L	3144	49	91.7	D-TO 2 - PACKS ON	10	149	159	168
15R	3144	49	91.7	D-TO 2 - PACKS ON	10	149	159	168
16L	3144	49	91.7	D-TO 2 - PACKS ON	10	153	159	168
16R	3144	49	91.7	D-TO 2 - PACKS ON	10	149	159	168
33L	3144	49	91.7	D-TO 2 - PACKS ON	10	149	159	168
33R	3144	49	91.7	D-TO 2 - PACKS ON	10	149	159	168
34L	3144	49	91.7	D-TO 2 - PACKS ON	10	149	159	168
34R	3144	49	91.7	D-TO 2 - PACKS ON	10	153	159	168

--------- WET *RWY* - PTOW PLUS 8300 - ENG A/I ON - CALM WIND ---------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
15L	3227	46	92.5	D-TO 2 - PACKS ON	10	151	161	170
15R	3227	46	92.5	D-TO 2 - PACKS ON	10	151	161	170
16L	3227	46	92.5	D-TO 2 - PACKS ON	10	154	161	170
16R	3227	46	92.5	D-TO 2 - PACKS ON	10	151	161	170
33L	3227	46	92.5	D-TO 2 - PACKS ON	10	151	161	170
33R	3227	46	92.5	D-TO 2 - PACKS ON	10	151	161	170
34L	3227	46	92.5	D-TO 2 - PACKS ON	10	151	161	170
34R	3227	46	92.5	D-TO 2 - PACKS ON	10	154	161	170

---------- WET *RWY* - PTOW - ENG A/I ON - 15KT TW ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
15L	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
15R	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
16L	3144	43	93.3	D-TO 2 - PACKS ON	10	140	158	168
16R	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
33L	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
33R	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
34L	3144	38	94.5	D-TO 2 - PACKS ON	10	138	157	168
34R	3144	43	93.3	D-TO 2 - PACKS ON	10	140	158	168

---------- WET *RWY* - PTOW PLUS 8300 - ENG A/I ON - 15KT TW ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
15L	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
15R	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
16L	3227	40	94.0	D-TO 2 - PACKS ON	10	143	160	170
16R	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
33L	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
33R	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
34L	3227	35	95.1	D-TO 2 - PACKS ON	10	142	159	170
34R	3227	40	94.0	D-TO 2 - PACKS ON	10	143	160	170

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	FLP	PLDW	PMRLW
RJAA	34L	3.0	268M03	1014	30	2938	4000

RMKS NONE

---------- *RUNWAY* INFO ----------

RWY	LENGTH	SLOPE	NOTES
16L	8202	0.07	
16R	13123	0.07	
34L	13123	-0.07	
34R	8202	-0.07	

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

	FLAPS 25	
LDW	DRY	WET
3100	11252	11252
3000	10897	10897
/ 2938	10677	10677
2900	10542	10542
2800	10202	10202
HW/KT	-28	-28
TW/KT	+161	+161
UP/1PCT	-207	-207
DN/1PCT	+150	+150

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

	FLAPS 25	
LDW	DRY	WET
3100	9942	9942
3000	9637	9637
/ 2938	9449	9449
2900	9333	9333
2800	9044	9044
HW/KT	-21	-21
TW/KT	+140	+140
UP/1PCT	-92	-92
DN/1PCT	+12	+23

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

	FLAPS 25	
LDW	DRY	WET
3100	8440	8785
3000	8187	8532
/ 2938	8030	8375
2900	7933	8278
2800	7694	8039
HW/KT	-14	-15
TW/KT	+115	+121
UP/1PCT	0	-35
DN/1PCT	+12	+46

AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -

	FLAPS 25	
LDW	DRY	WET
3100	6968	8592
3000	6740	8364
/ 2938	6599	8223
2900	6512	8136
2800	6313	7922
HW/KT	-11	-17
TW/KT	+87	+109
UP/1PCT	0	-115
DN/1PCT	+12	+150

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -

	FLAPS 25	
LDW	DRY	WET
3100	6397	8199
3000	6116	7996
/ 2938	5946	7871
2900	5841	7794
2800	5575	7591
HW/KT	-25	-17
TW/KT	+87	+107
UP/1PCT	-69	-138
DN/1PCT	+80	+161

322739/314400/293753/1600/20647/37028/86000

GE - Sable

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

ATLAS AIR B747-400MC INCREASED LOADSHEET PROD. TIME: ##:## (Rel. 5.2.11-11010) Loadsheet Printout NR: 1 Loadplan Printout NR: ..

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
ICN/NRT	GTI604	N###MC	0	##-XXX-####	##:##

Data Rev. Date: ##-XXX-####

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B1	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R			2210	1580	1580	2210	1580	4105	4105	3563	1260	1765	1010	1010	0	1260	1765	755
C	0	945																
L				1580	2210	1580	2210	4105	4105	4105	1765	1010	1765	755	0	755	1680	
IDX	0.00	-3.28	-6.88	-8.54	-8.49	-6.73	-4.98	-6.98	-3.18	0.57	1.63	2.78	4.06	3.40	0.00	5.22	10.52	2.70

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	53	54
	630	630	630	630	945	755	1765	2015	2015	0	0	0
IDX	-1.88	-1.65	-1.34	-1.12	-1.34	0.58	2.00	3.00	3.72	0.00	0.00	0.00

		WGT KG	INDEX
BASIC OPERATING WGT		161657	73.64
BALLAST		0	0.00
ACM	(00)	0	0.00
SWA		0	-0.00
TOTAL TRAFFIC LOAD		68343	-16.21
ZERO FUEL WEIGHT	(Max: 288031)	230000	57.43
TAXI FUEL		1600	-0.54
TAKE OFF FUEL		84400	5.02
TAKE OFF WEIGHT	(Op. Max: 396893)	314400	62.45
TRIP FUEL		20647	6.03
LANDING WEIGHT	(Max: 302092)	293753	56.42
ALLOWED PAYLOAD		76682	

CAPTAIN:

FUEL TANK STATUS: ALL FUEL TANKS OK

CAPTAINS INFO BEFORE LMC

IMBALANCE -1.5 %
NOTOC DG NO
NOTOC SC NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD		AFT
ZFW MAC	22.7 %	16	----------I----------	33
TOW MAC	23.3 %	12	----------I----------	33
LDG MAC	21.9 %	14	----------I----------	33
STABTRIM				

LOAD SUPERVISOR: _____ (PRINT NAME)

_____ (SIGNATURE)

CPT ACCEPTANCE : _____ (SIGNATURE)

UNDERLOAD BEFORE LMC: 8339 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY:

NOT VALID FOR RELEASE (MIA)

LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE
----------	----------	----------	----------

GE - FDP

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
RKSI           CF680C2B#F
FLT NO     RLS NO     TIME
604            0      ####Z
WIND KTS   OAT C       QNH
240/02      +00       1008
------------------------
GRWT 316.0     VREF30 162
FUEL  86.0
ZFW  230.0

REMARKS
WET RUNWAY
ENGINE ANTI-ICE ON

RKSI  15R           12303
TOGW  314.4    SMRGN 2618
FLAPS 10         PACKS ON
ATM   49C          V1 149
THR   D-TO 2       VR 159
N1    91.7         V2 168
CG    23.3      TRIM  6.1

DT H154       ACCEL  1000
```

RKSI **CF680C2B#F**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REVERSE CREDIT
FLAPS DRIVE - FLAPS 25

15R 12303
LDW 302.0 MRLW 399.1/A
FLAPS 25 VREF +05

AUTOBRK 2	10568	2.1
AUTOBRK 3	9788	3.0
AUTOBRK 4	8651	3.9
MAX AUTO	7481	4.9
MAX MAN	7116	5.9

RKSI **CF680C2B#F**

FLT NO	LDW	TIME
604	307.6	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REVERSE CREDIT
FLAPS DRIVE - FLAPS 25

15R 12303
LDW 307.6 MRLW 399.1/A
FLAPS 25 VREF +05

AUTOBRK 2	10741	2.2
AUTOBRK 3	9892	3.1
AUTOBRK 4	8757	4.2
MAX AUTO	7584	5.2
MAX MAN	7209	6.1

SMLDW EXCEEDED BY 5508

RKSI **CF680C2B#F**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
FLAPS DRIVE - FLAPS 25

15R 12303
LDW 302.0 MRLW 399.1/A
FLAPS 25 VREF +05

AUTOBRK 2	11358	4.9
AUTOBRK 3	9963	5.4
AUTOBRK 4	8940	5.8
MAX AUTO	8721	6.3
MAX MAN	8301	6.6

RKSI **CF680C2B#F**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON

15R 12303
LDW 302.0 MRLW 399.9/F
FLAPS 25 VREF +05

AUTOBRK 2	10901	3.9
AUTOBRK 3	9641	4.2
AUTOBRK 4	8530	4.5
MAX AUTO	8357	4.9
MAX MAN	7998	5.2

RKSI **CF680C2B#F**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REVERSE CREDIT
FLAPS DRIVE - FLAPS 25

16R 12303
LDW 302.0 MRLW 399.1/A
FLAPS 25 VREF +05

AUTOBRK 2	10568	2.1
AUTOBRK 3	9788	3.0
AUTOBRK 4	8651	3.9
MAX AUTO	7481	4.9
MAX MAN	7116	5.9

RKSI **CF680C2B#F**

FLT NO	LDW	TIME
604	307.6	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REVERSE CREDIT
FLAPS DRIVE - FLAPS 25

16R 12303
LDW 307.6 MRLW 399.1/A
FLAPS 25 VREF +05

AUTOBRK 2	10742	2.2
AUTOBRK 3	9892	3.1
AUTOBRK 4	8757	4.2
MAX AUTO	7584	5.2
MAX MAN	7210	6.1

SMLDW EXCEEDED BY 5508

RKSI **CF680C2B#F**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
FLAPS DRIVE - FLAPS 25

16R 12303
LDW 302.0 MRLW 399.1/A
FLAPS 25 VREF +05

AUTOBRK 2	11358	4.9
AUTOBRK 3	9963	5.4
AUTOBRK 4	8940	5.8
MAX AUTO	8721	6.3
MAX MAN	8301	6.6

RKSI **CF680C2B#F**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON

16R 12303
LDW 302.0 MRLW 399.9/F
FLAPS 25 VREF +05

AUTOBRK 2	10901	3.9
AUTOBRK 3	9641	4.2
AUTOBRK 4	8530	4.5
MAX AUTO	8357	4.9
MAX MAN	7998	5.2

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

GTI604/## **RKSI - RJAA** **## XXX ##** **N###MC**
COST INDEX 080 **Revision: 0**
B747-400F / PW4056 / KG / IFR / **FF +2.7**
PROGS ###### Release Valid Until ####Z ##XXX##

ORIG	RKSI/ICN SEOUL/INCHEON INTL	N37278E126263 ####Z
DEST	RJAA/NRT TOKYO/NARITA INTL	N35459E140231 ####Z
PALT	RJGG/NGO CHUBU/CENTRAIR INTL	N34515E136483 ####Z

RKSI/F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/F340 Y30 SWAMP SWAMPN RJAA

Coldest Fuel Temp: N/A A/WC: T080 T-DEV: P05
FMC Reserves: 14.3 ADIS: 813

	RKSI-RJAA		
ALT1/2	RJGG/		
	FUEL	TIME	GDIS
TRIP	**020731**	**01.53**	**0924**
CONT	001915	00.11	
ALT1	009555	00.50	0286
FRES	004768	00.30	
ADD.AL	000469	00.02	
PCF	000000	00.00	
MINF	**037438**	**03.26**	**....**
EXTRA	046962	04.48	
TOF	084400		
TAXI	001600	00.35	
BLOCK	**086000**	**08.49**	
REMF	**063669**	**06.30**	**....**

	Weight	**Actual**	**Limit**	
DOW	164182			
PYLD	065818			
ZFW	230000	.....	S288031	ZFW INC/1000 X 57 MINF ADJ
RAMP	316000		S397800	
TOGW	314400	.....	L322823	
LDGW	293669		S302092	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Remarks

RAIM VALIDATION PASSED

EXTRA FUEL FOR TANKERING

GCC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD

RKSI CAT II/III - RWY 15L/15R/16L/16R/33L/33R/34L/34R
RJAA CAT II/III - RWY 16R
RJGG CAT II - RWY 18/36
RJGG CAT III - RWY 36

MEL/CDL
No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. ..	
			TO/LNDG Expiry: --	
FO	2	2	.. ..	
			TO/LNDG Expiry: --	

TO/LNDG currency questions? contact Duty Pilot

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

TIME		FUEL			
OUT:	/	ETA RJAA:		UPLIFT:	
OFF:	/	SOB:		PYLD:	
ON:	/	RVSM ALTIMETER RECORD			
IN:	/	L:	S:		R:

```
(FPL-GTI604-IS
-B744/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-RKSI####
-N0485F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI
Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/N0491F340 Y30
SWAMP
-RJAA0153 RJGG
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE
DOF/###### REG/N###MC EET/RJJJ0032 SEL/#### CODE/###### OPR/GTI
RMK/EMERG CTC 19147018045 TCAS II EQUIPPED)
```

Overflight/Landing Permits

AWY / MORA	WPT	MTK / TTK	NM / MH	GS / IAS	TAS / .M	LEG-T / TOT-T	ETA / ATA	MTRS / FL	ISA / TEMP	WC / WIND	REMF / AREM
	RKSI 00023 FT							SEOUL/INCHEON INTL			
	N37 27.8										
	E126 26.3										
OSPOT2C	**OSPOT**										
	N36 50.3	123	063	376	347	00.12			CLB	T029	0793
	E127 20.9	114	143	CLB	CLB	00.12		CLB	CLB	293/034	
Y782	**VASLI**										
	N36 42.9	144	011	532	477	00.01			CLB	T055	0789
	E127 30.0	135	148	CLB	CLB	00.13		CLB	CLB	290/064	
Y782	**MAKDU**										
	N36 27.2	144	022	555	493	00.02			CLB	T063	0781
	E127 49.2	135	149	CLB	CLB	00.15		CLB	CLB	288/072	
Y782	**BITUX**										
	N36 16.7	145	014	552	491	00.02			CLB	T062	0777
	E128 01.8	136	150	CLB	CLB	00.17		CLB	CLB	281/077	
Y782	**TOC**										
	N35 59.9	145	024	558	489	00.02			CLB	T070	0771
	E128 22.0	136	152	CLB	CLB	00.19		CLB	CLB	278/089	
Y782	**TGU**		**DALSEONG**				**112.20**				
	N35 48.6	145	016	558	485	00.02			P04	T074	0768
	E128 35.4	136	153	284	833	00.21		F350	-50	278/099	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY / MORA	WPT	MTK / TTK	NM / MH	GS / IAS	TAS / .M	LEG-T / TOT-T	ETA / ATA	MTRS / FL	ISA / TEMP	WC / WIND	REMF / AREM
Y659	LAPAL										
	N35 54.2	085	024	574	484	00.03			P04	T091	0763
	E129 04.9	077	080	284	832	00.24		F350	-50	278/099	
Y659	KPO		POHANG					112.50			
	N35 58.6	086	020	573	484	00.02			P04	T090	0760
	E129 28.5	077	081	284	832	00.26		F350	-50	277/097	
Y685	BULGA										
	N35 56.2	107	017	578	484	00.02			P04	T095	0757
	E129 49.4	098	107	284	831	00.28		F350	-50	277/095	
(RJJJ)	AT SAPRA					00.32	FUKUOKA FIR				
Y685	SAPRA										
	N35 49.4	107	044	579	484	00.04			P04	T096	0749
	E130 43.4	099	108	284	831	00.32		F350	-50	277/097	
Y599	KABKI										
	N35 45.2	101	094	580	484	00.10			P04	T097	0732
	E132 39.5	092	099	284	831	00.42		F350	-50	278/098	
Y597	PEPOS										
	N35 43.0	131	005	573	484	00.00			P04	T090	0731
	E132 43.8	122	136	284	831	00.42		F350	-50	280/099	
Y597	MIHOU										
	N35 31.9	131	021	582	485	00.02			P06	T098	0728
	E133 05.6	122	137	283	831	00.44		F350	-48	278/109	
Y45	ATPOD										
	N35 40.9	080	028	579	486	00.03			P06	T095	0722
	E133 38.5	071	072	284	831	00.47		F350	-48	279/109	
Y45	SAKYU										
	N35 55.0	080	045	568	485	00.05			P05	T084	0714
	E134 31.1	071	073	284	832	00.52		F350	-50	280/099	
Y45	MADUL										
	N35 59.0	080	013	568	485	00.02			P05	T084	0712
	E134 46.2	072	074	284	831	00.54		F350	-49	281/099	
Y45	SONBU										
	N36 11.5	081	041	568	485	00.04			P05	T084	0704
	E135 35.0	072	074	284	831	00.58		F350	-49	281/099	
Y45	KMC		KOMATSU					112.00			
	N36 23.8	081	042	568	484	00.04			P05	T085	0697
	E136 24.3	073	074	283	831	01.02		F350	-49	281/099	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y515	ZUWAI										
	N36 37.8	070	029	555	485	00.04			P05	T071	0691
	E136 57.0	062	062	284	832	01.06		F350	-49	281/097	
Y517	OTARI										
^110	N36 47.4	088	056	571	484	00.05			P05	T088	0682
	E138 05.6	080	083	283	831	01.11		F350	-49	281/095	
Y517	HAKKA										
	N36 50.6	089	019	572	484	00.02			P05	T089	0678
	E138 28.8	080	083	284	830	01.13		F350	-50	282/098	
Y517	IKAHO										
	N36 55.2	089	029	568	484	00.03			P05	T085	0673
	E139 04.5	081	084	284	831	01.16		F350	-50	282/093	
Y517	MAUKA										
	N36 58.4	089	020	561	483	00.03			P04	T079	0669
	E139 29.1	081	085	284	831	01.19		F350	-51	281/085	
Y517	YAGAN										
	N37 00.8	089	015	559	482	00.01			P02	T078	0668
	E139 47.9	081	085	284	831	01.20		F350	-52	280/083	
Y517	SYOEN										
	N37 02.3	090	010	559	482	00.01			P02	T078	0666
	E140 00.2	081	086	284	831	01.21		F350	-52	280/083	
Y517	LIVET										
	N37 04.1	089	012	559	482	00.02			P02	T078	0664
	E140 14.6	081	085	284	831	01.23		F350	-52	280/083	
Y517	ESKAS										
	N37 06.6	090	017	559	482	00.01			P02	T078	0661
	E140 35.8	081	086	284	831	01.24		F350	-52	280/083	
Y303	ENTAK										
	N36 59.6	135	012	558	483	00.02			P04	T075	0659
	E140 47.7	126	139	283	831	01.26		F350	-50	282/084	
Y30	GURIP										
	N36 33.3	205	027	472	491	00.03			P09	H018	0652
	E140 37.6	197	216	280	838	01.29		F340	-47	282/093	
Y30	TOD										
	N36 23.8	205	010	469	491	00.01			P09	H022	0650
	E140 34.0	197	217	280	838	01.30		F340	-47	281/105	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK NM TTK MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y30	**SWAMP**									
	N36 19.2	205 005	470	491	00.01			DSC	H020	0650
	E140 32.3	197 217	DSC	DSC	01.31		DSC	DSC	283/109	
SWAMPN	**RJAA**	00135 FT					TOKYO/NARITA INTL			
	N35 45.9	141 119	342	338	00.22			DSC	T004	0637
	E140 23.1	133 185	DSC	DSC	01.53		DSC	DSC	306/031	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

Destination Primary Alternate Route

RJAA PIGOK2 PIGOK Y50 OLTOM OLTOMM RJGG

RJAA/0340

GCD 184 GDIS286 FUEL 9555 TIME 00.50

MORA 8100

PW - TLR

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
TAKEOFF AND LANDING REPORT GTI604 RKSI-RJAA ##XXX##
TLR-6 SEQ-88565918 XXXXXXX ####Z
A/C N###MC  B747-400F PW4056 KG

ACARS INIT DATE = ##    ACARS TAKEOFF REQUEST = ####Z-####Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = -10C TO MT      QNH = GREATER OR EQUAL TO 1003

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
RKSI 15R         0.0  240M02 1008  10  3144 3228

RMKS ENGINE ANTI-ICE ON
     WET RUNWAY

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  EPR   THR/PACKS CONFIG  FLAPS  V1  VR  V2

-------- -------- ---------------------------
SMRGN    ACCEL    EFP

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
15L           12303 DT H154
15R           12303 DT H154
16L           13123 DT H154
16R           12303 DT H154
33L           12303 LT H240
33R           12303 LT H240
34L           12303 LT H240
34R           13123 LT H240

-------------- DRY RWY - PTOW - ENG A/I ON - CALM WIND --------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          3144 40  1.33 D-TO 2 - PACKS ON   10 148 159 168
15R          3144 40  1.33 D-TO 2 - PACKS ON   10 148 159 168
16L          3144 40  1.33 D-TO 2 - PACKS ON   10 152 159 168
16R          3144 40  1.33 D-TO 2 - PACKS ON   10 148 159 168
33L          3144 40  1.33 D-TO 2 - PACKS ON   10 148 159 168
33R          3144 40  1.33 D-TO 2 - PACKS ON   10 148 159 168
34L          3144 40  1.33 D-TO 2 - PACKS ON   10 148 159 168
34R          3144 40  1.33 D-TO 2 - PACKS ON   10 152 159 168

--------- DRY RWY - PTOW PLUS 8400 - ENG A/I ON - CALM WIND ---------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          3228 39  1.34 D-TO 2 - PACKS ON   10 149 161 170
15R          3228 39  1.34 D-TO 2 - PACKS ON   10 149 161 170
16L          3228 39  1.34 D-TO 2 - PACKS ON   10 153 161 170
16R          3228 39  1.34 D-TO 2 - PACKS ON   10 149 161 170
33L          3228 39  1.34 D-TO 2 - PACKS ON   10 149 161 170
33R          3228 39  1.34 D-TO 2 - PACKS ON   10 149 161 170
34L          3228 39  1.34 D-TO 2 - PACKS ON   10 149 161 170
34R          3228 39  1.34 D-TO 2 - PACKS ON   10 153 161 170
```

TAKEOFF AND LANDING REPORT GTI 0604 RKSI-RJAA XXXXXXX
TLR-6 SEQ-88565918 XXXXXXX ####Z

---------- DRY *RWY* - PTOW - ENG A/I ON - 15KT TW ---------- PAGE 2

RWY	MTOW	MT	EPR	CONFIG	FL	V1	VR	V2
15L	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
15R	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
16L	3144	38	1.34	D-TO 2 - PACKS ON	20	134	153	162
16R	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
33L	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
33R	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
34L	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
34R	3144	38	1.34	D-TO 2 - PACKS ON	20	134	153	162

---------- DRY *RWY* - PTOW PLUS 8400 - ENG A/I ON - 15KT TW ----------

RWY	MTOW	MT	EPR	CONFIG	FL	V1	VR	V2
15L	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
15R	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
16L	3228	35	1.36	D-TO 2 - PACKS ON	20	136	155	164
16R	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
33L	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
33R	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
34L	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
34R	3228	35	1.36	D-TO 2 - PACKS ON	20	136	155	164

---------- WET *RWY* - PTOW - ENG A/I ON - CALM WIND ----------

RWY	MTOW	MT	EPR	CONFIG	FL	V1	VR	V2
15L	3144	40	1.33	D-TO 2 - PACKS ON	10	148	159	168
15R	3144	40	1.33	D-TO 2 - PACKS ON	10	148	159	168
16L	3144	40	1.33	D-TO 2 - PACKS ON	10	152	159	168
16R	3144	40	1.33	D-TO 2 - PACKS ON	10	148	159	168
33L	3144	40	1.33	D-TO 2 - PACKS ON	10	148	159	168
33R	3144	40	1.33	D-TO 2 - PACKS ON	10	148	159	168
34L	3144	40	1.33	D-TO 2 - PACKS ON	10	148	159	168
34R	3144	40	1.33	D-TO 2 - PACKS ON	10	152	159	168

--------- WET *RWY* - PTOW PLUS 8400 - ENG A/I ON - CALM WIND ---------

RWY	MTOW	MT	EPR	CONFIG	FL	V1	VR	V2
15L	3228	39	1.34	D-TO 2 - PACKS ON	10	149	161	170
15R	3228	39	1.34	D-TO 2 - PACKS ON	10	149	161	170
16L	3228	39	1.34	D-TO 2 - PACKS ON	10	153	161	170
16R	3228	39	1.34	D-TO 2 - PACKS ON	10	149	161	170
33L	3228	39	1.34	D-TO 2 - PACKS ON	10	149	161	170
33R	3228	39	1.34	D-TO 2 - PACKS ON	10	149	161	170
34L	3228	39	1.34	D-TO 2 - PACKS ON	10	149	161	170
34R	3228	39	1.34	D-TO 2 - PACKS ON	10	153	161	170

---------- WET *RWY* - PTOW - ENG A/I ON - 15KT TW ----------

RWY	MTOW	MT	EPR	CONFIG	FL	V1	VR	V2
15L	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
15R	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
16L	3144	38	1.34	D-TO 2 - PACKS ON	20	134	153	162
16R	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
33L	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
33R	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
34L	3144	14	1.36	TO 2 - PACKS ON	20	140	152	162
34R	3144	38	1.34	D-TO 2 - PACKS ON	20	134	153	162

---------- WET *RWY* - PTOW PLUS 8400 - ENG A/I ON - 15KT TW --------- PAGE 3

RWY	MTOW	MT	EPR	CONFIG	FL	V1	VR	V2
15L	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
15R	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
16L	3228	35	1.36	D-TO 2 - PACKS ON	20	136	155	164
16R	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
33L	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
33R	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
34L	3228	14	1.36	TO 2 - PACKS ON	20	140	154	164
34R	3228	35	1.36	D-TO 2 - PACKS ON	20	136	155	164

/// LANDING DATA ///

TAKEOFF AND LANDING REPORT GTI604 RKSI-RJAA XXXXXXX
TLR-6 SEQ-88565918 XXXXXXX ####Z

APT	PRWY	POAT	PWIND	PQNH	FLP	PLDW	PMRLW
RJAA	34L	3.0	268M03	1014	30	2937	4000

RMKS NONE

---------- *RUNWAY* INFO ----------

RWY	LENGTH	SLOPE	NOTES
16L	8202	0.07	
16R	13123	0.07	
34L	13123	-0.07	
34R	8202	-0.07	

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

FLAPS 25

LDW	DRY	WET
3100	11281	11281
3000	10926	10926
/ 2937	10702	10702
2900	10571	10571
2800	10231	10231
HW/KT	-27	-27
TW/KT	+164	+164
UP/1PCT	-161	-161
DN/1PCT	+46	+46

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

FLAPS 25

LDW	DRY	WET
3100	9913	9913
3000	9635	9635
/ 2937	9459	9459
2900	9356	9356
2800	9077	9077
HW/KT	-20	-20
TW/KT	+141	+141
UP/1PCT	-35	-35
DN/1PCT	+12	+23

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND - PAGE 4

	FLAPS 25	
LDW	DRY	WET
3100	8440	8785
3000	8187	8532
/ 2937	8027	8372
2900	7933	8278
2800	7694	8039
HW/KT	-14	-15
TW/KT	+115	+121
UP/1PCT	0	-35
DN/1PCT	+12	+46

AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -

	FLAPS 25	
LDW	DRY	WET
3100	7030	8600
3000	6776	8372
/ 2937	6616	8228
2900	6522	8144
2800	6313	7916
HW/KT	-11	-02
TW/KT	+87	+112
UP/1PCT	0	-138
DN/1PCT	+12	+161

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -

	FLAPS 25	
LDW	DRY	WET
3100	6356	8206
3000	6077	8003
/ 2937	5905	7875
2900	5804	7800
2800	5539	7598
HW/KT	-25	-18
TW/KT	+86	+109
UP/1PCT	-80	-161
DN/1PCT	+93	+184

322823/314400/293669/1600/20731/37438/86000

END TAKEOFF AND LANDING REPORT GTI604 RKSI-RJAA XXXXXXX

PW - Sable

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

ATLAS AIR | B747-400MC INCREASED | LOADSHEET | (Rel. 5.2.11-11010) | Loadsheet Printout NR: 2

PROD. TIME: ##:## | Loadplan Printout NR: ..

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
ICN/NRT	GTI604	N###MC	0	##-XXX-####	##:##

Data Rev. Date: ##-XXX-####

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B1	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R			2175	1555	1555	2175	1555	4040	4040	3523	1245	1745	995	995	0	1245	1745	750
C	0	930																
L				1555	2175	1555	605	4040	4040	4040	1745	995	1745	750	0	750	1660	
IDX	0.00	-3.23	-6.77	-8.40	-8.36	-6.63	-2.84	-6.87	-3.13	0.56	1.61	2.74	4.01	3.36	0.00	5.17	10.40	2.68

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	53	54
	930	620	620	620	620	1745	1995	750	1995	0	0	0
IDX	-2.77	-1.62	-1.32	-1.10	-0.87	1.35	2.26	1.11	3.68	0.00	0.00	0.00

		WGT KG	INDEX
BASIC OPERATING WGT		164182	72.44
BALLAST		0	0.00
ACM	(00)	0	0.00
SWA		0	0.00
TOTAL TRAFFIC LOAD		65818	-14.98
ZERO FUEL WEIGHT	(Max: 288031)	230000	57.46
TAXI FUEL		1600	-0.54
TAKE OFF FUEL		84400	5.02
TAKE OFF WEIGHT	(Op. Max:396893)	314400	62.48
TRIP FUEL		20731	6.07
LANDING WEIGHT	(Max: 302092)	293669	56.41
ALLOWED PAYLOAD		74241	

CAPTAIN:

FUEL TANK STATUS: ALL FUEL TANKS OK

CAPTAINS INFO BEFORE LMC

IMBALANCE -2.3 %
NOTOC DG NO
NOTOC SC NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD		AFT
ZFW MAC	22.7 %	16	----------I----------	33
TOW MAC	23.3 %	12	----------I----------	33
LDG MAC	21.9 %	14	----------I----------	33
STABTRIM				

LOAD SUPERVISOR: _____ (PRINT NAME)

_____ (SIGNATURE)

CPT ACCEPTANCE : _____ (SIGNATURE)

UNDERLOAD BEFORE LMC: 8423 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY:

NOT VALID FOR RELEASE (MIA)

LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE
----------	----------	----------	----------

PW - FDP

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
RKSI                PW4056
FLT NO     RLS NO     TIME
604           0      ####Z
WIND KTS  OAT C       QNH
240/02     +00       1008
------------------------
GRWT 316.0    VREF30 162
FUEL  86.0
ZFW  230.0

REMARKS
WET RUNWAY
ENGINE ANTI-ICE ON

RKSI  15R           12303
TOGW  314.4   SMRGN 2358
FLAPS 10         PACKS ON
ATM   40C           V1 148
THR   D-TO 2        VR 159
EPR   1.33          V2 168
CG    23.3      TRIM  6.1

DT H154       ACCEL  1000
```

RKSI **PW4056**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REV CREDIT
FLAPS DRIVE - FLAPS 25

15R 12303
LDW 302.0 MRLW 399.1/A
FLAPS 25 VREF +05

AUTOBRK 2	11029	2.5
AUTOBRK 3	10014	3.4
AUTOBRK 4	8620	4.2
MAX AUTO	7712	5.3
MAX MAN	7392	6.0

RKSI **PW4056**

FLT NO	LDW	TIME
604	307.4	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REV CREDIT
FLAPS DRIVE - FLAPS 25

15R 12303
LDW 307.4 MRLW 399.1/A
FLAPS 25 VREF +05

AUTOBRK 2	11192	2.7
AUTOBRK 3	10096	3.7
AUTOBRK 4	8701	4.5
MAX AUTO	7827	5.6
MAX MAN	7491	6.2

SMLDW EXCEEDED BY 5308

RKSI **PW4056**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
FLAPS DRIVE - FLAPS 25

15R 12303
LDW 302.0 MRLW 399.1/A
FLAPS 25 VREF +05

AUTOBRK 2	11369	4.8
AUTOBRK 3	10014	5.3
AUTOBRK 4	8873	5.7
MAX AUTO	8688	6.3
MAX MAN	8312	6.6

RKSI **PW4056**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON

15R 12303
LDW 302.0 MRLW 399.9/F
FLAPS 25 VREF +05

AUTOBRK 2	10924	3.8
AUTOBRK 3	9644	4.1
AUTOBRK 4	8529	4.4
MAX AUTO	8362	4.8
MAX MAN	8001	5.2

RKSI **PW4056**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REV CREDIT
FLAPS DRIVE - FLAPS 25

16R		12303
LDW 302.0	MRLW 399.1/A	
FLAPS 25	VREF +05	
AUTOBRK 2	11029	2.5
AUTOBRK 3	10014	3.4
AUTOBRK 4	8620	4.2
MAX AUTO	7713	5.3
MAX MAN	7392	6.0

RKSI **PW4056**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
FLAPS DRIVE - FLAPS 25

16R		12303
LDW 302.0	MRLW 399.1/A	
FLAPS 25	VREF +05	
AUTOBRK 2	11369	4.8
AUTOBRK 3	10014	5.3
AUTOBRK 4	8873	5.7
MAX AUTO	8689	6.3
MAX MAN	8312	6.6

RKSI **PW4056**

FLT NO	LDW	TIME
604	307.4	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REV CREDIT
FLAPS DRIVE - FLAPS 25

16R		12303
LDW 307.4	MRLW 399.1/A	
FLAPS 25	VREF +05	
AUTOBRK 2	11192	2.7
AUTOBRK 3	10096	3.7
AUTOBRK 4	8702	4.5
MAX AUTO	7827	5.6
MAX MAN	7492	6.2

SMLDW EXCEEDED BY 5308

RKSI **PW4056**

FLT NO	LDW	TIME
604	302.0	####Z
WIND KTS	OAT C	QNH
240/02	+02	1008

REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON

16R		12303
LDW 302.0	MRLW 399.9/F	
FLAPS 25	VREF +05	
AUTOBRK 2	10925	3.8
AUTOBRK 3	9644	4.1
AUTOBRK 4	8529	4.4
MAX AUTO	8362	4.8
MAX MAN	8002	5.2

COMPANY NOTAMS

GENERAL

RKSI **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RKSI-FREQ

RKSI IN-RANGE CALL FREQ

ATLAS AIR OPS (B777, B747, B767) USE - 131.000

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-CURFEW

****
NRT CURFEW:
B747-400/F CURFEW = 1400-2100Z DAILY
N###MC, N###MC, N###SG, N###SG, N###BA CURFEW = 1500-2100Z DAILY
B767, B777, B748 CURFEW = 1500-2100Z DAILY
****

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-FLTOPS

NRT RUNWAY USE

DUE TO SLOT RESTRICTIONS IN NRT, POLAR ARRIVALS BETWEEN 1200Z
1400Z MAY BE ASSIGNED RWY 34R/16L. YOU MAY REQUEST RWY 34L/16R
IF NECESSARY.

FOR DEPARTURES, UTILIZE THE DEPARTURE RUNWAY THAT IS ASSIGNED BY
ATC IN THE CLEARANCE. IF 34R/16L IS ASSIGNED IN THE CLEARANCE,
REQUEST 34L/16R IF REQUIRED FOR OPERATIONAL NECESSITY. MUST BE
WHEELS UP BY 1359Z DUE TO CURFEW.

IF AN EXCEPTION TO THIS REQUIREMENT OCCURS, FILE AN FCR.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-AERODATA

AERODATA PERFORMANCE
IF 1/8 INCH OR LESS OF WATER, FROST, DRY SNOW OR WET SNOW
- USE WET RUNWAY FOR TAKEOFF PERFORMANCE.
- USE RCC/BRAKING ACTION, IF PROVIDED, FOR LANDING PERFORMANCE.
  OTHERWISE, USE LANDING SURFACE CONDITION.
THIS IS IN ACCORDANCE WITH FOM 8.1 RCAM MATRIX.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-DEICE

DEICING / ANTI-ICING INFORMATION FORM
---
* 1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE) (CIRCLE ONE) *
*   *
* 2. FLUID TYPE (TYPE I, II, III, OR IV)   (CIRCLE ONE)
*   BRAND:.....................
*   *
* 3. FLUID MIXTURE RATIO -   /   *
*   (FOR TYPE II, III, OR IV FLUID ONLY)   *
*   *
* 4. TIME (UTC) OF THE START OF THE FINAL APPLICATION -   Z *
*   *
*   - - RETAIN THIS FORM WITH THE TRIP ENVELOPE - -   *
*   **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY** *

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-PUBS747A

CURRENT AIRCRAFT LIBRARY REVISIONS

CURRENT / CURRENT EFF ON RECEIPT
747-8F
- QRH..... REV 17 ##-XXX-## / NA
- DDG..... VER 20 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
- ECL ..... BFT2B-4000-01G9 / BFT29-4000-01L0
747-400P GE
- QRH..... REV 16 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400P PW
- QRH..... REV 7 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400F/C GE
- QRH..... REV 16 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400F/C PW
- QRH..... REV 10 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400LCF
- QRH..... REV 16 ##-XXX-## / NA
- DDG..... VER 8 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
ALL 747
- SUPERNUM/JS BRIEFING CARD...##-XXX-## / NA
FOR ALL DDG TRS - REFER TO EFB COMPLY365

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-WB INDEX

INDEX INFO REMOVED FROM W&B CO NOTAM. FOM 14.1.1 BEING REVISED.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ###-WB

N###MC WEIGHT AND BALANCE ADVISORY

BASIC CREW 161,657
+1 - 161,776 / +2 - 161,895 / +3 - 162,014
+4 - 162,133 / +5 - 162,252 / +6 - 162,371

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: B747-MAINDECK

****
FALSE MAIN DECK WARNINGS

THERE HAVE BEEN MULTIPLE FALSE MAIN DECK CARGO FIRE WARNING
MESSAGES CAUSED BY CONDENSATION OF MOISTURE AND FOG WHILE
CARRYING HIGH DENSITY FLOWERS AND LIVE ANIMALS SUCH AS PIGS
*MOST FALSE CARGO FIRE WARNING MESSAGES HAVE OCCURRED SEVERAL HRS
INTO THE FLIGHT AND MAIN DECK TEMP BELOW 8 DEGREES
*ANYTIME PERISHABLES OR LIVE ANIMALS ARE ON BOARD
THE USE OF FCOM SP PROCEDURES FOR CARRIAGE
OF ANIMALS AND PERISHABLES (FREIGHTER) MUST BE FOLLOWED
*IAW WITH FOM GUIDANCE, FLIGHT CREWS SHOULD DETERMINE THE
BEST COURSE OF ACTION BEFORE ENTERING CLASS E CARGO
COMPARTMENTS (MAIN DECK) TO VERIFY THE PRESENCE OF A FIRE

****

APT RKSI
ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

RUNWAY

RKSI ICN A1656/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

RWY 15L/33R CLSD DUE TO CONSTRUCTION
ACFT CROSSING RWY 15L/33R AVBL UNDER ATC INSTRUCTION

RKSI ICN A1657/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

RWY 16L/34R CLSD DUE TO WIP

RAMP

RKSI ICN Z1295/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM - AIRAC AIP SUP 103/25
WEF #### UTC ## XXX #### TO #### UTC ## XXX ####
- ACFT STAND NR 711 OPNL RESTRICTION

AIRSPACE

RKSI ICN A1654/25 ####-XXX-## ##:## - PERM
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 73/24 :
1. RECAT PROC WILL BE USED WI SEOUL TMA(RKSI, RKSS)
2. RECAT WAKE TURB MNM BASED ON GROUPING OF TYP INTO SEVEN GROUPS(A TO G)

OBSTACLE

RKSI ICN A1655/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

TEMP OBST(CRANE) ERECTED AS FLW :
1. AREA BOUNDED BY 372611N1262743E 372615N1262743E 372614N1262748E 372611N1262743E
2. HGT : 74.7M(245.08FT) AMSL
3. RADIUS : 70M

GENERAL

RKSI ICN Z1294/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM - AIRAC AIP SUP 102/25
WEF #### UTC ## XXX #### TO #### UTC ## XXX ####
- OPNL RESTRICTION

RKSI ICN Z1290/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM - PERM AIRAC AIP AMDT 12/25 WEF #### UTC ## XXX ####
- INFORMATION OF ISSUANCE OF DE/ANTI-ICING OPNS PHASE
- INFORMATION OF HOT SPOT, STOP-BAR LGTS, MAG VAR(9 DEGREE W 2020 CHG TO 9 DEGREE W 2025) AND ANNUAL RATE OF CHANGE(6 MIN W CHG TO 2 MIN W)

APT RJAA
NRT - TOKYO/NARITA INTL DESTINATION ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

TAXIWAY

RJAA NRT A1608/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 254/25 ITEM TWY:4
INTERMEDIATE HLDG PSN MARKING ON TWY A(BTN A2 AND W3)-TEMPO INSTL

RJAA NRT A1607/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 254/25 ITEM TWY : 1
TWY CL MARKING FOR A (INT OF A2), A1, A2 PARTLY ERASED
RMK : THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER NOTAM.

AIRSPACE

RJAA NRT A1539/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL005

####-####
UNMANNED ACFT:
1.FLT AREA: BOUNDED BY FLW POINTS
355420N1401411E 355410N1401411E 355416N1401435E
355419N1401433E 355425N1401453E 355429N1401447E
(RYUGASAKI-SHI IN IBARAKI)
(APRX QTE/322DEG 10.8NM FM RJAA ARP)
2.WT : 0.7KG
F) SFC G) 486FT AMSL

OBSTACLE

RJAA NRT A1612/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

XXX ##-## ##-## ##-## ##-## XXX
##-## ##-## ##-## ##-## ####/####
HVY EQPT EXIST ABV APCH SFC FOR RWY 34R
1.PSN : BOUNDED BY FLW POINT
354648.43N1402348.29E 354644.60N1402351.06E
354642.96N1402351.06E 354643.33N1402348.76E
354643.43N1402347.48E 354642.18N1402344.88E
354645.23N1402341.08E
(701M TO 875M BFR RWY 34R THR AND
40M RIGHT TO 166M LEFT EXTENDED RCL)
(NARITA-SHI IN CHIBA)
2.NUMBER : 1
3.RMK : WX MNM, INST APCH PROC, DEP PROC NO CHANGE

APT RJGG
NGO - CHUBU/CENTRAIR INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 18/36

RUNWAY

RJGG NGO G2558/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM RWY:1

RWY SIDE STRIPE MARKING FOR RWY 18/36-TEMPO INSTL
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

TAXIWAY

RJGG NGO G2562/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM TWY:3
STOP-BAR-LGT FOR A1,A2,A3,A3S,A4,A5,A6,A7,A8,A8N,A9,A10-U/S
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

RJGG NGO G2561/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM TWY:2
TWY CL MARKING FOR
A,A2,A3S,A3,A4,A7,A8,A8N,A9,B2,B3,B4,B7,B8,B9,C8
-PARTLY ERASED
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

RJGG NGO G2560/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM TWY:1
TWY-CL-LGT FOR
A,A1,A2,A3S,A3,A8,A8N,A9,A10,B3,B4,B7,B8,B10,C8-PARTLY
U/S
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

RJGG NGO G2559/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM TWY:A
TWY A(BTN B2 AND B4),A3S,A3,B3,A(BTN B7 AND B9),A8,A8N,B8-CLSD
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

OBSTACLE

RJGG NGO G2838/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL004

OBST LGT ON PWR LINE TOWER-U/S
PSN : 345913.3N1365055.9E (CHITA-SHI IN AICHI)
RMK/OBST LGT IN PLACE OF OBST DAY MARKING FOR PWR LINE TOWER
FM SFC TO 307FT AMSL

RJGG NGO G2808/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

OBST DAY MARKING FOR PWR LINE TOWER ERASED
PSN : 350358.7N1364902.8E (AMA-GUN IN AICHI)
FM SFC TO 209FT AMSL

RJGG NGO G2805/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

OBST DAY MARKING FOR PWR LINE TOWER ERASED
PSN: 350337.1N1364902.7E (AMA-GUN IN AICHI)
ALT 258FT AMSL

RJGG NGO G2804/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

OBST DAY MARKING FOR PWR LINE TOWER ERASED
PSN: 350231.4N1364903.1E (AMA-GUN IN AICHI)
ALT 261FT AMSL

RJGG NGO G2778/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

OBST DAY MARKING FOR PWR LINE TOWER ERASED
PSN : 350129.7N1364104.5E (MIE-GUN)
SFC TO 288FT AMSL

WARNING

RJGG NGO G2833/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL040

##-## ##-## ##-## ##-## ####-####
MAX 6 HOT AIR BALLOONS:
1.FLT AREA/ALT
: (1)BOUNDED BY FLW POINTS
345446N1363653E 345723N1362502E
344706N1362301E 344707N1363220E
/AT OR BLW 4000FT AMSL
(2)BOUNDED BY FLW POINTS
345446N1363653E 344707N1363220E
344707N1363534E 345416N1363909E
/AT OR BLW 2000FT AMSL
(SUZUKA-SHI,KAMEYAMA-SHI,TSU-SHI,
YOKKAICHI-SHI IN MIE)
(APRX QTE/290DEG 8.0NM FM RJGG ARP)
2.FLT TIME
: SR/####
3.CHARACTERISTICS : DIAMETER/15-20M SHAPE/TEAR-DROP TYPE
TOTAL-WT/APRX 300-600KG COLOR/VARIOUS
4.WX COND
: VMC ONLY
5.RMK
: THIS AREA IS INCLUDED IN CK1-3

RJGG NGO G2832/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL040

XXX ## XXX ## ##-## ## ## ## ## ## ####-####
MAX 30 HOT AIR BALLOONS:
1.FLT AREA/ALT : BOUNDED BY FLW POINTS
(1)345446N1363653E 345723N1362502E
344027N1362142E 344019N1363211E
344707N1363220E
/AT OR BLW 4000FT AMSL
(2)345446N1363653E 344707N1363220E
344019N1363211E 345416N1363909E
/AT OR BLW 2000FT AMSL
(SUZUKA-SHI,KAMEYAMA-SHI,TSU-SHI,
YOKKAICHI-SHI IN MIE)
(APRX QTE/290DEG 8.0NM FM RJGG ARP)
2.FLT TIME : HJ
3.CHARACTERISTICS : DIAMETER/15-20M SHAPE/TEAR-DROP TYPE

TOTAL-WT/APRX 300-600KG COLOR/VARIOUS
4.WX COND : VMC ONLY
5.RMK : THIS AREA IS INCLUDED IN CK1-3

FIR RKRR INCHEON FIR

AIRSPACE

RKRR D3673/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL380

####-####
RESTRICTED AREA RK R120 ACT

RKRR D3671/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL800

####-####
RESTRICTED AREA RK R108F ACT

RKRR D3669/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL800

####-####
RESTRICTED AREA RK R108D ACT

RKRR D3668/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL330

####-####
RESTRICTED AREA RK R108B ACT

RKRR D3667/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL400

####-####
RESTRICTED AREA RK R105 ACT

RKRR D3664/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL360

RESTRICTED AREA RK R99 ACT

RKRR D3663/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL300

####-####
RESTRICTED AREA RK R97E ACT

RKRR D3662/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL400

####-####
RESTRICTED AREA RK R88 ACT

RKRR D3661/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL400

####-####
RESTRICTED AREA RK R84 ACT

RKRR D3660/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL400

####-####
RESTRICTED AREA RK R80 ACT

RKRR D3659/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL500

####-####
RESTRICTED AREA RK R74 ACT

RKRR D3658/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

####-####, ## ####-####, ## ####-####, ## ## ####-####
RESTRICTED AREA RK R72 ACT

FIR RJJJ FUKUOKA FIR

GENERAL

NIL

APT RKSI

ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

TAF

```
TAF RKSI ######Z ####/#### 24002KT 1600 -SN OVC001 TX02/####Z TN00/####Z
  TEMPO ####/#### 1600 SN OVC003
```

METAR

```
METAR RKSI ######Z 24002KT 1600 -SN OVC001 00/M02 Q1008 NOSIG
```

APT RJAA

NRT - TOKYO/NARITA INTL DESTINATION ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

TAF

```
TAF RJAA ######Z ####/#### 35014KT 6000 -SHSN FEW003 BKN012
  TEMPO ####/#### 0800 SHSN FEW001 SCT003 BKN005
  TEMPO ####/#### 2000 -SHSN FEW003 SCT005 BKN008
  BECMG ####/#### 28010KT
```

METAR

```
METAR RJAA ######Z 00000KT 9999 FEW015 BKN050 01/M01 Q1008 NOSIG
```

APT RJGG

NGO - CHUBU/CENTRAIR INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 18/36

TAF

```
TAF RJGG ######Z ####/#### 29018KT 6000 -SHSN FEW012 SCT015 BKN020
  TEMPO ####/#### 4000 -SHSNRA
  TEMPO ####/#### 3000 -SHSN
```

METAR

```
METAR RJGG ######Z 28016KT 9999 FEW010 04/00 Q1013 NOSIG
```

FIR RKRR

INCHEON FIR

SIGMET

```
NIL
```

FIR RJJJ

FUKUOKA FIR


SIGMET

```
NIL
```

Maps and Company Docs

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Note - this is a placeholder or a representative company OFP Weather map and may not reflect the actual enroute weather conditions



CLEARANCE and ATIS

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI DEP ATIS A ####Z

```
EXP RWY 15R
WIND 240/02KT  VIS 1 MILE -SN
OVC 001  T 0  DP -2  QNH 1008
RWY 15L CLOSED DUE TO CONSTRUCTION.
RWY 16L UNUSABLE DUE TO WORK IN
PROGRESS.
CAUTION BIRD ACTIVITY.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION ALPHA.
```

CLEARANCE - DCL RKSI GTI 604

```
CLD ####Z ###### RKSI PDC 008
GTI604 CLRD RJAA OFF 15R VIA
OSPOT_2C CLIMB VIA SID FL150
SQUAWK 1477
NEXT FREQ 121.8
ATIS A
```

RKSI ARR ATIS B ####Z (DIVERSION)

```
EXP RWY 15R
WIND 240/02KT  VIS 1 MILE SN
OVC 003  T 2  DP 0  QNH 1008
ILS RWY 15R IN USE
RWY 15R BRAKING ACTION GOOD
RWY 15L CLOSED DUE TO CONSTRUCTION.
RWY 16L UNUSABLE DUE TO WORK IN
PROGRESS.
CAUTION BIRD ACTIVITY.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION BRAVO.
```