CQLOE.1_B Flight Crew Paperwork

B747-8F / GENX-2B67P Callsign: GIANT 604 HEAVY RKSI / RJAA

NOTE: ALL DATA IS FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###GT

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

GTI604/## **RKSI - RJAA** **## XXX ##** **N###GT**
COST INDEX 043 **Revision: 0**
B747-8F / GENX-2B67P / KG / IFR / **FF +3.5**
PROGS ###### Release Valid Until ####Z ##XXX##

ORIG	RKSI/ICN SEOUL/INCHEON INTL	N37278E126263 ####Z
DEST	RJAA/NRT TOKYO/NARITA INTL	N35459E140231 ####Z
PALT	RJGG/NGO CHUBU/CENTRAIR INTL	N34515E136483 ####Z

RKSI/F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/F340 Y30 SWAMP SWAMPN RJAA

Coldest Fuel Temp: N/A A/WC: T062 T-DEV: P07
FMC Reserves: 14.6 ADIS: 844

	RKSI-RJAA		
ALT1/2	RJGG/		
	FUEL	TIME	GDIS
TRIP	**019449**	**01.56**	**0924**
CONT	001895	00.12	
ALT1	009674	00.57	0286
FRES	004887	00.30	
ADD.AL	000260	00.01	
PCF	000000	00.00	
MINF	**036165**	**03.36**	**....**
EXTRA	027155	02.45	
TOF	063320		
TAXI	001680	00.35	
BLOCK	**065000**	**06.56**	
REMF	**043871**	**04.26**	**....**

	Weight	**Actual**	**Limit**	
DOW	193802			
PYLD	106198			
ZFW	300000	.....	S329761	ZFW INC/1000 X 57 MINF ADJ
RAMP	365000		S449056	
TOGW	363320	.....	L365539	
LDGW	343871		S346090	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Remarks

RAIM VALIDATION PASSED

EXTRA FUEL FOR TANKERING

GCC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD

B747-8F/GENX-2B67/-2B67P. Engine failure takeoff performance
based on 10-minute max takeoff EGT limit. Ref: TA747-25-1

RKSI CAT II/III - RWY 15L/15R/16L/16R/33L/33R/34L/34R
RJAA CAT II/III - RWY 16R
RJGG CAT II - RWY 18/36
RJGG CAT III - RWY 36

MEL/CDL
No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. ..	
			TO/LNDG Expiry: --	
FO	2	2	.. ..	
			TO/LNDG Expiry: --	

TO/LNDG currency questions? contact Duty Pilot

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###GT

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

TIME		FUEL			
OUT:	/	ETA RJAA:		UPLIFT:	
OFF:	/	SOB:		PYLD:	
ON:	/	RVSM ALTIMETER RECORD			
IN:	/	L:	S:		R:

```
(FPL-GTI604-IS
-B748/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-RKSI####
-N0490F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI
Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK/N0492F340 Y30
SWAMP
-RJAA0156 RJGG
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE
DOF/###### REG/N###GT EET/RJJJ0033 SEL/#### CODE/###### OPR/GTI
RMK/EMERG CTC 19147018045 TCAS II EQUIPPED)
```

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	RKSI 00023 FT							SEOUL/INCHEON INTL			
	N37 27.8										
	E126 26.3										
OSPOT2C	**OSPOT**										
	N36 50.3	123	063	357	342	00.11			CLB	T015	0601
	E127 20.9	114	138	CLB	CLB	00.11		CLB	CLB	347/023	
Y782	**VASLI**										
	N36 42.9	144	011	501	465	00.02			CLB	T037	0596
	E127 30.0	135	145	CLB	CLB	00.13		CLB	CLB	305/037	
Y782	**MAKDU**										
	N36 27.2	144	022	519	480	00.02			CLB	T040	0589
	E127 49.2	135	145	CLB	CLB	00.15		CLB	CLB	305/041	
Y782	**BITUX**										
	N36 16.7	145	014	525	481	00.02			CLB	T045	0585
	E128 01.8	136	147	CLB	CLB	00.17		CLB	CLB	298/048	
Y782	**TOC**										
	N36 13.3	145	005	527	481	00.00			CLB	T047	0584
	E128 05.9	136	147	CLB	CLB	00.17		CLB	CLB	296/050	
Y782	**TGU**		**DALSEONG**					**112.20**			
	N35 48.6	145	035	540	490	00.04			P07	T051	0577
	E128 35.4	136	146	286	836	00.21		F350	-47	305/052	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###GT

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
Y659	LAPAL										
	N35 54.2	085	024	527	491	00.03			P08	T037	0572
	E129 04.9	077	081	286	836	00.24		F350	-47	296/050	
Y659	KPO		POHANG					112.50			
	N35 58.6	086	020	530	491	00.02			P08	T040	0568
	E129 28.5	077	082	286	836	00.26		F350	-47	290/048	
Y685	BULGA										
	N35 56.2	107	017	537	490	00.02			P08	T047	0564
	E129 49.4	098	106	286	836	00.28		F350	-47	283/048	
(RJJJ)	AT SAPRA					00.33	FUKUOKA FIR				
Y685	SAPRA										
	N35 49.4	107	044	543	491	00.05			P09	T053	0556
	E130 43.4	099	108	286	835	00.33		F350	-46	273/054	
Y599	KABKI										
	N35 45.2	101	094	552	492	00.10			P10	T061	0537
	E132 39.5	092	102	286	835	00.43		F350	-45	264/061	
Y597	PEPOS										
	N35 43.0	131	005	537	492	00.01			P10	T046	0536
	E132 43.8	122	136	286	835	00.44		F350	-45	261/063	
Y597	MIHOU										
	N35 31.9	131	021	541	491	00.02			P09	T050	0532
	E133 05.6	122	137	285	835	00.46		F350	-45	260/071	
Y45	ATPOD										
	N35 40.9	080	028	563	490	00.03			P09	T074	0527
	E133 38.5	071	079	285	833	00.49		F350	-46	257/075	
Y45	SAKYU										
	N35 55.0	080	045	564	489	00.05			P08	T076	0519
	E134 31.1	071	080	284	833	00.54		F350	-46	252/076	
Y45	MADUL										
	N35 59.0	080	013	568	488	00.01			P07	T081	0517
	E134 46.2	072	081	284	832	00.55		F350	-47	250/082	
Y45	SONBU										
	N36 11.5	081	041	568	488	00.05			P07	T081	0509
	E135 35.0	072	081	284	832	01.00		F350	-47	250/082	
Y45	KMC		KOMATSU					112.00			
	N36 23.8	081	042	571	487	00.04			P07	T085	0502
	E136 24.3	073	082	284	832	01.04		F350	-48	247/085	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###GT

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y515	ZUWAI										
	N36 37.8	070	029	581	485	00.03			P06	T097	0496
	E136 57.0	062	070	284	830	01.07		F350	-49	243/097	
Y517	OTARI										
^110	N36 47.4	088	056	582	483	00.06			P05	T100	0486
	E138 05.6	080	093	283	829	01.13		F350	-50	242/106	
Y517	HAKKA										
	N36 50.6	089	019	584	483	00.02			P05	T102	0483
	E138 28.8	080	094	283	829	01.15		F350	-50	241/110	
Y517	IKAHO										
	N36 55.2	089	029	583	483	00.03			P05	T101	0478
	E139 04.5	081	094	283	829	01.18		F350	-50	242/108	
Y517	MAUKA										
	N36 58.4	089	020	585	484	00.02			P06	T102	0475
	E139 29.1	081	094	283	829	01.20		F350	-49	243/108	
Y517	YAGAN										
	N37 00.8	089	015	589	484	00.01			P06	T106	0472
	E139 47.9	081	095	283	829	01.21		F350	-49	241/114	
Y517	SYOEN										
	N37 02.3	090	010	588	484	00.01			P06	T105	0470
	E140 00.2	081	096	283	829	01.22		F350	-49	241/114	
Y517	LIVET										
	N37 04.1	089	012	589	484	00.02			P06	T105	0468
	E140 14.6	081	095	283	829	01.24		F350	-49	241/114	
Y517	ESKAS										
	N37 06.6	090	017	588	484	00.01			P06	T105	0465
	E140 35.8	081	096	283	829	01.25		F350	-49	241/114	
Y303	ENTAK										
	N36 59.6	135	012	527	487	00.02			P05	T041	0463
	E140 47.7	126	148	285	836	01.27		F350	-49	243/119	
Y30	GURIP										
	N36 33.3	205	027	393	492	00.04			P06	H098	0455
	E140 37.6	197	214	283	846	01.31		F340	-50	241/126	
Y30	TOD										
	N36 26.6	205	007	392	492	00.01			P06	H100	0453
	E140 35.1	197	213	283	847	01.32		F340	-51	240/127	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###GT

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK NM TTK MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y30	**SWAMP**									
	N36 19.2	205 008	387	486	00.01			DSC	H098	0453
	E140 32.3	197 214	DSC	DSC	01.33		DSC	DSC	241/127	
SWAMPN	**RJAA** 00135 FT						TOKYO/NARITA INTL			
	N35 45.9	141 119	329	337	00.23			DSC	H008	0439
	E140 23.1	133 196	DSC	DSC	01.56		DSC	DSC	247/058	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI604/##XXX/RKSI-RJAA/N###GT

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

Destination Primary Alternate Route

RJAA PIGOK2 PIGOK Y50 OLTOM OLTOMM RJGG

RJAA/0340

GCD 184 GDIS286 FUEL 9674 TIME 00.57

MORA 8100

TLR

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
TAKEOFF AND LANDING REPORT GTI 604 ICN-NRT #######
TLR-0 SEQ-73724333 ####### ####Z
A/C N###GT  B747-8F GENX-2B67P KG
ACARS INIT DATE = XX    ACARS TAKEOFF REQUEST = ####Z-####Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = -11C TO MT      QNH = GREATER OR EQUAL TO 1008
/// TAKEOFF DATA ///
APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
ICN  15R         -1.0 240M02 1008  10  3633 4037
RMKS NONE
-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2
-------- -------- --------------------------
SMRGN    ACCEL    EFP
---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
15L           12303 DT H154
15R           12303 DT H154
16L           13123 DT H154
16R           12303 DT H154
33L           12303 LT H240
33R           12303 LT H240
34L           12303 LT H240
34R           13123 LT H240
-------------- DRY RWY - PTOW - ENG A/I ON - CALM WIND --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3633 42  86.6 D-TO 2 - PACKS ON   10 156 166 176
15R          3633 42  86.6 D-TO 2 - PACKS ON   10 156 166 176
16L          3633 42  86.6 D-TO 2 - PACKS ON   10 158 166 176
16R          3633 42  86.6 D-TO 2 - PACKS ON   10 156 166 176
33L          3633 42  86.6 D-TO 2 - PACKS ON   10 156 166 176
33R          3633 42  86.6 D-TO 2 - PACKS ON   10 156 166 176
34L          3633 42  86.6 D-TO 2 - PACKS ON   10 156 166 176
34R          3633 42  86.6 D-TO 2 - PACKS ON   10 158 166 176
-------- DRY RWY - PTOW PLUS 10000 - ENG A/I ON - CALM WIND ---------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3733 38  88.1 D-TO 2 - PACKS ON   10 157 169 178
15R          3733 38  88.1 D-TO 2 - PACKS ON   10 157 169 178
16L          3733 38  88.1 D-TO 2 - PACKS ON   10 159 169 178
16R          3733 38  88.1 D-TO 2 - PACKS ON   10 157 169 178
33L          3733 38  88.1 D-TO 2 - PACKS ON   10 157 169 178
33R          3733 38  88.1 D-TO 2 - PACKS ON   10 157 169 178
34L          3733 38  88.1 D-TO 2 - PACKS ON   10 157 169 178
34R          3733 38  88.1 D-TO 2 - PACKS ON   10 159 169 178
--------------- DRY RWY - PTOW - ENG A/I ON - 15KT TW ---------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3633 39  87.7 D-TO 2 - PACKS ON   20 141 155 162
15R          3633 39  87.7 D-TO 2 - PACKS ON   20 141 155 162
16L          3633 39  87.7 D-TO 2 - PACKS ON   20 146 155 162
16R          3633 39  87.7 D-TO 2 - PACKS ON   20 141 155 162
33L          3633 39  87.7 D-TO 2 - PACKS ON   20 141 155 162
33R          3633 39  87.7 D-TO 2 - PACKS ON   20 141 155 162
34L          3633 39  87.7 D-TO 2 - PACKS ON   20 141 155 162
34R          3633 39  87.7 D-TO 2 - PACKS ON   20 146 155 162
--------- DRY RWY - PTOW PLUS 10000 - ENG A/I ON - 15KT TW ----------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3733 36  88.9 D-TO 2 - PACKS ON   20 141 156 163
15R          3733 36  88.9 D-TO 2 - PACKS ON   20 141 156 163
16L          3733 36  88.9 D-TO 2 - PACKS ON   20 146 156 163
16R          3733 36  88.9 D-TO 2 - PACKS ON   20 141 156 163
33L          3733 36  88.9 D-TO 2 - PACKS ON   20 141 156 163
33R          3733 36  88.9 D-TO 2 - PACKS ON   20 141 156 163
34L          3733 36  88.9 D-TO 2 - PACKS ON   20 141 156 163
34R          3733 36  88.9 D-TO 2 - PACKS ON   20 146 156 163
-------------- WET RWY - PTOW - ENG A/I ON - CALM WIND --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3633 43  86.1 D-TO 2 - PACKS ON   10 153 166 176
15R          3633 43  86.1 D-TO 2 - PACKS ON   10 153 166 176
16L          3633 43  86.1 D-TO 2 - PACKS ON   10 157 166 176
16R          3633 43  86.1 D-TO 2 - PACKS ON   10 153 166 176
```

```
33L          3633 43  86.1 D-TO 2 - PACKS ON   10 153 166 176
33R          3633 43  86.1 D-TO 2 - PACKS ON   10 153 166 176
34L          3633 43  86.1 D-TO 2 - PACKS ON   10 153 166 176
34R          3633 43  86.1 D-TO 2 - PACKS ON   10 157 166 176
-------- WET RWY - PTOW PLUS 10000 - ENG A/I ON - CALM WIND ---------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3733 40  87.2 D-TO 2 - PACKS ON   10 154 169 178
15R          3733 40  87.2 D-TO 2 - PACKS ON   10 154 169 178
16L          3733 40  87.2 D-TO 2 - PACKS ON   10 158 169 178
16R          3733 40  87.2 D-TO 2 - PACKS ON   10 154 169 178
33L          3733 40  87.2 D-TO 2 - PACKS ON   10 154 169 178
33R          3733 40  87.2 D-TO 2 - PACKS ON   10 154 169 178
34L          3733 40  87.2 D-TO 2 - PACKS ON   10 154 169 178
34R          3733 40  87.2 D-TO 2 - PACKS ON   10 158 169 178
--------------- WET RWY - PTOW - ENG A/I ON - 15KT TW ---------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3633 38  88.1 D-TO 2 - PACKS ON   20 133 155 163
15R          3633 38  88.1 D-TO 2 - PACKS ON   20 133 155 163
16L          3633 38  88.1 D-TO 2 - PACKS ON   20 138 155 163
16R          3633 38  88.1 D-TO 2 - PACKS ON   20 133 155 163
33L          3633 38  88.1 D-TO 2 - PACKS ON   20 133 155 163
33R          3633 38  88.1 D-TO 2 - PACKS ON   20 133 155 163
34L          3633 38  88.1 D-TO 2 - PACKS ON   20 133 155 163
34R          3633 38  88.1 D-TO 2 - PACKS ON   20 138 155 163
--------- WET RWY - PTOW PLUS 10000 - ENG A/I ON - 15KT TW ----------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3733 35  89.3 D-TO 2 - PACKS ON   20 134 157 165
15R          3733 35  89.3 D-TO 2 - PACKS ON   20 134 157 165
16L          3733 35  89.3 D-TO 2 - PACKS ON   20 139 157 165
16R          3733 35  89.3 D-TO 2 - PACKS ON   20 134 157 165
33L          3733 35  89.3 D-TO 2 - PACKS ON   20 134 157 165
33R          3733 35  89.3 D-TO 2 - PACKS ON   20 134 157 165
34L          3733 35  89.3 D-TO 2 - PACKS ON   20 134 157 165
34R          3733 35  89.3 D-TO 2 - PACKS ON   20 139 157 165
/// LANDING DATA ///
APT  PRWY        POAT PWIND  PQNH  FLP PLDW PMRLW
NRT  16R         3.0  000M00 1013  30  3439 3461
RMKS NONE
---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH SLOPE NOTES
16L            8202  0.07
16R           13123  0.07
34L           13123 -0.07
34R            8202 -0.07
- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  3600  11140    11150
  3500  10880    10890
/ 3439  10721    10731
  3400  10620    10630
  3300  10360    10370
HW/KT     -49      -49
TW/KT    +164     +165
UP/1PCT  -120     -130
DN/1PCT   +50      +90
- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  3600   9770    10040
  3500   9550     9820
/ 3439   9416     9686
  3400   9330     9600
  3300   9110     9380
HW/KT     -43      -44
TW/KT    +142     +145
UP/1PCT     0      -30
DN/1PCT    +0      +30
- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  3600   8550     9520
  3500   8370     9320
/ 3439   8260     9198
  3400   8190     9120
```

```
  3300   8010     8920
HW/KT     -37      -38
TW/KT    +122     +126
UP/1PCT     0      -20
DN/1PCT    +0      +50
 AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
        FLAPS 25
  LDW   DRY      WET
  3600   6830     9240
  3500   6690     9020
/ 3439   6605     8886
  3400   6550     8800
  3300   6410     8580
HW/KT     -28      -36
TW/KT     +91     +133
UP/1PCT     0     -120
DN/1PCT    +0     +160
- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
        FLAPS 25
  LDW   DRY      WET
  3600   6470     9250
  3500   6290     9030
/ 3439   6180     8896
  3400   6110     8810
  3300   5930     8590
HW/KT     -24      -37
TW/KT     +78     +133
UP/1PCT   -60     -140
DN/1PCT    +0     +160
  365539/363320/343871/1680/19449/36165/65000
END TAKEOFF AND LANDING REPORT GTI 604 ICN-NRT #######
```

Sable Loadsheet

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
ATLAS AIR              B747-8F            LOADSHEET       (Rel. 5.2.11-11010)  Loadsheet Printout NR: 1
                       STANDARD           PROD. TIME: ##:##                     Loadplan Printout NR: 1
FROM/TO        FLIGHT                     A/C REG         ACM     DATE           TIME
ICN/NRT        GTI604                     N###GT           0      ##-XXX-####    ##:##
                              Data Rev. Date: ##-XXX-####
ALL WEIGHTS IN KG

 ---------------- MAIN DECK -------------------------------
     A1   A2   B1   C    D    E    F    G    H    J    K    L    M    P    R    S    T    U    X
R             3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 3600
C    0    0                                                                                   0
L                  3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 3600 1798

 ---------------- LOWER DECK ------------------------------
     11P  12P  21P  22P  23P  24P  25P  31P  32P  33P  41P  42P  52   53   54
     0    0    0    0    0    0    0    0    0    0    0    0    0    0    0
IDX  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00


                                          WGT KG     CAPTAIN:
BASIC OPERATING WGT                       193802
BALLAST                                        0
ACM                 (00)                       0
SWA                                            0
TOTAL TRAFFIC LOAD                        106198
ZERO FUEL WEIGHT    (Max: 329761)         300000
TAXI FUEL                                   1680
TAKE OFF FUEL                              63320
TAKE OFF WEIGHT     (Op. Max: 365539)     363320
TRIP FUEL                                  19449
LANDING WEIGHT      (Max: 346090)         343871
ALLOWED PAYLOAD                           108417
                                          FUEL TANK STATUS: ALL FUEL TANKS OK
CAPTAINS INFO BEFORE LMC

IMBALANCE            0.8 %
NOTOC DG             NO                   LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS
NOTOC SC             NO                   A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS
                                          AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER
ACTUAL WEIGHT USED FOR CARGO              COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO
                                          REMOVED.
BALANCE CONDITIONS
                  FWD              AFT    LOAD SUPERVISOR: _____________________ (PRINT NAME)
ZFW MAC   20.4 %   14               33
TOW MAC   21.0 %   12               33                     _____________________ (SIGNATURE)
LDG MAC   20.6 %   13               33
STABTRIM                                  CPT ACCEPTANCE : _____________________ (SIGNATURE)

UNDERLOAD BEFORE LMC:      2219 KG        LAST MINUTE CHANGES


LOADSHEET CHECKED AND APPROVED BY:        RELEASE NOT VALID(MIA)


---------------------      ---------------------      ---------------------      ---------------------
LWR/FWD DECK CHECKED       LWR/AFT DECK CHECKED       PRINT NAME                 SIGNATURE
```

FDP

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
RKSI          GENX-2B67P
FLT NO    RLS NO    TIME
604          0     ####Z
WIND KTS  OAT C      QNH
240/02     +00      1008
------------------------
GRWT 365.0    VREF30 165
FUEL  65.0
ZFW  300.0
REMARKS
WET RUNWAY
ENGINE ANTI-ICE ON
RKSI  15R          12303
TOGW  363.3   SMRGN ----
FLAPS 10        PACKS ON
ATM   43C         V1 153
THR   D-TO 2      VR 166
N1    86.1        V2 176
CG    21.0     TRIM  7.7
DT H154      ACCEL  1000
```

```
RKSI          GENX-2B67P
FLT NO     LDW      TIME
604       346.0    ####Z
WIND KTS  OAT C      QNH
240/02     +02      1008
------------------------
REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REVERSE CREDIT
FLAPS DRIVE - FLAPS 25
15R                12303
LDW 346.0   MRLW 346.1/S
FLAPS 25    VREF +05
AUTOBRK 2    11296
MAX AUTO      8202
MAX MAN       8092
```

```
RKSI          GENX-2B67P
FLT NO     LDW      TIME
604       346.0    ####Z
WIND KTS  OAT C      QNH
240/02     +02      1008
------------------------
REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
FLAPS DRIVE - FLAPS 25
15R                12303
LDW 346.0   MRLW 346.1/S
FLAPS 25    VREF +05
AUTOBRK 2    11726
MAX AUTO     10082
MAX MAN       9972
```

```
RKSI          GENX-2B67P
FLT NO     LDW      TIME
604       356.1    ####Z
WIND KTS  OAT C      QNH
240/02     +02      1008
------------------------
REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REVERSE CREDIT
FLAPS DRIVE - FLAPS 25
15R                12303
LDW 356.1   MRLW 346.1/S
FLAPS 25    VREF +05
AUTOBRK 2    11559
MAX AUTO      8424
MAX MAN       8314
SMLDW EXCEEDED BY 10010
```

```
RKSI          GENX-2B67P
FLT NO     LDW      TIME
604       346.0    ####Z
WIND KTS  OAT C      QNH
240/02     +02      1008
------------------------
REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
15R                12303
LDW 346.0   MRLW 346.1/S
FLAPS 30    VREF +05
AUTOBRK 2    10316
AUTOBRK 3     9162
AUTOBRK 4     8150
MAX AUTO      7342
MAX MAN       7302
```

```
RKSI          GENX-2B67P
FLT NO     LDW      TIME
604       346.0    ####Z
WIND KTS  OAT C      QNH
240/02     +02      1008
------------------------
REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REVERSE CREDIT
FLAPS DRIVE - FLAPS 25
16R                12303
LDW 346.0   MRLW 346.1/S
FLAPS 25    VREF +05
AUTOBRK 2    11296
MAX AUTO      8202
MAX MAN       8092
```

```
RKSI          GENX-2B67P
FLT NO     LDW      TIME
604       346.0    ####Z
WIND KTS  OAT C      QNH
240/02     +02      1008
------------------------
REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
FLAPS DRIVE - FLAPS 25
16R                12303
LDW 346.0   MRLW 346.1/S
FLAPS 25    VREF +05
AUTOBRK 2    11726
MAX AUTO     10082
MAX MAN       9972
```

```
RKSI          GENX-2B67P
FLT NO     LDW      TIME
604       356.1    ####Z
WIND KTS  OAT C      QNH
240/02     +02      1008
------------------------
REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
THRUST REVERSE CREDIT
FLAPS DRIVE - FLAPS 25
16R                12303
LDW 356.1   MRLW 346.1/S
FLAPS 25    VREF +05
AUTOBRK 2    11559
MAX AUTO      8424
MAX MAN       8314
SMLDW EXCEEDED BY 10010
```

```
RKSI          GENX-2B67P
FLT NO     LDW      TIME
604       346.0    ####Z
WIND KTS  OAT C      QNH
240/02     +02      1008
------------------------
REMARKS
WET RUNWAY
5-GOOD
ENGINE ANTI-ICE ON
16R                12303
LDW 346.0   MRLW 346.1/S
FLAPS 30    VREF +05
AUTOBRK 2    10316
AUTOBRK 3     9162
AUTOBRK 4     8150
MAX AUTO      7342
MAX MAN       7302
```

COMPANY NOTAMS

GENERAL

RKSI **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RKSI-FREQ

RKSI IN-RANGE CALL FREQ

ATLAS AIR OPS (B777, B747, B767) USE - 131.000

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-CURFEW

****
NRT CURFEW:
B747-400/F CURFEW = 1400-2100Z DAILY
N###MC, N###MC, N###SG, N###SG, N###BA CURFEW = 1500-2100Z DAILY
B767, B777, B748 CURFEW = 1500-2100Z DAILY
****

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-FLTOPS

NRT RUNWAY USE

DUE TO SLOT RESTRICTIONS IN NRT, POLAR ARRIVALS BETWEEN 1200Z
1400Z MAY BE ASSIGNED RWY 34R/16L. YOU MAY REQUEST RWY 34L/16R
IF NECESSARY.

FOR DEPARTURES, UTILIZE THE DEPARTURE RUNWAY THAT IS ASSIGNED BY
ATC IN THE CLEARANCE. IF 34R/16L IS ASSIGNED IN THE CLEARANCE,
REQUEST 34L/16R IF REQUIRED FOR OPERATIONAL NECESSITY. MUST BE
WHEELS UP BY 1359Z DUE TO CURFEW.

IF AN EXCEPTION TO THIS REQUIREMENT OCCURS, FILE AN FCR.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-AERODATA

AERODATA PERFORMANCE
IF 1/8 INCH OR LESS OF WATER, FROST, DRY SNOW OR WET SNOW
- USE WET RUNWAY FOR TAKEOFF PERFORMANCE.
- USE RCC/BRAKING ACTION, IF PROVIDED, FOR LANDING PERFORMANCE.
  OTHERWISE, USE LANDING SURFACE CONDITION.
THIS IS IN ACCORDANCE WITH FOM 8.1 RCAM MATRIX.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-DEICE

DEICING / ANTI-ICING INFORMATION FORM
---
* 1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE) (CIRCLE ONE) *
*   *
* 2. FLUID TYPE (TYPE I, II, III, OR IV)   (CIRCLE ONE)
*   BRAND:.....................
*   *
* 3. FLUID MIXTURE RATIO -   /   *
*   (FOR TYPE II, III, OR IV FLUID ONLY)   *
*   *
* 4. TIME (UTC) OF THE START OF THE FINAL APPLICATION -   Z *
*   *
*   - - RETAIN THIS FORM WITH THE TRIP ENVELOPE - -   *
*   **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY** *

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-PUBS747A

CURRENT AIRCRAFT LIBRARY REVISIONS

CURRENT / CURRENT EFF ON RECEIPT
747-8F
- QRH..... REV 17 ##-XXX-## / NA
- DDG..... VER 20 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
- ECL ..... BFT2B-4000-01G9 / BFT29-4000-01L0
747-400P GE
- QRH..... REV 16 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400P PW
- QRH..... REV 7 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400F/C GE
- QRH..... REV 16 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400F/C PW
- QRH..... REV 10 ##-XXX-## / NA
- DDG..... VER 22 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
747-400LCF
- QRH..... REV 16 ##-XXX-## / NA
- DDG..... VER 8 ##-XXX-## / NA
- NORMAL CHECKLIST..... ##-XXX-## / NA
ALL 747
- SUPERNUM/JS BRIEFING CARD...##-XXX-## / NA
FOR ALL DDG TRS - REFER TO EFB COMPLY365

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-WB INDEX

INDEX INFO REMOVED FROM W&B CO NOTAM. FOM 14.1.1 BEING REVISED.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ###-WB

N###GT WEIGHT AND BALANCE ADVISORY

BASIC CREW 193,802
+1 - 193,921 / +2 - 194,040 / +3 - 194,159
+4 - 194,278 / +5 - 194,397 / +6 - 194,516

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: B747-MAINDECK

****
FALSE MAIN DECK WARNINGS

THERE HAVE BEEN MULTIPLE FALSE MAIN DECK CARGO FIRE WARNING
MESSAGES CAUSED BY CONDENSATION OF MOISTURE AND FOG WHILE
CARRYING HIGH DENSITY FLOWERS AND LIVE ANIMALS SUCH AS PIGS
*MOST FALSE CARGO FIRE WARNING MESSAGES HAVE OCCURRED SEVERAL HRS
INTO THE FLIGHT AND MAIN DECK TEMP BELOW 8 DEGREES
*ANYTIME PERISHABLES OR LIVE ANIMALS ARE ON BOARD
THE USE OF FCOM SP PROCEDURES FOR CARRIAGE
OF ANIMALS AND PERISHABLES (FREIGHTER) MUST BE FOLLOWED
*IAW WITH FOM GUIDANCE, FLIGHT CREWS SHOULD DETERMINE THE
BEST COURSE OF ACTION BEFORE ENTERING CLASS E CARGO
COMPARTMENTS (MAIN DECK) TO VERIFY THE PRESENCE OF A FIRE

****

APT RKSI
ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

RUNWAY

RKSI ICN A1656/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

RWY 15L/33R CLSD DUE TO CONSTRUCTION
ACFT CROSSING RWY 15L/33R AVBL UNDER ATC INSTRUCTION

RKSI ICN A1657/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

RWY 16L/34R CLSD DUE TO WIP

RAMP

RKSI ICN Z1295/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM - AIRAC AIP SUP 103/25
WEF #### UTC ## XXX #### TO #### UTC ## XXX ####
- ACFT STAND NR 711 OPNL RESTRICTION

AIRSPACE

RKSI ICN A1654/25 ####-XXX-## ##:## - PERM
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 73/24 :
1. RECAT PROC WILL BE USED WI SEOUL TMA(RKSI, RKSS)
2. RECAT WAKE TURB MNM BASED ON GROUPING OF TYP INTO SEVEN GROUPS(A TO G)

OBSTACLE

RKSI ICN A1655/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

TEMP OBST(CRANE) ERECTED AS FLW :
1. AREA BOUNDED BY 372611N1262743E 372615N1262743E 372614N1262748E 372611N1262743E
2. HGT : 74.7M(245.08FT) AMSL
3. RADIUS : 70M

GENERAL

RKSI ICN Z1294/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM - AIRAC AIP SUP 102/25
WEF #### UTC ## XXX #### TO #### UTC ## XXX ####
- OPNL RESTRICTION

RKSI ICN Z1290/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM - PERM AIRAC AIP AMDT 12/25 WEF #### UTC ## XXX ####
- INFORMATION OF ISSUANCE OF DE/ANTI-ICING OPNS PHASE
- INFORMATION OF HOT SPOT, STOP-BAR LGTS, MAG VAR(9 DEGREE W 2020 CHG TO 9 DEGREE W 2025) AND ANNUAL RATE OF CHANGE(6 MIN W CHG TO 2 MIN W)

APT RJAA
NRT - TOKYO/NARITA INTL DESTINATION ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

TAXIWAY

RJAA NRT A1608/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 254/25 ITEM TWY:4
INTERMEDIATE HLDG PSN MARKING ON TWY A(BTN A2 AND W3)-TEMPO INSTL

RJAA NRT A1607/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 254/25 ITEM TWY : 1
TWY CL MARKING FOR A (INT OF A2), A1, A2 PARTLY ERASED
RMK : THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER NOTAM.

AIRSPACE

RJAA NRT A1539/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL005

####-####
UNMANNED ACFT:
1.FLT AREA: BOUNDED BY FLW POINTS
355420N1401411E 355410N1401411E 355416N1401435E
355419N1401433E 355425N1401453E 355429N1401447E
(RYUGASAKI-SHI IN IBARAKI)
(APRX QTE/322DEG 10.8NM FM RJAA ARP)
2.WT : 0.7KG
F) SFC G) 486FT AMSL

OBSTACLE

RJAA NRT A1612/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

XXX ##-## ##-## ##-## ##-## XXX
##-## ##-## ##-## ##-## ####/####
HVY EQPT EXIST ABV APCH SFC FOR RWY 34R
1.PSN : BOUNDED BY FLW POINT
354648.43N1402348.29E 354644.60N1402351.06E
354642.96N1402351.06E 354643.33N1402348.76E
354643.43N1402347.48E 354642.18N1402344.88E
354645.23N1402341.08E
(701M TO 875M BFR RWY 34R THR AND
40M RIGHT TO 166M LEFT EXTENDED RCL)
(NARITA-SHI IN CHIBA)
2.NUMBER : 1
3.RMK : WX MNM, INST APCH PROC, DEP PROC NO CHANGE

APT RJGG
NGO - CHUBU/CENTRAIR INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 18/36

RUNWAY

RJGG NGO G2558/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM RWY:1

RWY SIDE STRIPE MARKING FOR RWY 18/36-TEMPO INSTL
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

TAXIWAY

RJGG NGO G2562/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM TWY:3
STOP-BAR-LGT FOR A1,A2,A3,A3S,A4,A5,A6,A7,A8,A8N,A9,A10-U/S
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

RJGG NGO G2561/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM TWY:2
TWY CL MARKING FOR
A,A2,A3S,A3,A4,A7,A8,A8N,A9,B2,B3,B4,B7,B8,B9,C8
-PARTLY ERASED
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

RJGG NGO G2560/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM TWY:1
TWY-CL-LGT FOR
A,A1,A2,A3S,A3,A8,A8N,A9,A10,B3,B4,B7,B8,B10,C8-PARTLY
U/S
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

RJGG NGO G2559/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 228/25 ITEM TWY:A
TWY A(BTN B2 AND B4),A3S,A3,B3,A(BTN B7 AND B9),A8,A8N,B8-CLSD
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

OBSTACLE

RJGG NGO G2838/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL004

OBST LGT ON PWR LINE TOWER-U/S
PSN : 345913.3N1365055.9E (CHITA-SHI IN AICHI)
RMK/OBST LGT IN PLACE OF OBST DAY MARKING FOR PWR LINE TOWER
FM SFC TO 307FT AMSL

RJGG NGO G2808/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

OBST DAY MARKING FOR PWR LINE TOWER ERASED
PSN : 350358.7N1364902.8E (AMA-GUN IN AICHI)
FM SFC TO 209FT AMSL

RJGG NGO G2805/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

OBST DAY MARKING FOR PWR LINE TOWER ERASED
PSN: 350337.1N1364902.7E (AMA-GUN IN AICHI)
ALT 258FT AMSL

RJGG NGO G2804/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

OBST DAY MARKING FOR PWR LINE TOWER ERASED
PSN: 350231.4N1364903.1E (AMA-GUN IN AICHI)
ALT 261FT AMSL

RJGG NGO G2778/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

OBST DAY MARKING FOR PWR LINE TOWER ERASED
PSN : 350129.7N1364104.5E (MIE-GUN)
SFC TO 288FT AMSL

WARNING

RJGG NGO G2833/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL040

##-## ##-## ##-## ##-## ####-####
MAX 6 HOT AIR BALLOONS:
1.FLT AREA/ALT
: (1)BOUNDED BY FLW POINTS
345446N1363653E 345723N1362502E
344706N1362301E 344707N1363220E
/AT OR BLW 4000FT AMSL
(2)BOUNDED BY FLW POINTS
345446N1363653E 344707N1363220E
344707N1363534E 345416N1363909E
/AT OR BLW 2000FT AMSL
(SUZUKA-SHI,KAMEYAMA-SHI,TSU-SHI,
YOKKAICHI-SHI IN MIE)
(APRX QTE/290DEG 8.0NM FM RJGG ARP)
2.FLT TIME
: SR/####
3.CHARACTERISTICS : DIAMETER/15-20M SHAPE/TEAR-DROP TYPE
TOTAL-WT/APRX 300-600KG COLOR/VARIOUS
4.WX COND
: VMC ONLY
5.RMK
: THIS AREA IS INCLUDED IN CK1-3

RJGG NGO G2832/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL040

XXX ## XXX ## ##-## ## ## ## ## ## ####-####
MAX 30 HOT AIR BALLOONS:
1.FLT AREA/ALT : BOUNDED BY FLW POINTS
(1)345446N1363653E 345723N1362502E
344027N1362142E 344019N1363211E
344707N1363220E
/AT OR BLW 4000FT AMSL
(2)345446N1363653E 344707N1363220E
344019N1363211E 345416N1363909E
/AT OR BLW 2000FT AMSL
(SUZUKA-SHI,KAMEYAMA-SHI,TSU-SHI,
YOKKAICHI-SHI IN MIE)
(APRX QTE/290DEG 8.0NM FM RJGG ARP)
2.FLT TIME : HJ
3.CHARACTERISTICS : DIAMETER/15-20M SHAPE/TEAR-DROP TYPE

TOTAL-WT/APRX 300-600KG COLOR/VARIOUS
4.WX COND : VMC ONLY
5.RMK : THIS AREA IS INCLUDED IN CK1-3

FIR RKRR INCHEON FIR

AIRSPACE

RKRR D3673/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL380

####-####
RESTRICTED AREA RK R120 ACT

RKRR D3671/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL800

####-####
RESTRICTED AREA RK R108F ACT

RKRR D3669/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL800

####-####
RESTRICTED AREA RK R108D ACT

RKRR D3668/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL330

####-####
RESTRICTED AREA RK R108B ACT

RKRR D3667/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL400

####-####
RESTRICTED AREA RK R105 ACT

RKRR D3664/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL360

RESTRICTED AREA RK R99 ACT

RKRR D3663/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL300

####-####
RESTRICTED AREA RK R97E ACT

RKRR D3662/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL400

####-####
RESTRICTED AREA RK R88 ACT

RKRR D3661/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL400

####-####
RESTRICTED AREA RK R84 ACT

RKRR D3660/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL400

####-####
RESTRICTED AREA RK R80 ACT

RKRR D3659/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - FL500

####-####
RESTRICTED AREA RK R74 ACT

RKRR D3658/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED: ####-XXX-## ##:## **FL:** SFC - UNL

####-####, ## ####-####, ## ####-####, ## ## ####-####
RESTRICTED AREA RK R72 ACT

FIR RJJJ FUKUOKA FIR

GENERAL

NIL

APT RKSI

ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

TAF

```
TAF RKSI ######Z ####/#### 24002KT 1600 -SN OVC001 TX02/####Z TN00/####Z
  TEMPO ####/#### 1600 SN OVC003
```

METAR

```
METAR RKSI ######Z 24002KT 1600 -SN OVC001 00/M02 Q1008 NOSIG
```

APT RJAA

NRT - TOKYO/NARITA INTL DESTINATION ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

TAF

```
TAF RJAA ######Z ####/#### 35014KT 6000 -SHSN FEW003 BKN012
  TEMPO ####/#### 0800 SHSN FEW001 SCT003 BKN005
  TEMPO ####/#### 2000 -SHSN FEW003 SCT005 BKN008
  BECMG ####/#### 28010KT
```

METAR

```
METAR RJAA ######Z 00000KT 9999 FEW015 BKN050 01/M01 Q1008 NOSIG
```

APT RJGG

NGO - CHUBU/CENTRAIR INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 18/36

TAF

```
TAF RJGG ######Z ####/#### 29018KT 6000 -SHSN FEW012 SCT015 BKN020
  TEMPO ####/#### 4000 -SHSNRA
  TEMPO ####/#### 3000 -SHSN
```

METAR

```
METAR RJGG ######Z 28016KT 9999 FEW010 04/00 Q1013 NOSIG
```

FIR RKRR

INCHEON FIR

SIGMET

```
NIL
```

FIR RJJJ

FUKUOKA FIR


SIGMET

```
NIL
```

Maps and Company Docs

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Note - this is a placeholder or a representative company OFP Weather map and may not reflect the actual enroute weather conditions



CLEARANCE and ATIS

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI DEP ATIS A ####Z

```
EXP RWY 15R
WIND 240/02KT  VIS 1 MILE -SN
OVC 001  T 0  DP -2  QNH 1008
RWY 15L CLOSED DUE TO CONSTRUCTION.
RWY 16L UNUSABLE DUE TO WORK IN
PROGRESS.
CAUTION BIRD ACTIVITY.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION ALPHA.
```

CLEARANCE - DCL RKSI GTI 604

```
CLD ####Z ###### RKSI PDC 008
GTI604 CLRD RJAA OFF 15R VIA
OSPOT_2C CLIMB VIA SID FL150
SQUAWK 1477
NEXT FREQ 121.8
ATIS A
```

RKSI ARR ATIS B ####Z (DIVERSION)

```
EXP RWY 15R
WIND 240/02KT  VIS 1 MILE SN
OVC 003  T 2  DP 0  QNH 1008
ILS RWY 15R IN USE
RWY 15R BRAKING ACTION GOOD
RWY 15L CLOSED DUE TO CONSTRUCTION.
RWY 16L UNUSABLE DUE TO WORK IN
PROGRESS.
CAUTION BIRD ACTIVITY.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION BRAVO.
```