CQLOE.1_C Flight Crew Paperwork

B747-400 / CF680C2B#F / PW4056 Callsign: GIANT 924 HEAVY RKSI / RJAA

NOTE: ALL DATA IS FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

GTI924/## **RKSI - RJAA** **## XXX ##** **N###MC**
COST INDEX 040 **Revision: 0**
B747-400 / CF6-80C2-B1F / KG / IFR / **FF +3.3**
PROGS ###### Release Valid Until ####Z ##XXX##

ORIG	RKSI/ICN SEOUL/INCHEON INTL	N37278E126263 ####Z
DEST	RJAA/NRT TOKYO/NARITA INTL	N35459E140231 ####Z
PALT	RJTT/HND TOKYO/HANEDA INTL	N35332E139469 ####Z

RKSI/F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK Y30 SWAMP DCT ESKEN DCT BOSPA RJAA

Coldest Fuel Temp: N/A A/WC: T126 T-DEV: P06
FMC Reserves: 8.9 ADIS: 768

	RKSI-RJAA		
ALT1/2	RJTT/		
	FUEL	TIME	GDIS
TRIP	**018368**	**01.47**	**0909**
CONT	001689	00.11	
ALT1	004740	00.25	0112
FRES	004138	00.30	
ADD.AL	000391	00.02	
PCF	000000	00.00	
MINF	**029326**	**02.55**	**....**
EXTRA	009074	00.58	
TOF	038400		
TAXI	001600	00.35	
BLOCK	**040000**	**04.28**	
REMF	**020032**	**02.25**	**....**

	Weight	**Actual**	**Limit**	
DOW	184127			
SWA	(001474)			
PYLD	025973			
ZFW	210100	.....	S251743	ZFW INC/1000 X 55 MINF ADJ
RAMP	250100		S395986	
TOGW	248500	.....	L304131	
LDGW	230132		S285763	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Remarks

GCC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD

RAIM VALIDATION PASSED

EXTRA FUEL FOR TANKERING

*** DO NOT DEPART WITHOUT A LATT RECEIVED ***
FROM DISPATCH VIA ACARS OR VOICE.
(SEE CO NOTAM FOR INFO)

RKSI CAT II/III - RWY 15L/15R/16L/16R/33L/33R/34L/34R
RJAA CAT II/III - RWY 16R
RJTT CAT II/III - RWY 34R

MEL/CDL
No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. ..	
			TO/LNDG Expiry: --	
FO	2	2	.. ..	
			TO/LNDG Expiry: --	

TO/LNDG currency questions? contact Duty Pilot

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

TIME		FUEL			
OUT:	/	ETA RJAA:		UPLIFT:	
OFF:	/	SOB:		PYLD:	
ON:	/	RVSM ALTIMETER RECORD			
IN:	/	L:	S:		R:

```
(FPL-GTI924-IS
-B744/H-SDE1E2E3FGHIJ3J5M1P2RWXYZ/LB1D1
-RKSI####
-N0488F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI Y597
MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK Y30 SWAMP DCT ESKEN DCT
BOSPA
-RJAA0147 RJTT
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE
DOF/###### REG/N###MC EET/RJJJ0030 SEL/#### CODE/###### OPR/GTI
RMK/EMERG CTC 19147018045 TCAS II EQUIPPED)
```

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	RKSI 00023 FT							SEOUL/INCHEON INTL			
	N37 27.8										
	E126 26.3										
OSPOT2C	**OSPOT**										
	N36 50.3	123	063	384	347	00.11			CLB	T038	0337
	E127 20.9	114	147	CLB	CLB	00.11		CLB	CLB	277/057	
Y782	**VASLI**										
	N36 42.9	144	011	550	475	00.01			CLB	T076	0333
	E127 30.0	135	155	CLB	CLB	00.12		CLB	CLB	272/113	
Y782	**MAKDU**										
	N36 27.2	144	022	558	479	00.02			CLB	T080	0326
	E127 49.2	135	157	CLB	CLB	00.14		CLB	CLB	270/124	
Y782	**BITUX**										
	N36 16.7	145	014	557	476	00.02			CLB	T082	0323
	E128 01.8	136	158	CLB	CLB	00.16		CLB	CLB	270/131	
Y782	**TOC**										
	N36 15.2	145	002	558	476	00.00			CLB	T082	0322
	E128 03.6	136	158	CLB	CLB	00.16		CLB	CLB	270/132	
Y782	**TGU**		**DALSEONG**					**112.2**			
	N35 48.6	145	038	566	488	00.04			P06	T079	0316
	E128 35.4	136	158	274	838	00.20		F350	-48	268/131	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
Y659	LAPAL										
	N35 54.2	085	024	612	485	00.02			P06	T128	0312
	E129 04.9	077	081	272	833	00.22		F350	-48	268/131	
Y659	KPO		POHANG					112.5			
	N35 58.6	086	020	616	484	00.02			P06	T133	0309
	E129 28.5	077	082	271	832	00.24		F350	-48	267/135	
Y685	BULGA										
	N35 56.2	107	017	618	483	00.02			P06	T136	0306
	E129 49.4	098	111	271	831	00.26		F350	-49	267/140	
(RJJJ)	AT SAPRA					00.30	FUKUOKA FIR				
Y685	SAPRA										
	N35 49.4	107	044	616	484	00.04			P06	T134	0299
	E130 43.4	099	112	271	832	00.30		F350	-48	267/137	
Y599	KABKI										
	N35 45.2	101	094	617	485	00.09			P06	T133	0284
	E132 39.5	092	102	272	832	00.39		F350	-48	267/134	
Y597	PEPOS										
	N35 43.0	131	005	588	487	00.01			P06	T102	0284
	E132 43.8	122	142	273	837	00.40		F350	-48	267/132	
Y597	MIHOU										
	N35 31.9	131	021	591	487	00.02			P06	T105	0280
	E133 05.6	122	142	273	837	00.42		F350	-48	267/135	
Y45	ATPOD										
	N35 40.9	080	028	612	485	00.03			P06	T128	0276
	E133 38.5	071	074	272	834	00.45		F350	-49	268/135	
Y45	SAKYU										
	N35 55.0	080	045	611	484	00.04			P05	T127	0269
	E134 31.1	071	074	272	834	00.49		F350	-49	267/134	
Y45	MADUL										
	N35 59.0	080	013	610	484	00.01			P05	T128	0267
	E134 46.2	072	075	272	834	00.50		F350	-50	267/134	
Y45	SONBU										
	N36 11.5	081	041	611	484	00.04			P05	T128	0260
	E135 35.0	072	075	272	834	00.54		F350	-50	267/134	
Y45	KMC		KOMATSU					112.0			
	N36 23.8	081	042	613	484	00.05			P05	T130	0253
	E136 24.3	073	075	272	833	00.59		F350	-49	269/138	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY / MORA	WPT	MTK / TTK	NM / MH	GS / IAS	TAS / .M	LEG-T / TOT-T	ETA / ATA	MTRS / FL	ISA / TEMP	WC / WIND	REMF / AREM
Y515	ZUWAI										
	N36 37.8	070	029	603	485	00.02			P06	T120	0249
	E136 57.0	062	060	272	835	01.01		F350	-49	269/139	
Y517	OTARI										
	N36 47.4	088	056	619	483	00.06			P06	T137	0240
^110	E138 05.6	080	085	271	832	01.07		F350	-49	267/139	
Y517	HAKKA										
	N36 50.6	089	019	615	483	00.02			P05	T133	0237
	E138 28.8	080	086	272	832	01.09		F350	-50	268/135	
Y517	IKAHO										
	N36 55.2	089	029	610	484	00.03			P06	T127	0232
	E139 04.5	081	086	272	833	01.12		F350	-49	268/129	
Y517	MAUKA										
	N36 58.4	089	020	607	485	00.02			P06	T123	0229
	E139 29.1	081	087	272	834	01.14		F350	-48	268/124	
Y517	YAGAN										
	N37 00.8	089	015	604	484	00.01			P06	T121	0226
	E139 47.9	081	087	272	833	01.15		F350	-49	268/122	
Y517	SYOEN										
	N37 02.3	090	010	604	484	00.01			P06	T121	0225
	E140 00.2	081	087	272	833	01.16		F350	-49	268/122	
Y517	LIVET										
	N37 04.1	089	012	604	484	00.01			P06	T121	0223
	E140 14.6	081	087	272	833	01.17		F350	-49	268/122	
Y517	ESKAS										
	N37 06.6	090	017	604	484	00.02			P06	T121	0220
	E140 35.8	081	088	272	833	01.19		F350	-49	268/122	
Y303	ENTAK										
	N36 59.6	135	012	579	488	00.01			P06	T093	0218
	E140 47.7	126	146	273	836	01.20		F350	-48	268/125	
Y30	TOD										
	N36 57.7	205	002	436	486	00.00			P06	H054	0218
	E140 47.0	197	218	273	836	01.20		F350	-49	269/126	
Y30	GURIP										
	N36 33.3	205	025	436	490	00.04			DSC	H054	0213
	E140 37.6	197	218	DSC	DSC	01.24		DSC	DSC	269/126	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK NM GS TAS LEG-T ETA TTK MH IAS .M TOT-T ATA	MTRS ISA WC REMF FL TEMP WIND AREM
Y30	**SWAMP**		
	N36 19.2	205 015 413 470 00.02	DSC DSC H056 0212
	E140 32.3	197 218 DSC DSC 01.26	DSC DSC 268/125
DCT	**ESKEN**		
	N36 05.0	161 016 455 432 00.02	DSC DSC T024 0211
	E140 41.4	153 176 DSC DSC 01.28	DSC DSC 262/114
DCT	**BOSPA**		
	N35 48.0	139 026 452 396 00.04	DSC DSC T057 0210
	E141 05.2	131 152 DSC DSC 01.32	DSC DSC 262/097
BOSPAN	**RJAA** 00135 FT		TOKYO/NARITA INTL
	N35 45.9	277 062 275 296 00.15	DSC DSC H021 0200
	E140 23.1	269 245 DSC DSC 01.47	DSC DSC 269/035

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

Destination Primary Alternate Route

RJAA DCT MESSE DCT RJTT

RJAA/0170

GCD 032 GDIS112 FUEL 4740 TIME 00.25

MORA 2000

GE - TLR

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
TAKEOFF AND LANDING REPORT GTI 0924 RKSI-RJAA ##XXX##
TLR-5 SEQ-88413011 ##XXX## ####Z
A/C N###MC  B747-400 CF680C2B#F KG

ACARS INIT DATE = XX    ACARS TAKEOFF REQUEST = ####Z-####Z
        -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 5C TO MT      QNH = GREATER OR EQUAL TO 1008

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
RKSI 15R         15.0 249M05 1013  10  2485 3041

RMKS NONE

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2

-------- -------- --------------------------
SMRGN    ACCEL    EFP

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
15L           12303 DT H154 NOTAMS A1656/25
15R           12303 DT H154
16L           13123 DT H154 NOTAMS A1657/25
16R           12303 DT H154
33L           12303 LT H240
33R           12303 LT H240 NOTAMS A1656/25
34L           12303 LT H240
34R           13123 LT H240 NOTAMS A1657/25

------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          2485 64  89.1 D-TO 2 - PACKS ON   10 133 139 149
15R          2485 64  89.1 D-TO 2 - PACKS ON   10 133 139 149
16L          2485 64  89.1 D-TO 2 - PACKS ON   10 133 139 149
16R          2485 64  89.1 D-TO 2 - PACKS ON   10 133 139 149
33L          2485 64  89.1 D-TO 2 - PACKS ON   10 133 139 149
33R          2485 64  89.1 D-TO 2 - PACKS ON   10 133 139 149
34L          2485 64  89.1 D-TO 2 - PACKS ON   10 133 139 149
34R          2485 64  89.1 D-TO 2 - PACKS ON   10 133 139 149

-------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          2585 64  89.1 D-TO 2 - PACKS ON   10 137 143 152
15R          2585 64  89.1 D-TO 2 - PACKS ON   10 137 143 152
16L          2585 64  89.1 D-TO 2 - PACKS ON   10 137 143 152
16R          2585 64  89.1 D-TO 2 - PACKS ON   10 137 143 152
33L          2585 64  89.1 D-TO 2 - PACKS ON   10 137 143 152
33R          2585 64  89.1 D-TO 2 - PACKS ON   10 137 143 152
34L          2585 64  89.1 D-TO 2 - PACKS ON   10 137 143 152
34R          2585 64  89.1 D-TO 2 - PACKS ON   10 137 143 152

-------------- DRY RWY - PTOW - ENG A/I OFF - 15KT TW ---------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          2485 64  89.1 D-TO 2 - PACKS ON   10 128 139 149
15R          2485 64  89.1 D-TO 2 - PACKS ON   10 128 139 149
16L          2485 64  89.1 D-TO 2 - PACKS ON   10 128 139 149
16R          2485 64  89.1 D-TO 2 - PACKS ON   10 128 139 149
33L          2485 64  89.1 D-TO 2 - PACKS ON   10 128 139 149
33R          2485 64  89.1 D-TO 2 - PACKS ON   10 128 139 149
34L          2485 64  89.1 D-TO 2 - PACKS ON   10 128 139 149
34R          2485 64  89.1 D-TO 2 - PACKS ON   10 128 139 149

TAKEOFF AND LANDING REPORT GTI 0924 RKSI-RJAA ##XXX##            PAGE 2
TLR-5 SEQ-88413011 ##XXX## ####Z

--------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - 15KT TW ---------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          2585 62  89.7 D-TO 2 - PACKS ON   10 132 143 152
```

```
15R          2585 62  89.7 D-TO 2 - PACKS ON   10 132 143 152
16L          2585 63  89.4 D-TO 2 - PACKS ON   10 132 143 152
16R          2585 62  89.7 D-TO 2 - PACKS ON   10 132 143 152
33L          2585 62  89.7 D-TO 2 - PACKS ON   10 132 143 152
33R          2585 62  89.7 D-TO 2 - PACKS ON   10 132 143 152
34L          2585 62  89.7 D-TO 2 - PACKS ON   10 132 143 152
34R          2585 63  89.4 D-TO 2 - PACKS ON   10 132 143 152

/// LANDING DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PLDW PMRLW
RJAA 34L          6.0 348M03 1013  30  2301 4000

RMKS NONE

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH SLOPE NOTES
16L            8202  0.07
16R           13123  0.07
34L           13123 -0.07
34R            8202 -0.07

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2500   9304     9304
  2400   8964     8964
/ 2301   8627     8627
  2300   8624     8624
  2200   8284     8284
HW/KT     -28      -28
TW/KT    +161     +161
UP/1PCT  -207     -207
DN/1PCT  +150     +150

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2500   8275     8275
  2400   7975     7975
/ 2301   7678     7678
  2300   7675     7675
  2200   7375     7375
HW/KT     -21      -21
TW/KT    +140     +140
UP/1PCT   -92      -92
DN/1PCT   +12      +23

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2500   7071     7405
  2400   6831     7153
/ 2301   6593     6905
  2300   6591     6902
  2200   6351     6651
HW/KT     -14      -15
TW/KT    +115     +121
UP/1PCT     0      -35
DN/1PCT   +12      +46

TAKEOFF AND LANDING REPORT GTI 0924 RKSI-RJAA ##XXX##            PAGE 3
TLR-5 SEQ-88413011 ##XXX## ####Z

 AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
        FLAPS 25
  LDW   DRY      WET
  2500   5832     7352
  2400   5652     7125
/ 2301   5474     6901
  2300   5472     6898
  2200   5292     6671
HW/KT     -11      -17
TW/KT     +87     +109
UP/1PCT     0     -115
DN/1PCT   +12     +150
```

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

LDW	DRY	WET
2500	5010	7020
2400	4850	6796
/ 2301	4692	6574
2300	4690	6571
2200	4530	6347
HW/KT	-24	-17
TW/KT	+80	+107
UP/1PCT	-64	-138
DN/1PCT	+73	+161

248500/248500/230132/1600/18368/29326/40000
END TAKEOFF AND LANDING REPORT GTI 0924 RKSI-RJAA ##XXX##

GE - Sable

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

ATLAS AIR | B747-4 | LOADSHEET | (Rel. 5.2.11-11010) Loadsheet Printout NR: 3
NORMAL | PROD. TIME: ##:## | Loadplan Printout NR: ..

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
ICN/NRT	GTI924	N###MC	0	##-XXX-##	##:##

Data Rev. Date:##-XXX-####

ALL WEIGHTS IN KG

---------- UPPER DECK ----------

	UPPER
	4104
IDX	-9.51

---------- MAIN DECK ----------

	OA	OB	OC	OD	OE
	1368	4104	1482	3078	10716
IDX	-5.03	-9.97	-1.20	1.71	25.62

---------- LOWER DECK ----------

	11	12	13	21	22	23	24	25	31	32	33	41	42	43	44	H5
	0	0	0	0	1121	0	0	0	0	0	0	0	0	0	0	0
IDX	0.00	0.00	0.00	0.00	-2.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

		WGT KG	INDEX
BASIC OPERATING WGT		180868	64.14
BALLAST		0	0.00
ACM	(00)	0	0.00
CABIN CREW	(15)	1785	-1.89
SWA		1474	-0.46
TOTAL TRAFFIC LOAD		25973	-0.72
ZERO FUEL WEIGHT	(Max: 251743)	210100	61.07
TAXI FUEL		1600	0.15
TAKE OFF FUEL		38400	-1.38
TAKE OFF WEIGHT	(Op. Max: 394625)	248500	59.84
TRIP FUEL		18368	-0.77
LANDING WEIGHT	(Max: 285763)	230132	59.07
ALLOWED PAYLOAD		67616	

CAPTAIN:

CREW 2 / 15

	OA	OB	OC	OD	OE	UP
PAX/Z	12	36	13	27	94	36

	M	F	C	I
PAX/G	123	95	0	0

SOB 235

CAPTAINS INFO BEFORE LMC

IMBALANCE 0.0 %
NOTOC DG NO
NOTOC SC NO

FUEL TANK STATUS: TAIL NOT USED - UNDER 138572KG

LOADING CERTIFICATE- I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK & LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD		AFT
ZFW MAC	24.4 %	17	----------|----------	30
TOW MAC	23.3 %	12	----------|----------	31
LDG MAC	23.3 %	16	----------|----------	30
STABTRIM				

LOAD SUPERVISOR: _____(PRINT NAME)

_____(SIGNATURE)

CPT ACCEPTANCE : _____(SIGNATURE)

UNDERLOAD BEFORE LMC: 41643 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY:

RELEASE NOT VALID (MIA)

LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE

GE - FDP

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI 15R Flaps 10

```
RKSI          CF680C2B#F
FLT NO    RLS NO    TIME
924           0     ####Z
WIND KTS  OAT C      QNH
240/05     +15     29.92
-----------------------
GRWT 250.1    VREF30 143
FUEL  40.0
ZFW  210.1

REMARKS
NONE

RKSI  15R           12303
TOGW  248.5   SMRGN  407
FLAPS 10        PACKS ON
ATM   64C         V1 133
THR   D-TO 2      VR 139
N1    89.1        V2 149
CG    23.3     TRIM  5.1

DT H154       ACCEL  1000
```

RKSI 15R Flaps 25

```
RKSI          CF680C2B#F
FLT NO     LDW      TIME
924       238.6    ####Z
WIND KTS  OAT C      QNH
240/05     +15     29.92
-----------------------
REMARKS
NONE

15R                12303
LDW 238.6   MRLW 400.0/A
FLAPS 25    VREF +05
AUTOBRK 2    10126   3.3
AUTOBRK 3     8991   3.6
AUTOBRK 4     7655   3.8
MAX AUTO      6274   4.1
MAX MAN       5420   4.3
```

RKSI 15R Flaps 30

```
RKSI          CF680C2B#F
FLT NO     LDW      TIME
924       238.6    ####Z
WIND KTS  OAT C      QNH
240/05     +15     29.92
-----------------------
REMARKS
NONE

15R                12303
LDW 238.6   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2     9369   3.0
AUTOBRK 3     8330   3.2
AUTOBRK 4     7139   3.4
MAX AUTO      5890   3.7
MAX MAN       5129   3.9
```

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

GTI924/## **RKSI - RJAA** **## XXX ##** **N###MC**
COST INDEX 080 **Revision: 0**
B747-400 / PW4056 / KG / IFR / **FF +7.5**
PROGS ###### Release Valid Until ####Z ##XXX##

ORIG	RKSI/ICN SEOUL/INCHEON INTL	N37278E126263 ####Z
DEST	RJAA/NRT TOKYO/NARITA INTL	N35459E140231 ####Z
PALT	RJTT/HND TOKYO/HANEDA INTL	N35332E139469 ####Z

RKSI/F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI Y597 MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK Y30 SWAMP DCT ESKEN DCT BOSPA RJAA

Coldest Fuel Temp: N/A A/WC: T127 T-DEV: P06
FMC Reserves: 9.5 ADIS: 770

	RKSI-RJAA		
ALT1/2	RJTT/		
	FUEL	TIME	GDIS
TRIP	**019262**	**01.46**	**0909**
CONT	001739	00.11	
ALT1	005033	00.25	0112
FRES	004432	00.30	
ADD.AL	000490	00.03	
PCF	000000	00.00	
MINF	**030956**	**02.55**	**....**
EXTRA	007444	00.46	
TOF	038400		
TAXI	001600	00.35	
BLOCK	**040000**	**04.16**	
REMF	**019138**	**02.10**	**....**

	Weight	**Actual**	**Limit**	
DOW	184127			
SWA	(001474)			
PYLD	025973			
ZFW	210100	.....	S251743	ZFW INC/1000 X 58 MINF ADJ
RAMP	250100		S396374	
TOGW	248500	.....	L305025	
LDGW	229238		S285763	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Remarks

GCC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD

RAIM VALIDATION PASSED

EXTRA FUEL FOR TANKERING

*** DO NOT DEPART WITHOUT A LATT RECEIVED ***
FROM DISPATCH VIA ACARS OR VOICE.
(SEE CO NOTAM FOR INFO)

RKSI CAT II/III - RWY 15L/15R/16L/16R/33L/33R/34L/34R
RJAA CAT II/III - RWY 16R
RJTT CAT II/III - RWY 34R

MEL/CDL
No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. ..	
			TO/LNDG Expiry: --	
FO	2	2	.. ..	
			TO/LNDG Expiry: --	

TO/LNDG currency questions? contact Duty Pilot

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

TIME		FUEL			
OUT:	/	ETA RJAA:		UPLIFT:	
OFF:	/	SOB:		PYLD:	
ON:	/	RVSM ALTIMETER RECORD			
IN:	/	L:	S:		R:

```
(FPL-GTI924-IS
-B744/H-SDE1E2E3FGHIJ3J5M1P2RWXYZ/LB1D1
-RKSI####
-N0493F350 OSPOT2C OSPOT Y782 TGU Y659 KPO Y685 SAPRA Y599 KABKI Y597
MIHOU Y45 KMC Y515 ZUWAI Y517 ESKAS Y303 ENTAK Y30 SWAMP DCT ESKEN DCT
BOSPA
-RJAA0146 RJTT
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE
DOF/###### REG/N###MC EET/RJJJ0030 SEL/#### CODE/###### OPR/GTI
RMK/EMERG CTC 19147018045 TCAS II EQUIPPED)
```

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	RKSI 00023 FT							SEOUL/INCHEON INTL			
	N37 27.8										
	E126 26.3										
OSPOT2C	**OSPOT**										
	N36 50.3	123	063	379	345	00.11			CLB	T034	0335
	E127 20.9	114	147	CLB	CLB	00.11		CLB	CLB	278/051	
Y782	**VASLI**										
	N36 42.9	144	011	552	480	00.01			CLB	T073	0331
	E127 30.0	135	154	CLB	CLB	00.12		CLB	CLB	274/104	
Y782	**MAKDU**										
	N36 27.2	144	022	569	493	00.02			CLB	T077	0323
	E127 49.2	135	155	CLB	CLB	00.14		CLB	CLB	272/115	
Y782	**BITUX**										
	N36 16.7	145	014	568	490	00.02			CLB	T080	0319
	E128 01.8	136	157	CLB	CLB	00.16		CLB	CLB	270/127	
Y782	**TOC**										
	N36 04.7	145	017	568	489	00.02			CLB	T080	0315
	E128 16.2	136	158	CLB	CLB	00.18		CLB	CLB	269/131	
Y782	**TGU**		**DALSEONG**					**112.2**			
	N35 48.6	145	023	571	493	00.02			P06	T079	0311
	E128 35.4	136	158	277	847	00.20		F350	-48	268/131	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
Y659	LAPAL										
	N35 54.2	085	024	619	492	00.02			P06	T128	0307
	E129 04.9	077	081	276	845	00.22		F350	-48	268/131	
Y659	KPO		POHANG					112.5			
	N35 58.6	086	020	623	492	00.02			P06	T133	0304
	E129 28.5	077	082	276	845	00.24		F350	-48	267/135	
Y685	BULGA										
	N35 56.2	107	017	626	491	00.02			P06	T136	0301
	E129 49.4	098	111	276	845	00.26		F350	-49	267/140	
(RJJJ)	AT SAPRA					00.30	FUKUOKA FIR				
Y685	SAPRA										
	N35 49.4	107	044	624	491	00.04			P06	T134	0294
	E130 43.4	099	112	276	845	00.30		F350	-48	267/137	
Y599	KABKI										
	N35 45.2	101	094	624	492	00.09			P06	T133	0278
	E132 39.5	092	102	276	845	00.39		F350	-48	267/134	
Y597	PEPOS										
	N35 43.0	131	005	594	492	00.01			P06	T102	0277
	E132 43.8	122	142	276	846	00.40		F350	-48	267/132	
Y597	MIHOU										
	N35 31.9	131	021	596	492	00.02			P06	T105	0274
	E133 05.6	122	142	276	846	00.42		F350	-48	267/135	
Y45	ATPOD										
	N35 40.9	080	028	618	491	00.02			P06	T128	0269
	E133 38.5	071	074	276	844	00.44		F350	-49	268/135	
Y45	SAKYU										
	N35 55.0	080	045	616	490	00.05			P05	T127	0262
	E134 31.1	071	074	276	844	00.49		F350	-49	267/134	
Y45	MADUL										
	N35 59.0	080	013	616	489	00.01			P05	T128	0260
	E134 46.2	072	075	276	844	00.50		F350	-50	267/134	
Y45	SONBU										
	N36 11.5	081	041	616	489	00.04			P05	T128	0253
	E135 35.0	072	075	276	844	00.54		F350	-50	267/134	
Y45	KMC		KOMATSU					112.0			
	N36 23.8	081	042	619	489	00.04			P05	T130	0246
	E136 24.3	073	075	275	843	00.58		F350	-49	269/138	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y515	ZUWAI										
	N36 37.8	070	029	609	491	00.03			P06	T120	0241
	E136 57.0	062	060	276	844	01.01		F350	-49	269/139	
Y517	OTARI										
	N36 47.4	088	056	625	489	00.05			P06	T137	0232
^110	E138 05.6	080	085	275	842	01.06		F350	-49	267/139	
Y517	HAKKA										
	N36 50.6	089	019	621	488	00.02			P05	T133	0229
	E138 28.8	080	086	275	842	01.08		F350	-50	268/135	
Y517	IKAHO										
	N36 55.2	089	029	615	489	00.03			P06	T127	0224
	E139 04.5	081	086	275	842	01.11		F350	-49	268/129	
Y517	MAUKA										
	N36 58.4	089	020	612	490	00.02			P06	T123	0221
	E139 29.1	081	087	275	843	01.13		F350	-48	268/124	
Y517	YAGAN										
	N37 00.8	089	015	609	489	00.02			P06	T121	0219
	E139 47.9	081	087	275	842	01.15		F350	-49	268/122	
Y517	SYOEN										
	N37 02.3	090	010	609	489	00.01			P06	T121	0217
	E140 00.2	081	087	275	842	01.16		F350	-49	268/122	
Y517	LIVET										
	N37 04.1	089	012	609	489	00.01			P06	T121	0215
	E140 14.6	081	087	275	842	01.17		F350	-49	268/122	
Y517	ESKAS										
	N37 06.6	090	017	609	489	00.01			P06	T121	0212
	E140 35.8	081	088	275	842	01.18		F350	-49	268/122	
Y303	ENTAK										
	N36 59.6	135	012	579	488	00.02			P06	T093	0210
	E140 47.7	126	146	273	836	01.20		F350	-48	268/125	
Y30	TOD										
	N36 58.6	205	001	439	491	00.00			P06	H054	0210
	E140 47.3	197	218	276	845	01.20		F350	-49	269/126	
Y30	GURIP										
	N36 33.3	205	026	439	494	00.03			DSC	H054	0204
	E140 37.6	197	218	DSC	DSC	01.23		DSC	DSC	269/126	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK NM TTK MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y30	**SWAMP**									
	N36 19.2	205 015	428	484	00.02			DSC	H055	0203
	E140 32.3	197 218	DSC	DSC	01.25		DSC	DSC	269/130	
DCT	**ESKEN**									
	N36 05.0	161 016	480	449	00.03			DSC	T032	0202
	E140 41.4	153 176	DSC	DSC	01.28		DSC	DSC	265/117	
DCT	**BOSPA**									
	N35 48.0	139 026	465	408	00.03			DSC	T058	0201
	E141 05.2	131 152	DSC	DSC	01.31		DSC	DSC	261/102	
BOSPAN	**RJAA**	00135 FT					TOKYO/NARITA INTL			
	N35 45.9	277 062	276	299	00.15			DSC	H022	0191
	E140 23.1	269 247	DSC	DSC	01.46		DSC	DSC	270/036	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI924/##XXX/RKSI-RJAA/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

Destination Primary Alternate Route

RJAA DCT MESSE DCT RJTT

RJAA/0170

GCD 032 GDIS112 FUEL 5033 TIME 00.25

MORA 2000

PW - TLR

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
TAKEOFF AND LANDING REPORT GTI 0924 RKSI-RJAA ##XXX##
TLR-4 SEQ-88411671 ##XXX## ####Z
A/C N###MC  B747-400 PW4056 KG

ACARS INIT DATE = XX    ACARS TAKEOFF REQUEST = ####Z-####Z
        -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 5C TO MT      QNH = GREATER OR EQUAL TO 1008

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
RKSI 15R         15.0 249M05 1013  10  2485 3050

RMKS NONE

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  EPR  THR/PACKS CONFIG  FLAPS  V1  VR  V2

-------- -------- --------------------------
SMRGN    ACCEL    EFP

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
15L           12303 DT H154 NOTAMS A1656/25
15R           12303 DT H154
16L           13123 DT H154 NOTAMS A1657/25
16R           12303 DT H154
33L           12303 LT H240
33R           12303 LT H240 NOTAMS A1656/25
34L           12303 LT H240
34R           13123 LT H240 NOTAMS A1657/25

------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND --------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          2485 60  1.26 D-TO 2 - PACKS ON   10 134 139 149
15R          2485 60  1.26 D-TO 2 - PACKS ON   10 134 139 149
16L          2485 60  1.26 D-TO 2 - PACKS ON   10 134 139 149
16R          2485 60  1.26 D-TO 2 - PACKS ON   10 134 139 149
33L          2485 60  1.26 D-TO 2 - PACKS ON   10 134 139 149
33R          2485 60  1.26 D-TO 2 - PACKS ON   10 134 139 149
34L          2485 60  1.26 D-TO 2 - PACKS ON   10 134 139 149
34R          2485 60  1.26 D-TO 2 - PACKS ON   10 134 139 149

-------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          2585 57  1.27 D-TO 2 - PACKS ON   10 136 142 152
15R          2585 57  1.27 D-TO 2 - PACKS ON   10 136 142 152
16L          2585 57  1.27 D-TO 2 - PACKS ON   10 136 142 152
16R          2585 57  1.27 D-TO 2 - PACKS ON   10 136 142 152
33L          2585 57  1.27 D-TO 2 - PACKS ON   10 136 142 152
33R          2585 57  1.27 D-TO 2 - PACKS ON   10 136 142 152
34L          2585 57  1.27 D-TO 2 - PACKS ON   10 136 142 152
34R          2585 57  1.27 D-TO 2 - PACKS ON   10 136 142 152

-------------- DRY RWY - PTOW - ENG A/I OFF - 15KT TW ---------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          2485 58  1.27 D-TO 2 - PACKS ON   10 128 139 149
15R          2485 58  1.27 D-TO 2 - PACKS ON   10 128 139 149
16L          2485 59  1.26 D-TO 2 - PACKS ON   10 128 139 149
16R          2485 58  1.27 D-TO 2 - PACKS ON   10 128 139 149
33L          2485 58  1.27 D-TO 2 - PACKS ON   10 128 139 149
33R          2485 58  1.27 D-TO 2 - PACKS ON   10 128 139 149
34L          2485 58  1.27 D-TO 2 - PACKS ON   10 128 139 149
34R          2485 59  1.26 D-TO 2 - PACKS ON   10 128 139 149

TAKEOFF AND LANDING REPORT GTI 0924 RKSI-RJAA ##XXX##            PAGE 2
TLR-4 SEQ-88411671 ##XXX## ####Z

--------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - 15KT TW ---------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          2585 55  1.28 D-TO 2 - PACKS ON   10 130 142 152
```

```
15R          2585 55  1.28 D-TO 2 - PACKS ON   10 130 142 152
16L          2585 55  1.28 D-TO 2 - PACKS ON   10 130 142 152
16R          2585 55  1.28 D-TO 2 - PACKS ON   10 130 142 152
33L          2585 55  1.28 D-TO 2 - PACKS ON   10 130 142 152
33R          2585 55  1.28 D-TO 2 - PACKS ON   10 130 142 152
34L          2585 55  1.28 D-TO 2 - PACKS ON   10 130 142 152
34R          2585 55  1.28 D-TO 2 - PACKS ON   10 130 142 152

/// LANDING DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PLDW PMRLW
RJAA 34L          6.0 348M03 1013  30  2292 4000

RMKS NONE

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH SLOPE NOTES
16L            8202  0.07
16R           13123  0.07
34L           13123 -0.07
34R            8202 -0.07

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2400   8996     8996
  2300   8656     8656
/ 2292   8629     8629
  2200   8316     8316
  2100   7976     7976
HW/KT     -27      -27
TW/KT    +164     +164
UP/1PCT  -161     -161
DN/1PCT   +46      +46

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2400   8048     8048
  2300   7768     7768
/ 2292   7746     7746
  2200   7488     7488
  2100   7208     7208
HW/KT     -20      -20
TW/KT    +141     +141
UP/1PCT   -35      -35
DN/1PCT   +12      +23

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  2400   6831     7153
  2300   6591     6902
/ 2292   6572     6882
  2200   6351     6651
  2100   6111     6399
HW/KT     -14      -15
TW/KT    +115     +121
UP/1PCT     0      -35
DN/1PCT   +12      +46

TAKEOFF AND LANDING REPORT GTI 0924 RKSI-RJAA ##XXX##            PAGE 3
TLR-4 SEQ-88411671 ##XXX## ####Z

 AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
        FLAPS 25
  LDW   DRY      WET
  2400   5652     7074
  2300   5472     6849
/ 2292   5458     6831
  2200   5292     6624
  2100   5112     6399
HW/KT     -11      -17
TW/KT     +87     +112
UP/1PCT     0     -138
DN/1PCT   +12     +161
```

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

LDW	DRY	WET
2400	4822	6803
2300	4662	6577
/ 2292	4649	6559
2200	4502	6351
2100	4342	6125
HW/KT	-24	-18
TW/KT	+79	+109
UP/1PCT	-74	-161
DN/1PCT	+85	+184

248500/248500/229238/1600/19262/30956/40000
END TAKEOFF AND LANDING REPORT GTI 0924 RKSI-RJAA ##XXX##

PW - Sable

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

ATLAS AIR | B747-4 | LOADSHEET | (Rel. 5.2.11-11010) Loadsheet Printout NR: 3
NORMAL | PROD. TIME: ##:## | Loadplan Printout NR: ..

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
ICN/NRT	GTI924	N###MC	0	##-XXX-##	##:##

Data Rev. Date:##-XXX-####

ALL WEIGHTS IN KG

UPPER DECK

	UPPER
	4104
IDX	-9.51

MAIN DECK

	OA	OB	OC	OD	OE
	1368	4104	1482	3078	10716
IDX	-5.03	-9.97	-1.20	1.71	25.62

LOWER DECK

	11	12	13	21	22	23	24	25	31	32	33	41	42	43	44	H5
	0	0	0	0	1121	0	0	0	0	0	0	0	0	0	0	0
IDX	0.00	0.00	0.00	0.00	-2.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

		WGT KG	INDEX
BASIC OPERATING WGT		180868	64.14
BALLAST		0	0.00
ACM	(00)	0	0.00
CABIN CREW	(15)	1785	-1.89
SWA		1474	-0.46
TOTAL TRAFFIC LOAD		25973	-0.72
ZERO FUEL WEIGHT	(Max: 251743)	210100	61.07
TAXI FUEL		1600	0.15
TAKE OFF FUEL		38400	-1.38
TAKE OFF WEIGHT	(Op. Max: 394625)	248500	59.84
TRIP FUEL		19262	-0.80
LANDING WEIGHT	(Max: 285763)	229238	59.04
ALLOWED PAYLOAD		67616	

CAPTAIN:

CREW 2 / 15

	OA	OB	OC	OD	OE	UP
PAX/Z	12	36	13	27	94	36

	M	F	C	I
PAX/G	123	95	0	0

SOB 235

CAPTAINS INFO BEFORE LMC

IMBALANCE 0.0 %
NOTOC DG NO
NOTOC SC NO

FUEL TANK STATUS: TAIL NOT USED - UNDER 138572KG

LOADING CERTIFICATE- I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK & LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD		AFT
ZFW MAC	24.4 %	17	----------|----------	30
TOW MAC	23.3 %	12	----------|----------	31
LDG MAC	23.3 %	16	----------|----------	30
STABTRIM				

LOAD SUPERVISOR: _____(PRINT NAME)

_____(SIGNATURE)

CPT ACCEPTANCE : _____(SIGNATURE)

UNDERLOAD BEFORE LMC: 41643 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY:

RELEASE NOT VALID (MIA)

LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE

PW - FDP

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI 15R Flaps 10

```
RKSI              PW4056
FLT NO    RLS NO    TIME
924          0     ####Z
WIND KTS  OAT C      QNH
240/05     +15     29.92
------------------------
GRWT 250.1    VREF30 143
FUEL  40.0
ZFW  210.1

REMARKS
NONE

RKSI  15R          12303
TOGW  248.5   SMRGN   39
FLAPS 10        PACKS ON
ATM   60C         V1 134
THR   D-TO 2      VR 139
EPR   1.26        V2 149
CG    23.3     TRIM  5.1

DT H154      ACCEL  1000
```

RKSI 15R Flaps 25

```
RKSI              PW4056
FLT NO     LDW      TIME
924       238.1    ####Z
WIND KTS  OAT C      QNH
240/05     +15     29.92
------------------------
REMARKS
NONE

15R               12303
LDW 238.1   MRLW 400.0/A
FLAPS 25    VREF +05
AUTOBRK 2    10124   3.2
AUTOBRK 3     8992   3.4
AUTOBRK 4     7623   3.7
MAX AUTO      6249   4.0
MAX MAN       5371   4.2
```

RKSI 15R Flaps 30

```
RKSI              PW4056
FLT NO     LDW      TIME
924       238.1    ####Z
WIND KTS  OAT C      QNH
240/05     +15     29.92
------------------------
REMARKS
NONE

15R               12303
LDW 238.1   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2     9360   2.9
AUTOBRK 3     8359   3.1
AUTOBRK 4     7120   3.3
MAX AUTO      5866   3.6
MAX MAN       5084   3.8
```

COMPANY NOTAMS

GENERAL

RKSI **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RKSI-FREQ

RKSI IN-RANGE CALL FREQ

ATLAS AIR OPS (B777, B747, B767) USE - 131.000

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-CURFEW

****
NRT CURFEW:
B747-400/F CURFEW = 1400-2100Z DAILY
N###MC, N###MC, N###SG, N###SG, N###BA CURFEW = 1500-2100Z DAILY
B767, B777, B748 CURFEW = 1500-2100Z DAILY
****

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-FLTOPS

NRT RUNWAY USE

DUE TO SLOT RESTRICTIONS IN NRT, POLAR ARRIVALS BETWEEN 1200Z
1400Z MAY BE ASSIGNED RWY 34R/16L. YOU MAY REQUEST RWY 34L/16R
IF NECESSARY.

FOR DEPARTURES, UTILIZE THE DEPARTURE RUNWAY THAT IS ASSIGNED BY
ATC IN THE CLEARANCE. IF 34R/16L IS ASSIGNED IN THE CLEARANCE,
REQUEST 34L/16R IF REQUIRED FOR OPERATIONAL NECESSITY. MUST BE
WHEELS UP BY 1359Z DUE TO CURFEW.

IF AN EXCEPTION TO THIS REQUIREMENT OCCURS, FILE AN FCR.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-AERODATA

AERODATA PERFORMANCE
IF 1/8 INCH OR LESS OF WATER, FROST, DRY SNOW OR WET SNOW
- USE WET RUNWAY FOR TAKEOFF PERFORMANCE.
- USE RCC/BRAKING ACTION, IF PROVIDED, FOR LANDING PERFORMANCE.
  OTHERWISE, USE LANDING SURFACE CONDITION.
THIS IS IN ACCORDANCE WITH FOM 8.1 RCAM MATRIX.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-DEICE

DEICING / ANTI-ICING INFORMATION FORM
---
* 1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE) (CIRCLE ONE) *
*   *
* 2. FLUID TYPE (TYPE I, II, III, OR IV)   (CIRCLE ONE)
*   BRAND:.....................
*   *
* 3. FLUID MIXTURE RATIO -   /   *
*   (FOR TYPE II, III, OR IV FLUID ONLY)   *
*   *
* 4. TIME (UTC) OF THE START OF THE FINAL APPLICATION -   Z *
*   *
*   - - RETAIN THIS FORM WITH THE TRIP ENVELOPE - -   *
*   **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY** *

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-LATT480

- -
    *********FAR PART 117 FDP/FT COMPLIANCE*********

IAW PART 117 LATEST ALLOWABLE TAKEOFF TIME (LATT) IS THE LATEST
TIME YOU MUST BE OFF (AIRBORNE) TO REMAIN WITHIN FDP (FLIGHT AND
DUTY) LIMITS.

LATT IS BASED ON THE MOST RESTRICTIVE CREWMEMBER ASSIGNED TO THE
FLIGHT.

THE AUTOMATED ACARS LATT MESSAGE IS ACTIVATED BY PRESSING INIT
REQ* AND CONFIRM* KEYS ON THE ACARS INIT PAGE. SAMPLE MESSAGE:

BASED ON AN ETD OF XX:XX
AND THE MOST RESTRICTIVE
CM, YOUR CALCULATED LATT
IS XX:XX.
LATT MAY BE SUBJECT TO
CHANGE BASED ON DELAYS.

CREWS SHOULD PRINT THE LATT MESSAGE AND RETAIN IN THE TRIP
ENVELOPE, OR RECORD ON THE OFP.

PART 117 FLIGHTS MUST NOT DEPART WITHOUT A VALID LATT. IF LATT
MESSAGE IS NOT RECEIVED, CONTACT DISPATCH.

- -

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-PUBS747A

CURRENT AIRCRAFT LIBRARY REVISIONS

CURRENT   / CURRENT EFF ON RECEIPT
747-8F
- QRH.............. REV 16   NA
- DDG.............. VER 19   NA
- NORMAL CHECKLIST.......... NA

- ECL .....
747-400P GE
- QRH..... REV 15 NA
- DDG..... VER 21 NA
- NORMAL CHECKLIST..... NA
747-400P PW
- QRH..... REV 6 NA
- DDG..... VER 21 NA
- NORMAL CHECKLIST..... NA
747-400F/C GE
- QRH..... REV 15 NA
- DDG..... VER 21 NA
- NORMAL CHECKLIST..... NA
747-400F/C PW
- QRH..... REV 9 NA
- DDG..... VER 21 NA
- NORMAL CHECKLIST..... NA
747-400LCF
- QRH..... REV 15 NA
- DDG..... VER 7 NA
- NORMAL CHECKLIST..... NA
ALL 747
- SUPERNUM/JS BRIEFING CARD... NA
FOR ALL DDG TRS - REFER TO EFB COMPLY365

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-WB INDEX

INDEX INFO REMOVED FROM W&B CO NOTAM. FOM 14.1.1 BEING REVISED.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ###-PAXSEATS

****
N###MC PASSENGER SEATS
FIRST.....12
BUSINESS.....52
ECONOMY.....310
FLIGHT DECK JS.....4
CABIN JS.....17
TOTAL SEATS.....395
****

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ###-WB

N###MC WEIGHT AND BALANCE ADVISORY

BOW FLIGHT DECK CREW 180,868
CABIN CREW/ACMS
+12 - 182,296
+13 - 182,415

BOW FLIGHT DECK CREW +1 - 180,987
CABIN CREW/ACMS
+12 - 182,415 / +13 - 182,534

BOW FLIGHT DECK CREW +2 - 181,106
CABIN CREW/ACMS
+12 - 182,534 / +13 - 182,653

+14 - 182,534 / +14 - 182,653 / +14 - 182,772
+15 - 182,653 / +15 - 182,772 / +15 - 182,891
+16 - 182,772 / +16 - 182,891 / +16 - 183,010
+17 - 182,891 / +17 - 183,010 / +17 - 183,129
+18 - 183,010 / +18 - 183,129 / +18 - 183,248
+19 - 183,129 / +19 - 183,248 / +19 - 183,367

BOW = COCKPITFLIGHT DECK CREW, CABIN CREW AND ACMS OCCUPYING A J/S (FLIGHT DECK OR CABIN AND LISTED ON THE OFP). THE BOW DOES NOT INCLUDE FLIGHT MECHANICS, LOADMASTERS, PASSENGER SERVICE REPS OR ATLAS AND POLAR EMPLOYEES WHO MAY BE TRAVELING ON THE AIRCRAFT.
THEY WILL BE IN PASSENGER SEATS. THEY WILL BE COUNTED AS NON-REVENUE (NR) PASSENGERS ON THE WEIGHT AND BALANCE FORM.

SOB = TOTAL CREW COUNT FROM OFP AND W&B PASSENGER COUNT.

GD = WILL LIST ALL THOSE ON THE OFP AND THE NR PASSENGERS. THIS SATISFIES ALL CUSTOMS ISSUES. A GD WILL BE PREPARED FOR ALL FLIGHTS, INTERNATIONAL AND DOMESTIC.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: B747-FMDW400

****
FALSE MAIN DECK WARNINGS

THERE HAVE BEEN MULTIPLE FALSE MAIN DECK CARGO FIRE WARNING MESSAGES CAUSED BY CONDENSATION OF MOISTURE AND FOG WHILE CARRYING HIGH DENSITY FLOWERS AND LIVE ANIMALS SUCH AS PIGS
*MOST FALSE CARGO FIRE WARNING MESSAGES HAVE OCCURRED SEVERAL HRS INTO THE FLIGHT AND MAIN DECK TEMP BELOW 8 DEGREES
*ANYTIME PERISHABLES OR LIVE ANIMALS ARE ON BOARD
THE USE OF FCOM SP PROCEDURES FOR CARRIAGE OF ANIMALS AND PERISHABLES (FREIGHTER) MUST BE FOLLOWED
*IAW WITH FOM GUIDANCE, FLIGHT CREWS SHOULD DETERMINE THE BEST COURSE OF ACTION BEFORE ENTERING CLASS E CARGO COMPARTMENTS (MAIN DECK) TO VERIFY THE PRESENCE OF A FIRE

****

APT RKSI

ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

RUNWAY

RKSI ICN A1656/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

RWY 15L/33R CLSD DUE TO CONSTRUCTION
ACFT CROSSING RWY 15L/33R AVBL UNDER ATC INSTRUCTION

RKSI ICN A1657/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

RWY 16L/34R CLSD DUE TO WIP

NAVIGATION

RKSI ICN A1658/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

ILS Z RWY 15R GP U/S
LOC Z RWY 15R AVBL

AIRSPACE

RKSI ICN A1654/25 ####-XXX-## ##:## - PERM
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP SUP 73/24 :
1. RECAT PROC WILL BE USED WI SEOUL TMA(RKSI, RKSS)
2. RECAT WAKE TURB MNM BASED ON GROUPING OF TYP INTO SEVEN GROUPS(A TO G)

APT RJAA

NRT - TOKYO/NARITA INTL DESTINATION ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

AIRSPACE

RJAA NRT A1539/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL005

####-####
UNMANNED ACFT:
1.FLT AREA: BOUNDED BY FLW POINTS
355420N1401411E 355410N1401411E 355416N1401435E
355419N1401433E 355425N1401453E 355429N1401447E
(RYUGASAKI-SHI IN IBARAKI)
(APRX QTE/322DEG 10.8NM FM RJAA ARP)
2.WT : 0.7KG
F) SFC G) 486FT AMSL

OBSTACLE

RJAA NRT A1612/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

XXX ##-## ##-## ##-## ##-## XXX
##-## ##-## ##-## ##-## ####/####
HVY EQPT EXIST ABV APCH SFC FOR RWY 34R
1.PSN : BOUNDED BY FLW POINT
354648.43N1402348.29E 354644.60N1402351.06E
354642.96N1402351.06E 354643.33N1402348.76E
354643.43N1402347.48E 354642.18N1402344.88E
354645.23N1402341.08E
(701M TO 875M BFR RWY 34R THR AND
40M RIGHT TO 166M LEFT EXTENDED RCL)
(NARITA-SHI IN CHIBA)
2.NUMBER : 1
3.RMK : WX MNM, INST APCH PROC, DEP PROC NO CHANGE

RJAA NRT A1253/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL004

OBST LGT ON TOWER-U/S
PSN : 354346.0N1400953.0E (SAKURA-SHI IN CHIBA)
FM SFC TO 312FT AMSL

APT RJTT

HND - TOKYO/HANEDA INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 04/22 05/23 16L/34R 16R/34L

RAMP

RJTT HND J2686/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP RJTT AD 2.20
DISPLAY OF TARGET START UP APPROVAL TIME(TSAT) ON VISUAL-DOCKING-GUIDANCE-SYSTEM FOR SPOT 18 THRU 23-U/S DUE TO TROUBLE

AIRSPACE

RJTT HND J####/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL010

UNMANNED ACFT:
1.FLT AREA: BOUNDED BY FLW POINTS
354131N1394158E 354131N1394200E 354124N1394159E
354121N1394200E 354121N1394159E 354127N1394158E
(SHINJUKU-KU IN TOKYO)
(APRX QTE/334DEG 9.0NM FM RJTT ARP)
2.WT : 1KG
3.RMK : THIS NOTAM WILL BE INCORPORATED IN SUP
F) SFC G) 982FT AMSL

RJTT HND J2647/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL010

####-####
UNMANNED ACFT:
1.FLT AREA: BOUNDED BY FLW POINTS
354124N1394131E 354125N1394136E 354122N1394137E
354121N1394132E
(SHINJUKU-KU IN TOKYO)
(APRX QTE/332DEG 9.2NM FM RJTT ARP)
2.WT : 1.1KG
F) SFC G) 985FT AMSL

RJTT HND J2396/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

####-####
UNMANNED ACFT:
1.FLT AREA: BOUNDED BY FLW POINTS

354131N1394148E 354129N1394147E 354128N1394148E
354129N1394152E 354129N1394153E 354131N1394153E
354131N1394152E 354131N1394150E
(SHINJUKU-KU IN TOKYO)
(APRX QTE/334DEG 9.2NM FM RJTT ARP)

RJTT HND J2103/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL010

####-####
UNMANNED ACFT:
1.FLT AREA: BOUNDED BY FLW POINTS
354123N1394130E 354121N1394131E
354122N1394132E 354123N1394131E
(SHINJUKU-KU IN TOKYO)
(APRX QTE/332DEG 9.2NM FM RJTT ARP)
2.WT : 4.3KG
F) SFC G) 942FT AMSL

OBSTACLE

RJTT HND J2925/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL006

OBST LGT ON BLDG-U/S
PSN: 354101.0N1394607.0E (CHIYODA-KU IN TOKYO)
FM SFC TO 572FT AMSL

RJTT HND J2914/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL005

OBST LGT ON BLDG-U/S
PSN : 354227.0N1393953.0E (NAKANO-KU IN TOKYO)
FM SFC TO 453FT AMSL

RJTT HND J2689/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

OBST LGT ON PWR LINE TOWER-U/S
PSN : 353058.0N1394208.0E (KAWASAKI-SHI IN KANAGAWA)
FM SFC TO 205FT AMSL

RJTT HND J2687/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL003

OBST LGT ON BLDG-U/S
PSN : 353819.3N1394514.6E (MINATO-KU IN TOKYO)
FM SFC TO 270FT AMSL

RJTT HND J2652/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL004

OBST LGT ON BLDG-U/S
PSN : 354151.0N1394851.0E (SUMIDA-KU IN TOKYO)
FM SFC TO 311FT AMSL

RJTT HND J2644/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL005

OBST LGT ON BLDG-U/S
PSN : 354013.4N1394515.5E (CHIYODA-KU IN TOKYO)
FM SFC TO 432FT AMSL

RJTT HND J2395/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL005

OBST LGT ON TOWER-U/S
PSN: 354413.0N1393846.0E (NERIMA-KU IN TOKYO)
SFC TO 417FT AMSL

RJTT HND J2361/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL004

OBST LGT ON BLDG-U/S
PSN : 354114.9N1394252.0E (SHINJUKU-KU IN TOKYO)
FM SFC TO 303FT AMSL

RJTT HND J2317/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL006

OBST LGT ON BLDG-U/S
PSN : 353906.7N1394528.3E (MINATO-KU IN TOKYO)
FM SFC TO 555FT AMSL

RJTT HND J2282/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL007

OBST LGT ON CHIMNEY-U/S
PSN : 352740.0N1395834.0E (SODEGAURA-SHI IN CHIBA)
RMK/OBST LGT IN PLACE OF OBST DAY MARKING FOR CHIMNEY
FM SFC TO 669FT AMSL

RJTT HND J2244/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

OBST LGT ON BLDG-U/S
PSN : 353348.0N1394412.2E (OTA-KU IN TOKYO)
FM SFC TO 161FT AMSL

RJTT HND J2237/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL002

XXX ## XXX ##-## ##-## ##-## ##-## ##-XXX ## ##-## ##-## ##-##
##-## ####-####
CRANE EXIST ABV HORIZONTAL SFC
1.PSN : 353120N1394623E
(QTE/192DEG 3528M FM RJTT ARP)
(KAWASAKI-SHI IN KANAGAWA)
2.TIME : ####/SS
3.NUMBER: 1
4.RMK : (1)WX MNM,INST APCH PROC,DEP PROC NO CHANGE
(2)OBST DAY MARKING INSTL
FM SFC TO 199FT AMSL

RJTT HND J2215/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL009

OBST DAY MARKING FOR BLDG ERASED
PSN : 354133.5N1394146.6E (SHINJUKU-KU IN TOKYO)
FM SFC TO 834FT AMSL

RJTT HND J2214/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL009

OBST LGT ON BLDG-U/S
PSN : 354133.5N1394146.6E (SHINJUKU-KU IN TOKYO)
FM SFC TO 834FT AMSL

RJTT HND J2077/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - FL005

OBST LGT ON BLDG-U/S
PSN : 354129.7N1394322.4E (SHINJUKU-KU IN TOKYO)
FM SFC TO 431FT AMSL

RJTT HND J2058/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

CRANE EXIST ABV CONICAL SFC
1.PSN : 354100.0N1394632.5E
(APRX QTE/358DEG 14432.098M FM RJTT ARP)
(CHUO-KU IN TOKYO)
2.NUMBER : 1
3.RMK : (1)WX MNM INST APCH PROC,DEP PROC NO CHANGE
(2)OBST LGT AND OBST DAY MARKING INSTL
FM SFC TO 1143FT AMSL

RJTT HND J2057/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

CRANE EXIST ABV CONICAL SFC
1.PSN : 354058.2N1394632.5E
(APRX QTE/358DEG 14376.654M FM RJTT ARP)
(CHUO-KU IN TOKYO)
2.NUMBER : 1
3.RMK : (1)WX MNM INST APCH PROC,DEP PROC NO CHANGE
(2)OBST LGT AND OBST DAY MARKING INSTL
FM SFC TO 1160FT AMSL

RJTT HND J2056/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

CRANE EXIST ABV CONICAL SFC
1.PSN : 354059.4N1394632.3E
(APRX QTE/358DEG 14413.789M FM RJTT ARP)
(CHUO-KU IN TOKYO)
2.NUMBER : 1
3.RMK : (1)WX MNM INST APCH PROC,DEP PROC NO CHANGE
(2)OBST LGT AND OBST DAY MARKING INSTL
FM SFC TO 1136FT AMSL

RJTT HND J2055/25 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

CRANE EXIST ABV CONICAL SFC
1.PSN : 354059.0N1394633.2E
(APRX QTE/358DEG 14400.706M FM RJTT ARP)
(CHUO-KU IN TOKYO)
2.NUMBER : 1
3.RMK : (1)WX MNM INST APCH PROC,DEP PROC NO CHANGE
(2)OBST LGT AND OBST DAY MARKING INSTL
FM SFC TO 1153FT AMSL

FIR RKRR INCHEON FIR

GENERAL

NIL

FIR RJJJ FUKUOKA FIR

GENERAL

NIL

APT RKSI

ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

TAF

```
TAF RKSI ######Z ####/#### 24005KT 9999 SCT032 TX15/####Z TN02/####Z
```

METAR

```
METAR RKSI ######Z 24005KT 9999 SCT032 15/02 Q1013 NOSIG
```

APT RJAA

NRT - TOKYO/NARITA INTL DESTINATION ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

TAF

```
TAF RJAA ######Z ####/#### 18006KT 9999 FEW030
  BECMG ####/#### 29006KT
```

METAR

```
METAR RJAA ######Z AUTO 32004KT 270V360 9999 NCD 01/00 Q1014 NOSIG
  RMK A2996
```

APT RJTT

HND - TOKYO/HANEDA INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 04/22 05/23 16L/34R 16R/34L

TAF

```
TAF RJTT ######Z ####/#### 26006KT 9999 FEW030
  BECMG ####/#### 22004KT
  BECMG ####/#### 34010KT
```

METAR

```
METAR RJTT ######Z 04007KT CAVOK 08/04 Q1015 NOSIG RMK A2997
```

FIR RKRR

INCHEON FIR

SIGMET

```
NIL
```

FIR RJJJ

FUKUOKA FIR


SIGMET

```
NIL
```

Maps and Company Docs

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Note - this is a placeholder or a representative company OFP Weather map and may not reflect the actual enroute weather conditions



CLEARANCE and ATIS

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI DEP ATIS ALPHA ####Z

```
EXP RWY 15R
WIND 240/05KT  VIS 10 MILE
SCT 032
T 15  DP 02  QNH 1013
RWY 15L CLOSED DUE TO
CONSTRUCTION.
RWY 16L UNUSABLE DUE TO
WORK IN PROGRESS.
CAUTION BIRD ACTIVITY.
```

CLEARANCE - DCL RKSI GTI 924

```
CLD ####Z ###### RKSI PDC 009
GTI924 CLRD RJAA OFF 15R VIA
OSPOT2C CLIMB VIA SID FL150
SQUAWK 1477
NEXT FREQ 121.8  ATIS A
```

RKSI ARR ATIS BRAVO ####Z

```
EXP RWY 15R
WIND 240/05KT  VIS 10 MILE
SCT 032
T 15  DP 02  QNH 1013
RWY 15L CLOSED DUE TO
CONSTRUCTION.
GS OTS RWY 15R.
RWY 16L UNUSABLE DUE TO
WORK IN PROGRESS.
CAUTION BIRD ACTIVITY.
```

ACARS LATT MSG

```
BASED ON AN ETD OF ##:##Z
AND THE MOST RESTRICTIVE CM,
YOUR CALCULATED LATT IS
##:##Z. LATT MAY BE SUBJECT TO
CHANGE DUE TO DELAYS.
```