CQLOE.1_D Flight Crew Paperwork

B747-400F / CF680C2B#F / PW#### Callsign: GIANT 605 HEAVY RKSI / RJGG

NOTE: ALL DATA IS FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

GTI605/## RKSI - RJGG ## XXX ## N###MC
COST INDEX 040 **Revision: 0**
B747-400F / CF6-80C2-B1F / KG / IFR / **FF +4.7**
PROGS ###### Release Valid Until ####Z ##XXX##

ORIG	RKSI/ICN SEOUL/INCHEON INTL	N37278E126263 ####Z
DEST	RJGG/NGO CHUBU/CENTRAIR INTL	N34515E136483 ####Z
PALT	RJAA/NRT TOKYO/NARITA INTL	N35459E140231 ####Z

RKSI/F310 OSPOT2C OSPOT A582 TGU V549 KPO G585 BULGA A586 AGSUS Y697 LANAT Y51 SAMON Y511 CHESS RJGG

Coldest Fuel Temp: -12/SABAE A/WC: T065 T-DEV: P03
FMC Reserves: 14.9 ADIS: 651

	RKSI-RJGG		
ALT1/2	RJAA/		
	FUEL	TIME	GDIS
TRIP	**017762**	**01.34**	**0712**
CONT	001622	00.09	
ALT1	008852	00.52	0352
FRES	004028	00.30	
ADD.AL	000392	00.02	
PCF	002000	00.11	
MINF	**034656**	**03.20**	**....**
EXTRA	042769	03.46	
TOF	077425		
TAXI	001575	00.35	
BLOCK	**079000**	**07.41**	
REMF	**059663**	**07.24**	**....**

	Weight	**Actual**	**Limit**	
DOW	161657			
PYLD	078343			
ZFW	240000	.....	S288031	ZFW INC/1000 X 43 MINF ADJ
RAMP	319000		S397800	
TOGW	317425	.....	L319854	MTOW LTD BY VZFW/CK LIMITS
LDGW	299663		S302092	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Remarks

RAIM VALIDATION PASSED

PCF FOR LOW VIS/CIGS DEST AREA
EXTRA FUEL FOR TANKERING

RKSI CAT II/III - RWY 15L/15R/16L/16R/33L/33R/34L/34R
RJGG CAT II - RWY 18/36
RJGG CAT III - RWY 36
RJAA CAT II/III - RWY 16R
RJTT CAT II/III - RWY 34R
RJBB CAT II - RWY 06L/06R/24L/24R

MEL/CDL
No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. ..	
			TO/LNDG Expiry: --	
FO	2	2	.. ..	
			TO/LNDG Expiry: --	

TO/LNDG currency questions? contact Duty Pilot

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

TIME		FUEL	
OUT:	/	ETA RJGG:	UPLIFT:
OFF:	/	SOB:	PYLD:
ON:	/	RVSM ALTIMETER RECORD	
IN:	/	L: S:	R:

(FPL-GTI605-IS
-B744/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-RKSI####
-N0477F310 OSPOT2C OSPOT A582 TGU V549 KPO G585 BULGA A586 AGSUS Y697 LANAT Y51 SAMON Y511 CHESS
-RJGG0134 RJAA
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE DOF/###### REG/N###MC EET/RJJJ0044 SEL/#### CODE/###### OPR/GTI RMK/TCAS II EQUIPPED CARGO EMERG CTC 19147018045)

Overflight/Landing Permits

AWY	WPT	MTK NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	RKSI	00023 FT					SEOUL/INCHEON INTL			
	N37 27.3									
	E126 27.7									
OSPOT2C	**TOC**									
	N36 53.8	124 087	531	474	00.15			M00	T057	0713
	E127 12.1	115 126	300	806	00.14		F310	-46	277/062	
OSPOT2C	**OSPOT**									
	N36 50.3	124 008	560	477	00.01			P04	T083	0711
	E127 20.9	115 126	300	806	00.15		F310	-42	281/087	
A582	**VASLI**									
	N36 42.9	144 010	546	477	00.01			P04	T069	0709
	E127 30.0	135 150	300	806	00.16		F310	-42	281/087	
A582	**MAKDU**									
	N36 27.2	144 022	546	477	00.02			P04	T068	0705
	E127 49.2	135 150	300	806	00.19		F310	-42	281/087	
A582	**BITUX**									
	N36 16.7	144 015	546	477	00.02			P04	T068	0702
	E128 01.8	135 150	300	806	00.20		F310	-42	281/087	
A582	**TGU**	**DALSEONG**					**112.2**			
	N35 48.6	144 039	535	476	00.04			P03	T058	0694
	E128 35.4	135 150	300	806	00.25		F310	-43	276/080	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY / MORA	WPT	MTK / TTK	NM / MH	GS / IAS	TAS / .M	LEG-T / TOT-T	ETA / ATA	MTRS / FL	ISA / TEMP	WC / WIND	REMF / AREM
V549	LAPAL										
	N35 54.2	085	025	551	476	00.03			P03	T075	0690
	E129 04.9	076	082	300	806	00.27		F310	-43	276/080	
V549	KPO		POHANG					112.5			
	N35 58.6	085	020	554	477	00.02			P04	T077	0686
	E129 28.5	076	082	300	806	00.29		F310	-42	268/078	
G585	BULGA										
	N35 56.1	106	017	554	477	00.02			P04	T077	0683
	E129 49.4	098	108	300	806	00.31		F310	-42	268/078	
A586	DABIK										
	N36 17.7	048	028	526	477	00.03			P04	T048	0677
	E130 11.7	039	041	300	806	00.34		F310	-42	268/078	
A586	AGSUS										
	N36 45.3	048	036	536	478	00.04			P04	T059	0670
	E130 40.7	040	041	300	806	00.39		F310	-42	261/080	
(RJJJ)	AT LANAT					00.43	FUKUOKA FIR				
Y697	LANAT										
	N36 22.4	131	043	534	478	00.05			P04	T057	0661
	E131 25.7	122	137	300	806	00.43		F310	-42	261/080	
Y51	DISSH										
	N36 16.9	100	113	556	477	00.12			P03	T080	0640
	E133 45.7	092	102	300	806	00.56		F310	-43	244/093	
Y51	OVSOS										
	N36 15.9	102	016	556	477	00.02			P03	T080	0637
	E134 05.3	093	107	300	806	00.57		F310	-43	244/093	
Y51	SAMON										
	N36 14.6	102	020	554	476	00.02			P02	T079	0633
	E134 30.2	093	107	300	806	00.59		F310	-44	242/095	
Y511	CHILY										
	N36 12.0	102	035	554	476	00.04			P02	T078	0627
	E135 13.4	093	108	300	806	01.03		F310	-44	242/095	
Y511	SABAE										
	N35 56.7	127	032	519	476	00.04			P02	T044	0621
	E135 48.0	118	136	300	806	01.07		F310	-44	240/097	
Y511	TRUGA										
	N35 45.8	127	023	513	469	00.03			P02	T044	0616
	E136 12.4	118	137	296	796	01.10		F310	-44	240/097	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY / MORA	WPT	MTK / TTK	NM / MH	GS / IAS	TAS / .M	LEG-T / TOT-T	ETA / ATA	MTRS / FL	ISA / TEMP	WC / WIND	REMF / AREM
Y511	**TOD**										
	N35 41.2	161	005	465	478	00.01			P02	H013	0615
	E136 15.3	152	173	302	811	01.10		F310	-44	240/097	
Y511	**MARIA**										
	N35 40.2	161	001	419	433	00.00			P02	H013	0615
	E136 15.9	152	173	273	735	01.10		F307	-43	240/097	
Y511	**SHIZU**										
	N35 32.0	159	009	406	417	00.01			P04	H010	0615
	E136 21.5	151	172	272	697	01.12		F282	-37	241/089	
Y511	**CHESS**										
	N35 20.5	159	013	385	395	00.02			P04	H010	0614
	E136 29.1	151	171	272	652	01.14		F249	-30	241/082	
SOARCV	**RJGG** 00012 FT							CHUBU/CENTRAIR INTL			
	N34 50.6	111	095	201	201	00.20			P04	T000	0597
	E136 48.5	103	114	200	303	01.34		DSC	+20	248/017	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

Destination Primary Alternate Route

RJGG V36 BOGON Y79 GUPER Y81 RUTAS RUTAST RJAA
RJGG/0390
GCD 184 GDIS352 FUEL 8852 TIME 00.52
MORA 3700

GE - TLR

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
TAKEOFF AND LANDING REPORT GTI 605 ICN-NGO ##XXX##
TLR-0 SEQ-93088935 ##XXX## ####Z
A/C N###MC  B747-400F CF680C2B#F KG

ACARS INIT DATE = XX    ACARS TAKEOFF REQUEST = ####Z-####Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 21C TO MT      QNH = GREATER OR EQUAL TO 29.77

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
ICN  15R         31.0 329M05 29.92 10  3174 3190

RMKS T/O 2 - DERATE 2
     PACKS ON
     NO IMPROVED CLIMB
     FLAPS PLANNED AT 10 ONLY

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2

-------- -------- ---------------------------
SMRGN    ACCEL    EFP

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
15L           12303 DT H154 NOTAMS A0523/26
15R           12303 DT H154 NOTAMS A0523/26
16L           13123 DT H154
16R           12303 DT H154
33L           12303 LT H240 NOTAMS A0523/26
33R           12303 LT H240 NOTAMS A0523/26
34L           12303 LT H240
34R           13123 LT H240

------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3174 49  96.7 D-TO 2 - PACKS ON   10 152 161 169
15R          3174 49  96.7 D-TO 2 - PACKS ON   10 152 161 169
16L          3174 49  96.7 D-TO 2 - PACKS ON   10 156 161 169
16R          3174 49  96.7 D-TO 2 - PACKS ON   10 152 161 169
33L          3174 49  96.7 D-TO 2 - PACKS ON   10 152 161 169
33R          3174 49  96.7 D-TO 2 - PACKS ON   10 152 161 169
34L          3174 49  96.7 D-TO 2 - PACKS ON   10 152 161 169
34R          3174 49  96.7 D-TO 2 - PACKS ON   10 156 161 169

-------------- DRY RWY - PTOW - ENG A/I OFF - 15KT TW ---------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
15L          3174 39  99.3 D-TO 2 - PACKS ON   10 141 158 169
15R          3174 39  99.3 D-TO 2 - PACKS ON   10 141 158 169
16L          3174 44  98.1 D-TO 2 - PACKS ON   10 144 160 169
16R          3174 39  99.3 D-TO 2 - PACKS ON   10 141 158 169
33L          3174 39  99.3 D-TO 2 - PACKS ON   10 141 158 169
33R          3174 39  99.3 D-TO 2 - PACKS ON   10 141 158 169
34L          3174 39  99.3 D-TO 2 - PACKS ON   10 141 158 169
34R          3174 44  98.1 D-TO 2 - PACKS ON   10 144 160 169

/// LANDING DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PLDW PMRLW
NGO  18          15.0 000M00 29.92 30  2997 4000

RMKS DRY RUNWAY
TAKEOFF AND LANDING REPORT GTI 605 ICN-NGO ##XXX##            PAGE 2
TLR-0 SEQ-93088935 ##XXX## ####Z




---------------------------- RUNWAY INFO ----------------------------
```

```
RWY          LENGTH SLOPE NOTES
18            11483  0.00
36            11483  0.00

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  3200  11922    11922
  3100  11567    11567
/ 2997  11201    11201
  3000  11212    11212
  2900  10857    10857
HW/KT     -28      -28
TW/KT    +161     +161
UP/1PCT  -207     -207
DN/1PCT  +150     +150

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  3200  10528    10528
  3100  10224    10224
/ 2997   9910     9910
  3000   9919     9919
  2900   9615     9615
HW/KT     -21      -21
TW/KT    +140     +140
UP/1PCT   -92      -92
DN/1PCT   +12      +23

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
        FLAPS 25
  LDW   DRY      WET
  3200   8927     9272
  3100   8674     9019
/ 2997   8412     8757
  3000   8420     8765
  2900   8167     8512
HW/KT     -14      -15
TW/KT    +115     +121
UP/1PCT     0      -35
DN/1PCT   +12      +46



 AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
        FLAPS 25
  LDW   DRY      WET
  3200   7368     9013
  3100   7139     8785
/ 2997   6904     8550
  3000   6911     8557
  2900   6683     8328
HW/KT     -11      -17
TW/KT     +87     +109
UP/1PCT     0     -115
DN/1PCT   +12     +150

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
TAKEOFF AND LANDING REPORT GTI 605 ICN-NGO ##XXX##            PAGE 3
TLR-0 SEQ-93088935 ##XXX## ####Z

        FLAPS 25
  LDW   DRY      WET
  3200   6834     8581
  3100   6545     8378
/ 2997   6248     8169
  3000   6256     8175
  2900   5975     7973
HW/KT     -26      -17
TW/KT     +91     +107
UP/1PCT   -74     -138
DN/1PCT   +86     +161

  317425/317425/299663/1575/17762/34656/79000
END TAKEOFF AND LANDING REPORT GTI 605 ICN-NGO ##XXX##
```

GE - Sable

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

ATLAS AIR B747-400GE LOADSHEET (Rel. 5.2.11-11010) Loadsheet Printout NR: 3
STANDARD PROD. TIME: ##:## Loadplan Printout NR: 1

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
ICN/NGO	GTI605	N###MC	0	##-XXX-####	##:##

Data Rev. Date: ##-XXX-####

ALL WEIGHTS IN KG

MAIN DECK

	A1	A2	B1	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R			0	0	2500	2500	3000	4000	3875	3650	3000	2500	2500	3000	0	0	0	0
C	0	0																
L				0	3280	3000	3000	4500	5000	3818	3200	3000	2500	1720	0	0	0	
IDX	0.00	0.00	0.00	0.00	-12.95	-9.77	-7.88	-7.23	-3.44	0.56	3.34	5.50	7.32	9.10	0.00	0.00	0.00	0.00

LOWER DECK

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	53	54
	0	0	2000	2500	3000	0	3000	2300	2000	0	0	0
IDX	0.00	0.00	-4.25	-4.43	-4.24	0.00	3.40	3.42	3.69	0.00	0.00	0.00

		WGT KG	INDEX
BASIC OPERATING WGT		161657	73.24
BALLAST		0	0.00
ACM	(00)	0	0.00
SWA		0	0.00
TOTAL TRAFFIC LOAD		78343	-17.88
ZERO FUEL WEIGHT	(Max: 288031)	240000	55.36
TAXI FUEL		1575	-0.53
TAKE OFF FUEL		77425	6.02
TAKE OFF WEIGHT	(Op. Max: 396893)	317425	61.38
TRIP FUEL		17762	7.88
LANDING WEIGHT	(Max: 302092)	299663	53.50
ALLOWED PAYLOAD		80772	

CAPTAIN:

FUEL TANK STATUS: ALL FUEL TANKS OK

CAPTAINS INFO BEFORE LMC

IMBALANCE 0.8 %
NOTOC DG NO
NOTOC SC NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD		AFT
ZFW MAC	21.9 %	16	-----	33
TOW MAC	23.0 %	12	-----	33
LDG MAC	21.0 %	15	-----	33
STABTRIM				

LOAD SUPERVISOR: _____ (PRINT NAME)

_____ (SIGNATURE)

CPT ACCEPTANCE : _____ (SIGNATURE)

UNDERLOAD BEFORE LMC: 2429 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY:

RELEASE NOT VALID(MIA)

LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE
---	---	---	---

GE - FDP

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI 15R Flaps 10

```
RKSI          CF680C2B#F
FLT NO    RLS NO    TIME
605           0     ####Z
WIND KTS  OAT C      QNH
320/05     +31     29.92
------------------------
GRWT 319.0    VREF30 163
FUEL  79.0
ZFW  240.0

REMARKS
NONE

RKSI  15R          12303
TOGW  317.4   SMRGN 1222
FLAPS 10        PACKS ON
ATM   ---         V1 152
THR   TO 2        VR 157
N1    101.2       V2 169
CG    23.0     TRIM  6.2

DT H154      ACCEL  1000
```

RKSI 33L Flaps 10

```
RKSI          CF680C2B#F
FLT NO    RLS NO    TIME
605           0     ####Z
WIND KTS  OAT C      QNH
320/05     +31     29.92
------------------------
GRWT 319.0    VREF30 163
FUEL  79.0
ZFW  240.0

REMARKS
NONE

RKSI  33L          12303
TOGW  317.4   SMRGN 2290
FLAPS 10        PACKS ON
ATM   ---         V1 152
THR   TO 2        VR 157
N1    101.2       V2 169
CG    23.0     TRIM  6.2

LT H240      ACCEL  1000
```

RJAA 16R Flaps 25

```
RJAA          CF680C2B#F
FLT NO     LDW      TIME
605       301.5    ####Z
WIND KTS  OAT C      QNH
090/17     +31     29.92
------------------------

REMARKS
NONE

16R               13123
LDW 301.5   MRLW 400.0/A
FLAPS 25    VREF +05
AUTOBRK 2    11505   4.2
AUTOBRK 3    10147   4.6
AUTOBRK 4     8618   4.9
MAX AUTO      7057   5.3
MAX MAN       6371   5.6
```

RJAA 16R Flaps 30

```
RJAA          CF680C2B#F
FLT NO     LDW      TIME
605       301.5    ####Z
WIND KTS  OAT C      QNH
090/17     +31     29.92
------------------------

REMARKS
NONE

16R               13123
LDW 301.5   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2    10574   3.9
AUTOBRK 3     9398   4.2
AUTOBRK 4     8033   4.5
MAX AUTO      6613   4.8
MAX MAN       5858   5.1
```

RJGG 18 Flaps 30

```
RJGG          CF680C2B#F
FLT NO     LDW      TIME
605       299.7    ####Z
WIND KTS  OAT C      QNH
000/00     +15     29.92
------------------------
REMARKS
NONE

18                11483
LDW 299.7   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2    10297   5.0
AUTOBRK 3     9124   5.3
AUTOBRK 4     7825   5.5
MAX AUTO      6432   5.9
MAX MAN       5699   6.3
```

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

GTI605/## **RKSI - RJGG** **## XXX ##** **N###MC**
COST INDEX 080 **Revision: 0**
B747-400F / PW4056 / KG / IFR / **FF +2.7**
PROGS ###### Release Valid Until ####Z ##XXX##

ORIG	RKSI/ICN SEOUL/INCHEON INTL	N37278E126263 ####Z
DEST	RJGG/NGO CHUBU/CENTRAIR INTL	N34515E136483 ####Z
PALT	RJAA/NRT TOKYO/NARITA INTL	N35459E140231 ####Z

RKSI/F310 OSPOT2C OSPOT A582 TGU V549 KPO G585 BULGA A586 AGSUS Y697 LANAT Y51 SAMON Y511 CHESS RJGG

Coldest Fuel Temp: -12/SABAE A/WC: T065 T-DEV: P03
FMC Reserves: 15.1 ADIS: 651

	RKSI-RJGG		
ALT1/2	RJAA/		
	FUEL	TIME	GDIS
TRIP	**017636**	**01.34**	**0712**
CONT	001591	00.09	
ALT1	008806	00.52	0352
FRES	004253	00.30	
ADD.AL	000470	00.02	
PCF	002000	00.11	
MINF	**034756**	**03.20**	**....**
EXTRA	042669	03.47	
TOF	077425		
TAXI	001575	00.35	
BLOCK	**079000**	**07.42**	
REMF	**059789**	**07.28**	**....**

	Weight	**Actual**	**Limit**	
DOW	164182			
PYLD	075818			
ZFW	240000	.....	S288031	ZFW INC/1000 X 43 MINF ADJ
RAMP	319000		S397800	
TOGW	317425	.....	L319728	MTOW LTD BY VZFW/CK LIMITS
LDGW	299789		S302092	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Remarks

RAIM VALIDATION PASSED

PCF FOR LOW VIS/CIGS DEST AREA
EXTRA FUEL FOR TANKERING

RKSI CAT II/III - RWY 15L/15R/16L/16R/33L/33R/34L/34R
RJGG CAT II - RWY 18/36
RJGG CAT III - RWY 36
RJAA CAT II/III - RWY 16R
RJTT CAT II/III - RWY 34R
RJBB CAT II - RWY 06L/06R/24L/24R

MEL/CDL
No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. ..	
			TO/LNDG Expiry: --	
FO	2	2	.. ..	
			TO/LNDG Expiry: --	

TO/LNDG currency questions? contact Duty Pilot

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

TIME		FUEL	
OUT:	/	ETA RJGG:	UPLIFT:
OFF:	/	SOB:	PYLD:
ON:	/	RVSM ALTIMETER RECORD	
IN:	/	L: S:	R:

```
(FPL-GTI605-IS
-B744/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-RKSI####
-N0477F310 OSPOT2C OSPOT A582 TGU V549 KPO G585 BULGA A586 AGSUS Y697
LANAT Y51 SAMON Y511 CHESS
-RJGG0134 RJAA
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE
DOF/###### REG/N###MC EET/RJJJ0044 SEL/#### CODE/###### OPR/GTI RMK/TCAS
II EQUIPPED CARGO EMERG CTC 19147018045)
```

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	RKSI	00023	FT					SEOUL/INCHEON INTL			
	N37 27.3										
	E126 27.7										
OSPOT2C	**TOC**										
	N36 53.8	124	087	531	474	00.15			M00	T057	0713
	E127 12.1	115	126	300	806	00.14		F310	-46	277/062	
OSPOT2C	**OSPOT**										
	N36 50.3	124	008	560	477	00.01			P04	T083	0711
	E127 20.9	115	126	300	806	00.15		F310	-42	281/087	
A582	**VASLI**										
	N36 42.9	144	010	546	477	00.01			P04	T069	0709
	E127 30.0	135	150	300	806	00.16		F310	-42	281/087	
A582	**MAKDU**										
	N36 27.2	144	022	546	477	00.02			P04	T068	0705
	E127 49.2	135	150	300	806	00.19		F310	-42	281/087	
A582	**BITUX**										
	N36 16.7	144	015	546	477	00.02			P04	T068	0703
	E128 01.8	135	150	300	806	00.20		F310	-42	281/087	
A582	**TGU**		**DALSEONG**					**112.2**			
	N35 48.6	144	039	535	476	00.04			P03	T058	0695
	E128 35.4	135	150	300	806	00.25		F310	-43	276/080	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
V549	LAPAL										
	N35 54.2	085	025	551	476	00.03			P03	T075	0691
	E129 04.9	076	082	300	806	00.27		F310	-43	276/080	
V549	KPO		POHANG					112.5			
	N35 58.6	085	020	554	477	00.02			P04	T077	0687
	E129 28.5	076	082	300	806	00.29		F310	-42	268/078	
G585	BULGA										
	N35 56.1	106	017	554	477	00.02			P04	T077	0684
	E129 49.4	098	108	300	806	00.31		F310	-42	268/078	
A586	DABIK										
	N36 17.7	048	028	526	477	00.03			P04	T048	0678
	E130 11.7	039	041	300	806	00.34		F310	-42	268/078	
A586	AGSUS										
	N36 45.3	048	036	536	478	00.04			P04	T059	0671
	E130 40.7	040	041	300	806	00.39		F310	-42	261/080	
(RJJJ)	AT LANAT					00.43	FUKUOKA FIR				
Y697	LANAT										
	N36 22.4	131	043	534	478	00.05			P04	T057	0662
	E131 25.7	122	137	300	806	00.43		F310	-42	261/080	
Y51	DISSH										
	N36 16.9	100	113	556	477	00.12			P03	T080	0641
	E133 45.7	092	102	300	806	00.56		F310	-43	244/093	
Y51	OVSOS										
	N36 15.9	102	016	556	477	00.02			P03	T080	0638
	E134 05.3	093	107	300	806	00.57		F310	-43	244/093	
Y51	SAMON										
	N36 14.6	102	020	554	476	00.02			P02	T079	0634
	E134 30.2	093	107	300	806	00.59		F310	-44	242/095	
Y511	CHILY										
	N36 12.0	102	035	554	476	00.04			P02	T078	0628
	E135 13.4	093	108	300	806	01.03		F310	-44	242/095	
Y511	SABAE										
	N35 56.7	127	032	519	476	00.04			P02	T044	0622
	E135 48.0	118	136	300	806	01.07		F310	-44	240/097	
Y511	TRUGA										
	N35 45.8	127	023	513	469	00.03			P02	T044	0617
	E136 12.4	118	137	296	796	01.10		F310	-44	240/097	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

AWY / MORA	WPT	MTK / TTK	NM / MH	GS / IAS	TAS / .M	LEG-T / TOT-T	ETA / ATA	MTRS / FL	ISA / TEMP	WC / WIND	REMF / AREM
Y511	**TOD**										
	N35 41.2	161	005	465	478	00.01			P02	H013	0616
	E136 15.3	152	173	302	811	01.10		F310	-44	240/097	
Y511	**MARIA**										
	N35 40.2	161	001	419	433	00.00			P02	H013	0616
	E136 15.9	152	173	273	735	01.10		F307	-43	240/097	
Y511	**SHIZU**										
	N35 32.0	159	009	406	417	00.01			P04	H010	0616
	E136 21.5	151	172	272	697	01.12		F282	-37	241/089	
Y511	**CHESS**										
	N35 20.5	159	013	385	395	00.02			P04	H010	0615
	E136 29.1	151	171	272	652	01.14		F249	-30	241/082	
SOARCV	**RJGG** 00012 FT							CHUBU/CENTRAIR INTL			
	N34 50.6	111	095	201	201	00.20			P04	T000	0598
	E136 48.5	103	114	200	303	01.34		DSC	+20	248/017	

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

GTI605/##XXX/RKSI-RJGG/N###MC

OPERATIONAL FLIGHT PLAN -- RELEASE NOT VALID --

Destination Primary Alternate Route

RJGG V36 BOGON Y79 GUPER Y81 RUTAS RUTAST RJAA
RJGG/0390
GCD 184 GDIS352 FUEL 8806 TIME 00.52
MORA 3700

PW - TLR

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

```
TAKEOFF AND LANDING REPORT GTI 605 ICN-NGO ##XXX##
TLR-0 SEQ-93116166 ##XXX## ####Z
A/C N###MC  B747-400F PW#### KG

ACARS INIT DATE = XX    ACARS TAKEOFF REQUEST = ####Z-####Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 21C TO MT      QNH = GREATER OR EQUAL TO 29.77

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
ICN  15R         31.0 000M00 29.92 10  3174 3189

RMKS TO-2 RATING
     PACKS ON
     NO IMPROVED CLIMB

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  EPR   THR/PACKS CONFIG  FLAPS  V1  VR  V2

-------- -------- ---------------------------
SMRGN    ACCEL    EFP

---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
15L           12303 DT H154
15R           12303 DT H154
16L           13123 DT H154
16R           12303 DT H154
33L           12303 LT H240
33R           12303 LT H240
34L           12303 LT H240
34R           13123 LT H240

------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND --------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          3174 40  1.33 D-TO 2 - PACKS ON   10 150 160 169
15R          3174 40  1.33 D-TO 2 - PACKS ON   10 150 160 169
16L          3174 40  1.33 D-TO 2 - PACKS ON   10 153 160 169
16R          3174 40  1.33 D-TO 2 - PACKS ON   10 150 160 169
33L          3174 40  1.33 D-TO 2 - PACKS ON   10 150 160 169
33R          3174 40  1.33 D-TO 2 - PACKS ON   10 150 160 169
34L          3174 40  1.33 D-TO 2 - PACKS ON   10 150 160 169
34R          3174 40  1.33 D-TO 2 - PACKS ON   10 153 160 169

-------------- DRY RWY - PTOW - ENG A/I OFF - 15KT TW ---------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
15L          3174 34  1.36 TO 2 - PACKS ON     20 135 153 163
15R          3174 34  1.36 TO 2 - PACKS ON     20 135 153 163
16L          3174 37  1.34 D-TO 2 - PACKS ON   20 136 154 163
16R          3174 34  1.36 TO 2 - PACKS ON     20 135 153 163
33L          3174 34  1.36 TO 2 - PACKS ON     20 135 153 163
33R          3174 34  1.36 TO 2 - PACKS ON     20 135 153 163
34L          3174 34  1.36 TO 2 - PACKS ON     20 135 153 163
34R          3174 37  1.34 D-TO 2 - PACKS ON   20 136 154 163

/// LANDING DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PLDW PMRLW
NGO  18          15.0 000M00 29.92 30  2998 3719

RMKS NONE

TAKEOFF AND LANDING REPORT GTI 605 ICN-NGO ##XXX##            PAGE 2
TLR-0 SEQ-93116166 ##XXX## ####Z


---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH SLOPE NOTES
18            11483  0.00
36            11483  0.00
```

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
FLAPS 25

LDW	DRY	WET
3200	11967	11967
3100	11612	11612
/ 2998	11250	11250
3000	11257	11257
2900	10902	10902
HW/KT	-27	-27
TW/KT	+164	+164
UP/1PCT	-161	-161
DN/1PCT	+46	+46

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
FLAPS 25

LDW	DRY	WET
3200	10475	10475
3100	10196	10196
/ 2998	9912	9912
3000	9918	9918
2900	9639	9639
HW/KT	-20	-20
TW/KT	+141	+141
UP/1PCT	-35	-35
DN/1PCT	+12	+23

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
FLAPS 25

LDW	DRY	WET
3200	8927	9272
3100	8674	9019
/ 2998	8415	8760
3000	8420	8765
2900	8167	8512
HW/KT	-14	-15
TW/KT	+115	+121
UP/1PCT	0	-35
DN/1PCT	+12	+46

AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

LDW	DRY	WET
3200	7454	9036
3100	7201	8808
/ 2998	6942	8574
3000	6947	8579
2900	6694	8351
HW/KT	-11	-17
TW/KT	+87	+112
UP/1PCT	0	-138
DN/1PCT	+12	+161

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

LDW	DRY	WET
3200	6812	8604
3100	6525	8401
/ 2998	6231	8194
3000	6237	8198
2900	5957	7995
HW/KT	-26	-18
TW/KT	+91	+109
UP/1PCT	-87	-161
DN/1PCT	+100	+184

317425/317425/299789/1575/17636/34756/79000
END TAKEOFF AND LANDING REPORT GTI 605 ICN-NGO ##XXX##

PW - Sable

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

ATLAS AIR B747-400PW LOADSHEET (Rel. 5.2.11-11010) Loadsheet Printout NR: 5
STANDARD PROD. TIME: ##:## Loadplan Printout NR: 1

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
ICN/NGO	GTI605	N###MC	0	##-XXX-####	##:##

Data Rev. Date:##-XXX-####

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B1	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R			0	0	2500	2500	3000	4000	3875	3650	3000	2500	2500	2500	0	0	0	0
C	0	0																
L				0	475	3000	3000	4500	5000	3818	3200	3000	2500	2500	0	0	0	
IDX	0.00	0.00	0.00	0.00	-6.66	-9.77	-7.88	-7.23	-3.44	0.56	3.34	5.50	7.32	9.63	0.00	0.00	0.00	0.00

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	53	54
	0	3000	2000	2500	0	3000	2300	2000	0	0	0	0
IDX	0.00	-7.86	-4.25	-4.43	0.00	2.33	2.60	2.98	0.00	0.00	0.00	0.00

		WGT KG	INDEX
BASIC OPERATING WGT		164182	72.44
BALLAST		0	0.00
ACM	(00)	0	0.00
SWA		0	0.00
TOTAL TRAFFIC LOAD		75818	-17.28
ZERO FUEL WEIGHT	(Max: 288031)	240000	55.16
TAXI FUEL		1575	-0.53
TAKE OFF FUEL		77425	6.09
TAKE OFF WEIGHT	(Op. Max: 396893)	317425	61.25
TRIP FUEL		17636	7.96
LANDING WEIGHT	(Max: 302092)	299789	53.29
ALLOWED PAYLOAD		78121	

CAPTAIN:

FUEL TANK STATUS: ALL FUEL TANKS OK

CAPTAINS INFO BEFORE LMC

IMBALANCE 0.3 %
NOTOC DG NO
NOTOC SC NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD		AFT
ZFW MAC	21.8 %	16	I------I----------I	33
TOW MAC	23.0 %	12	I----------I---------I	33
LDG MAC	20.9 %	15	I------I----------I	33
STABTRIM				

LOAD SUPERVISOR: _____ (PRINT NAME)

_____ (SIGNATURE)

CPT ACCEPTANCE : _____ (SIGNATURE)

UNDERLOAD BEFORE LMC: 2303 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY:

RELEASE NOT VALID (MIA)

LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE
----------	----------	----------	----------

PW - FDP

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI 15R Flaps 10

```
RKSI              PW####
FLT NO    RLS NO    TIME
605          0     ####Z
WIND KTS  OAT C      QNH
320/05     +31     29.92
-----------------------
GRWT 319.0    VREF30 163
FUEL  79.0
ZFW  240.0

REMARKS
NONE

RKSI  15R          12303
TOGW  317.4   SMRGN  343
FLAPS 10        PACKS ON
ATM   39C         V1 149
THR   D-TO 2      VR 160
EPR   1.34        V2 169
CG    23.0     TRIM  6.2

DT H154      ACCEL  1000
```

RKSI 33L Flaps 10

```
RKSI              PW####
FLT NO    RLS NO    TIME
605          0     ####Z
WIND KTS  OAT C      QNH
320/05     +31     29.92
-----------------------
GRWT 319.0    VREF30 163
FUEL  79.0
ZFW  240.0

REMARKS
NONE

RKSI  33L          12303
TOGW  317.4   SMRGN 1229
FLAPS 10        PACKS ON
ATM   40C         V1 149
THR   D-TO 2      VR 161
EPR   1.33        V2 169
CG    23.0     TRIM  6.2

LT H240      ACCEL  1000
```

RJAA 16R Flaps 25

```
RJAA              PW####
FLT NO     LDW      TIME
605       301.5    ####Z
WIND KTS  OAT C      QNH
090/17     +31     29.92
-----------------------

REMARKS
NONE

16R               13123
LDW 301.5   MRLW 400.0/A
FLAPS 25    VREF +05
AUTOBRK 2    11542   4.2
AUTOBRK 3    10144   4.5
AUTOBRK 4     8618   4.8
MAX AUTO      7097   5.3
MAX MAN       6368   5.6
```

RJAA 16R Flaps 30

```
RJAA              PW####
FLT NO     LDW      TIME
605       301.5    ####Z
WIND KTS  OAT C      QNH
090/17     +31     29.92
-----------------------

REMARKS
NONE

16R               13123
LDW 301.5   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2    10617   3.8
AUTOBRK 3     9400   4.1
AUTOBRK 4     8046   4.4
MAX AUTO      6612   4.8
MAX MAN       5846   5.0
```

RJGG 18 Flaps 30

```
RJGG              PW####
FLT NO     LDW      TIME
605       299.8    ####Z
WIND KTS  OAT C      QNH
000/00     +15     29.92
-----------------------
REMARKS
NONE

18                11483
LDW 299.8   MRLW 400.0/A
FLAPS 30    VREF +05
AUTOBRK 2    10302   5.0
AUTOBRK 3     9132   5.3
AUTOBRK 4     7829   5.5
MAX AUTO      6430   5.9
MAX MAN       5702   6.3
```

COMPANY NOTAMS

GENERAL

RKSI **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RKSI-FREQ

RKSI IN-RANGE CALL FREQ

ATLAS AIR OPS (B777, B747, B767) USE - 131.000

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-CURFEW

****
NRT CURFEW:
B747-400/F CURFEW = ####-####Z DAILY
N###MC, N###MC, N###SG, N###SG, N###BA CURFEW = ####-####Z DAILY
B767, B777, B748 CURFEW = ####-####Z DAILY
****

RJAA **A####/##** ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: RJAA-FLTOPS

NRT RUNWAY USE

DUE TO SLOT RESTRICTIONS IN NRT, POLAR ARRIVALS BETWEEN ####Z
####Z MAY BE ASSIGNED RWY 34R/16L. YOU MAY REQUEST RWY 34L/16R
IF NECESSARY.

FOR DEPARTURES, UTILIZE THE DEPARTURE RUNWAY THAT IS ASSIGNED BY
ATC IN THE CLEARANCE. IF 34R/16L IS ASSIGNED IN THE CLEARANCE,
REQUEST 34L/16R IF REQUIRED FOR OPERATIONAL NECESSITY. MUST BE
WHEELS UP BY ####Z DUE TO CURFEW.

IF AN EXCEPTION TO THIS REQUIREMENT OCCURS, FILE AN FCR.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-AERODATA

AERODATA PERFORMANCE
IF 1/8 INCH OR LESS OF WATER, FROST, DRY SNOW OR WET SNOW
- USE WET RUNWAY FOR TAKEOFF PERFORMANCE.
- USE RCC/BRAKING ACTION, IF PROVIDED, FOR LANDING PERFORMANCE.
  OTHERWISE, USE LANDING SURFACE CONDITION.
THIS IS IN ACCORDANCE WITH FOM 8.1 RCAM MATRIX.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-DEICE

DEICING / ANTI-ICING INFORMATION FORM

```
*  1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE)  (CIRCLE ONE)  *
*                                                                 *
*  2. FLUID TYPE (TYPE I, II, III, OR IV)          (CIRCLE ONE)
*           BRAND:.....................
*                                                                 *
*  3. FLUID MIXTURE RATIO -       /                               *
*      (FOR TYPE II, III, OR IV FLUID ONLY)                       *
*                                                                 *
*  4. TIME (UTC) OF THE START OF THE FINAL APPLICATION -      Z  *
*                                                                 *
*     - - RETAIN THIS FORM WITH THE TRIP ENVELOPE - -         *
*   **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY**     *
-----------------------------------------------------------------
```

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-PUBS747A

CURRENT AIRCRAFT LIBRARY REVISIONS

CURRENT / CURRENT EFF ON RECEIPT
747-8F
- QRH..... REV ## DD-MMM-YY / NA
- DDG..... VER ## DD-MMM-YY / NA
- NORMAL CHECKLIST..... DD-MMM-YY / NA
- ECL ..... BFT2B-4000-01G9 / BFT29-4000-01L0
747-400P GE
- QRH..... REV ## DD-MMM-YY / NA
- DDG..... VER ## DD-MMM-YY / NA
- NORMAL CHECKLIST..... DD-MMM-YY / NA
747-400P PW
- QRH..... REV ## DD-MMM-YY / NA
- DDG..... VER ## DD-MMM-YY / NA
- NORMAL CHECKLIST..... DD-MMM-YY / NA
747-400F/C GE
- QRH..... REV ## DD-MMM-YY / NA
- DDG..... VER ## DD-MMM-YY / NA
- NORMAL CHECKLIST..... DD-MMM-YY / NA
747-400F/C PW
- QRH..... REV ## DD-MMM-YY / NA
- DDG..... VER ## DD-MMM-YY / NA
- NORMAL CHECKLIST..... DD-MMM-YY / NA
747-400LCF
- QRH..... REV ## DD-MMM-YY / NA
- DDG..... VER ## DD-MMM-YY / NA
- NORMAL CHECKLIST..... DD-MMM-YY / NA
ALL 747
- SUPERNUM/JS BRIEFING CARD...DD-MMM-YY / NA
FOR ALL DDG TRS - REFER TO EFB COMPLY365

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ADMIN-WB INDEX

INDEX INFO REMOVED FROM W&B CO NOTAM. FOM 14.1.1 BEING REVISED.

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: ###-WB

N###MC WEIGHT AND BALANCE ADVISORY

BASIC CREW 161,657
+1 - 161,776 / +2 - 161,895 / +3 - 162,014
+4 - 162,133 / +5 - 162,252 / +6 - 162,371

A####/## ####-XXX-## ##:## - UFN
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

SUBJECT: B747-MAINDECK

****
FALSE MAIN DECK WARNINGS

THERE HAVE BEEN MULTIPLE FALSE MAIN DECK CARGO FIRE WARNING
MESSAGES CAUSED BY CONDENSATION OF MOISTURE AND FOG WHILE
CARRYING HIGH DENSITY FLOWERS AND LIVE ANIMALS SUCH AS PIGS
*MOST FALSE CARGO FIRE WARNING MESSAGES HAVE OCCURRED SEVERAL HRS
INTO THE FLIGHT AND MAIN DECK TEMP BELOW 8 DEGREES
*ANYTIME PERISHABLES OR LIVE ANIMALS ARE ON BOARD
THE USE OF FCOM SP PROCEDURES FOR CARRIAGE
OF ANIMALS AND PERISHABLES (FREIGHTER) MUST BE FOLLOWED
*IAW WITH FOM GUIDANCE, FLIGHT CREWS SHOULD DETERMINE THE
BEST COURSE OF ACTION BEFORE ENTERING CLASS E CARGO
COMPARTMENTS (MAIN DECK) TO VERIFY THE PRESENCE OF A FIRE

****

APT RKSI

ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

RUNWAY

RKSI ICN A0524/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

RWY 16L/34R CLSD DUE TO WIP

TAXIWAY

RKSI ICN A0489/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TXL R10 BEHIND ACFT STAND NR 307 CLSD DUE TO WIP

RAMP

RKSI ICN A0490/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

ACFT STAND NR 307 CLSD DUE TO WIP

APPROACH AND LANDING

RKSI ICN A0478/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

THE TRIAL OPS FOR SIMULTANEOUS INDEPENDENT PARALLEL APCH IN FORCE
BTN RWY 33R AND 34L, BTN RWY 15L AND 16R

NAVIGATION

RKSI ICN G1302/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

27 ####-#### ####-#### ####-####, 28 ####-#### ####-####
####-####, 29 ####-#### ####-####
GPS RAIM OUTAGES PREDICTED FOR NPA

RKSI ICN A0522/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

####-####
ILS RWY 15R/33L U/S DUE TO WIP

OBSTACLE

RKSI ICN A0523/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

####-####
TEMPO OBST(EXCAVATOR) ERECTED BTN RWY 15R/33L AND TWY C AS FLW
1. PSN: 372726.7N1262737.1E
   RADIUS: 10M
   HGT: 4.0M(13.12FT) AMSL
2. PSN: 372849.2N1262623.7E
   RADIUS: 10M
   HGT: 4.0M(13.12FT) AMSL
- RMK: NOT PENETRATING OLS

APT RJGG

NGO - CHUBU/CENTRAIR IN DESTINATION ## ##:## - ## ##:##
RWYS: 18/36

GENERAL

NIL

APT RJAA

NRT - TOKYO/NARITA INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

TAXIWAY

RJAA NRT A0490/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

####-####
TWY K(BTN E1 AND K1-HOLD),E1,C(BTN E1 AND P1) CLSD DUE TO MAINT

NAVIGATION

RJAA NRT A0495/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

ILS Y RWY 16R GP U/S
LOC RWY 16R AVBL

FIR RKRR

INCHEON FIR

GENERAL

NIL

FIR RJJJ

FUKUOKA FIR

NAVIGATION

RJJJ Q0827/26 ####-XXX-## ##:## - PERM
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

REF AIP PAGE ENR 4.1-13 (CHANGE TO READ)
MATSUMOTO VOR/DME/MBE REMARKS
CHANGE TO READ
VOR UNUSABLE:
040DEG-050DEG BEYOND 35NM BLW 11000FT.
050DEG-060DEG BEYOND 30NM BLW 11000FT.

AIRSPACE

RJJJ Q0682/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM-AIRAC AIP SUP 052/26
WEF ## XXX #### TIL ## XXX ####
ESTABLISHMENT OF TEMPO TRAINING AREAS (EAST OF TOHOKU)

RJJJ Q0681/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM-AIRAC AIP SUP 051/26
WEF ## XXX #### TIL ## XXX ####
ESTABLISHMENT OF TEMPO TRAINING AREAS(SOUTHEAST OF TOHOKU)

RJJJ Z0293/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

####-####
FLOW CTL AT FIR BDRY AS FLWS,
RTE: B576/Y741/Y743
ACFT : NB ENTERING INCHEON FIR
PROC : FL390 NOT AVBL AT SALMI AND LIPLO
RMK/REF AIP ENR1.9-1

OBSTACLE

RJJJ V0749/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

OBST LGT ON PWR LINE TOWER-U/S
PSN : 323121.21N1302730.64E (KAMIAMAKUSA-SHI IN KUMAMOTO)
RMK/OBST LGT IN PLACE OF OBST DAY MARKING FOR PWR LINE TOWER
FM SFC TO 469FT AMSL

WARNING

RJJJ Q0428/26 ####-XXX-## ##:## - ####-XXX-## ##:##(EST)
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

OPERATORS OF ACFT REGISTERED IN JAPAN ARE ADVISED NOT TO ENTER
MINSK(UMMV) FIR DUE TO SERIOUS SAFETY AND SECURITY CONCERNS TO
COMMERCIAL AVIATION.

RJJJ P0805/26 ####-XXX-## ##:## - ####-XXX-## ##:##(EST)
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

ALL VFR ACFT ARE REQUESTED TO AVOID FLYING IN FLWG AIRSPACE
DUE TO THE ANTIBALLISTIC MISSILES MAY BE LAUNCHED
FOR THE DESTRUCTION OF AN OBJECT PROPELLED BY ROCKET
LAUNCHED FM NORTH KOREA
AIRSPACE:
(1)264419N1275729E 255619N1275729E
255619N1272129E 264419N1272129E(NAHA-SHI)
(2)251802N1253730E 243002N1253730E
243002N1250130E 251802N1250130E(MIYAKOJIMA)
(3)245604N1242912E 240804N1242912E
240804N1235321E 245604N1235321E(ISHIGAKIJIMA)
(4)245838N1231516E 241038N1231516E
241038N1223916E 245838N1223916E(YONAGUNIJIMA)
RMK/
1)EXC ACFT OF GOVERNMENT AGENCIES,DOCTOR HEL AND
ACFT WITH PRIOR COORDINATION WITH JAPAN SELF DEFENSE FORCE.
MINISTRY OF DEFENSE JOINT STAFF OFFICE
TEL:03-####-####(EXT 30929)
2)ALL VFR ACFT FLYING WI AIRSPACE(EXC EACH CTR AND INFO ZONE) ARE
REQUESTED TO CONTACT FLW FREQ
CALL SIGN : RODE RICK
FREQ : 123.1MHZ,138.05MHZ

RJJJ P0806/26 ####-XXX-## ##:## - ####-XXX-## ##:##(EST)
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

ALL ACFT INTENDING TO FLY WI FUKUOKA FIR ARE ADVISED TO PAY
SPECIAL ATTENTION TO THE FLWG INFORMATION.
IN ACCORDANCE WITH ARTICLE 82-3 OF JAPAN SELF DEFENSE FORCE LAW,
ANTIBALLISTIC MISSILES MAY BE LAUNCHED FOR THE DESTRUCTION OF THE
ROCKET EXP TO BE LAUNCHED FM NORTH KOREA.
THE ANTIBALLISTIC MISSILES ARE DEPLOYED AT POSITIONS BLW,
(1)NAHA-SHI : 261219N1273929E
(2)MIYAKOJIMA : 244602N1251930E
(3)ISHIGAKIJIMA : 242404N1241121E
(4)YONAGUNIJIMA : 242638N1225716E

GENERAL

RJJJ Q0680/26 ####-XXX-## ##:## - ####-XXX-## ##:##
CREATED:####-XXX-## ##:## **FL:** SFC - UNL

TRIGGER NOTAM-PERM AIRAC AIP AMDT NR3/2026
WEF ## XXX ####
REVISION OF AWY
REVISION OF RNAV ROUTES
REVISION OF DCT ROUTES
ESTABLISHMENT OF REPORTING POINT,ETC.

APT RKSI

ICN - SEOUL/INCHEON INTL DEPARTURE ## ##:## - ## ##:##
RWYS: 15L/33R 15R/33L 16L/34R 16R/34L

TAF

```
TAF RKSI ######Z ####/#### 32005KT 9999 SCT050 TX31/####Z TN25/####Z
```

METAR

```
METAR RKSI ######Z 32005KT 9999 SCT050 31/25 Q1013 NOSIG
```

APT RJGG

NGO - CHUBU/CENTRAIR IN DESTINATION ## ##:## - ## ##:##
RWYS: 18/36

TAF

```
TAF RJGG ######Z ####/#### 30003KT 0150 -RA FG OVC001
```

METAR

```
METAR RJGG ######Z 30003KT 0150 -RA FG OVC001 31/31 Q1003 RMK A2962
```

APT RJAA

NRT - TOKYO/NARITA INTL ALTN 1 ## ##:## - ## ##:##
RWYS: 16L/34R 16R/34L

TAF

```
TAF RJAA ######Z ####/#### 09017KT 8000 OVC008
```

METAR

```
METAR RJAA ######Z 09017KT 8000 OVC008 31/25 Q1013 RMK A2992
```

FIR RKRR

INCHEON FIR

SIGMET

```
NIL
```

FIR RJJJ

FUKUOKA FIR


SIGMET

```
NIL
```

Maps and Company Docs

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

Note - this is a placeholder or a representative company OFP Weather map and may not reflect the actual enroute weather conditions



CLEARANCE and ATIS

FOR TRAINING USE ONLY. NOT A VALID RELEASE. PERFORMANCE VALUES ARE DERIVED OR APPROXIMATED.

RKSI DEP ATIS ALPHA ####Z

```
EXP RWY 15R
WIND 320/05KT  VIS 10 SM
SCT050
T 31  DP 25  QNH 1013
RWY 16L UNUSABLE DUE TO
WORK IN PROGRESS.
CAUTION BIRD ACTIVITY.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION ALPHA.
```

CLEARANCE - DCL RKSI GTI 605

```
CLD ####Z ###### RKSI PDC ###
GTI605 CLRD RJGG OFF 15R VIA
OSPOT2C CLIMB VIA SID FL210
SQUAWK 3462
NEXT FREQ 121.8  ATIS A
```

RKSI DEP ATIS BRAVO ####Z (RWY CHANGE)

```
EXP RWY 33L
WIND 320/05KT  VIS 10 SM
SCT050
T 31  DP 25  QNH 1013
RUNWAY CHANGE TO 33L IN EFFECT.
RWY 16L UNUSABLE DUE TO
WORK IN PROGRESS.
CAUTION BIRD ACTIVITY.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION BRAVO.
```

AMENDED CLEARANCE - DCL RKSI GTI 605

```
CLD ####Z ###### RKSI PDC ###
GTI605 CLRD RJGG OFF 33L VIA
OSPOT2E CLIMB VIA SID FL210
SQUAWK 3462
NEXT FREQ 121.8  ATIS B
```

RJGG ARR ATIS CHARLIE ####Z (ENROUTE)

```
WIND 300/03KT  VIS 150 METERS
CEILING 120 FT OVC  -RA FG
T 31  DP 31  QNH 2962
APPROACH IN USE ILS RWY 36
(CAT III OPS IN PROGRESS)
EXPECT LANDING RWY 36
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION CHARLIE.
```

RJAA ARR ATIS DELTA ####Z (DIVERSION)

```
WIND 090/17KT  VIS 5 MILES
CEILING 800 FT OVC
T 31  DP 25  QNH 2992
APPROACH IN USE LOC RWY 16R
(ILS Y 16R U/S)
LANDING RWY 16R  DEP RWY 16L
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION DELTA.
```