GTI99/30OCT/KSFO-KLAX/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

NOT FOR OPERATIONAL USE

GTI99/30 **KSFO - KLAX** **30 OCT 26** **N415MC**
COST INDEX 039 **Revision: -.-**
B747-400F / CF6-80C2-B1F / KG / IFR / **FF +5.5**
PROGS 300600 Release Valid Until 1400Z 30OCT26

ORIG	KSFO/SFO SAN FRANCISCO INTL	Q	N37371W122225 1000Z
DEST	KLAX/LAX LOS ANGELES INTL		N33565W118245 1112Z
PALT	KONT/ONT ONTARIO INTL	Q	N34034W117361 1133Z

KSFO/F390 SAHEY4 SUSEY DCT EBAYE DCT AVE SADDE8 KLAX

Coldest Fuel Temp: +05/AVE A/WC: T015 T-DEV: P02
FMC Reserves: 10.0 ADIS: 323

	KSFO-KLAX		
ALT1/2	KONT/		
	FUEL	TIME	GDIS
TRIP	**009325**	**00.52**	**0323**
CONT	000000	00.00	
ALT1	003969	00.20	0095
FRES	006662	00.45	
PCF	000000	00.00	
MINF	**019956**	01.58	....
EXTRA	010044	00.56	
TOF	030000		
TAXI	000900	00.20	
BLOCK	**030900**	03.14	
REMF	**020675**	02.33	....

	Weight	**Actual**	**Limit**	
DOW	160925			
PYLD	078412			
ZFW	239337	.....	S288031	ZFW INC/1000 X 27 MINF ADJ
RAMP	270237		S397800	
TOGW	269337	.....	L311417	MTOW LTD BY VZFW/CK LIMITS
LDGW	260012		S302092	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

Remarks

Alex Schnepel DESK: 30

///RAIM VALIDATION FAILED///

MEL/CDL

MEL 78-31-01A - Thrust Reverser Systems - One Inop

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: -- NOT RELEASED --

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	NO NAME PROVIDED	.. .. TO/LNDG Expiry:	
FO	2	NO NAME PROVIDED	.. .. TO/LNDG Expiry:	

TO/LNDG currency questions? contact Duty Pilot

NOT FOR OPERATIONAL USE

GTI99/30OCT/KSFO-KLAX/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

NOT FOR OPERATIONAL USE

TIME		FUEL	
OUT:	/	ETA KLAX:	UPLIFT:
OFF:	/	SOB:	PYLD:
ON:	/	RVSM ALTIMETER RECORD	
IN:	/	L: S:	R:

(FPL-GTI99-IS
-B744/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-KSFO1000
-N0478F390 SAHEY4 SUSEY DCT EBAYE DCT AVE SADDE8
-KLAX0053 KONT
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE DOF/261030 REG/N415MC EET/KZLA0023 SEL/EKJM CODE/A4E7C9 OPR/GTI RMK/TCAS II EQUIPPED CARGO EMERG CTC 19147018045)

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	KSFO 00013 FT							SAN FRANCISCO INTL			
	N37 37.6										
	W122 23.6										
(KZOA)	N37 21.3 W122 00.8					00.06	OAKLAND ARTCC HIGH				
SAHEY4	**SUSEY**										
	N36 25.9	127	097	489	476	00.15			M01	T013	0240
	W121 03.8	140	130	269	834	00.15		F375	-57	255/034	
DCT	**TOC**										
	N36 18.0	118	012	493	474	00.01			M03	T018	0237
	W120 52.4	130	121	259	833	00.16		**F390**	-60	251/039	
DCT	**EBAYE**										
	N35 52.1	118	039	492	478	00.05			M03	T014	0230
	W120 15.6	130	121	261	838	00.21		F390	-59	243/042	
(KZLA)	N35 44.9 W120 06.4					00.22	LOS ANGELES ARTCC HIGH				
DCT	**AVE**		AVENAL					117.1			
	N35 38.8	121	019	490	478	00.02			M03	T012	0227
	W119 58.7	133	126	261	838	00.24		F390	-59	243/042	
SADDE8	**TOD**										
	N35 32.5	132	008	484	478	00.01			M02	T006	0225
	W119 53.3	144	137	261	838	00.24		F390	-59	244/044	
(KZLA)	N34 39.5 W119 08.1					00.34	LOS ANGELES ARTCC LOW				

GTI99/30OCT/KSFO-KLAX/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
SADDE8	**KLAX**	00128	FT					LOS ANGELES INTL			
	N33 56.2	251	148	201	201	00.28			P03	T000	0207
	W118 23.0	263	249	200	303	00.52		**DSC**	+18	138/014	

NOT FOR OPERATIONAL USE

Destination Primary Alternate Route
KLAX DCT ZIMRU DCT CATLY DCT PDZ DCT TAKOE DCT KONT
KLAX/0190
GCD 41 GDIS 95 FUEL 3969 TIME 00.20
MORA 11300

NOT FOR OPERATIONAL USE

TAKEOFF AND LANDING REPORT GTI99 SFO-LAX
TLR-0 SEQ-87852827
A/C N415MC B747-400F CF680C2BxF KG

ACARS INIT DATE =   ACARS TAKEOFF REQUEST =
        -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 01C TO MT   QNH = GREATER OR EQUAL TO 30.01

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	FLP	PTOW	MFPTW
SFO	01L	11.0	150M10	30.11	20	2686	3117

RMKS 78-31-01A
     WET RUNWAY

TOGW	RWY	MTOW	SEL N1	CONFIG	FL	V1	VR	V2

SMRGN	ACCEL	EFP

---------- RUNWAY INFO ----------

RWY	LENGTH	PMTOW	EFP	NOTES
01L	7650	-----	RT	H130
01R	8650	-----	RT	H130
10L	11870	3117	RT	H120
10R	11381	3117	RT	H120
19L	8650	3117	SPECIAL NOTAMS	10/047 A2893/16
19R	7650	3117	SPECIAL NOTAMS	02/023 02/024 02/025 02/026 02/027 02/057 10/047 A0412/17
28L	11381	3117	SPECIAL NOTAMS	02/107 02/108 02/109 02/110 07/029 A2940/16
28R	11870	3117	SPECIAL NOTAMS	02/107 02/108 02/109 02/110 07/029 A2941/16

---------- SPECIAL ENG FAIL TAKEOFF PROCEDURES ----------

RWY	CLB VIA	REACHING	OR	TURN	FRA	HOLD
19L	V2	RWY END	D0.9 SFO	*LT OAK	1013	STD
*IF OAK OTS THEN LT H050						
19R	V2	RWY END	D0.8 SFO	*LT OAK	1013	STD
*IF OAK OTS THEN LT H050						
28L		D1.8 SFO	*D0.7 ISFO	RT H300	1013	
*D0.7 WEST OF ISFO						
28R		D2.3 SFO	*D1.1 IGWQ	RT H310	1013	
*D1.1 WEST OF IGWQ						

---------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
01L	2686	50	94.0	D-TO 2 - PACKS ON	20	131	138	149
01R	2686	57	91.9	D-TO 2 - PACKS ON	20	131	140	149
10L	2686	61	90.8	D-TO 2 - PACKS ON	10	141	146	154
10R	2686	61	90.8	D-TO 2 - PACKS ON	10	140	146	154
19L	2686	51	93.7	D-TO 2 - PACKS ON	20	133	138	149
19R	2686	46	95.1	D-TO 2 - PACKS ON	20	129	137	149
28L	2686	61	90.8	D-TO 2 - PACKS ON	10	141	146	154
28R	2686	61	90.8	D-TO 2 - PACKS ON	10	141	146	154

-------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
01L	2786	44	95.6	D-TO 2 - PACKS ON	20	131	140	152
01R	2786	52	93.4	D-TO 2 - PACKS ON	20	135	142	152
10L	2786	61	90.8	D-TO 2 - PACKS ON	10	141	150	158
10R	2786	61	90.8	D-TO 2 - PACKS ON	10	138	150	158
19L	2786	47	94.8	D-TO 2 - PACKS ON	20	134	141	152
19R	2786	41	96.4	D-TO 2 - PACKS ON	20	131	140	152
28L	2786	61	90.8	D-TO 2 - PACKS ON	10	140	150	158
28R	2786	61	90.8	D-TO 2 - PACKS ON	10	145	150	158

---------- DRY RWY - PTOW - ENG A/I OFF - 15KT TW ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
01L	----	--	-----		--	---	---	---
01R	2686	42	96.1	D-TO 2 - PACKS ON	20	121	136	149
10L	2686	61	90.8	D-TO 2 - PACKS ON	20	124	141	149
10R	2686	60	91.1	D-TO 2 - PACKS ON	20	127	140	149
19L	2686	39	96.9	D-TO 2 - PACKS ON	20	121	135	149
19R	----	--	-----		--	---	---	---
28L	2686	59	91.4	D-TO 2 - PACKS ON	20	124	140	149
28R	2686	60	91.1	D-TO 2 - PACKS ON	20	131	140	149

--------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - 15KT TW ---------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
01L	----	--	-----		--	---	---	---
01R	2786	35	97.9	D-TO 2 - PACKS ON	20	121	138	152
10L	2786	56	92.2	D-TO 2 - PACKS ON	20	126	143	152
10R	2786	53	93.1	D-TO 2 - PACKS ON	20	124	142	152
19L	2786	33	98.4	D-TO 2 - PACKS ON	20	123	137	152
19R	----	--	-----		--	---	---	---
28L	2786	54	92.8	D-TO 2 - PACKS ON	20	126	142	152
28R	2786	55	92.5	D-TO 2 - PACKS ON	20	130	143	152

---------- WET RWY - PTOW - ENG A/I OFF - CALM WIND ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
01L	2686	50	94.0	D-TO 2 - PACKS ON	20	131	138	149
01R	2686	57	91.9	D-TO 2 - PACKS ON	20	131	140	149
10L	2686	61	90.8	D-TO 2 - PACKS ON	10	141	146	154
10R	2686	61	90.8	D-TO 2 - PACKS ON	10	140	146	154
19L	2686	51	93.7	D-TO 2 - PACKS ON	20	133	138	149
19R	2686	46	95.1	D-TO 2 - PACKS ON	20	129	137	149
28L	2686	61	90.8	D-TO 2 - PACKS ON	10	141	146	154
28R	2686	61	90.8	D-TO 2 - PACKS ON	10	141	146	154

-------- WET RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
01L	2786	44	95.6	D-TO 2 - PACKS ON	20	131	140	152
01R	2786	52	93.4	D-TO 2 - PACKS ON	20	135	142	152
10L	2786	61	90.8	D-TO 2 - PACKS ON	10	141	150	158
10R	2786	61	90.8	D-TO 2 - PACKS ON	10	138	150	158
19L	2786	47	94.8	D-TO 2 - PACKS ON	20	134	141	152
19R	2786	41	96.4	D-TO 2 - PACKS ON	20	131	140	152
28L	2786	61	90.8	D-TO 2 - PACKS ON	10	140	150	158
28R	2786	61	90.8	D-TO 2 - PACKS ON	10	145	150	158

---------- WET RWY - PTOW - ENG A/I OFF - 15KT TW ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
01L	----	--	-----		--	---	---	---
01R	2686	42	96.1	D-TO 2 - PACKS ON	20	121	136	149
10L	2686	61	90.8	D-TO 2 - PACKS ON	20	124	141	149
10R	2686	60	91.1	D-TO 2 - PACKS ON	20	127	140	149
19L	2686	39	96.9	D-TO 2 - PACKS ON	20	121	135	149
19R	----	--	-----		--	---	---	---
28L	2686	59	91.4	D-TO 2 - PACKS ON	20	124	140	149
28R	2686	60	91.1	D-TO 2 - PACKS ON	20	131	140	149

--------- WET RWY - PTOW PLUS 10000 - ENG A/I OFF - 15KT TW ---------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
01L	----	--	-----		--	---	---	---
01R	2786	35	97.9	D-TO 2 - PACKS ON	20	121	138	152
10L	2786	56	92.2	D-TO 2 - PACKS ON	20	126	143	152
10R	2786	53	93.1	D-TO 2 - PACKS ON	20	124	142	152
19L	2786	33	98.4	D-TO 2 - PACKS ON	20	123	137	152
19R	----	--	-----		--	---	---	---
28L	2786	54	92.8	D-TO 2 - PACKS ON	20	126	142	152
28R	2786	55	92.5	D-TO 2 - PACKS ON	20	130	143	152

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	FLP	PLDW	PMRLW
LAX	25L	14.0	288M01	30.05	30	2590	3645

RMKS 78-31-01A

--------- FLAPS 25 - PACKS ON - A/I OFF - NO ENROUTE ICING ----------
DRY RWY / WET RWY - LOW VIS

	06L	06R	07R	24L
OAT	8566 FT/+0.06	9748 FT/+0.03	11095 FT/-0.22	9483 /-0.03
24	3149F/2865F	3429F/3126F	3731F/3406F	3367F/3069F
/ 14	3149F/2865F	3429F/3126F	3731F/3406F	3367F/3069F
04	3149F/2865F	3429F/3126F	3731F/3406F	3367F/3069F
HW/10KT	+95/ +94	+98/ +95	+93/ +97	+97/ +96
TW/10KT	-302/ -356	-316/ -301	-340/ -314	-311/ -298
PCKOFF	0/ 0	0/ 0	0/ 0	0/ 0

	24R	25L
OAT	8925 FT/-0.06	11095 FT/+0.22
24	3238F/2947F	3731F/3406F
/ 14	3238F/2947F	3731F/3406F
04	3238F/2947F	3731F/3406F
HW/10KT	+94/ +94	+93/ +97
TW/10KT	-305/ -311	-340/ -314
PCKOFF	0/ 0	0/ 0

--- 15PCT FACTOR LDG DIST - AUTOBRK 2 - NO THR REV - MANUAL LAND ----

	FLAPS 25	
LDW	DRY	WET
2700	10370	-----
2600	10041	-----
/ 2590	10009	-----
2500	9711	-----
2400	9382	-----
HW/KT	-44	-----
TW/KT	+151	-----
UP/1PCT	-196	-----
DN/1PCT	+161	-----

--- 15PCT FACTOR LDG DIST - AUTOBRK 3 - NO THR REV - MANUAL LAND ----

	FLAPS 25	
LDW	DRY	WET
2700	9129	9129
2600	8850	8850
/ 2590	8822	8822
2500	8571	8571
2400	8292	8292
HW/KT	-39	-39
TW/KT	+132	+132
UP/1PCT	-115	-115
DN/1PCT	+46	+58

--- 15PCT FACTOR LDG DIST - AUTOBRK 4 - NO THR REV - MANUAL LAND ----
FLAPS 25

	LDW	DRY	WET
	2700	7699	7975
	2600	7471	7747
/	2590	7449	7725
	2500	7243	7519
	2400	7015	7291
HW/KT		-32	-33
TW/KT		+109	+114
UP/1PCT		-12	-23
DN/1PCT		0	+23

-- 15PCT FACTOR LDG DIST - AUTOBRK MAX - NO THR REV - MANUAL LAND ---
FLAPS 25

	LDW	DRY	WET
	2700	6327	7813
	2600	6150	7610
/	2590	6132	7590
	2500	5972	7407
	2400	5795	7204
HW/KT		-25	-29
TW/KT		+83	+102
UP/1PCT		-12	-81
DN/1PCT		0	+104

--- 15PCT FACTOR LDG DIST - MAX MANUAL - NO THR REV - MANUAL LAND ---
FLAPS 25

	LDW	DRY	WET
	2700	5480	7510
	2600	5299	7307
/	2590	5283	7287
	2500	5138	7104
	2400	4977	6901
HW/KT		-24	-29
TW/KT		+80	+100
UP/1PCT		-61	-115
DN/1PCT		+68	+138

311700/268600/259022/900/9651/30000/30900
END TAKEOFF AND LANDING REPORT GTI99 SFO-LAX XXXXXXX

DEPARTURE

METAR KSFO 12xxxxZ 15010KT P6SM FEW075 A3011 11/4

TAF KSFO 12xxxZ 1212/1318 15019G29KT 6SM FEW075 FM121800
18020G30KT FEW055 WS020/20045KT FM130200 20010KT 5SM -SHRA BKN015
BKN025 FM130800 19010KT 5SM -SHRA BR OVC015 FM131500
27010KT P6SM SCT030 BKN200

- **KSFO** A12xx/xx PRECISION RWY MNT OUT OF SERVICE. 13 MAY 15:31
2019 UNTIL 10 APR 23:59 2020 ESTIMATED.

ARRIVAL

METAR KLAX 12xxxxZ 15028KT 1 1/2SM FU BR BKN007 14/12 A3008

TAF KLAX 12xxxxZ 1218/1324 15030KT 1 1/2SM FU BR OVC008 TEMPO 1218/1219
1SM BR SCT002 BKN100 FM121900 15005KT 3SM BR VCFG SCT010 BKN250
FM100100 27008KT 5SM BR SCT006 BKN010 OVC200 FM100500 27008KT 5SM
BR BKN006 OVC150 FM101000 VRB03KT 3SM -DZ BR BKN008 OVC020
FM101500 VRB03KT 5SM -RA BR BKN008 OVC015

- **KLAX** A34xx/xx (6/5155) 10FEB0901-21FEB1800 2020
ILS OR LOC **RWY** 25L, INTMT OTS ...

OTHER

METAR KONT 12xxxxZ 00000KT 10SM FEW210 BKN230 18/12 A3008

TAF KONT 12xxxxZ 0912/1018 VRB04KT P6SM VCFG SCT150 SCT250 TEMPO
1212/1215 2SM BR SCT003 FM122100 26009KT P6SM SCT150 SCT250
FM130200 VRB05KT P6SM SCT200 FM131100 VRB03KT 3SM BR BKN003
FM131600 VRB03KT 5SM HZ SCT005 BKN150

KSFO Dep ATIS 410

/ATS5YXA.TI2/KSFO ARR ATIS P
xxxxZ SFO ATIS INFO P xxxZ.
15010KT 10SM FEW 075 11/04
A3011 (THREE ZERO ONE
ONE). SIMULTANEOUS CLOSELY
SPACED PARALLEL APPROACHES IN
USE TO ILS RWY 19R AND ILS 19L,
LNDG RWYS 19R, 19L.
DEPG RWYS 10L, 10R.
ASSC IN USE ACTVT
TRNSPNDR WITH MODE C ON
ALL TYS AND RWYS.
READBACK OF ALL RWY
HOLDING INSTRUCTIONS IS
REQUIRED. ALL ACFT ARE
RQRD TO INCL ACFT CLSGN
IN ALL RDBKS AND ACKMTS.
...ADVS YOU HAVE INFO P.

PDC KSFO-KLAX GTI 99 (410)

GTI99 KSFO-KLAX
SQUAWK: 7225
EDT: xxxx EDCT: xxxx
FILED: FL390
EQUIP: H/B744/L
****
REVIEW ATC INSTRUCTIONS
****
FLT PLAN ROUTING:
KSFO SAHEY_ SUSEY ./.KLAX
****
ATC INSTRUCTIONS:
CLEARED SAHEY_ DEPARTURE
SUSEY TRSN
CLIMB VIA SID
EXP FL390 10 MIN AFT DP
DPFRQ 135.1
CTC GND 121.8
****
REMARKS:
EMERG CTC 19147018045
TCA***
END OF CLEARANCE

ATLAS AIR B747-400MC LOADSHEET (Rel. 3.3.42) Loadsheet Printout NR: 1

STANDARD PROD. TIME: 16:25

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
SFO/LAX	TE001 GTI99	N415MC	0		

D ata Rev . Date: 11-May-201X

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R			0	0		0	0	0	0	0	0	0	0	0	0	0	0	0
C	0	0																
L				0	0		0	0	0	0	0	0	0	0	0	0	0	
IDX	0.00	0.00	0.00	0.00	-5.60	-3.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	54
	0	0	0	0	0	0	0	0	0	0	0
IDX	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

CAPTAIN: RLOFT

			WGT KG	INDEX
BASIC OPERATING WGT			160261	73.79
BALLAST			0	0.00
ACM	(0)		0	-0.39
SWA			0	-0.00
TOTAL TRAFFIC LOAD			78412	-9.15
ZERO FUEL WEIGHT	(Max:	288031)	238673	64.25
TAXI FUEL			900	1.23
TAKE OFF FUEL			30000	4.18
TAKE OFF WEIGHT	(Op. Max:	354092)	268673	69.66
TRIP FUEL			9651	6.29
LANDING WEIGHT	(Max:	302092)	259022	62.13
ALLOWED PAYLOAD			121706	

FUEL TANK STATUS: ALL FUEL TANKS OK

CAPTAINS INFO BEFORE LMC

IMBALANCE -0.2%
NOTOC DG NO
NOTOC SC NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD		AFT
ZFW MAC	27.2 %	21		33
TOW MAC	24.3 %	16		33
LDG MAC	25.5 %	16		33
STABTRIM				

LOAD SUPERVISOR: RAMIREZ (PRINT NAME)

_____ (SIGNATURE)

CPT ACCEPTANCE : _____ (SIGNATURE)

UNDERLOAD BEFORE LMC: 117206 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY: Carlos Ramirez Jr (MIA)

CR	CR	RAMIREZ	
LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE

KSFO Departure FDP GTI 99 (410)

```
KSFO          CF680C2B1F
FLT NO   RLS NO     TIME
99          0       xxxxZ
WIND KTS   OAT C      QNH
150/09      +11     30.11
-----------------------
GRWT  269.5    VREF30 149
FUEL   30.9
ZFW   238.6

REMARKS
78-31-01A

KSFO  10L/R         10825
MTOW  279.0    SMRGN  922
FLAPS 20         PACKS ON
ATM   46C          V1 128
THR   D-TO2        VR 137
N1    94.5         V2 149
CG    24.3       TRIM 5.3

RT H120       ACCEL 1000
```

```
KSFO          CF680C2B5F
FLT NO   RLS NO     TIME
99          0       xxxxZ
WIND KTS   OAT C      QNH
150/09      +11     30.11
-----------------------
GRWT  269.5    VREF30 149
FUEL   30.9
ZFW   238.6

REMARKS
78-31-01A

KSFO  10L/R         10825
MTOW  279.0    SMRGN  922
FLAPS 20         PACKS ON
ATM   46C          V1 128
THR   D-TO2        VR 137
N1    94.8         V2 149
CG    24.3       TRIM 5.2

RT H120       ACCEL 1000
```

KLAX Arr ATIS
410

/ATS5YXA.TI2/KLAX ARR ATIS D
xxxxZ LAX ATIS INFO D xxxxZ.
15028KT 1 AND 1/2SM FU BR BKN007
14/12 A3008 (THREE ZERO ZERO
EIGHT) RMK AO2 SLP144 FU FEW010.
SIMUL INST APCHS IN PROG,
ILS RWY 06L AND 07R.
CTC L A GC ON 121.75 FOR PUSH
ON TAXILANE S AND PUSH OR
TAXI ON A. HAZD WX INFO FOR
LAX AREA AVBL FM FLT WATCH.
INCLUDE YOUR CALL SIGN IN ALL
READ BACKS.
...ADVS YOU HAVE
INFO D.