GTI482/xxxxx/ZSPD-VHHH/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

GTI482/xx **ZSPD - VHHH** **xx xxx 26** **N415MC**
COST INDEX 065 **Revision: -.-**
B747-400F / CF6-80C2-BxF / KG / IFR / **FF +5.5**
PROGS xxxxxx Release Valid Until xx00Z xxxxx26

ORIG	ZSPD/PVG SHANGHAI/PUDONG		N31087E121476 xx00Z
DEST	VHHH/HKG HONG KONG INTL	Q	N22185E113549 xx40Z
PALT	ZGSZ/SZX SHENZHEN/BAOAN		N22383E113487 xx53Z

ZSPD/F381 HSN1 HSN DCT SHZ B221 LJG A470 DOTMI/N0490F360 V512 ABBEY DCT VHHH

Coldest Fuel Temp: -08/BEBEM A/WC: H017 T-DEV: P09
FMC Reserves: 9.2 ADIS: 855

	ZSPD-VHHH		
ALT1/2	ZGSZ/		
	FUEL	TIME	GDIS
TRIP	**019262**	**01.56**	**0830**
CONT	001670	00.11	
ALT1	003150	00.12	0048
FRES	004007	00.30	
ADD.AL	000333	00.02	
PCF	002500	00.16	
MINF	**030922**	03.09	....
EXTRA	001778	00.11	
TOF	032700		
TAXI	002000	00.44	
BLOCK	**034700**	04.05	
REMF	**013438**	01.40	....

	Weight	**Actual**	**Limit**	
DOW	160925			
PYLD	075336			
ZFW	236261	.....	S288031	ZFW INC/1000 X 59 MINF ADJ
RAMP	270961		S397800	
TOGW	268961	.....	L321354	MTOW LTD BY VZFW/CK LIMITS
LDGW	249699		S302092	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

Remarks

VHHH B747 DEPARTURES:
- REFER TO FLEET CAPTAIN BULLETIN - CHANGE NOTICE -
REAUTHORIZATION OF HKG -T- SIDS FOR B747.

ZSPD CAT II - RWY 17L/35R/34L
ZSPD CAT III - RWY 34L
VHHH CAT II - RWY 07L/07R/07C/25L/25C
VHHH CAT III - RWY 07L/25C
VMMC CAT II - RWY 34

MEL/CDL
MEL 26-16-01-01A - Lower Lobe Cargo Compartment Smoke Detection System (Forward, Aft)-Flight Deck Test System-Cargo Carried

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: -- NOT RELEASED --

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	1	.. .. TO/LNDG Expiry:	
FO	2	2	.. .. TO/LNDG Expiry:	

TO/LNDG currency questions? contact Duty Pilot

GTI482/xxxxx/ZSPD-VHHH/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

TIME		FUEL	
OUT:	/	ETA VHHH:	UPLIFT:
OFF:	/	SOB:	PYLD:
ON:	/	RVSM ALTIMETER RECORD	
IN:	/	L: S:	R:

(FPL-GTI482-IS
-B744/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-ZSPD0000
-K0914S1160 HSN1 HSN DCT SHZ B221 LJG A470 DOTMI/N0490F360 V512 ABBEY DCT
-VHHH0156 ZGSZ
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE DOF/261028 REG/N415MC EET/ZGZU0119 VHHK0128 SEL/EKJM CODE/A4E7C9 OPR/GTI RMK/TCAS II EQUIPPED CARGO EMERG CTC 19147018045)

Overflight/Landing Permits
--- TAKEOFF PERMIT
CHINA /////PERMIT MISSING/////

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	ZSPD 00011 FT							SHANGHAI/PUDONG			
	N31 09.6										
	E121 49.0										
HSN1	**HSN**		ZHOUSHAN					112.3			
	N29 55.9	189	096	505	503	00.15			P14	T003	0267
	E122 21.8	182	196	288	844	00.14		F350	-41	279/062	
DCT	**TOC**										
	N29 51.7	262	018	439	493	00.02		S116	P08	H054	0262
	E122 01.7	256	265	271	849	00.17		**F381**	-48	280/058	
DCT	**SHZ**		SHENGZHOU					113.4			
	N29 35.9	262	065	441	493	00.09		S116	P08	H052	0248
	E120 48.9	256	265	269	845	00.26		F381	-48	283/058	
B221	**REMIM**										
	N28 51.5	191	044	494	491	00.05		S116	P08	T003	0240
	E120 44.4	185	197	268	841	00.31		F381	-49	282/040	
B221	**PAMVU**										
	N28 41.5	191	010	493	491	00.01		S116	P08	T002	0238
	E120 43.3	185	196	268	841	00.32		F381	-49	282/040	
B221	**PEXIB**										
	N28 26.6	190	015	494	491	00.02		S116	P08	T003	0235
	E120 41.8	185	195	268	841	00.34		F381	-49	282/040	

GTI482/xxxxx/ZSPD-VHHH/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
B221	**AREPI**										
	N28 01.7	190	025	495	491	00.03		S116	P08	T004	0231
	E120 39.3	184	195	268	841	00.37		F381	-49	288/022	
B221	**DST**		DONGSHAN					109.2			
	N27 45.0	190	017	495	491	00.02		S116	P08	T004	0227
	E120 37.8	184	192	268	841	00.39		F381	-49	288/022	
B221	**UBDIX**										
	N27 22.1	218	027	486	491	00.03		S116	P07	H005	0222
	E120 21.5	212	220	268	841	00.42		F381	-49	289/022	
B221	**RUPOX**										
	N27 07.6	217	017	486	491	00.02		S116	P07	H005	0219
	E120 11.3	212	220	268	841	00.44		F381	-49	289/022	
B221	**MUDOD**										
	N26 51.8	217	019	482	491	00.02		S116	P08	H009	0216
	E120 00.0	212	220	268	841	00.47		F381	-49	280/023	
B221	**ANLUD**										
	N26 28.1	217	028	482	491	00.03		S116	P08	H009	0211
	E119 43.4	212	220	268	841	00.50		F381	-49	280/023	
B221	**LJG**		LIANJIANG					117.6			
	N26 13.3	217	018	482	491	00.02		S116	P08	H009	0207
	E119 33.0	212	219	268	841	00.52		F381	-49	280/023	
A470	**FQG**		FUQING					117.4			
	N25 44.5	202	030	487	491	00.04		S116	P08	H004	0202
	E119 23.2	197	204	268	841	00.56		F381	-49	280/023	
A470	**ENVEN**										
	N25 20.5	231	035	468	490	00.04		S116	P07	H022	0195
	E118 55.1	226	233	268	841	01.01		F381	-49	262/028	
A470	**ATSAB**										
	N25 05.6	232	022	468	490	00.03		S116	P07	H023	0191
	E118 37.1	227	234	268	841	01.03		F381	-49	262/028	
A470	**AMURI**										
	N24 42.0	230	034	468	490	00.04		S116	P07	H022	0184
	E118 10.1	226	232	268	841	01.08		F381	-49	262/028	
A470	**XLN**		XINGLIN					114.7			
	N24 34.0	230	012	472	491	00.01		S116	P07	H019	0182
	E118 01.0	226	232	268	841	01.09		F381	-49	267/025	

GTI482/xxxxx/ZSPD-VHHH/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
A470	**TEBON**										
	N24 08.3	232	038	466	488	00.05		S116	P06	H022	0175
	E117 30.1	227	234	267	839	01.14		F381	-50	254/024	
(ZGZU)	AT IKATA					01.18	GUANGZHOU FIR				
A470	**IKATA**										
	N23 45.9	226	030	467	488	00.04		S116	P06	H021	0169
	E117 08.2	222	227	267	839	01.18		F381	-50	254/024	
A470	**SWA**		SHANTOU				112.6				
	N23 26.3	230	028	469	488	00.04		S116	P06	H020	0164
	E116 46.1	226	231	267	839	01.22		F381	-50	253/022	
A470	**BEBEM**										
	N22 57.0	221	037	466	488	00.05		S116	P06	H022	0157
	E116 21.6	217	223	267	839	01.26		F381	-51	234/023	
(VHHK)	N22 50.7 E116 16.4					01.27	HONG KONG FIR				
A470	**DOTMI**										
	N22 43.1	221	017	466	488	00.02		S116	P06	H022	0154
	E116 10.1	217	222	267	839	01.29		F381	-51	234/023	
V512	**BOTTOM OF STEP DSC**										
	N22 36.6	220	008	451	473	00.01			P11	H022	0153
	E116 04.8	217	221	269	808	01.30		**F360**	-45	250/026	
V512	**TOP OF STEP DSC**										
	N22 36.4	220	000	467	490	00.00			P11	H022	0153
	E116 04.7	217	222	277	831	01.30		F360	-45	250/026	
V512	**MAGOG**										
	N22 17.8	220	023	411	431	00.03			P15	H020	0153
	E115 49.5	217	221	268	709	01.33		F298	-29	239/022	
V512	**ENPET**										
	N22 17.6	271	008	399	418	00.01			P15	H018	0152
	E115 41.4	268	270	268	682	01.34		F277	-25	245/020	
V512	**FISHA**										
	N22 17.0	271	020	372	386	00.03			P16	H014	0151
	E115 20.2	268	270	268	617	01.37		F228	-14	228/017	
V512	**ABBEY**										
	N22 16.2	271	023	343	351	00.04			P17	H008	0150
	E114 55.4	268	270	268	548	01.41		F165	-01	232/010	
(ZGZU)	N22 23.7 E114 19.3					01.49	GUANGZHOU FIR				

GTI482/xxxxx/ZSPD-VHHH/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
ABBEY3B	**VHHH** 00028 FT							HONG KONG INTL			
	N22 19.9	254	067	203	203	00.15			P10	T000	0134
	E113 54.8	250	253	200	302	01.56		**DSC**	+25	086/005	

Destination Primary Alternate Route
VHHH DCT ZGSZ
VHHH/059
GCD 21 GDIS 48 FUEL 3150 TIME 00.12
MORA 4100

TAKEOFF AND LANDING REPORT PAC 0482 ZSPD-VHHH xxxxx18
TLR-6 SEQ-103796863 xxxxx18 xxxxZ
A/C N415MC B747-400F CF680C2BXF KG

ACARS INIT DATE = xx ACARS TAKEOFF REQUEST = xxxxZ-xxxxZ
-- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 11C TO MT QNH = GREATER OR EQUAL TO 1003

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	FLP	PTOW	MFPTW
ZSPD	34L	21.0	260M20	1008	10	2700	3221

RMKS NONE

RWY	MTOW	ATM	N1	THR/PACKS	CONFIG	FLAPS	V1	VR	V2

SMRGN	ACCEL	EFP

RUNWAY INFO

RWY	LENGTH	EFP	NOTES
16L	12467	DT	H168
16R	12467	DT	H168
17L	13123	DT	H168
17R	11155	DT	H168
34L	12467	DT	H348
34R	12467	DT	H348
35L	11155	DT	H348
35R	13123	DT	H348

DRY RWY - PTOW - ENG A/I OFF - CALM WIND

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
16L	2700	62	91.9	D-TO 2 - PACKS ON	10	141	146	155
16R	2700	62	91.9	D-TO 2 - PACKS ON	10	141	146	155
17L	2700	62	91.9	D-TO 2 - PACKS ON	10	141	146	155
17R	2700	62	91.9	D-TO 2 - PACKS ON	10	141	146	155
34L	2700	62	91.9	D-TO 2 - PACKS ON	10	141	146	155
34R	2700	62	91.9	D-TO 2 - PACKS ON	10	141	146	155
35L	2700	62	91.9	D-TO 2 - PACKS ON	10	141	146	155
35R	2700	62	91.9	D-TO 2 - PACKS ON	10	141	146	155

DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
16L	2800	62	91.9	D-TO 2 - PACKS ON	10	145	150	158
16R	2800	62	91.9	D-TO 2 - PACKS ON	10	145	150	158
17L	2800	62	91.9	D-TO 2 - PACKS ON	10	145	150	158
17R	2800	62	91.9	D-TO 2 - PACKS ON	10	142	150	158
34L	2800	62	91.9	D-TO 2 - PACKS ON	10	145	150	158
34R	2800	62	91.9	D-TO 2 - PACKS ON	10	145	150	158
35L	2800	62	91.9	D-TO 2 - PACKS ON	10	142	150	158
35R	2800	62	91.9	D-TO 2 - PACKS ON	10	145	150	158

---------- DRY RWY - PTOW - ENG A/I OFF - 15KT TW ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
16L	2700	62	91.9	D-TO 2 - PACKS ON	10	132	146	155
16R	2700	62	91.9	D-TO 2 - PACKS ON	10	132	146	155
17L	2700	62	91.9	D-TO 2 - PACKS ON	10	135	146	155
17R	2700	61	92.2	D-TO 2 - PACKS ON	20	130	141	149
34L	2700	62	91.9	D-TO 2 - PACKS ON	10	132	146	155
34R	2700	62	91.9	D-TO 2 - PACKS ON	10	132	146	155
35L	2700	61	92.2	D-TO 2 - PACKS ON	20	130	141	149
35R	2700	62	91.9	D-TO 2 - PACKS ON	10	135	146	155

--------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - 15KT TW ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
16L	2800	59	92.7	D-TO 2 - PACKS ON	20	131	144	152
16R	2800	59	92.7	D-TO 2 - PACKS ON	20	131	144	152
17L	2800	61	92.2	D-TO 2 - PACKS ON	10	138	150	158
17R	2800	55	93.9	D-TO 2 - PACKS ON	20	131	143	152
34L	2800	59	92.7	D-TO 2 - PACKS ON	20	131	144	152
34R	2800	59	92.7	D-TO 2 - PACKS ON	20	131	144	152
35L	2800	55	93.9	D-TO 2 - PACKS ON	20	131	143	152
35R	2800	61	92.2	D-TO 2 - PACKS ON	10	138	150	158

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	FLP	PLDW	PMRLW
VHHH	07R	28.0	150M18	1014	30	2500	3922

RMKS NONE

---------- RUNWAY INFO ----------

RWY	LENGTH	SLOPE	NOTES
07C	11899		
07R	11942		
25L	12467		
25C	11896		

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

	FLAPS 25	
	LDW	DRY	WET
	2700	9643	-----
	2600	9314	-----
/	2500	8986	-----
	2400	8655	-----
	HW/KT	-44	-----
	TW/KT	+151	-----
	UP/1PCT	-196	-----
	DN/1PCT	+161	-----

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

	FLAPS 25	
LDW	DRY	WET
2700	8486	8486
2600	8207	8207
/ 2500	7929	7929
2400	7649	7649
HW/KT	-39	-39
TW/KT	+132	+132
UP/1PCT	-115	-115
DN/1PCT	+46	+58

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

	FLAPS 25	
LDW	DRY	WET
2700	7175	7451
2600	6947	7223
/ 2500	6720	6996
2400	6491	6767
HW/KT	-32	-33
TW/KT	+109	+114
UP/1PCT	-12	-23
DN/1PCT	0	+23

AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -

	FLAPS 25	
LDW	DRY	WET
2700	5927	7359
2600	5749	7156
/ 2500	5573	6954
2400	5394	6750
HW/KT	-25	-29
TW/KT	+83	+102
UP/1PCT	-12	-81
DN/1PCT	0	+104

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -

	FLAPS 25	
LDW	DRY	WET
2700	5129	7083
2600	4960	6880
/ 2500	4811	6678
2400	4661	6474
HW/KT	-22	-29
TW/KT	+73	+100
UP/1PCT	-57	-115
DN/1PCT	+63	+138

322100/270000/250058/2000/20013/30200/34700
END TAKEOFF AND LANDING REPORT PAC 0482 ZSPD-VHHH 12JAN18

STATION COMPANY NOTAMS
ZSPD COMPANY NOTAMS
ZSPD-00001 Oper: Y 27SEP16/1819
VALID FROM: WIE TO: UFN
IN-RANGE CALL FREQ

ATLAS / PVG OPS - 129.8

QANTAS / ETIHAD / CHINA EASTERN OPS 130.5

ZSPD COMPANY NOTAMS
ZSPD-RBS Oper: Y 27SEP16/1819
VALID FROM: WIE TO: UFN
ZSPD RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-200	B767-300
RWY 16L/34R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 16R/34L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 17R/35L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 17L/35R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

VHHH COMPANY NOTAMS
VHHH-FREQ Oper: Y 25MAY17/0328
VALID FROM: WIE TO: UFN
****
HKG OPS VHF - (POLAR AIR CARGO / JARDINE OPS) - 131.80
****

VHHH COMPANY NOTAMS
VHHH-RBS Oper: Y 17MAY17/1655
VALID FROM: WIE TO: UFN
VHHH RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 07C/25C	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 07R/25L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

ZGSZ COMPANY NOTAMS
ZGSZ-00001 Oper: Y 27SEP16/1819
VALID FROM: WIE TO: UFN
IN-RANGE CALL FREQ

CHINA SOUTHERN - 131.9

ZGSZ COMPANY NOTAMS
ZGSZ-RBS Oper: Y 30MAY17/1516
VALID FROM: WIE TO: UFN
ZGSZ RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 15/33	STRUCTURAL	429,729KG	STRUCTURAL	712,000LB
RWY 16/34	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

ZSAM COMPANY NOTAMS
ZSAM-00001 Oper: Y 27SEP16/1819
VALID FROM: WIE TO: UFN
IN-RANGE CALL FREQ

OPS - 131.50

ZSAM COMPANY NOTAMS
ZSAM-RBS Oper: Y 27SEP16/1819
VALID FROM: WIE TO: UFN
ZSAM RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-200	B767-300
RWY 05/23	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

ROUTE COMPANY NOTAMS: NIL
FIR COMPANY NOTAMS: NIL

ADMIN COMPANY NOTAMS
ADMIN-DEICE Oper: Y 27SEP16/1819
VALID FROM: WIE TO: UFN
DEICING / ANTI-ICING INFORMATION FORM

```
*  1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE)  (CIRCLE ONE)  *
*                                                                 *
*  2. FLUID TYPE (TYPE I, II, III, OR IV)          (CIRCLE ONE)  *
*                                                                 *
*  3. FLUID MIXTURE RATIO -       /                              *
*      (FOR TYPE II, III, OR IV FLUID ONLY)                       *
*                                                                 *
*  4. TIME (UTC) OF THE START OF THE FINAL APPLICATION -      Z   *
*                                                                 *
*  - - RETAIN THIS FORM WITH THE FLIGHT DOCUMENTS ENVELOPE - -    *
*   **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY**      *
```

ADMIN-DG CHECK Oper: Y 13DEC17/2004
VALID FROM: 13DEC17/0001 TO: UFN
FCOM NP15.31 - DANGEROUS GOODS - CHECK IS AMENDED AS FOLLOWS:

USE THE NOTOC FORM TO CONFIRM THE MAIN DECK PALLET POSITION OF ANY DANGEROUS GOODS. CARGO AIRCRAFT ONLY (CAO) DANGEROUS GOODS MUST BE ACCESSIBLE (CLASS 3 PG III, 6, 7, AND 9 ARE NOT REQD TO BE ACCESSIBLE). IT IS NOT REQD TO PHYSICALLY VERIFY/ACCESS THE PALLET TAG INFO ONCE THE ULD IS LOADED AND SECURED INTO POSITION.

NOTE: AMC FLIGHTS DO NOT REQUIRE PALLET TAGS
PER AFJMAN 24-204.

MANUALS WILL BE UPDATED ACCORDINGLY.

ADMIN-DHS Oper: Y 30MAR17/1556
VALID FROM: WIE TO: UFN
DUE TO RECENT DHS (DEPARTMENT OF HOMELAND SECURITY) SECURITY ENHANCEMENTS THAT MAY AFFECT THE CARRIAGE OF LARGE ELECTRONIC DEVICES ON AIRCRAFT, EFFECTIVE IMMEDIATELY AND UNTIL FURTHER NOTICE,

FOM PEFB REQUIRED EQUIPMENT NOTE, CURRENTLY FOUND ON PAGE 6.1.28, IS REVISED AS FOLLOWS:

NOTE
UNLESS REQUIRED TO DO SO, DO NOT PLACE THE IPAD/CHARGER IN CHECKED LUGGAGE.

MANUALS WILL BE REVISED ACCORDINGLY.

SENIOR DIRECTOR, FLIGHT OPERATIONS

ADMIN-GXYNOTE7 Oper: Y 15OCT16/1717
VALID FROM: WIE TO: UFN
GROUND OPS ALERT - SAMSUNG GALAXY NOTE 7 DEVICES BANNED FROM AIR TRANSPORTATION.

DUE TO RECENT INCIDENTS, CONTINUED CONCERNS AND RISK OF IN-FLIGHT FIRE, UNTIL FURTHER NOTICE: ALL SAMSUNG GALAXY NOTE 7 DEVICES ARE PROHIBITED FROM BEING CARRIED ONBOARD COMPANY AIRCRAFT.

IF A DEVICE IS DISCOVERED ONBOARD THE AIRCRAFT INLFIGHT CONTACT DANGEROUS GOODS VIA DISPATCH FOR ASSISTANCE.

PLEASE SEE THE APPLICABLE GOAS (GROUND OPS ALERTS) REGARDING SAMSUNG GALAXY NOTE 7 DEVICES-ON GLOBALNET, LOCATED IN THE GROUND OPS CORNER FOR ADDITIONAL INFORMATION.

ADMIN-PUBS747A Oper: Y 28NOV17/1759
VALID FROM: WIE TO: UFN
CURRENT AIRCRAFT LIBRARY REVISIONS

		CURRENT	/ CURRENT EFF ON RECEIPT
747-8F	QRH.....	REV 06	05-JUN-XX / NA
	DDG.....	VER 10	21-MAR-XX / NA
747-400P	QRH.....	REV 06	05-JUN-XX / NA
	DDG.....	VER 09	/ NA
747-400F/C	QRH.....REV 06		05-JUN-XX / NA
	DDG.....VER 09		21-SEP-XX / NA
747-400LCF	QRH.....REV 06		05-JUN-XX / NA
	DDG.....VER 04		15-APR-XX / NA
747-400ERF	QRH.....ORIG		04-SEP-XX / NA
	DDG.....VER 09		21-SEP-XX / NA

FOR ALL DDG TRS - REFER TO EFB CONTENT LOCKER

ADMIN-STD/STA Oper: Y 24NOV17/2313
VALID FROM: WIE TO: UFN

RELEASE COMPANY NOTAMS: NIL

N415MC COMPANY NOTAMS
415-WB Oper: Y 27SEP16/1819
VALID FROM: WIE TO: UFN

N415MC WEIGHT AND BALANCE ADVISORY

BASIC CREW 160,261(74)
+1 - 160,371(74) / +2 - 160,481(73) / +3 - 160,591(73)
+4 - 160,701(73) / +5 - 160,811(72) / +6 - 160,921(72)
EQUIP COMPANY NOTAMS: NIL
FLTNUM COMPANY NOTAMS: NIL
AIRWAY COMPANY NOTAMS: NIL
WAYPOINT COMPANY NOTAMS: NIL

DEPARTURE
METAR ZSPD 12xxxxZ 26010MPS 6000 HZ FEW045 21/14 Q1008 NOSIG

TAF ZSPD 12xxxxZ 1300/1324 26010MPS 5000 HZ SCT020 TX23/xxxxZ
TNM19/xxZ

- **ZSPD** F0185/18 10JAN0807-21DEC2230
TWY P2 CLSD BTN **RWY** 17L/35R AND **TWY** A

ARRIVAL
METAR VHHH 12xxxxZ 15018KT 4000 FU BR OVC011 28/22 Q1014 NOSIG

TAF VHHH 12xxxxZ xx12/xx18 16020KT 4000 FU BR OVC010

OTHER
METAR ZGSZ 12xxxxZ 01003MPS CAVOK 08/M01 Q1027 NOSIG

TAF ZGSZ 12xxxxZ 1300/1324 06004MPS 6000 FEW040 TX18/1307Z TN11/1322Z

ZSPD ATIS PAC482 (412)

ZSPD DEP ATIS P
xxxxZ DEP RWY 35R AND 34L
CTN DCL/PDC IN OPERATION PLEASE
  ACKNOWLEDGE PDC
CAUTION BIRDS NEAR THE RUNWAY
PUDONG DELIVERY FREQ 121.95
WIND 26010MPS
VIS 6000 HZ
FEW 045
T 21 /DP 14
QNH 1008 HPA
RPT RECEIPT OF ATIS P ON ZSPD

PDC ZSPD-VHHH PAC482 (412)

PAC482 ZSPD-VHHH
SQUAWK: 7225
EDT: xxxx EDCT: xxxx
FILED: 10400 METERS
EQUIP: H/B744/L
****
REVIEW ATC INSTRUCTIONS
****
FLT PLAN ROUTING:
ZSPD HSN91D HSN
./.VHHH
****
ATC INSTRUCTIONS:
CLEARED HSN91D HSN
THEN AF
CLIMB 1800 METERS
EXP 10400 METERS 10 MIN
AFT DP,DPFRQ 120.3
NEXT FREQ 121.7
****
REMARKS:
EMERG CTC 19147018045
TCA***
END OF CLEARANCE

NOTOC PAC482 PVG- HKG N415MC

E-mail Subject line

NOTOC

In case of a HAZMAT Emergency or for a NOTOC copy Contact Dispatch at:
Atlas Air +1.914.701.8050 ~ Polar Air Cargo +1.914.701.6450

NOTIFICATION TO CAPTAIN - SPECIAL LOAD

Station of Loading:	Flight Number:	Date:	DEP Airport: / Next ARR Airport:	Aircraft Reg.:	Prepared by:	Page of
PVG	PAC482		PVG / HKG	N415MC	D. Goods (Full Name)	1 of 1

		DANGEROUS GOODS BASIC DESCRIPTION											LOADED ON		
Station of Unloading	AWB Air Waybill Number	UN or ID Number	Proper Shipping Name	Class or Div.& Sub Risk(s) For Class 1 compatibility Group	Packing Group (I, II, III)	Additional Description Requirements RQ, SP, LTD QTY, Radio-active Material Category *(See 172.203)*	Number of Package(s)	Net Qty (L / kg) or Transport Index per Pakage.	Special Permit/State Exemption (X)	CAO (X)	ERG Drill Code	ULD ID	POSN	*Moved to POSN*
ANC	369 32323265	UN3090	Lithium Metal Batteries	9		PI 968 Section IA	3	32		X	9FZ	PMC 3616 5Y	HR	

OTHER SPECIAL LOAD

** There is no evidence that any damaged or leaking packages containing dangerous goods have been loaded on the aircraft.

Station of Unloading	AWB Air Waybill Number	Contents and Description	Nunber of Packages or Quantity	Supplementary Information	IMP CODE	LOADED ON ULD ID	POSN	*Moved to POSN*

** I CERTIFY THE ABOVE IS LOADED AS SHOWN AND PROPERLY SECURED

** Loading Supervisor's

D. Goods (Full Name) & X _____ (Signature)

* I have received the information listed above about the Dangerous Goods and I have noted their location on board the aircraft.

1st *Capt.	2nd *Capt.	3rd *Capt.
X _____ (Signature)	X _____ (Signature)	X _____ (Signature)

>>>>>>>>>>> *E-mail / Fax NOTOC information to all applicable down line stations and to:* NOTOC@AtlasAir.com / +1.786.265.7025 <<<<<<<<<<<

>>>>>>>>>>> *Copy, distribute and file accordingly* <<<<<<<<<<<

Rev 0407'16

ATLAS AIR B747-400MC LOADSHEET (Rel. X.X.XX) Loadsheet Printout NR: 1

STANDARD PROD. TIME: 14:50

FROM/TO	FLIGHT	A/C	ACM	DATE	TIME
PVG/HKG	PAC482	REG	0	XX-XX-2021	XX:XX
Data Rev. Date:		N415MC			

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R C L IDX	NOT APPLICABLE TO TRAINING																	

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	54
IDX	NOT APPLICABLE TO TRAINING										

		WGT KG	INDEX
BASIC OPERATING WGT		160261	74.00
BALLAST		0	0.00
ACM	(0)	0	-1.43
SWA		0	0.00
TOTAL TRAFFIC LOAD		76992	-5.14
ZERO FUEL WEIGHT	(Max: 288031)	237363	67.43
TAXI FUEL		2000	1.30
TAKE OFF FUEL		32700	-0.41
TAKE OFF WEIGHT	(Op. Max: 326337)	270063	67.02
TRIP FUEL		20013	1.49
LANDING WEIGHT	(Max: 302092)	250050	65.53
ALLOWED PAYLOAD		128924	

CAPTAIN: RLOFT

CAPTAINS INFO BEFORE LMC

IMBALANCE -0.9%
NOTOC DG NO

NOTOC SC NO

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD		AFT
ZFW MAC	27.2 %	16		33
TOW MAC	23.3 %	11		33
LDG MAC	25.5 %	16		33
STABTRIM				

FUEL TANK STATUS: ALL FUEL TANKS OK

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

LOAD SUPERVISOR: S Loadguy (PRINT NAME)

_____(SIGNATURE)

CPT ACCEPTANCE :_____(SIGNATURE)

LAST MINUTE CHANGES

UNDERLOAD BEFORE LMC: XXXX Kg

LOADSHEET CHECKED AND APPROVED BY: S Loadguy (SWP) (PVG)

---	---	---	---
LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE

ZSPD DEP FDP PAC482 (412)

```
ZSPD          CF680C2BXF
FLT NO     RLS NO   TIME
482        6       XXXXZ
WIND MPS   OAT C     QNH
260/10     +21      1008
-----------------------
GRWT  272.1  VREF 30 149
FUEL   34.7
ZFW   237.4

REMARKS
NONE


ZSPD   35R         13123
MTOW   290.0  SMRGN 3456
FLAPS  10       PACKS ON
ATM    61         V1  142
THR    D-TO 2     VR  147
N1     90.5       V2  155
CG     23.3     TRIM  5.6

DT  H348     ACCEL  1000



ZSPD   35L         11155
MTOW   290.0  SMRGN 1423
FLAPS  10       PACKS ON
ATM    61         V1  142
THR    D-TO 2     VR  147
N1     90.5       V2  155
CG     23.3     TRIM  5.6

DT  H348     ACCEL  1000
```

ATIS VHHH 25L PAC482 (412)

HONG KONG ARRIVAL INFORMATION T
  AT TIME XXXX
ARRIVAL RUNWAY 25L
EXPECT ILS APPROACH
WIND 190 DEG 18 KT
VISIBILITY 10KM
CLOUD OVC 5000FT
TEMPERATURE 18 DEWPOINT 17
QNH 1014 HPA
ACKNOWLEDGE INFORMATION T ON
  FIRST CONTACT WITH APPROACH

FDP LDA VHHH 25L PAC482 (412)

VHHH	CF680C2BxF	
FLT NO	LDW	TIME
482	250.1	xxxxZ
WIND KTS	OAT C	QNH
190/18	+18	1014

REMARKS
NONE

VHHH 25L		12467
LDW	250.1	MRLW 400.0
FLAPS **25**		VREF 150

SETTINGS	FEET	BTMS
AUTOBRK 2	7607	1.4
AUTOBRK 3	6823	2.0
AUTOBRK 4	5921	2.7
MAX AUTO	4950	3.4
MAX MAN	3967	4.2

VHHH 25L		12467
LDW	250.1	MRLW 400.0
FLAPS **30**		VREF 146

SETTINGS	FEET	BTMS
AUTOBRK 2	7518	1.2
AUTOBRK 3	6707	1.8
AUTOBRK 4	5802	2.5
MAX AUTO	4815	3.1
MAX MAN	3925	4.0

ATIS VHHH 07R PAC482 (412)

HONG KONG ARRIVAL INFORMATION U
  AT TIME XXXX
ARRIVAL RUNWAY 07R
EXPECT ILS APPROACH
WIND 120 DEG 18 KT
VISIBILITY 10KM
CLOUD OVC 5000FT
TEMPERATURE 18 DEWPOINT 17
QNH 1014 HPA
ACKNOWLEDGE INFORMATION U ON
  FIRST CONTACT WITH APPROACH

FDP LDA VHHH 07R PAC482 (412)

VHHH	CF680C2BxF	
FLT NO	LDW	TIME
482	250.1	xxxxZ
WIND KTS	OAT C	QNH
120/18	+18	1014

REMARKS
NONE

VHHH 07R		11942
LDW 250.1	MRLW	400.0
FLAPS **25**	VREF	150

SETTINGS	FEET	BTMS
AUTOBRK 2	9251	2.3
AUTOBRK 3	8165	2.9
AUTOBRK 4	6921	3.6
MAX AUTO	5716	4.0
MAX MAN	4967	4.8

VHHH 07R		11942
LDW 250.1	MRLW	400.0
FLAPS **30**	VREF	146

SETTINGS	FEET	BTMS
AUTOBRK 2	9142	2.1
AUTOBRK 3	8007	2.7
AUTOBRK 4	6805	3.3
MAX AUTO	5598	3.7
MAX MAN	4922	4.6