GTI483/30OCT/VHHH-PANC/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

NOT FOR OPERATIONAL USE

GTI483/30 **VHHH - PANC** **30 OCT 26** **N415MC**
COST INDEX 040 **Revision: -.-**
B747-400F / CF6-80C2-B1F / KG / IFR / **FF +5.5**
PROGS 301200 Release Valid Until 1730Z 30OCT26

ORIG	VHHH/HKG HONG KONG INTL	Q	N22185E113549 1330Z
DEST	PANC/ANC ANCHORAGE/TED STEVENS ANCHORAG		N61104W149599 2245Z
PALT	PAED/EDF ANCHORAGE/ELMENDORF AFB		N61151W149484 2256Z
RAPT	RJTT/HND TOKYO INTL/HANEDA		N35332E139469 2157Z
RALT	RJTY/OKO TOKYO/YOKOTA AB		N35449E139209 2212Z

VHHH/F290 DALOL1X DALOL V631 ENVAR M750 MUMBA/N0504F310 M750 MEXIR/
N0498F330 M750 IMPAL Y755 CARDS DCT HIOTI DCT CBE Y121 SWING Y88
DAIGO Y889 PUTER A590 POXED/N0481F340 A590 POOFF/N0487F350 A590 HAMND
NEELL7 PANC

Coldest Fuel Temp: -27/PASRO A/WC: T056 T-DEV: P08
FMC Reserves: 9.9 ADIS: 4280 **POR: PUGAL+240NM 05.03**

	VHHH-PANC			**(POR)-PANC**			**VHHH-RJTT**		
ALT1/2	PAED/			PAED/			RJTY		
	FUEL	TIME	GDIS	FUEL	TIME	GDIS	FUEL	TIME	GDIS
TRIP	**107555**	**08.55**	**4740**	038784	03.52	1954	100264	08.07	3929
CONT	003960	00.23		003960	00.23		008730	00.49	
ALT1	003001	00.11	0042	003001	00.11	0042	003482	00.14	0053
FRES	004623	00.30		004623	00.30		004625	00.30	
PCF	000000	00.00		000000	00.00				
MINF	**119139**	10.00	....	050368	04.57		117101	09.42	
EXTRA	001561	00.09							
TOF	120700								
TAXI	000900	00.20							
BLOCK	**121600**	10.29							
REMF	**013145**	01.25	....	013145	01.25		020436	02.12	

	Weight	**Actual**	**Limit**	
DOW	160925			
PYLD	115268			
ZFW	276193	.....	S276690	ZFW INC/1000 X 249 MINF ADJ
RAMP	397793		S397800	
TOGW	396893	.....	S396893	MTOW LTD BY VZFW/CK LIMITS
LDGW	289338		S302092	*LDGW RJTT 296629*

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

Remarks

Alex Schnepel DESK: 10

RAIM VALIDATION PASSED

VHHH B747 DEPARTURES:
- REFER TO FLEET CAPTAIN BULLETIN - CHANGE NOTICE -
REAUTHORIZATION OF HKG -T- SIDS FOR B747.

VHHH CAT II - RWY 07L/07R/07C/25L/25C
VHHH CAT III - RWY 07L/25C
RJGG CAT II - RWY 18/36
RJGG CAT III - RWY 36
RJTT CAT II/III - RWY 34R

NOT FOR OPERATIONAL USE

MEL/CDL

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: -- NOT RELEASED --

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	1	NO NAME PROVIDED	.. .. TO/LNDG Expiry:	
FO	2	NO NAME PROVIDED	.. .. TO/LNDG Expiry:	

TO/LNDG currency questions? contact Duty Pilot

GTI483/30OCT/VHHH-PANC/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

NOT FOR OPERATIONAL USE

	TIME		FUEL		
OUT:	/	ETA PANC:		UPLIFT:	
OFF:	/	SOB:		PYLD:	
ON:	/	RVSM ALTIMETER RECORD			
IN:	/	L:		S:	R:

(FPL-GTI483-IS
-B744/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-VHHH1330
-N0508F290 DALOL1X DALOL V631 ENVAR M750 MUMBA/N0504F310 M750 MEXIR/
N0498F330 M750 IMPAL Y755 CARDS DCT HIOTI DCT CBE Y121 SWING Y88 DAIGO
Y889 PUTER A590 POXED/N0481F340 A590 POOFF/N0487F350 A590 HAMND NEELL7
-PANC0855 PAED
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE
DOF/261030 REG/N415MC EET/RCAA0033 RJJJ0126 PAZA0512 PASRO0512 POWAL0534
SEL/EKJM CODE/A4E7C9 OPR/GTI RIF/4723N15853E DCT NOGAL R220 IXE Y88
DAIGO Y10 GODIN GODIN1S RJTT RMK/TCAS II EQUIPPED CARGO EMERG CTC
19147018045)

Overflight/Landing Permits
--- OVERFLIGHT PERMITS
TAIWAN /////PERMIT MISSING/////
TAIWAN /////PERMIT MISSING/////
TAIWAN /////PERMIT MISSING/////

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	VHHH 00028 FT							HONG KONG INTL			
	N22 17.8										
	E113 54.0										
DALOL1X	**DALOL**										
	N21 44.6	108	071	463	464	00.14			P17	H002	1139
	E114 50.8	105	108	337	730	00.14		F202	-08	025/007	
V631	**DUMEP**										
	N21 44.6	093	021	482	486	00.03			P18	H004	1129
	E115 12.8	089	092	337	772	00.16		F232	-13	070/004	
V631	**MEBKI**										
	N21 44.5	093	021	498	503	00.02			P17	H006	1120
	E115 34.9	090	093	337	808	00.19		F256	-19	061/007	
V631	**TOC**										
	N21 44.4	093	029	498	510	00.03			P15	H012	1109
	E116 05.8	090	093	325	833	00.22		**F290**	-27	058/014	

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
V631	**CONGA**										
	N21 44.0	093	038	496	508	00.05			P15	H012	1098
	E116 47.1	090	093	324	831	00.27		F290	-27	058/014	
(RCAA)	AT ENVAR					00.32	TAIPEI FIR				
V631	**ENVAR**										
	N21 59.5	072	043	500	508	00.05			P15	H008	1086
	E117 30.0	068	072	324	831	00.32		F290	-27	018/013	
M750	**DADON**										
	N22 16.6	062	033	498	508	00.04			P15	H010	1077
	E118 00.2	058	061	324	831	00.36		F290	-27	018/013	
M750	**EXTRA**										
	N22 24.0	061	014	499	508	00.02			P15	H009	1073
	E118 12.9	057	060	324	831	00.38		F290	-27	007/015	
M750	**RENOT**										
	N22 34.1	062	019	498	508	00.02			P15	H010	1068
	E118 30.7	058	061	324	831	00.40		F290	-27	008/015	
M750	**TONGA**										
	N23 10.6	062	070	507	507	00.08			P15	H000	1048
	E119 35.5	058	061	324	831	00.49		F290	-28	330/020	
M750	**TOROX**										
	N23 21.8	063	022	507	507	00.03			P15	H000	1042
	E119 55.5	058	060	324	831	00.51		F290	-28	330/020	
M750	**ANLOT**										
	N23 54.4	047	045	502	507	00.05			P15	H006	1030
	E120 29.2	043	045	324	831	00.56		F290	-28	330/020	
M750	**PILOX**										
^137	N24 24.9	048	042	508	507	00.05			P15	T001	1019
	E121 01.5	044	046	324	831	01.01		F290	-28	312/035	
M750	**SANAS**										
^148	N24 53.8	056	046	513	507	00.05			P15	T005	1006
	E121 41.5	051	052	324	831	01.07		F290	-28	312/035	
M750	**KUDOS**										
	N25 07.9	054	021	511	507	00.03			P15	T003	1001
	E121 59.5	049	050	324	831	01.09		F290	-28	311/032	
M750	**LEKOS**										
	N25 30.5	054	035	511	507	00.04			P15	T004	0991
	E122 28.8	049	051	324	831	01.14		F290	-28	311/032	

NOT FOR OPERATIONAL USE

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
M750	**MORSU**										
	N25 54.3	054	037	522	508	00.04			P15	T014	0982
	E123 00.0	049	051	324	831	01.18		F290	-27	299/042	
(RJJJ)	AT MOLKA					01.26	FUKUOKA FIR				
M750	**MOLKA**										
	N26 39.5	055	070	521	506	00.08			P15	T015	0964
	E124 00.0	049	050	323	828	01.26		F290	-27	297/040	
M750	**MAMOD**										
	N26 58.7	055	030	532	506	00.03			P15	T026	0956
	E124 25.7	050	051	323	828	01.29		F290	-27	288/051	
M750	**MUMBA**										
	N27 23.9	056	039	532	506	00.04			P15	T026	0946
	E124 59.9	050	051	323	828	01.34		F290	-27	288/051	
M750	**TOP OF STEP CLB**										
	N27 35.2	056	018	529	505	00.02			P14	T024	0940
	E125 15.2	050	051	311	833	01.36		**F310**	-32	289/050	
M750	**MELEN**										
	N29 31.6	056	184	552	504	00.21			P15	T049	0894
	E127 58.0	050	051	310	831	01.56		F310	-31	283/087	
M750	**INVAM**										
	N30 13.9	058	068	557	504	00.07			P15	T053	0878
	E128 59.9	051	050	310	831	02.04		F310	-31	281/087	
M750	**MOMPA**										
	N30 50.7	059	060	573	503	00.06			P14	T070	0864
	E129 54.9	052	051	310	831	02.10		F310	-32	278/108	
M750	**MIDAI**										
	N31 36.4	065	088	585	502	00.09			P14	T083	0845
	E131 22.2	058	057	310	830	02.19		F310	-32	275/108	
M750	**MADOG**										
	N32 07.5	066	061	600	501	00.06			P13	T100	0832
	E132 23.8	059	059	310	830	02.25		F310	-33	270/121	
M750	**MAGUT**										
	N32 33.8	070	059	607	500	00.06			P13	T107	0819
	E133 26.6	063	064	310	830	02.31		F310	-34	265/117	
M750	**EGERU**										
	N32 38.0	071	010	607	500	00.01			P13	T107	0817
	E133 36.7	063	066	310	830	02.32		F310	-34	265/117	

NOT FOR OPERATIONAL USE

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
M750	**MEXIR**										
	N32 49.3	071	026	607	500	00.03			P13	T107	0812
	E134 04.4	064	066	310	830	02.35		F310	-34	265/117	
M750	**TOP OF STEP CLB**										
	N32 55.5	081	022	613	499	00.02			P12	T115	0806
	E134 29.1	073	078	298	833	02.37		**F330**	-38	263/117	
M750	**MUKEP**										
	N33 00.0	081	016	613	498	00.02			P12	T115	0802
	E134 47.5	073	078	298	834	02.38		F330	-38	263/117	
M750	**IMPAL**										
	N33 06.0	081	021	614	498	00.02			P12	T116	0798
	E135 12.1	073	079	298	834	02.41		F330	-38	264/118	
Y755	**ALBAT**										
	N33 21.9	044	020	578	496	00.02			P11	T081	0794
	E135 26.5	037	034	298	834	02.43		F330	-39	258/113	
Y755	**TUNAS**										
	N33 40.2	045	023	582	495	00.02			P10	T086	0789
	E135 43.2	037	036	298	834	02.45		F330	-41	253/110	
Y755	**SIRON**										
	N33 51.6	044	014	582	495	00.01			P10	T086	0786
	E135 53.5	036	037	298	834	02.47		F330	-41	253/110	
Y755	**NATCH**										
	N34 11.5	044	025	582	495	00.03			P10	T086	0780
	E136 11.7	037	037	298	834	02.49		F330	-41	253/110	
Y755	**CARDS**										
	N34 25.1	045	017	577	493	00.02			P07	T084	0777
	E136 24.1	037	037	298	834	02.51		F330	-43	249/102	
DCT	**HIOTI**										
	N34 38.0	047	017	579	493	00.02			P07	T086	0773
	E136 36.8	039	041	298	834	02.53		F330	-43	249/102	
DCT	**CBE**		CHUBU				117.8				
	N34 51.5	042	016	574	493	00.02			P07	T082	0769
	E136 48.2	034	036	298	834	02.54		F330	-43	249/102	
Y121	**SWING**										
	N35 23.4	043	039	580	492	00.04			P07	T088	0761
	E137 15.5	034	036	298	834	02.58		F330	-44	243/102	

NOT FOR OPERATIONAL USE

GTI483/30OCT/VHHH-PANC/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y88	**NAKTU**										
	N35 28.0	073	011	594	492	00.01			P07	T102	0759
	E137 27.8	065	073	298	834	02.59		F330	-44	243/102	
Y88	**SUGAL**										
^114	N35 35.6	073	018	594	492	00.02			P07	T102	0755
	E137 47.7	064	073	298	834	03.01		F330	-44	243/102	
Y88	**TENRU**										
^119	N35 40.2	074	011	596	491	00.01			P05	T105	0753
	E138 00.4	066	074	298	834	03.02		F330	-45	241/105	
Y88	**PIGAP**										
^125	N35 47.4	072	017	595	490	00.02			P05	T104	0749
	E138 19.0	064	073	298	834	03.04		F330	-45	237/105	
Y88	**OSPAN**										
^125	N35 53.8	072	015	595	490	00.02			P05	T104	0746
	E138 35.8	064	074	298	834	03.06		F330	-45	237/105	
Y88	**TEPEX**										
^106	N36 00.2	073	015	594	490	00.02			P05	T104	0743
	E138 53.0	065	074	298	834	03.07		F330	-45	237/105	
Y88	**GYODA**										
^102	N36 09.8	073	023	594	490	00.02			P05	T104	0739
	E139 18.7	065	074	298	834	03.09		F330	-45	237/105	
Y88	**AKAGI**										
	N36 23.5	062	023	600	490	00.02			P05	T110	0734
	E139 41.9	053	061	298	834	03.12		F330	-45	236/110	
Y88	**NIKKO**										
	N36 29.2	062	010	600	490	00.01			P05	T110	0732
	E139 51.8	053	061	298	834	03.13		F330	-45	236/110	
Y88	**HAGAR**										
	N36 34.9	064	010	601	490	00.01			P05	T110	0730
	E140 02.4	056	064	298	834	03.14		F330	-45	236/110	
Y88	**DAIGO**										
	N36 44.7	064	018	601	490	00.02			P05	T110	0726
	E140 21.0	056	065	298	834	03.16		F330	-45	236/110	
Y889	**LENVO**										
	N36 57.6	074	032	602	489	00.03			P03	T113	0720
	E140 57.6	066	076	298	834	03.19		F330	-47	233/117	

NOT FOR OPERATIONAL USE

GTI483/30OCT/VHHH-PANC/N415MC

OPERATIONAL FLIGHT PLAN -- NOT RELEASED --

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
Y889	**MAMID**										
	N37 33.3	074	091	597	489	00.09			P04	T109	0701
	E142 43.0	066	077	298	834	03.28		F330	-47	234/112	
Y889	**MUBTO**										
	N37 41.5	075	022	595	490	00.02			P05	T105	0697
	E143 08.7	067	079	297	832	03.30		F330	-45	235/109	
Y889	**OATIS**										
	N37 49.0	076	020	594	490	00.02			P05	T105	0693
	E143 32.4	068	079	297	832	03.32		F330	-45	235/109	
Y889	**PUTER**										
	N38 19.9	079	099	587	487	00.10			P03	T100	0673
	E145 31.1	071	082	297	832	03.42		F330	-47	231/109	
A590	**POXED**										
	N41 05.1	050	229	590	485	00.23			P01	T105	0628
	E148 56.5	042	048	297	832	04.05		F330	-49	231/105	
A590	**TOP OF STEP CLB**										
	N41 12.1	052	010	593	485	00.01			P02	T108	0626
	E149 05.8	044	051	291	833	04.06		**F340**	-51	231/109	
A590	**PUGAL**										
	N44 51.5	052	321	596	481	00.32			M01	T114	0565
	E154 25.0	044	051	291	834	04.38		F340	-54	244/119	
A590	**(POR) AT PUGAL+240NM**										
	N47 22.6	056	240	585	479	00.24			M02	T105	0519
	E158 53.1	049	052	291	832	05.03		F340	-54	257/118	
(PAZA)	AT PASRO					05.12	ANCHORAGE OCEANIC FIR				
A590	**PASRO**										
	N48 16.7	058	091	571	478	00.09			M03	T093	0502
	E160 40.9	052	052	291	832	05.12		F340	-56	267/116	
A590	**POWAL**										
	N50 10.5	060	208	553	479	00.22			M03	T074	0462
	E165 07.4	055	053	291	833	05.34		F340	-56	280/108	
(PAZA)	N51 53.3 E170 00.0					05.57	ANCHORAGE ARTCC HIGH				
(PAZA)	N51 53.3 E170 00.0					05.57	ANCHORAGE ARCTIC FIR				
A590	**PLADO**										
	N52 07.2	063	242	538	480	00.27			M01	T058	0414
	E170 44.3	058	054	290	831	06.01		F340	-54	292/098	

NOT FOR OPERATIONAL USE

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
A590	**PINSO**										
	N53 32.1	051	133	507	480	00.15			M01	T027	0387
	E173 32.9	049	040	290	831	06.16		F340	-53	296/074	
A590	**POOFF**										
	N55 19.4	058	211	507	479	00.25			M02	T028	0344
	E178 43.6	057	051	290	831	06.41		F340	-54	290/043	
A590	**TOP OF STEP CLB**										
	N55 22.7	060	007	510	483	00.01			P01	T028	0341
	E178 54.4	061	056	285	833	06.42		**F350**	-53	291/045	
A590	**PINTT**										
	N56 49.4	060	195	497	487	00.23			P04	T010	0300
	W175 52.8	061	056	286	837	07.05		F350	-50	314/030	
A590	**PTZGR**										
	N57 20.1	062	078	499	490	00.09			P07	T008	0284
	W173 41.1	065	059	286	837	07.15		F350	-47	316/022	
A590	**PUGGY**										
	N57 57.4	063	101	502	493	00.12			P10	T009	0262
	W170 45.9	067	060	286	836	07.27		F350	-44	301/014	
A590	**POETT**										
	N58 42.2	062	128	505	495	00.15			P12	T010	0235
	W166 59.4	067	061	286	836	07.42		F350	-42	222/011	
A590	**SELDM**										
	N58 53.3	063	034	507	496	00.04			P13	T011	0228
	W165 56.9	070	064	286	836	07.46		F350	-41	212/014	
A590	**PORGE**										
	N59 27.4	064	117	508	497	00.14			P14	T011	0204
	W162 19.3	071	065	286	836	08.00		F350	-40	192/026	
A590	**HAMND**										
	N60 29.9	062	239	519	494	00.28			P15	T025	0155
	W154 40.6	071	065	283	829	08.28		F350	-39	194/066	
NEELL7	**TOD**										
	N60 38.4	062	033	522	492	00.04			P14	T030	0149
	W153 35.7	074	069	283	829	08.31		F350	-41	194/072	
NEELL7	**PANC** 00151 FT							ANCHORAGE/TED STEVENS ANCH			
	N61 12.0	150	136	199	199	00.23			M06	T000	0131
	W150 00.9	164	150	201	305	08.55		**DSC**	+08	165/033	

NOT FOR OPERATIONAL USE

Destination Primary Alternate Route
PANC DCT BGQ DCT PAED
PANC/060
GCD 7 GDIS 42 FUEL 3001 TIME 00.11
MORA 6300

Initial Airport Route
4723N15853E DCT NOGAL R220 IXE Y88 DAIGO Y10 GODIN GODIN1S RJTT
MORA 4400

Initial Alternate Route
RJTT DCT RJTY
RJTT/060
GCD 24 GDIS 53 FUEL 3482 TIME 00.14
MORA 4400

NOT FOR OPERATIONAL USE

TAKEOFF AND LANDING REPORT GTI 8765 VHHH-PANC 30JAN21
TLR-17 SEQ-19443559 30JAN21 0945Z
A/C N499MC B747-400F CF680C2B1F KG

ACARS INIT DATE = 30   ACARS TAKEOFF REQUEST = 0945Z-1745Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 8C TO MT   QNH = GREATER OR EQUAL TO 1017

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	FLP	PTOW	MFPTW
VHHH	07R	18.0	103M10	1022	10	3968	3968

RMKS NONE

RWY	MTOW	ATM	N1	THR/PACKS	CONFIG	FLAPS	V1	VR	V2

SMRGN	ACCEL	EFP

RUNWAY INFO

RWY	LENGTH	EFP	NOTES
07L	12467	SPECIAL	NIGHTLY CLOSURES PER ACTIVE SUP NOTAMS A1505/20
07R	12467	SPECIAL	NIGHTLY CLOSURES PER SUP 07/18
25L	12467	DT H254	NIGHTLY CLOSURES PER SUP 07/18
25R	12467	DT H254	NIGHTLY CLOSURES PER ACTIVE SUP NOTAMS A1505/20

SPECIAL ENG FAIL TAKEOFF PROCEDURES

RWY	CLB VIA	REACHING	OR	TURN	FRA	HOLD
07L	H079	D8.8 LKC	*D3.1 SMT	RT H185	1100	
*EAST OF SMT						
07R	H070	D8.3 LKC	*D2.6 SMT	RT H185	1028	
*EAST OF SMT						

DRY RWY - PTOW - ENG A/I OFF - CALM WIND

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
07L	3968	24	102.6	TO 1 - PACKS ON	20	155	173	183
07R	3968	33	102.6	TO 1 - PACKS ON	20	156	172	181
25L	3968	33	102.6	TO 1 - PACKS ON	20	156	172	181
25R	3968	33	102.6	TO 1 - PACKS ON	20	156	172	181

DRY RWY - PTOW - ENG A/I OFF - 15KT TW

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
07L	----	--	-----		--	---	---	---
07R	----	--	-----		--	---	---	---
25L	----	--	-----		--	---	---	---
25R	----	--	-----		--	---	---	---

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	FLP	PLDW	PMRLW
PANC	07L	-11	004M03	29.72	30	2909	3518

RMKS NONE

TAKEOFF AND LANDING REPORT GTI 8765 VHHH-PANC 30JAN21
TLR-17 SEQ-19443559 30JAN21 0945Z

--------------------------- RUNWAY INFO ---------------------------

RWY	LENGTH	SLOPE	NOTES
07L	10600	-0.34	
07R	12400	-0.29	TAKEOFF FROM TWY J
15	10000	-0.27	
25L	12000	0.25	
25R	10600	0.34	
33	10400	0.27	

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

FLAPS 25

	LDW	DRY	WET
	3100	10536	-----
	3000	10207	-----
/	2909	9909	-----
	2900	9877	-----
	2800	9547	-----
HW/KT		-44	-----
TW/KT		+151	-----
UP/1PCT		-195	-----
DN/1PCT		+161	-----

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

FLAPS 25

	LDW	DRY	WET
	3100	9189	9189
	3000	8910	8910
/	2909	8658	8658
	2900	8631	8631
	2800	8352	8352
HW/KT		-39	-39
TW/KT		+132	+132
UP/1PCT		-115	-115
DN/1PCT		+46	+58

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

FLAPS 25

	LDW	DRY	WET
	3100	7735	8011
	3000	7507	7783
/	2909	7301	7577
	2900	7278	7554
	2800	7050	7326
HW/KT		-32	-33
TW/KT		+109	+114
UP/1PCT		-12	-23
DN/1PCT		0	+23

TAKEOFF AND LANDING REPORT GTI 8765 VHHH-PANC 30JAN21
TLR-17 SEQ-19443559 30JAN21 0945Z

AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

	LDW	DRY	WET
	3100	6363	7909
	3000	6186	7706
/	2909	6026	7523
	2900	6008	7503
	2800	5831	7300
HW/KT		-25	-29
TW/KT		+83	+102
UP/1PCT		-12	-81
DN/1PCT		0	+104

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

	LDW	DRY	WET
	3100	5990	7629
	3000	5727	7426
/	2909	5495	7243
	2900	5471	7223
	2800	5223	7020
HW/KT		-23	-29
TW/KT		+79	+100
UP/1PCT		-64	-115
DN/1PCT		+75	+138

396800/396800/290976/900/105915/119000/121400
END TAKEOFF AND LANDING REPORT GTI 8765 VHHH-PANC 30JAN21

STATION COMPANY NOTAMS
VHHH COMPANY NOTAMS
VHHH-RBS Oper: Y 17MAY17/1655
VALID FROM: WIE TO: UFN
VHHH RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 07L/25R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 07R/25L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

PANC COMPANY NOTAMS
PANC-RBS Oper: Y 17MAY17/1743
VALID FROM: WIE TO: UFN

PANC RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 07L/25R	STRUCUTRAL	STRUCTURAL	STRUCUTRAL	STRUCTURAL
RWY 07R/25L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 15/33	STRUCUTRAL	STRUCUTRAL	STRUCUTRAL	STRUCUTRAL

PAED COMPANY NOTAMS
PAED-00001 Oper: Y 27SEP16/1819
VALID FROM: WIE TO: UFN
IN-RANGE CALL FREQ
AMC - POLAR OPS - 131.95 / 134.1
AMC - COMMAND POST - 128.00

PAED COMPANY NOTAMS
PAED-ALTN Oper: Y 24JUL20/1406
VALID FROM: WIE TO: UFN
** PAED / EDF ELMENDORF AB ALTERNATE USE **
WHEN NOTAM: AD FOR OFFICIAL BUSINESS ONLY IS PRESENT,
PE HAS CONFIRMED WITH EDF BASE OPS THAT ATLAS/POLAR IS
ALLOWED TO USE EDF AS AN ALTERNATE.

PAED COMPANY NOTAMS
PAED-RBS Oper: Y 31JUL17/1729
VALID FROM: WIE TO: UFN
PAED RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 06/24	377,514KG	368,633KG	STRUCTURAL	621,004LB
RWY 16/34	STRUCTURAL	402,747KG	STRUCTURAL	714,223LB

RJAA COMPANY NOTAMS
RJAA-CURFEW Oper: Y 05NOV20/1708
VALID FROM: WIE TO: UFN
****
NRT CURFEW:
B747-400/F CURFEW = 1400-2100Z DAILY
N445MC, N446MC, N263SG, N322SG, N718BA CURFEW = 1500-2100Z DAILY
B767, B777, B748 CURFEW = 1500-2100Z DAILY
****

RJAA COMPANY NOTAMS

RJAA-FLTOPS Oper: Y 01OCT20/1511
VALID FROM: WIE TO: UFN
NRT RUNWAY USE

DUE TO SLOT RESTRICTIONS IN NRT, POLAR ARRIVALS BETWEEN 1200Z 1400Z MAY BE ASSIGNED RWY 34R/16L. YOU MAY REQUEST RWY 34L/16R IF NECESSARY.

FOR DEPARTURES, UTILIZE THE DEPARTURE RUNWAY THAT IS ASSIGNED BY ATC IN THE CLEARANCE. IF 34R/16L IS ASSIGNED IN THE CLEARANCE, REQUEST 34L/16R IF REQUIRED FOR OPERATIONAL NECESSITY. MUST BE WHEELS UP BY 1359Z DUE TO CURFEW.

IF AN EXCEPTION TO THIS REQUIREMENT OCCURS, FILE AN FCR.

RJAA COMPANY NOTAMS
RJAA-RBS Oper: Y 14JUL17/2205
VALID FROM: WIE TO: UFN
RJAA RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 16L/34R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 16R/34L	STRUCTURAL	STRUCTURAL	STRUCRURAL	STRUCTURAL

RJTT COMPANY NOTAMS
RJTT-RBS Oper: Y 19NOV18/2152
VALID FROM: WIE TO: UFN

RJTT RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B777-200	B767-300
RWY 04/22	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 05/23	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 16L/34R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 16R/34L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

	B767-200
RWY 04/22	STRUCTURAL
RWY 05/23	STRUCTURAL
RWY 16L/34R	STRUCTURAL
RWY 16R/34L	STRUCTURAL

ZSPD COMPANY NOTAMS
ZSPD-RBS Oper: Y 27SEP16/1819
VALID FROM: WIE TO: UFN
ZSPD RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-200	B767-300
RWY 16L/34R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 16R/34L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 17R/35L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 17L/35R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

PASY COMPANY NOTAMS
PASY-RBS Oper: Y 04DEC18/2338
VALID FROM: WIE TO: UFN

PASY RWY BEARING STRENGTH LIMITS

```
  ------------------------------------------------------------------
              B747-400      B747-8       B767-300      B777-200
  RWY 10/28   STRUCTURAL    STRUCTURAL   STRUCTURAL    STRUCTURAL
  ------------------------------------------------------------------

ROUTE COMPANY NOTAMS: NIL
FIR COMPANY NOTAMS: NIL

ADMIN COMPANY NOTAMS
  ADMIN-AERODATA          Oper: Y                  06DEC19/1655
         VALID FROM: WIE             TO: UFN
  ------------------------------------------------------------
  **AERODATA PERFORMANCE**
  IF 1/8 INCH OR LESS OF WATER, FROST, DRY SNOW OR WET SNOW
  - USE WET RUNWAY FOR TAKEOFF/LANDING PERFORMANCE.
  THIS IS IN ACCORDANCE WITH FOM 8.1 RCAM MATRIX.
  OTHER MANUAL REFERENCES BEING UPDATED AT NEXT REVISION CYCLE.
  ------------------------------------------------------------

  ADMIN-DEICE             Oper: Y                  05NOV20/2036
         VALID FROM: WIE             TO: UFN
  DEICING / ANTI-ICING INFORMATION FORM
  ------------------------------------------------------------------
  *  1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE)  (CIRCLE ONE)  *
  *                                                                 *
  *  2. FLUID TYPE (TYPE I, II, III, OR IV)          (CIRCLE ONE)
  *           BRAND:.....................
  *                                                                 *
  *  3. FLUID MIXTURE RATIO -       /                             *
  *      (FOR TYPE II, III, OR IV FLUID ONLY)                       *
  *                                                                 *
  *  4. TIME (UTC) OF THE START OF THE FINAL APPLICATION -      Z   *
  *                                                                 *
  *     - - RETAIN THIS FORM WITH THE TRIP ENVELOPE - -          *
  *   **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY**      *
  ------------------------------------------------------------------

  ADMIN-OFP CHG           Oper: Y                  17APR19/0100
         VALID FROM: WIE             TO: UFN

  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
  OFP FORMAT CHANGE NOTICE:
  A DH (DEADHEAD) INDICATOR WILL NOW BE SHOWN ON THE OFP IN PLACE
  OF JS FOR DEADHEADING CREWMEMBERS.
  - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -

  ADMIN-PUBS747A          Oper: Y                  08JAN21/2010
         VALID FROM: WIE             TO: UFN
  CURRENT AIRCRAFT LIBRARY REVISIONS
  ------------------------------------------------------------------
                                CURRENT   / CURRENT EFF ON RECEIPT
  747-8F
   - QRH.............. REV 10   01-MAY-2x / NA
   - DDG.............. VER 13   03-SEP-2x / VER 14 09-NOV-20
   -NORMAL CHECKLIST.......... 15-NOV-2x / NA
  747-400P
   - QRH.............. REV 10   01-JUN-2x /  NA
   - DDG.............. VER 16   11-JUN-2x / NA
   -NORMAL CHECKLIST.......... 15-NOV-2x / NA
  747-400P PW
   - QRH.............. REV 01   01-JUN-2x / NA
  747-400F/C GE
```

```
   - QRH.............. REV 10   01-JUN-2X  /  NA
   - DDG.............. VER 16   11-JUN-2X / NA
   -NORMAL CHECKLIST.......... 15-NOV-2X / NA
  747-400LCF
   - QRH.............. REV 10A  01-JUN-2X / NA
   - DDG.............. VER 05   03-SEP-2X / NA
   -NORMAL CHECKLIST.......... 15-NOV-2X / NA
  747-400F/C PW
   - QRH.............. REV 04   01-JUN-2X  /  NA
   - DDG.............. VER 16   11-JUN-2X / NA
   -NORMAL CHECKLIST.......... 15-NOV-2X / NA

  FOR ALL DDG TRS - REFER TO EFB COMPLY365
  ----------------------------------------------------------------

RELEASE COMPANY NOTAMS: NIL

N499MC COMPANY NOTAMS
  499-PBCS                Oper: Y                   21SEP20/1840
          VALID FROM: 21SEP20/1900    TO: 21MAR21/1900
  ----------------------------------------------------------------
  N499MC IS PBCS COMPLIANT, AND IS NOW AUTHORIZED TO OPERATE
  ON PBCS TRACKS IDENTIFIED IN NOTE 3 OF THE NAT OTS MESSAGE
  ----------------------------------------------------------------

  499-WB                  Oper: Y                   16JAN20/1521
          VALID FROM: WIE             TO: UFN
  N499MC WEIGHT AND BALANCE ADVISORY
  ----------------------------------------------------------------
                   BASIC CREW  160,440(74)
    +1 - 160,550(74) / +2 - 160,660(73) / +3 - 160,770(73)
    +4 - 160,880(73) / +5 - 160,990(72) / +6 - 161,100(72)
  ----------------------------------------------------------------

EQUIP COMPANY NOTAMS: NIL
FLTNUM COMPANY NOTAMS: NIL
AIRWAY COMPANY NOTAMS: NIL
WAYPOINT COMPANY NOTAMS: NIL
GEOGRAPHIC AREA COMPANY NOTAMS: NIL
```


ORIGIN
METAR VHHH 300930Z 10013KT CAVOK 19/09 Q1020 NOSIG

TAF VHHH 300500Z 3006/3112 27010KT CAVOK TX21/3006Z TX22/3106Z
TN16/3023Z BECMG 3008/3010 10010KT BECMG 3102/3104 27010KT BECMG
3108/3110 10010KT

DESTINATION
METAR PANC 300853Z 00000KT 10SM SCT085 BKN250 M09/M12 A2944
TAF PANC 300525Z 3006/3112 VRB06KT P6SM SCT100 BKN250

DESTINATION ALTERNATE
METAR PAED 300856Z 00000KT 10SM SCT085 M10/M11 A2943
TAF PAED 300300Z 3003/3109 03009KT 9999 BKN100 QNH2923INS BECMG
3012/3013 01009KT 9999 SCT080 SCT150 QNH2950INS TXM06/3023Z
TNM11/3011Z

REDISPATCH DESTINATION
METAR RJAA 300930Z 17003KT 120V190 9999 FEW030 M00/M08 Q1020 NOSIG
RMK 1CU030 A3012
TAF AMD RJAA 300700Z 3007/3112 30005KT 9999 FEW030 BECMG 3011/3013
20004KT BECMG 3018/3021 30005KT


270
340
240
220
300
270
330
XXX
410
XXX
310
300
PANG
270
FL340
FL280
390
PASY
FL340
300
340
FL340
270
RJCM
270
FL320
390
340
300
340
FL340
200
FL400
200/610
FRJAA
FL400
450
FL390
390
XXX
450
ZSPD
560
450
560
390
310
450
FL400
VHHH
500
530
530
500
530
SigWx: KKCI 12 UTC 30 Jan 2021

VHHH ATIS PAC483 (413)

HONG KONG DEPARTURE INFORMATION W
  AT TIME XXXX
DEPARTURE RUNWAY 07R
WIND 120 DEG 10 KT GUST 25 KTS
VISIBILITY 4KM SMOKE MIST
CLOUD OVC 1100FT
TEMPERATURE 18 DEWPOINT 14
QNH 1014 HPA
ACKNOWLEDGE INFORMATION W ON
  FIRST CONTACT WITH GROUND

PDC VHHH-PANC PAC483 (413)

PAC483 VHHH-PANC
SQUAWK: 1705
EDT: xxxx EDCT: xxxx
FILED: FL330
EQUIP: H/B744/L
****
REVIEW ATC INSTRUCTIONS
****
FLT PLAN ROUTING:
VHHH RASE3A RASSE
./.PANC
****
ATC INSTRUCTIONS:
CLEARED RASE3A DEPARTURE
RASSE TRSN
CLIMB 5000 EXP FL330
10 MIN AFT DP
DP FREQ 123.8
NEXT FREQ 118.4
****
REMARKS:
EMERG CTC 19147018045
TCA***
END OF CLEARANCE

NOTOC PAC483 HKG- ANC N415MC

E-mail Subject line

NOTOC

In case of a HAZMAT Emergency or for a NOTOC copy Contact Dispatch at:
Atlas Air +1.914.701.8050 ~ Polar Air Cargo+1.914.701.6450

Print

NOTIFICATION TO CAPTAIN - SPECIAL LOAD

Station of Loading:	Flight Number:	Date:	DEP Airport: / Next ARR Airport:	Aircraft Reg.:	Prepared by:	Page of
HKG	PAC483		HKG / ANC	N499MC	D. Goods	1 of 1

		DANGEROUS GOODS BASIC DESCRIPTION											LOADED ON		
Station of Unloading	AWB Air Waybill Number	UN or ID Number	Proper Shipping Name	Class or Div.& Sub Risk(s) For Class 1 compatibility Group	Packing Group (I, II, III)	Additional Description Requirements RQ, SP, LTD QTY, Radio-active Material Category *(See 172.203)*	Number of Package(s)	Net Qty (L / kg) or Transport Index per Pakage.	Special Permit/State Exemption (X)	CAO (X)	ERG Drill Code	ULD ID	POSN	*Moved to POSN*
ANC	369 32323265	UN3090	Lithium Metal Batteries	9		PI 968 Section IA	3	32		X	9FZ	PMC 3616 5Y	HR	

Clear this Section

OTHER SPECIAL LOAD

** There is no evidence that any damaged or leaking packages containing dangerous goods have been loaded on the aircraft.

Station of Unloading	AWB Air Waybill Number	Contents and Description	Nunber of Packages or Quantity	Supplementary Information	IMP CODE	LOADED ON ULD ID	LOADED ON POSN	LOADED ON *Moved to POSN*

Clear this Section

** I CERTIFY THE ABOVE IS LOADED AS SHOWN AND PROPERLY SECURED

** Loading Supervisor's

D. Goods & X

Full Name ——— Signature

* I have received the information listed above about the Dangerous Goods and I have noted their location on board the aircraft.

1st *Capt.	2nd *Capt.	3rd *Capt.
X ——— Signature	X ——— Signature	X ——— Signature

>>>>>>>>>>> *E-mail / Fax NOTOC information to all applicable down line stations and to:* NOTOC@AtlasAir.com / +1.786.265.7025 <<<<<<<<<<<

>>>>>>>>>>> *Copy, distribute and file accordingly* <<<<<<<<<<<

Rev 0407'16

Clear ALL

ATLAS AIR B747-400MC LOADSHEET (Rel. X.X.X) Loadsheet Printout NR: 1

STANDARD PROD. TIME: XX:XX

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
HKG/ANC	PO483	N499MC	2	XX-XX-2021	XX:XX

Data Rev. Date:

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R C L IDX	NOT APPLICABLE TO TRAINING																	

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	54
IDX	NOT APPLICABLE TO TRAINING										

		WGT KG	INDEX
BASIC OPERATING WGT		160660	74.00
BALLAST		0	0.00
ACM	(2)	220	-1.43
SWA		0	0.00
TOTAL TRAFFIC LOAD		104467	-5.14
ZERO FUEL WEIGHT	(Max: 288031)	265127	67.43
TAXI FUEL		900	1.30
TAKE OFF FUEL		121100	-0.41
TAKE OFF WEIGHT	(Op. Max: 396893)	386227	67.02
TRIP FUEL		105915	1.49
LANDING WEIGHT	(Max: 302092)	289312	65.53
ALLOWED PAYLOAD		115133	

CAPTAIN: XXXXXXXXXXXX

CAPTAINS INFO BEFORE LMC

IMBALANCE -0.9%
NOTOC DG YES

NOTOC SC NO

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD	AFT
ZFW MAC	24.2 %	16	33
TOW MAC	20.6 %	11	33
LDG MAC	23.4 %	16	33
STABTRIM			

FUEL TANK STATUS: ALL FUEL TANKS OK

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

LOAD SUPERVISOR: S Loadguy (PRINT NAME)

_____(SIGNATURE)

CPT ACCEPTANCE :_____(SIGNATURE)

LAST MINUTE CHANGES

UNDERLOAD BEFORE LMC: XXX Kg

LOADSHEET CHECKED AND APPROVED BY: Sam Loadguy (JAS) (HKG)

----------	----------	----------	----------
LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE

VHHH DEP FDP PAC483 (413)

```
VHHH          CF680C2BXF
FLT NO     RLS NO   TIME
483        6       XXXXZ
WIND KTS   OAT C     QNH
120/10G25  +18      1014
-----------------------
GRWT  387.4  VREF 30 184
FUEL  122.2
ZFW   265.2

REMARKS
NONE


VHHH   07R         12467
MTOW   396.8   SMRGN 793
FLAPS  20       PACKS ON
ATM    --         V1  153
THR    TO 1       VR  169
N1    101.4       V2  181
CG     20.6    TRIM  7.0

SPECIAL      ACCEL  1000

VHHH 07R SPECIAL
VIA H070 REACHNG D8.3LKC
OR D2.6 SMT (EAST OF SMT)
RT H185
```

VHHH ATIS PAC483 EMERGENCY RETURN (413)

HONG KONG ARRIVAL INFORMATION W
  AT TIME XXXX
ARRIVAL RUNWAY 07R
WIND 120 DEG 15 KT
VISIBILITY 4KM SMOKE MIST
CLOUD OVC 1100FT
TEMPERATURE 18 DEWPOINT 14
QNH 1014 HPA
ACKNOWLEDGE INFORMATION W ON
  FIRST CONTACT WITH APPROACH

FDP LDA VHHH PAC483 Emergency Return (413)

VHHH	CF680C2BxF
FLT NO	LDW TIME
483	382.0 xxxxZ
WIND KTS	OAT C QNH
120/15	+18 1014

REMARKS
NONE

VHHH 07R		11942
LDW 382.0	MRLW	400.0

FLAPS **25**

SETTINGS	FEET	BTMS
AUTOBRK 2	----	---
AUTOBRK 3	----	---
AUTOBRK 4	11830	5.6
MAX AUTO	10015	6.8
MAX MAN	10113	7.5

VHHH 07R		11942
LDW 382.0	MRLW	400.0

FLAPS **30**

SETTINGS	FEET	BTMS
AUTOBRK 2	----	---
AUTOBRK 3	----	---
AUTOBRK 4	10357	4.8
MAX AUTO	9586	6.2
MAX MAN	9320	6.9