**GTI411/30OCT/KLAX-PANC/N415MC**

**OPERATIONAL FLIGHT PLAN RLS 01 29OCT26 18:15**

NOT FOR OPERATIONAL USE

**GTI411/30** **KLAX - PANC** **30 OCT 26** **N415MC**
**COST INDEX 021** **Revision: 1.0**
B747-400F / CF6-80C2-B1F / KG / IFR / **FF +5.5**
PROGS 291800 Release Valid Until 1900Z 30OCT26

| | | | |
|---|---|---|---|
| ORIG | KLAX/LAX LOS ANGELES INTL | N33565W118245 | 1500Z |
| DEST | PANC/ANC ANCHORAGE/TED STEVENS ANCHORAG | N61104W149599 | 2002Z |
| PALT | PAED/EDF ANCHORAGE/ELMENDORF AFB | N61151W149484 | 2013Z |

KLAX/F360 MUELR4 RZS J88 PYE J143 ENI DCT FOT DCT KYLLE/M083F360 B453
KURTT/N0486F360 B453 MDO PTERS3 PANC

Coldest Fuel Temp: -22/FOT A/WC: H020 T-DEV: P02
**FMC Reserves: 8.9** ADIS: 2178

| | **KLAX-PANC** | | |
|---|---|---|---|
| ALT1/2 | PAED/ | | |
| | FUEL | TIME | GDIS |
| **TRIP** | **046293** | **04.42** | **2107** |
| CONT | 004152 | 00.28 | |
| ALT1 | 002776 | 00.11 | 0042 |
| FRES | 004097 | 00.30 | |
| PCF | 000000 | 00.00 | |
| **MINF** | **057318** | 05.52 | .... |
| EXTRA | 000082 | 00.00 | |
| TOF | 057400 | | |
| TAXI | 000900 | 00.20 | |
| **BLOCK** | **058300** | 06.12 | |
| **REMF** | **011107** | 01.21 | .... |

| | **Weight** | **Actual** | **Limit** | |
|---|---|---|---|---|
| **DOW** | 160687 | | | |
| PYLD | 081552 | | | |
| ZFW | 242239 | ..... | S288031 | ZFW INC/1000 X 129 MINF ADJ |
| **RAMP** | 300539 | | S397800 | |
| **TOGW** | 299639 | ..... | L348385 | MTOW LTD BY VZFW/CK LIMITS |
| **LDGW** | 253346 | | S302092 | |

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

FUFI: FD72969E-FA48-4B7A-8571-FF7D1AF9948E

**Remarks**
Mac Jackson  DESK: 31

RAIM VALIDATION PASSED

NOT FOR OPERATIONAL USE

**MEL/CDL**
**MEL 36-11-06** - APU Bleed Air Isolation Valve

**MEL 36-11-01** - Engine Bleed Pressure Regulating and Shutoff Valves (PRSOV)

**MEL 34-21-01B** - Inertial Reference Units (IRUs) - Right Inoperative
**- CAT III Restricted**

**MEL 26-16-01-01A** - Lower Lobe Cargo Compartment Smoke Detection System (Forward, Aft)-Flight Deck Test System-Cargo Carried

**Flight Release Authorization**

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. .. .. .. .. .. .. (Circle name below)

Signed by Dispatcher: Mac Jackson

**Fit for Duty Affirmation**

By signing below, I affirm that I am fit for duty to operate this flight.

| FIT FOR DUTY/ JS VERIFY | RELIEF PIC START-END(Z) |
|---|---|

TO/LNDG currency questions? contact Duty Pilot

**GTI411/30OCT/KLAX-PANC/N415MC**

**OPERATIONAL FLIGHT PLAN RLS 01 29OCT26 18:15**

NOT FOR OPERATIONAL USE

| TIME | | FUEL | |
|---|---|---|---|
| OUT: | / | ETA PANC: | UPLIFT: |
| OFF: | / | SOB: | PYLD: |
| ON: | / | RVSM ALTIMETER RECORD | |
| IN: | / | L: S: | R: |

(FPL-GTI411-IS
-B744/H-SDE1E2E3FGHIJ3J7M3P2RWXYZ/LB1D1
-KLAX1500
-N0479F360 MUELR4 RZS J88 PYE J143 ENI DCT FOT DCT KYLLE/M083F360 B453 KURTT/N0486F360 B453 MDO PTERS3
-PANC0443 PAED
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE DOF/261030 REG/N415MC EET/KZOA0024 KZSE0104 KZAK0133 CZVR0231 PAZA0309 SEL/EKJM CODE/A4E7C9 RVR/300 OPR/GTI RMK/TCAS II EQUIPPED CARGO EMERG CTC 19147018045)

Overflight/Landing Permits

| AWY | WPT | MTK | NM | GS | TAS | LEG-T | ETA | MTRS | ISA | WC | REMF |
|---|---|---|---|---|---|---|---|---|---|---|---|
| MORA | | TTK | MH | IAS | .M | TOT-T | ATA | FL | TEMP | WIND | AREM |
| | **KLAX** 00128 FT | | | | | | | LOS ANGELES INTL | | | |
| | N33 57.1 | | | | | | | | | | |
| | W118 24.1 | | | | | | | | | | |
| (KZLA) | N33 58.5 W118 59.3 | | | | | 00.07 | LOS ANGELES ARTCC HIGH | | | | |
| MUELR4 | **RZS** | | SAN MARCUS | | | | | 114.9 | | | |
| | N34 30.6 | 288 | 084 | 470 | 489 | 00.14 | | | P01 | H019 | 0513 |
| | W119 46.3 | 300 | 285 | 302 | 835 | 00.14 | | F325 | -48 | 246/030 | |
| J88 | **TOC** | | | | | | | | | | |
| | N34 46.4 | 314 | 019 | 477 | 480 | 00.02 | | | P00 | H003 | 0507 |
| | W119 59.4 | 325 | 310 | 279 | 835 | 00.16 | | **F360** | -56 | 240/033 | |
| J88 | **CEANO** | | | | | | | | | | |
| | N35 22.2 | 314 | 043 | 475 | 479 | 00.05 | | | P00 | H004 | 0498 |
| | W120 29.3 | 325 | 310 | 279 | 835 | 00.22 | | F360 | -56 | 240/033 | |
| (KZOA) | N35 35.2 W120 40.3 | | | | | 00.24 | OAKLAND ARTCC HIGH | | | | |
| J88 | **ROBIE** | | | | | | | | | | |
| | N35 58.9 | 313 | 045 | 474 | 478 | 00.06 | | | M01 | H004 | 0489 |
| | W121 00.6 | 325 | 309 | 279 | 835 | 00.27 | | F360 | -57 | 238/038 | |
| J88 | **GOALI** | | | | | | | | | | |
| | N36 27.6 | 312 | 035 | 474 | 478 | 00.04 | | | M01 | H004 | 0481 |
| | W121 25.4 | 325 | 308 | 279 | 835 | 00.32 | | F360 | -57 | 238/038 | |

| AWY<br>MORA | WPT | MTK<br>TTK | NM<br>MH | GS<br>IAS | TAS<br>.M | LEG-T<br>TOT-T | ETA<br>ATA | MTRS<br>FL | ISA<br>TEMP | WC<br>WIND | REMF<br>AREM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| J88 | **SNS** | | SALINAS | | | | | 117.3 | | | |
| | N36 39.8 | 312 | 015 | 474 | 478 | 00.02 | | | M01 | H005 | 0478 |
| | W121 36.2 | 324 | 307 | 279 | 835 | 00.34 | | F360 | -57 | 238/038 | |
| J88 | **PYE** | | POINT REYES | | | | | 113.7 | | | |
| | N38 04.8 | 312 | 104 | 477 | 477 | 00.13 | | | M01 | H000 | 0457 |
| | W122 52.1 | 324 | 307 | 278 | 833 | 00.47 | | F360 | -57 | 232/047 | |
| J143 | **ENI** | | MENDOCINO | | | | | 112.3 | | | |
| | N39 03.2 | 329 | 061 | 492 | 477 | 00.07 | | | M01 | T015 | 0445 |
| | W123 16.5 | 341 | 323 | 278 | 833 | 00.54 | | F360 | -58 | 233/056 | |
| (KZSE) | N40 13.0 W123 57.6 | | | | | 01.04 | SEATTLE ARTCC HIGH | | | | |
| DCT | **FOT** | | FORTUNA | | | | | 114.0 | | | |
| | N40 40.3 | 322 | 107 | 492 | 478 | 00.13 | | | P00 | T014 | 0424 |
| | W124 14.1 | 335 | 315 | 278 | 833 | 01.07 | | F360 | -56 | 228/062 | |
| (KZAK) | AT KYLLE | | | | | 01.32 | OAKLAND OCEANIC FIR | | | | |
| DCT | **KYLLE** | | | | | | | | | | |
| | N43 26.4 | 313 | 198 | 486 | 488 | 00.25 | | | P09 | H002 | 0385 |
| | W126 39.8 | 327 | 306 | 278 | 833 | 01.32 | | F360 | -47 | 236/038 | |
| B453 | **KANUA** | | | | | | | | | | |
| | N47 41.5 | 319 | 287 | 470 | 492 | 00.36 | | | P14 | H022 | 0326 |
| | W129 46.1 | 333 | 315 | 277 | 831 | 02.08 | | F360 | -43 | 013/029 | |
| B453 | **VIDKU** | | | | | | | | | | |
| | N48 13.7 | 316 | 037 | 467 | 491 | 00.05 | | | P13 | H024 | 0319 |
| | W130 12.0 | 331 | 318 | 277 | 831 | 02.13 | | F360 | -43 | 026/039 | |
| B453 | **TAMRU** | | | | | | | | | | |
| | N48 57.3 | 315 | 050 | 457 | 493 | 00.06 | | | P12 | H036 | 0309 |
| | W130 48.2 | 331 | 319 | 279 | 837 | 02.19 | | F360 | -44 | 021/053 | |
| B453 | **SIMLU** | | | | | | | | | | |
| | N50 00.3 | 315 | 072 | 449 | 491 | 00.10 | | | P10 | H042 | 0293 |
| | W131 42.6 | 330 | 319 | 279 | 837 | 02.29 | | F360 | -46 | 024/066 | |
| (CZVR) | AT KURTT | | | | | 02.31 | VANCOUVER FIR | | | | |
| B453 | **KURTT** | | | | | | | | | | |
| | N50 12.0 | 313 | 013 | 435 | 489 | 00.02 | | | P08 | H054 | 0290 |
| | W131 53.1 | 330 | 320 | 279 | 837 | 02.31 | | F360 | -48 | 021/080 | |
| B453 | **PETPA** | | | | | | | | | | |
| | N51 00.3 | 311 | 057 | 435 | 486 | 00.08 | | | P06 | H051 | 0278 |
| | W132 41.2 | 327 | 319 | 279 | 837 | 02.38 | | F360 | -51 | 020/079 | |

NOT FOR OPERATIONAL USE

**GTI411/30OCT/KLAX-PANC/N415MC**

**OPERATIONAL FLIGHT PLAN RLS 01 29OCT26 18:15**

| AWY<br>MORA | WPT | MTK<br>TTK | NM<br>MH | GS<br>IAS | TAS<br>.M | LEG-T<br>TOT-T | ETA<br>ATA | MTRS<br>FL | ISA<br>TEMP | WC<br>WIND | REMF<br>AREM |
|---|---|---|---|---|---|---|---|---|---|---|---|
| B453 | **NAKBI** | | | | | | | | | | |
| | N52 00.3 | 310 | 072 | 433 | 486 | 00.10 | | | P06 | H053 | 0262 |
| | W133 44.0 | 327 | 318 | 279 | 835 | 02.48 | | F360 | -50 | 014/074 | |
| B453 | **METPA** | | | | | | | | | | |
| | N53 00.4 | 310 | 073 | 427 | 486 | 00.10 | | | P06 | H059 | 0247 |
| | W134 50.3 | 326 | 316 | 279 | 835 | 02.59 | | F360 | -50 | 003/073 | |
| (PAZA) | AT KATCH | | | | | 03.09 | ANCHORAGE ARCTIC FIR | | | | |
| (PAZA) | AT KATCH | | | | | 03.09 | ANCHORAGE ARTCC HIGH | | | | |
| B453 | **KATCH** | | | | | | | | | | |
| | N54 00.0 | 308 | 073 | 432 | 483 | 00.10 | | | P04 | H052 | 0231 |
| | W136 00.1 | 325 | 314 | 279 | 835 | 03.09 | | F360 | -52 | 357/060 | |
| B453 | **MDO** | | MIDDLETON ISLAND | | | | | 115.3 | | | |
| | N59 25.3 | 301 | 472 | 483 | 482 | 01.03 | | | P10 | T001 | 0136 |
| | W146 21.0 | 317 | 305 | 274 | 821 | 04.12 | | F360 | -46 | 213/087 | |
| PTERS3 | **TOD** | | | | | | | | | | |
| | N60 06.4 | 329 | 043 | 528 | 476 | 00.05 | | | P10 | T052 | 0129 |
| | W146 43.9 | 344 | 321 | 270 | 811 | 04.16 | | F360 | -46 | 213/087 | |
| PTERS3 | **PANC** 00151 FT | | | | | | | ANCHORAGE/TED STEVENS ANCH | | | |
| | N61 12.0 | 150 | 148 | 199 | 199 | 00.26 | | | M06 | T000 | 0111 |
| | W150 00.9 | 164 | 146 | 201 | 305 | 04.42 | | **DSC** | +09 | 143/047 | |

NOT FOR OPERATIONAL USE

**Destination Primary Alternate Route**
PANC DCT BGQ DCT PAED
PANC/060
GCD 7 GDIS 42 FUEL 2776 TIME 00.11
MORA 6300

NOT FOR OPERATIONAL USE

TAKEOFF AND LANDING REPORT GTI411 LAX-ANC
TLR-0 SEQ-87854287
A/C N415MC  B747-400F CF680C2B5F KG

ACARS INIT DATE =       ACARS TAKEOFF REQUEST =
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 4C TO MT      QNH = GREATER OR EQUAL TO 29.95

/// TAKEOFF DATA ///

| APT | PRWY | POAT | PWIND | PQNH | FLP | PTOW | MFPTW |
|---|---|---|---|---|---|---|---|
| LAX | 25L | 14.0 | 288M01 | 30.05 | 20 | 3004 | 3486 |

RMKS 78-31-01A
     WET RUNWAY

| TOGW | RWY | MTOW | SEL N1 | CONFIG | FL | V1 | VR | V2 |
|---|---|---|---|---|---|---|---|---|
| SMRGN | ACCEL | EFP | | | | | | |

RUNWAY INFO

| RWY | LENGTH | PMTOW | EFP | NOTES |
|---|---|---|---|---|
| 06L | 8925 | 3486 | LT | H250 |
| 06R | 10285 | 3486 | RT | H250 |
| 07L-E2491F | 9139 | 3486 | RT | H250 NOTAMS A0321/17 A0325/17 |
| 07R | 11095 | 3486 | RT | H250 |
| 24L | 10285 | 3486 | DT | H251 |
| 24R | 8925 | 3486 | DT | H251 |
| 25L | 11095 | 3486 | DT | H251 |
| 25R-E2491F | 9600 | 3486 | DT | H251 NOTAMS A0321/17 A0326/17 |

DRY RWY - PTOW - ENG A/I OFF - CALM WIND

| RWY | MTOW | MT | N1 | CONFIG | FL | V1 | VR | V2 |
|---|---|---|---|---|---|---|---|---|
| 06L | 3004 | 42 | 96.3 | D-TO 2 - PACKS ON | 20 | 136 | 147 | 158 |
| 06R | 3004 | 51 | 93.9 | D-TO 2 - PACKS ON | 20 | 139 | 149 | 158 |
| 07L-E2491F | 3004 | 44 | 95.7 | D-TO 2 - PACKS ON | 20 | 136 | 148 | 158 |
| 07R | 3004 | 52 | 93.6 | D-TO 2 - PACKS ON | 10 | 145 | 155 | 164 |
| 24L | 3004 | 51 | 93.9 | D-TO 2 - PACKS ON | 20 | 138 | 149 | 158 |
| 24R | 3004 | 43 | 96.0 | D-TO 2 - PACKS ON | 20 | 138 | 148 | 158 |
| 25L | 3004 | 51 | 93.9 | D-TO 2 - PACKS ON | 10 | 147 | 154 | 164 |
| 25R-E2491F | 3004 | 46 | 95.2 | D-TO 2 - PACKS ON | 20 | 137 | 148 | 158 |

DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND

| RWY | MTOW | MT | N1 | CONFIG | FL | V1 | VR | V2 |
|---|---|---|---|---|---|---|---|---|
| 06L | 3104 | 37 | 97.6 | D-TO 2 - PACKS ON | 20 | 137 | 150 | 161 |
| 06R | 3104 | 47 | 94.9 | D-TO 2 - PACKS ON | 20 | 142 | 152 | 161 |
| 07L-E2491F | 3104 | 39 | 97.1 | D-TO 2 - PACKS ON | 20 | 135 | 150 | 161 |
| 07R | 3104 | 48 | 94.7 | D-TO 2 - PACKS ON | 10 | 148 | 158 | 167 |
| 24L | 3104 | 47 | 94.9 | D-TO 2 - PACKS ON | 20 | 141 | 152 | 161 |
| 24R | 3104 | 38 | 97.3 | D-TO 2 - PACKS ON | 20 | 138 | 150 | 161 |
| 25L | 3104 | 48 | 94.7 | D-TO 2 - PACKS ON | 20 | 144 | 156 | 163 |
| 25R-E2491F | 3104 | 41 | 96.6 | D-TO 2 - PACKS ON | 20 | 138 | 151 | 161 |

DRY RWY - PTOW - ENG A/I OFF - 15KT TW

| RWY | MTOW | MT | N1 | CONFIG | FL | V1 | VR | V2 |
|---|---|---|---|---|---|---|---|---|
| 06L | 3004 | 14 | 103.5 | TO 1 - PACKS ON | 10 | 127 | 147 | 164 |
| 06R | 3004 | 36 | 97.9 | D-TO 2 - PACKS ON | 20 | 128 | 146 | 158 |
| 07L-E2491F | 3004 | 16 | 99.3 | TO 2 - PACKS ON | 20 | 123 | 144 | 158 |
| 07R | 3004 | 43 | 96.0 | D-TO 2 - PACKS ON | 20 | 132 | 148 | 158 |
| 24L | 3004 | 36 | 97.9 | D-TO 2 - PACKS ON | 20 | 127 | 146 | 158 |
| 24R | 3004 | 31 | 103.5 | TO 1 - PACKS ON | 10 | 127 | 147 | 164 |
| 25L | 3004 | 41 | 96.6 | D-TO 2 - PACKS ON | 20 | 132 | 147 | 158 |
| 25R-E2491F | 3004 | 27 | 99.3 | TO 2 - PACKS ON | 20 | 125 | 144 | 158 |

--------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - 15KT TW ---------

| RWY | MTOW | MT | N1 | CONFIG | FL | V1 | VR | V2 |
|---|---|---|---|---|---|---|---|---|
| 06L | ---- | -- | ----- | | -- | --- | --- | --- |
| 06R | 3104 | 31 | 99.3 | TO 2 - PACKS ON | 20 | 131 | 148 | 161 |
| 07L-E2491F | 3104 | 17 | 103.5 | TO 1 - PACKS ON | 10 | 127 | 151 | 166 |
| 07R | 3104 | 38 | 97.3 | D-TO 2 - PACKS ON | 20 | 133 | 150 | 161 |
| 24L | 3104 | 31 | 99.3 | TO 2 - PACKS ON | 20 | 131 | 148 | 161 |
| 24R | 3104 | 27 | 103.5 | TO 1 - PACKS ON | 20 | 127 | 145 | 161 |
| 25L | 3104 | 36 | 97.9 | D-TO 2 - PACKS ON | 20 | 133 | 150 | 161 |
| 25R-E2491F | 3104 | 35 | 102.1 | D-TO 1 - PACKS ON | 20 | 127 | 147 | 161 |

------------ WET RWY - PTOW - ENG A/I OFF - CALM WIND -------------

| RWY | MTOW | MT | N1 | CONFIG | FL | V1 | VR | V2 |
|---|---|---|---|---|---|---|---|---|
| 06L | 3004 | 42 | 96.3 | D-TO 2 - PACKS ON | 20 | 136 | 147 | 158 |
| 06R | 3004 | 51 | 93.9 | D-TO 2 - PACKS ON | 20 | 139 | 149 | 158 |
| 07L-E2491F | 3004 | 44 | 95.7 | D-TO 2 - PACKS ON | 20 | 136 | 148 | 158 |
| 07R | 3004 | 52 | 93.6 | D-TO 2 - PACKS ON | 10 | 145 | 155 | 164 |
| 24L | 3004 | 51 | 93.9 | D-TO 2 - PACKS ON | 20 | 138 | 149 | 158 |
| 24R | 3004 | 43 | 96.0 | D-TO 2 - PACKS ON | 20 | 138 | 148 | 158 |
| 25L | 3004 | 51 | 93.9 | D-TO 2 - PACKS ON | 10 | 147 | 154 | 164 |
| 25R-E2491F | 3004 | 46 | 95.2 | D-TO 2 - PACKS ON | 20 | 137 | 148 | 158 |

-------- WET RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------

| RWY | MTOW | MT | N1 | CONFIG | FL | V1 | VR | V2 |
|---|---|---|---|---|---|---|---|---|
| 06L | 3104 | 37 | 97.6 | D-TO 2 - PACKS ON | 20 | 137 | 150 | 161 |
| 06R | 3104 | 47 | 94.9 | D-TO 2 - PACKS ON | 20 | 142 | 152 | 161 |
| 07L-E2491F | 3104 | 39 | 97.1 | D-TO 2 - PACKS ON | 20 | 135 | 150 | 161 |
| 07R | 3104 | 48 | 94.7 | D-TO 2 - PACKS ON | 10 | 148 | 158 | 167 |
| 24L | 3104 | 47 | 94.9 | D-TO 2 - PACKS ON | 20 | 141 | 152 | 161 |
| 24R | 3104 | 38 | 97.3 | D-TO 2 - PACKS ON | 20 | 138 | 150 | 161 |
| 25L | 3104 | 48 | 94.7 | D-TO 2 - PACKS ON | 20 | 144 | 156 | 163 |
| 25R-E2491F | 3104 | 41 | 96.6 | D-TO 2 - PACKS ON | 20 | 138 | 151 | 161 |

-------------- WET RWY - PTOW - ENG A/I OFF - 15KT TW ---------------

| RWY | MTOW | MT | N1 | CONFIG | FL | V1 | VR | V2 |
|---|---|---|---|---|---|---|---|---|
| 06L | 3004 | 14 | 103.5 | TO 1 - PACKS ON | 10 | 127 | 147 | 164 |
| 06R | 3004 | 36 | 97.9 | D-TO 2 - PACKS ON | 20 | 128 | 146 | 158 |
| 07L-E2491F | 3004 | 16 | 99.3 | TO 2 - PACKS ON | 20 | 123 | 144 | 158 |
| 07R | 3004 | 43 | 96.0 | D-TO 2 - PACKS ON | 20 | 132 | 148 | 158 |
| 24L | 3004 | 36 | 97.9 | D-TO 2 - PACKS ON | 20 | 127 | 146 | 158 |
| 24R | 3004 | 31 | 103.5 | TO 1 - PACKS ON | 10 | 127 | 147 | 164 |
| 25L | 3004 | 41 | 96.6 | D-TO 2 - PACKS ON | 20 | 132 | 147 | 158 |
| 25R-E2491F | 3004 | 27 | 99.3 | TO 2 - PACKS ON | 20 | 125 | 144 | 158 |

--------- WET RWY - PTOW PLUS 10000 - ENG A/I OFF - 15KT TW ---------

| RWY | MTOW | MT | N1 | CONFIG | FL | V1 | VR | V2 |
|---|---|---|---|---|---|---|---|---|
| 06L | ---- | -- | ----- | | -- | --- | --- | --- |
| 06R | 3104 | 31 | 99.3 | TO 2 - PACKS ON | 20 | 131 | 148 | 161 |
| 07L-E2491F | 3104 | 17 | 103.5 | TO 1 - PACKS ON | 10 | 127 | 151 | 166 |
| 07R | 3104 | 38 | 97.3 | D-TO 2 - PACKS ON | 20 | 133 | 150 | 161 |
| 24L | 3104 | 31 | 99.3 | TO 2 - PACKS ON | 20 | 131 | 148 | 161 |
| 24R | 3104 | 27 | 103.5 | TO 1 - PACKS ON | 20 | 127 | 145 | 161 |
| 25L | 3104 | 36 | 97.9 | D-TO 2 - PACKS ON | 20 | 133 | 150 | 161 |
| 25R-E2491F | 3104 | 35 | 102.1 | D-TO 1 - PACKS ON | 20 | 127 | 147 | 161 |

/// LANDING DATA ///

| APT | PRWY | POAT | PWIND | PQNH | FLP | PLDW | PMRLW |
|---|---|---|---|---|---|---|---|
| ANC | 07R | -14 | 313M04 | 29.50 | 30 | 2538 | 3790 |

RMKS 78-31-01A

--------- FLAPS 25 - PACKS ON - A/I OFF - NO ENROUTE ICING ----------
DRY RWY / WET RWY - LOW VIS

| | 07L | 07R | 15 | 25L |
|---|---|---|---|---|
| OAT | 10600 FT/-0.34 | 12400 FT/-0.29 | 10094 FT/-0.28 | 12000 /+0.25 |
| -04 | 3586F/3274F | 3923F/3626F | 3474F/3168F | 3869F/3550F |
| /-14 | 3586F/3274F | 3923F/3626F | 3474F/3168F | 3869F/3550F |
| -24 | 3586F/3274F | 3923F/3626F | 3474F/3168F | 3869F/3550F |
| HW/10KT | +98/ +94 | +38/ +97 | +98/ +94 | +65/ +99 |
| TW/10KT | -326/ -304 | -347/ -330 | -319/ -300 | -352/ -324 |
| PCKOFF | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 |
| EAI | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 |
| ICING | 0/ 0 | 0/ 0 | 0/ 0 | 0/ 0 |

| | 25R | 33 |
|---|---|---|
| OAT | 10600 FT/+0.34 | 10694 FT/+0.29 |
| -04 | 3586F/3274F | 3606F/3293F |
| /-14 | 3586F/3274F | 3606F/3293F |
| -24 | 3586F/3274F | 3606F/3293F |
| HW/10KT | +98/ +94 | +98/ +95 |
| TW/10KT | -326/ -304 | -328/ -305 |
| PCKOFF | 0/ 0 | 0/ 0 |
| EAI | 0/ 0 | 0/ 0 |
| ICING | 0/ 0 | 0/ 0 |

--- 15PCT FACTOR LDG DIST - AUTOBRK 2 - NO THR REV - MANUAL LAND ----

| | FLAPS 25 | |
|---|---|---|
| LDW | DRY | WET |
| 2700 | 9214 | ----- |
| 2600 | 8885 | ----- |
| / 2538 | 8681 | ----- |
| 2500 | 8555 | ----- |
| 2400 | 8225 | ----- |
| HW/KT | -44 | ----- |
| TW/KT | +151 | ----- |
| UP/1PCT | -196 | ----- |
| DN/1PCT | +161 | ----- |

--- 15PCT FACTOR LDG DIST - AUTOBRK 3 - NO THR REV - MANUAL LAND ----

| | FLAPS 25 | |
|---|---|---|
| LDW | DRY | WET |
| 2700 | 8065 | 8065 |
| 2600 | 7787 | 7787 |
| / 2538 | 7614 | 7614 |
| 2500 | 7508 | 7508 |
| 2400 | 7229 | 7229 |
| HW/KT | -39 | -39 |
| TW/KT | +132 | +132 |
| UP/1PCT | -115 | -115 |
| DN/1PCT | +46 | +58 |

--- 15PCT FACTOR LDG DIST - AUTOBRK 4 - NO THR REV - MANUAL LAND ----

| | FLAPS 25 | |
|---|---|---|
| LDW | DRY | WET |
| 2700 | 6814 | 7090 |
| 2600 | 6586 | 6862 |
| / 2538 | 6444 | 6720 |
| 2500 | 6357 | 6633 |
| 2400 | 6129 | 6405 |
| HW/KT | -32 | -33 |
| TW/KT | +109 | +114 |
| UP/1PCT | -12 | -23 |
| DN/1PCT | 0 | +23 |

-- 15PCT FACTOR LDG DIST - AUTOBRK MAX - NO THR REV - MANUAL LAND ---

| | FLAPS 25 | |
|---|---|---|
| LDW | DRY | WET |
| 2700 | 5645 | 7096 |
| 2600 | 5468 | 6893 |
| / 2538 | 5358 | 6768 |
| 2500 | 5290 | 6691 |
| 2400 | 5113 | 6488 |
| HW/KT | -25 | -29 |
| TW/KT | +83 | +102 |
| UP/1PCT | -12 | -81 |
| DN/1PCT | 0 | +104 |

--- 15PCT FACTOR LDG DIST - MAX MANUAL - NO THR REV - MANUAL LAND ---

| | FLAPS 25 | |
|---|---|---|
| LDW | DRY | WET |
| 2700 | 4970 | 6814 |
| 2600 | 4808 | 6611 |
| / 2538 | 4718 | 6486 |
| 2500 | 4663 | 6408 |
| 2400 | 4519 | 6205 |
| HW/KT | -21 | -29 |
| TW/KT | +70 | +100 |
| UP/1PCT | -55 | -115 |
| DN/1PCT | +61 | +138 |

348600/300400/253813/900/46599/58599/59499
END TAKEOFF AND LANDING REPORT GTI411 LAX-ANC

**DEPARTURE**
**METAR KLAX** 12xxxxZ 15028KT 1 1/2SM FU BR BKN007 14/12 A3008

**TAF KLAX** 12xxxxZ 1218/1324 15030KT 1 1/2SM FU BR OVC008 TEMPO 1218/1219
1SM BR SCT002 BKN100 FM121900 15005KT 3SM BR VCFG SCT010 BKN250
FM100100 27008KT 5SM BR SCT006 BKN010 OVC200 FM100500 27008KT 5SM
BR BKN006 OVC150 FM101000 VRB03KT 3SM -DZ BR BKN008 OVC020
FM101500 VRB03KT 5SM -RA BR BKN008 OVC015

- **KLAX** A34xx/xx (6/5155) 10FEB0901-21FEB1800 2020
ILS OR LOC **RWY** 25L, INTMT OTS ...

**1ARRIVAL**
**METAR PANC** 12xxxxZ 01005KT 1 1/4SM -SN BR OVC024 M08/M11 A2935

**TAF PANC** 12xxxxZ 1218/1324 01005KT 6SM -SHSN SCT020 OVC035
TEMPO 1218/1220 2SM -SHSN BKN020 FM122100 01005KT P6SM
VCSH SCT020 OVC050 FM101500 01005KT 2SM -SN OVC020

**OTHER**
SPECI **PAED** 12xxxxZ 00000KT 3SM -SN BR OVC048 M09/M10 A2935

**TAF** AMD **PAED** 12xxxxZ 0918/1017 VRB06KT 8000 -SN OVC050 620504
QNH2935INS TEMPO 0918/0920 2400 -SN BKN010 620106 BECMG
1220/1221 36006KT 9000 -SN BKN030 620309 QNH2930INS BECMG
1314/1315 VRB06KT 9000 -SHSN BKN030 620309 QNH2913INS
TXM08/1000Z TNM12/1016Z

**OTHER**
**METAR KSFO** 12xxxxZ 15010KT P6SM FEW075 A3011 11/4

**TAF KSFO** 12xxxZ 1212/1318 15019G29KT 6SM FEW075 FM121800
18020G30KT FEW055 WS020/20045KT FM130200 20010KT 5SM -SHRA
BKN015 BKN025 FM130800 19010KT 5SM -SHRA BR OVC015 FM131500
27010KT P6SM SCT030 BKN200

- **KSFO** A12xx/xx PRECISION RWY MNT OUT OF SERVICE. 13 MAY 15:31
2019 UNTIL 10 APR 23:59 2020 ESTIMATED.

# KLAX ATIS
# 411 202

/ATS5YXA.TI2/KLAX DEP ATIS F
xxxxZ LAX ATIS INFO F xxxxZ.
15028KT 1-1/2 SM SMOKE MIST
BKN007 14/12 A3008 (THREE ZERO
ZERO EIGHT)RMK AO2 SLP144 FU
SIMUL INST APCHS IN PROG TO
RWY 06L AND 07R, DEPG 24L,
25R. CTC L A GC ON 121.75
FOR PUSH ON TAXILANE S AND
PUSH OR TAXI ON A.  HAZD WX
INFO FOR LAX AREA AVBL FM
FLT WATCH. INCLUDE YOUR CALL
SIGN IN ALL READ BACKS. UPON
RECEIPT OF YOUR ATC CLNC READ
BACK ONLY YOUR SQUAWK CODE.
...ADVS YOU HAVE
INFO F.

411 204

PDC

KLAX - PANC

GTI411 KLAX-PANC
SQUAWK: 1705
EDT: xxxx EDCT: xxxx
FILED FL: 380
EQUIP: H/B744/L
**********
ATC CLEARANCE:
-MUELR_ RZS-
THEN AS FILED
**********
FLT PLAN ROUTING:
KLAX MUELR_ RZS./.PANC
**********
ATC INSTRUCTIONS:
CLEARED MUELR_ DEPARTURE
RZS TRSN
CLB VIA SID
DPFRQ 125.2
**********
REMARKS:
EMERG CTC 19147016450
TCA***
END OF CLEARANCE

ATLAS AIR B747-400MC LOADSHEET (Rel. 3.3.42) Loadsheet Printout NR: 1

STANDARD PROD. TIME: 16:25

| FROM/TO | FLIGHT | A/C REG | ACM | DATE | TIME |
|---|---|---|---|---|---|
| LAX/ANC | GTI411 | N415MC | 0 | | |

**Data Rev. Date:** 11-May-2016

ALL WEIGHTS IN KG

**---------- MAIN DECK ----------**

| | A1 | A2 | B | C | D | E | F | G | H | J | K | L | M | P | Q | R | S | T |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **R** | | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| **C** | 0 | 0 | | | | | | | | | | | | | | | | |
| **L** | | | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| **IDX** | 0.00 | 0.00 | 0.00 | 0.00 | -5.60 | -3.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

**---------- LOWER DECK ----------**

| | 11P | 12P | 21P | 22P | 23P | 31P | 32P | 41P | 42P | 52 | 54 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| **IDX** | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

| | | | WGT KG | INDEX |
|---|---|---|---|---|
| **BASIC OPERATING WGT** | | | 160261 | 73.79 |
| **BALLAST** | | | 0 | 0.00 |
| **ACM** | (0) | | 0 | -0.39 |
| **SWA** | | | 0 | -0.00 |
| **TOTAL TRAFFIC LOAD** | | | 81552 | -9.15 |
| **ZERO FUEL WEIGHT** | (Max: | 288031) | 242143 | 64.25 |
| **TAXI FUEL** | | | 900 | 1.23 |
| **TAKE OFF FUEL** | | | 58692 | 4.18 |
| **TAKE OFF WEIGHT** | (Op. Max: | 354092) | 300835 | 69.66 |
| **TRIP FUEL** | | | 46684 | 6.29 |
| **LANDING WEIGHT** | (Max: | 302092) | 254151 | 62.13 |
| **ALLOWED PAYLOAD** | | | 110000 | |

CAPTAIN: RLOFT

FUEL TANK STATUS: ALL FUEL TANKS OK

**CAPTAINS INFO BEFORE LMC**

**IMBALANCE** -0.2%
**NOTOC DG** NO
**NOTOC SC** NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

**BALANCE CONDITIONS**

| | | FWD | | AFT |
|---|---|---|---|---|
| **ZFW MAC** | 27.2 % | 21 | | 33 |
| **TOW MAC** | 24.1 % | 16 | | 33 |
| **LDG MAC** | 25.5 % | 16 | | 33 |
| **STABTRIM** | | | | |

LOAD SUPERVISOR: RAMIREZ (PRINT NAME)

_____ (SIGNATURE)

CPT ACCEPTANCE : _____ (SIGNATURE)

**UNDERLOAD BEFORE LMC:** 117206 KG

LAST MINUTE CHANGES

LOADSHEET CHECKED AND APPROVED BY: Carlos Ramirez Jr (MIA)

| CR | CR | RAMIREZ | |
|---|---|---|---|
| LWR/FWD DECK CHECKED | LWR/AFT DECK CHECKED | PRINT NAME | SIGNATURE |

**LAX-ANC  411  206**

```
KLAX          CF680C2B5F
FLT NO    RLS NO    TIME
411         0      xxxxZ
WIND KTS  OAT C      QNH
150/28     +14     30.08
-----------------------
GRWT 301.2    VREF30 157
FUEL  59.4
ZFW  242.1

REMARKS
78-31-01A
```

```
KLAX  25R-E2491F   12091
MTOW  301.2    SMRGN 458
FLAPS 10         PACKS ON
ATM   51C          V1 147
THR   D-TO 2       VR 155
N1    93.8         V2 164
CG    24.1       TRIM 5.7

DT H251       ACCEL  1000
```

```
KLAX  24L          10285
MTOW  301.2   SMRGN 1923
FLAPS 20         PACKS ON
ATM   51C          V1 139
THR   D-TO 2       VR 149
N1    93.8         V2 158
CG    24.1       TRIM 5.7

DT H251       ACCEL  1000
```

# ATIS KSFO RWY28R GTI411 (411)

KSFO ARR INFO W XXXXZ.
22010G25KT 10SM FEW075 11/04
A3011 (THREE ZERO ONE ONE).
LNDG RWY 28R. EXPECT RNAV Z RWY 28R.
NOTAM ILS RWY 28R OOS
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION W.

# FDP-LDA KSFO GTI411 (409)

```
KSFO                XXXXXXX
FLT NO     LDW       TIME
411        292.9     xxxxZ
WIND KTS   OAT C       QNH
220/10G25   +11      30.11
-----------------------

REMARKS

78-31-01A


KSFO 28R             11870
LDW  292.9  MRLW    400.0
FLAPS 25          VREF 150
SETTINGS    FEET      BTMS
AUTOBRK 2   9972       2.9
AUTOBRK 3   8995       3.6
AUTOBRK 4   8213       4.1
MAX AUTO    7002       4.8
MAX MAN     5983       5.6
```

```
KSFO                XXXXXXX
FLT NO     LDW       TIME
411        292.9     xxxxZ
WIND KTS   OAT C       QNH
220/10G25   +11      30.11
-----------------------

REMARKS

78-31-01A


KSFO 28R             11870
LDW  292.9  MRLW    400.0
FLAPS 30          VREF 150
SETTINGS    FEET      BTMS
AUTOBRK 2   9654       2.8
AUTOBRK 3   8715       3.2
AUTOBRK 4   7903       3.7
MAX AUTO    6882       4.4
MAX MAN     5813       5.2
```

# ATIS KLAX RWY07R GTI411 (411)

KLAX ARR INFO D XXXXZ. 15028KT
1-1/2SM BKN007 14/12 A3008
(THREE ZERO ZERO EIGHT).
LNDG RWY 07R. EXPECT RNAV RWY 07R.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION D.

# FDP-LDA KLAX GTI411 (411)

```
KLAX          CF6080C2BxF
FLT NO     LDW       TIME
411        300.8    xxxxZ
WIND KTS   OAT C       QNH
150/28      +14     30.08
-----------------------

REMARKS
WET RUNWAY
78-31-01A


KLAX 07R            11095
LDW  300.8  MRLW   400.0
FLAPS 25         VREF 150
SETTINGS    FEET     BTMS
AUTOBRK 2   ----      ---
AUTOBRK 3   8823      3.0
AUTOBRK 4   7921      3.7
MAX AUTO    6950      4.4
MAX MAN     5967      5.2
```

```
KLAX          CF6080C2BxF
FLT NO     LDW       TIME
411        300.8    xxxxZ
WIND KTS   OAT C       QNH
150/28      +11     30.08
-----------------------

REMARKS
WET RUNWAY
78-31-01A


KLAX 07R            11095
LDW  300.8  MRLW   400.0
FLAPS 30         VREF 150
SETTINGS    FEET     BTMS
AUTOBRK 2   ----      ---
AUTOBRK 3   8615      2.8
AUTOBRK 4   7703      3.3
MAX AUTO    6682      4.0
MAX MAN     5613      4.8
```