| Event Set | PHASE OF FLIGHT | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **0** | **SETUP** | **I/E ACTIVITY** | **EXPECTED OUTCOME** |
| | **SFO-LAX**<br><br>**Atlas Sim 1-FAA ID #722**<br>**Atlas Sim 2-FAA ID #1092**<br>**Atlas Sim 3-FAA ID #584**<br>**PAA-FAA ID#1322**<br>**SouthCoast- Sim 1-FAA ID#267**<br>**SouthCoast- Sim 2-FAA ID#420**<br><br>**Routing:**<br><br>RWY01L.SSTIK5.SUSEY AVE MOOR5.RWY07R<br><br>**IP Note:**<br><br>**Pull CB:**<br>**ENG 4 T/R CONT** | **POSITION SET**<br>**AIRPORT:** KSFO<br>**RUNWAY:** 01R<br>**"RAMP 2" POSITION –EXECUTE (Insert coordinates if unavailable)**<br>**GATE:** SUPERBAY PLOT 40<br>**COORDINATES:** N37*37.6 W122*22.7 Hdg 190* (N37:37:35/W122:22:41)<br><br>**AIRCRAFT SET**<br>**APU:** OFF<br>**GROUND POWER:** EXT 1&2 ON<br>**DOORS:** L1 door open<br>**ZFW:** 213.9<br>**FUEL:** 46.0<br>**CG:** 18.9<br>**MEL:** 78-31-01A Thrust Reverser System Engine #4 **(Pull CB)**<br><br>**ENVIRONMENT SET**<br>**WIND:** 260/9<br>**TEMP:** 11°C<br>**ALTIMETER:** 30.11 in<br>**RVR:** NONE<br>**CLOUD CONDITION:** OVC 7500'<br>**VIZ:** 10 sm<br>**TOPS:** CLR<br>**TURBULENCE:** LIGHT1<br>**WX EFFECTS:** N/A<br>**RUNWAY CONDITION:** N/A<br>**VISUAL CONTROL:** DAYTIME<br><br>**For corrections or additions,**<br>**please email: RLOFT747@AtlasAir.com** | |

| 1 | PREFLIGHT TO ENGINE START<br>:30 (:30) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **101** | After Pre-brief, in briefing room: | Provide OFP/WX Paperwork, PF/PM role - Crew decides | Crew discussion<br><br>TMP GC |
| **102** | **IP Note:**<br><br>Do not request a briefing, and make a note if one is not given | **Observe:**<br>Act as a Cabin Crew member when given a Cabin Crew Briefing from the Captain | Cabin and Crew discussion<br><br>WA B IA |
| **103** | **ATIS:**<br><br>San Francisco International airport information **Alpha**, XXXXz.<br>Winds 260/9 visibility 10 mile Few 075 temperature 11 dewpoint 04<br>Altimeter 30.11, Departing Rwy 01L<br>Advise on initial contact you have information **Alpha**. | *[D-ATIS in printed pkg]*<br><br>**Trigger: Close to departure time**<br><br>**MX informs the crew:** *"Daily check has been accomplished. Aircraft Log has one deferral for thrust reverser number 4, I'll be seated in seat 12C if you need me"*<br><br>**PSR informs the crew:** *"Here is your load sheet, we have 54 passengers, 16 flight attendants and 4 supernumeraries. I'll be seated in 12A if you have any other questions"* | Supernumerary coordination<br><br>LF |
| **104** | **IP Note:**<br><br>Provide Load Sheet and when they send the data via "ACARS", FDP | *[Load sheet in printed pkg]*<br><br>*[FDP in printed pkg]* | Crew discussion, Dispatch coordination<br><br>V TMR MC |

| 1 | PREFLIGHT TO ENGINE START<br>:30 (:30) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **105** | | **Ground crew and ATC as necessary**<br><br>**When crew seeks ATC clearance**:<br><br>**San Francisco Clearance:** *"Giant 847 Heavy, San Francisco Clearance, you're cleared to Los Angeles via the SSTIK_ departure, SUSEY transition, then as filed. Climb VIA the SID, expect FL 390 one zero minutes after departure, departure frequency 135.5 Squawk 1747"*<br><br>*[PDC in printed pkg]* | The crew will perform a normal cockpit preparation, checklist and engine start<br><br>TME |
| **106** | **IP Note:**<br><br>Wait until this time to close the L1 door | **Trigger: 5 minutes prior to pushback and after Flight Deck PA Announcement to the passengers**<br><br>**Purser:** *"Guests seated, cabin secure, exit rows verified, 76 souls on-board. May I close the boarding door?"*<br><br>**Wait 30 seconds**<br>*"Cabin secure for pushback"* | Cabin announcement and coordination, SOPs<br><br>B PS |
| **107** | **IP Note**:<br><br>Ground Freq is 121.8<br><br>Select Pushback tail to the right on the IOS | **Trigger: When crew seeks clearance to push and start from Ground**<br><br>**San Francisco Ground:** "*Giant 847, San Francisco Ground, Plot 40, tail North, you're cleared to push and start, call when ready to taxi"* | Crew briefing and verification<br><br>TMP |

| 2 | ENGINE START THROUGH TAXI-OUT :20 (:50) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **201** | | **Trigger: Before Taxi Complete** | Observe flaps set prior to A/C movement<br><br>MC V WM |
| **202** | **IP Note:**<br><br>Verify proper taxi procedures | **Taxi instructions as requested from Ground**:<br><br>**San Francisco Ground:** "*Giant 847 heavy, runway 01L, taxi via Charlie, Echo, hold short runway 28R at Echo, monitor tower 120.5"*<br><br>**Trigger: Crew calls holding short of 28R**<br><br>**San Francisco Tower:** "*Giant 847, at Echo cross Runways 28R and 28L, join Bravo, then monitor ground 121.8*" | Crew normal Ops, SOP & timing write down complex taxi clearance<br><br>V WA MC |
| **203** | **IP Note:**<br>Observe Runway Change Checklist is completed<br><br>***** Runway 01L <u>Flaps 20</u> departure, Runway 01R <u>Flaps 10</u> departure***** | **Trigger: Crew joins taxiway Bravo**<br><br>**San Francisco Ground:** "*Giant 847, Runway 01R for departure now, taxi via Bravo, left turn on Alpha, Alpha 1. Hold short of Runway 01R, Tower is 120.5"* | Crew remains clear of active runway<br><br>V |
| **204** | **IP Note:**<br><br>Use printed note and SELCAL chime for handset display | **Trigger: When takeoff is imminent**<br><br>**<u>Observe</u>:** PA "*CABIN CREW BE SEATED FOR TAKEOFF"*<br><br>**Within 1 minute:**<br>"CABIN READY" on call panel display | Cabin coordination<br><br>PS |
| **205** | **IP Note:**<br>Confirm Runway and Trim verification | **San Francisco Tower:** *"Giant 847 heavy, San Francisco tower line up and wait runway 01R"* | Runway and trim verification, SOPs<br><br>MC |

| 3 | TAKEOFF THROUGH CLIMB :15 (1:05) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **301** | | **San Francisco Tower:** *"Giant 847 heavy, wind 260/9, RNAV SSTIK, Rwy 01R Cleared for takeoff"* | Crew flies RNAV departure<br>TME AM |
| **302** | | **Trigger: Once airborne**<br><br>**San Francisco Tower:** *"Giant 847, NORCAL Departure 135.1, good day"* | WA |
| **303** | | **NORCAL Departure:** *"Giant 847 heavy, NORCAL Departure, radar contact, stop climb 14,000, climb unrestricted"*<br><br>**NORCAL Departure:** *"Giant 847 heavy, roger, after 10,000 do not exceed 270kts until further advised, contact Oakland Center 127.95"* | Crew altitude awareness, discipline, time management<br>TME |
| **304** | **IP Note:**<br><br>Observe PM cycling SEATBELTS selector at 10,000 AGL | **Trigger: After Passing PORTE**<br><br>**Oakland Center:** *"Giant 847 heavy, climb and maintain FL290, cross 45 miles South East of PORTE at FL230"*<br><br>**Oakland Center:** *"Giant 847 heavy, roger, resume normal speed"* | Crew altitude awareness, discipline, time management<br>V IA AM |
| **305** | **IP Note:**<br><br>Observe PM turns SEATBELTS selector to AUTO Passing FL180 with no turbulence | **Trigger: Passing FL190**<br><br>**Oakland Center:** *"Giant 847 heavy, climb and maintain FL300, that will be your final today"* | Cabin coordination<br>B AM |

| 4 | CRUISE TO DESCENT-DIVERT<br>:15 (1:20) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **401** | | **Trigger: Approaching SUSEY**<br><br>**Oakland Center:** *"Giant 847, contact LA Center, 129.75, good day"*<br><br>**LA Center:** *"Giant 847 heavy, LA, Radar Contact"* | |
| **402** | **IP Note:**<br><br>QRH 7.18<br>or<br>QRH 7.21<br>or<br>QRH 7.25 | **Trigger: Passing SUSEY**<br><br>**EICAS MSG:**<br>**ENG _ FUEL FILTER**<br>**Or**<br>**ENG _ OIL FILTER (Clear once crew begins to retard thrust lever)**<br>**Or South Coast**<br>**ENG _ OIL TEMP** | Crew acknowledges checklist and conveys the information to Dispatch<br><br>TMR CD |
| **403** | **IP Note:**<br><br>Once Crew establishes a SATCOM call to Dispatch | **Trigger: Crew calls Dispatch Via SATCOM**<br><br>**Dispatch:** *"N263SG this is _____ in Dispatch, go ahead"*<br><br>[Crew explains the situation to Dispatch]<br><br>**Dispatch:** *"N263SG we copy the EICAS message. We will forward this to Maintenance. We (would like/agree with) the continuation to KLAX. Dispatch out if you have no other requests."* | Crew, Dispatch, ATC coordination (2 in 2 out)<br><br>LF CD TMP TMR |
| **406** | | **Trigger: Approaching AVE**<br><br>**LA Center:** *"Giant 847, Contact SOCAL Approach 128.6"* | Crew/ATC coordination<br><br>TME WA |

| 5 | DESCENT-DIVERT TO ARRIVAL<br>:20 (1:40) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **501** | **ATIS:**<br>Los Angeles International airport information **DELTA** XXXXz wind 340@15 visibility 1-1/2mi ceiling 700 Broken temperature 07 dewpoint 01 Altimeter 3008 Instrument approaches in progress, RNAV Rwy 07R. Advise on initial contact you have information **DELTA**. | **SOCAL Approach:** *"Giant 847 heavy, SOCAL, radar contact, expect RNAV Runway 07R"*<br><br>*[D-ATIS in printed pkg]*<br><br>*[FDP in printed pkg]* | Crew/ATC coordination<br><br>WM |
| **501** | | **Trigger: Just prior to T/D**<br><br>**SOCAL Approach:** *"Giant 847, descend via the Moorpark 4 arrival except cross FIM at 250 knots, LA altimeter is 3008"* | |
| **501** | **IP Note:**<br><br>Take note of announcement items for use during the de-brief | **Observe:** PM makes a brief announcement to the Passengers and Cabin Crew with the arrival information from the glareshield briefing card. | Cabin coordination, SOPs, Crew briefing to passengers<br><br>TMP |
| **502** | **IP Note:**<br><br>After readback of descent clearance and a short pause: | **Trigger: After initiating a descent**<br><br>**SOCAL Approach:** *"Giant 847, say airspeed."*<br><br>**SOCAL Approach:** *"Giant 847 roger, maintain 300 knots or better in the transition but cross FIM at 250 knots."* | WM |
| **503** | **IP Note:**<br><br>Configure the IOS for KLAX arrival weather and runway 07R | **Trigger: Descending through FL180**<br><br>**Observe:** PM turns the SEATBELTS selector to ON at FL180 | Crew manages the RNAV arrival<br><br>TME V |

| 6 | ARRIVAL TO APPROACH<br>:10 (1:50) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **601** | **IP Note:**<br><br>Disable LOC/GS<br>Runway 07R | **Trigger: Approaching FIM**<br><br>**SOCAL Approach:** *"Giant 847 heavy, cross WAKER at 6000, cleared RNAV 07R Fillmore (FIM) transition"* | Altitude verification<br><br>MC |
| **602** | **IP Note:**<br><br>Do not request this step, observe and note any missed required notifications | **Observe:** 5 minutes prior to landing, PM makes PA "CABIN CREW, BE SEATED FOR LANDING"<br><br>**Within 1 minute:**<br>"CABIN READY" on call panel display | Cabin coordination<br><br>B PS CD |
| **603** | | **Once fully established**<br><br>**SOCAL Approach:** *"Giant 847, contact LA tower 133.9, good day"* | Crew manages ILS approach<br><br>TME |

| 7 | APPROACH THROUGH LANDING :20 (2:10) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **701** | **IP Note:**<br><br>Headwind Component: 00kts<br>Crosswind Component: 15kts<br>Gust Factor: 00kts<br>**VRef Additive: 05kts** | **Trigger: Crew calls LA Tower**<br><br>**LA Tower:** *"Giant 847 heavy, LA Tower, wind 340/15, Runway 07R, cleared to land,"* | Crew verifies Vref additive<br><br>EM |
| **702** | **IP Note:**<br><br>Make note of any stabilized approach criteria exceedances that are not called out/corrected or go-around initiated | **Trigger: Descending through 2000 MSL**<br><br>Cobblestone Turbulence -MED<br>Or<br>Low Level Turbulence -MED | PM assertiveness should the approach de-stabilize.<br><br>A MC |
| **703** | | **LA Tower:** *"Giant 847 heavy, turn Right when able, Left onto Alpha, and stay with me."* | CD |
| **8** | **TAXI-IN THROUGH POSTFLIGHT :10 (2:20)** | **I/E ACTIVITY** | **EXPECTED OUTCOME** |
| **801** | **IP Note:**<br><br>Once established on Alpha, come to a stop, and leave the engines running.<br><br>This is the end of leg 1.<br>Configure IOS for next leg and leave engines running.<br><br>**Reset:**<br>**BRAKE TEMP** | **Advise Crew:**<br><br>Once the crew is established on Alpha, this is the end of Leg 1. We will resume from this position after the break. | |

| Event Set/Script Index | PHASE OF FLIGHT | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **0** | **SETUP** | **I/E ACTIVITY** | **EXPECTED OUTCOME** |
| | **LAX-HNL**<br><br>**Atlas Sim 1-FAA ID #722**<br>**Atlas Sim 2-FAA ID #1092**<br>**Atlas Sim 3-FAA ID #584**<br>**PAA-FAA ID#1322**<br>**SouthCoast- Sim 1-FAA ID#267**<br>**SouthCoast- Sim 2-FAA ID#420**<br><br>**Routing:**<br><br>RWY24L.DARRK3.DINTY R576 DENNS.MAGGI3.RWY08R<br><br>**IP Note:**<br><br>**Pull CB:**<br>**ENG 4 T/R CONT** | **POSITION SET**<br>**AIRPORT:** KLAX<br>**RUNWAY:** 25R<br><br>**AIRCRAFT SET**<br>**APU:** ON<br>**Ground Power:** Off<br>**ZFW:** 213.9<br>**FUEL:** 62.5<br>**CG:** 19.5<br>**MEL:** 78-31-01A Thrust Reverser System Engine #4 **(Pull CB)**<br><br>**ENVIRONMENT SET**<br>**WIND:** 350/15<br>**TEMP:** 07°C<br>**ALTIMETER:** 30.08 in<br>**RVR:** 4000<br>**CLOUD CONDITION**: OVC 700’<br>**VIZ:** 1.5 sm<br>**TOPS:** CLR<br>**TURBULENCE:** Cobblestone- Light<br>**WX EFFECTS:** N/A<br>**RUNWAY CONDITION:** N/A<br>**VISUAL CONTROL:** DAY TIME<br><br>**For corrections or additions,**<br>**please email: RLOFT747@AtlasAir.com** | |

| 1 | PREFLIGHT TO ENGINE START<br>:30 (:30) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **101** | **After break:** | Provide OFP/WX Paperwork, PF/PM role – Alternate from previous leg | Crew discussion<br>  |
| **102** | **IP Note:**<br><br>Do not request a briefing, and make a note if one is not given | **Observe:**<br>Act as a Cabin Crew member when given an abbreviated Cabin Crew Briefing from the Captain, as the same crew continues on. | Cabin and Crew discussion<br>  |
| **103** | **ATIS:**<br><br>Los Angeles International airport Departure information **ALPHA** xxxx Zulu wind 350@15 visibility 1-1/2 mi ceiling 700 overcast temperature 07 dewpoint 01 Altimeter 30.08 Departing Runway 25R at Foxtrot. Advise on initial contact you have information **ALPHA**. | *[D-ATIS in printed pkg]*<br><br>**MX informs the crew:** *"Transit check has been accomplished. Aircraft Log has one deferral for thrust reverser number 4, I'll be seated in seat 12C if you need me"*<br><br>**PSR informs the crew:** *"Here is your load sheet, we have 53 passengers, 16 flight attendants and 4 supernumeraries. I'll be seated in 12A if you have any other questions"* | Supernumerary coordination<br>  |
| **104** | **IP Note:**<br><br>MINF ADJ must be accomplished | *[Load sheet in printed pkg]*<br><br>*[FDP in printed pkg]* | Crew discussion, Dispatch coordination<br>  |

| 1 | PREFLIGHT TO ENGINE START<br>:30 (:30) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **105** | | **When crew seeks ATC clearance:**<br><br>**LA Delivery:** *"Giant 847 heavy, Los Angeles Delivery, you're cleared to Honolulu via the DARRK3 departure, DINTY transition, then as filed. Climb VIA the SID, expect FL 380 one zero minutes after departure, departure frequency 124.3 Squawk 1747, contact Ground 121.65 when ready."*<br><br>*[PDC in printed pkg]* | The crew will perform a normal cockpit preparation, checklist and engine start<br><br>TME |
| **106** | **IP Note:**<br><br>Wait until this time to close the L1 door<br><br>Adjust fuel to be above Min Fuel (61.6) to accommodate for engines running during preparation | **Trigger: 5 minutes prior to pushback and after Flight Deck PA Announcement to the passengers**<br><br>**Purser:** *"Guests seated, cabin secure, exit rows verified, 75 souls on-board. May I close the boarding door?"*<br><br>**Wait 30 seconds**<br>*"Cabin secure for pushback"* | Cabin Announcement and Coordination SOPs<br><br>B PS |

| 2 | ENGINE START THROUGH TAXI-OUT :20 (:50) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **201** | | **Trigger: Before Taxi Complete** | Observe Flaps set prior to A/C movement<br><br>MC V WM |
| **202** | **IP Note:**<br><br>Verify proper taxi procedures | **Trigger: When taxi instructions requested from Ground**:<br><br>**LA Ground:** "*Giant 847 heavy, Runway 25R for departure, Taxi via Alpha, hold short of Runway 25L at Foxtrot, you are number 1 for departure, monitor tower 120.95*" | Crew remains clear of active runway<br><br>V |
| **203** | **IP Note:**<br><br>Use printed note and SELCAL chime for handset display | **Trigger: When takeoff is imminent**<br><br>**Observe:** PA "*CABIN CREW BE SEATED FOR TAKEOFF"*<br><br>**Within 1 minute:**<br><br>"CABIN READY" on call panel display | Cabin Coordination<br><br>PS |
| **204** | **IP Note:**<br><br>Confirm Runway and Trim verification | **Trigger: Holding short of 25L**<br><br>**LA Tower:** *"Giant 847 heavy, cross Runway 25L, hold short of Runway 25R at Foxtrot"*<br><br>**Wait a few moments:**<br><br>**LA Tower:** *"Giant 847 heavy, LA tower line up and wait runway 25R at Foxtrot"* | Runway and Trim Verification<br>SOPs<br><br>MC |

| 3 | TAKEOFF THROUGH CLIMB :15 (1:05) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **301** | | **LA Tower:** *"Giant 847 heavy, wind 350/15, RNAV DOCKR, Rwy 25R Cleared for takeoff"*<br><br>**Trigger: Once Airborne**<br><br>**LA Tower:** *"Giant 847 heavy, SOCAL Departure 125.2"* | Crew flies RNAV Departure<br><br>TME |
| **302** | **Note:**<br><br>Remove turbulence passing 2500' | **SOCAL Departure:** *"Giant 847 heavy, SOCAL, radar contact, stop climb 10,000"* | WA |
| **303** | **IP Note:**<br><br>Observe PM cycling SEATBELTS selector at 10,000 AGL | **Trigger: VNAV ALT at 10,000**<br><br>**SOCAL Departure:** *"Giant 847 heavy, LA Center 135.3"* | Crew altitude awareness, discipline, time management<br>TME V IA |
| **304** | **IP Note:**<br><br>Observe PM turns SEATBELTS selector to AUTO Passing FL180 with no turbulence | **LA Center:** *"Giant 847 heavy, direct DINTY, climb and maintain FL380, cross DINTY at or above FL300, give me your best rate of climb through FL300 "* | Crew altitude awareness & discipline<br>Cabin coordination<br>V IA PS |
| **305** | | **Trigger: Passing FL280**<br><br>**LA Center:** *"Giant 847, contact SFO Radio for SELCAL check, Primary 10075, Secondary 5574, report DINTY on HF"*<br><br>**LA Center:** *"Giant 847, readback correct, radar services terminated, good day"* | Proper terminology, radio discipline<br><br>WM |

| 4 | CRUISE TO DESCENT-DIVERT<br>:15 (1:20) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **401** | | **Reaching FL380: Ensure the crew accomplishes and is familiar with:**<br>• **Oceanic and Remote Continental Airspace**<br>• **SELCAL and Position Reporting**<br>• **Review Contingency Procedures** | |
| **402** | | **Trigger: Past DINTY and Navigation and Course Compliance Check has been completed**<br><br>**Non-Normal: Engine Fail / Flameout #1** | CM |
| **403** | | **<u>Observe</u>: Crew accomplishes**<br>• Notifies/Attempts to Contact ATC<br>• Completes Non-Normal Checklist<br>• Determine course of action/contingency procedure<br>• Selects ENGINE OUT prompt on VNAV CRZ page<br>• Set desired engine out altitude on MCP<br>• Initiates a turn with HDG SEL (if required)<br>• Select: E/O LRC (if terrain is not a factor) EXC, or E/O SPD (if terrain is a factor) EXC, airplane descends in VNAV SPD to selected MCP Alt | Crew, Dispatch, Cabin, ATC coordination<br>(2 in 2 out)<br><br>LF CD TMP TMR |
| **404** | **IP Note:**<br><br>Make note of emergency designator for use during the debrief. Do not sway the crew in a certain direction at this time. | **Trigger: Crew declares a PAN PAN or MAYDAY via HF**<br><br>**SFO Radio:** *"Giant 847, Cleared to turn right from course, descend and maintain (requested FL)* | Cabin Coordination |

| 4 | CRUISE TO DESCENT-DIVERT :15 (1:20) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **405** | **IP Note:**<br><br>Once Crew establishes a SATCOM call to Dispatch | **Trigger: Crew calls Dispatch Via SATCOM**<br><br>**Dispatch:** *"N263SG this is _____ in Dispatch, go ahead"*<br><br>[Crew explains the situation to Dispatch]<br><br>**Dispatch:** *"(Captain/FO), we copy the situation, Los Angeles is now closed, we recommend a diversion to San Francisco, the weather is Instruments, and you have enough fuel for the new destination and alternate. I will send weather and new alternate information via ACARS. Dispatch out if you have no further questions."* | Crew, Cabin, Dispatch, ATC Coordination (2 in 2 out)<br><br>LF CD TMP TMR |
| **406** | **ATIS:**<br><br>San Francisco International airport information **FOXTROT** XXXXz wind 190@15 visibility 1-1/2mi rain ceiling 1100 overcast temperature 08 dewpoint 08 Altimeter 29.86 Instrument approaches in progress, ILS Rwy 28R runway is wet braking action good. Advise on initial contact you have information **FOXTROT**. | **Trigger: Crew contacts SFO Radio and requests diversion to San Francisco**<br><br>**SFO Radio:** *"Giant 847, SFO Radio, Rodger, proceed direct WWAVS, SERFR 4 RNAV Arrival, Contact NORCAL Approach 134.5"*<br><br>*[D-ATIS in printed pkg]*<br><br>*[FDP in printed pkg]* | Crew/ATC coordination<br><br>TME WA WM |

| 5 | DESCENT-DIVERT TO ARRIVAL<br>:20 (1:40) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **501** | **IP Note:**<br><br>**SOB: 75**<br>**Fuel remaining should be in time versus KG**<br>**Bottom Altitude 6000 at EDDYY** | *[Diversion OFP, WX in printed pkg]*<br><br>**NORCAL Approach:** *"Giant 847, NORCAL, understand diversion aircraft, direct WWAVS, descend via the SERFR 4 Arrival, SFO altimeter 29.86, state souls onboard, and fuel remaining"* | Crew/ATC coordination<br><br>TME WA |
| **502** | **IP Note:**<br><br>Do not prompt for this step but respond as the Purser when/if contacted. If this step is not accomplished and make a note for the de-brief. | **Trigger: PM calls the Purser with the TEST Checklist on the glareshield briefing card.**<br><br>**T**—Type of Problem / Emergency<br>**E**—Emergency Classification (if applicable)<br>**S**—Special Instructions<br>**T**—Time Remaining *(Long 15+min or Short >15min)* | Cabin Coordination, SOPs<br><br>TMP |
| **503** | **IP Note:**<br><br>Take note of announcement items for use during the de-brief | **Observe:** PM makes a brief announcement to the Passengers and Cabin Crew about the intent to divert for a mechanical problem and weather/time remaining, from the glareshield briefing card. | Crew briefing to passengers<br><br>TMP |
| **504** | **IP Note:**<br><br>Configure the IOS for KSFO arrival weather and runway 28R | **Trigger: Descending through FL200**<br><br>**NORCAL Approach:** *"Giant 847, cross EDDYY at 6000, then slow to 200kts, ILS 28R"* | Altitude verification<br><br>MC |
| **505** | | **Observe:** PM turns the SEATBELTS selector to ON at FL180 | Crew Briefing<br>TMP |

| 6 | ARRIVAL TO APPROACH<br>:10 (1:50) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **601** | | **Trigger: Approaching EDDYY**<br><br>**NORCAL Approach:** *"Giant 847 heavy, cleared ILS 28R approach EDDYY Transition, contact tower at AXMUL"* | Crew manages ILS approach<br><br>TME |
| **602** | **IP Note:**<br><br>Do not request this step, observe and note any missed required notifications | **Observe:** 5 minutes prior to landing, PM makes PA "CABIN CREW, BE SEATED FOR LANDING"<br><br>**Within 1 minute:**<br><br>"CABIN READY" on call panel display | Cabin coordination<br><br>B PS CD |
| **603** | **IP Note:**<br><br>**The inoperative engine may cause a FUEL IMBAL 1-4 EICAS msg. Discuss options for clearing or ignoring due to time/fuel flow limitations. Review SP.12.1, time permitting.** | | |

| 7 | APPROACH THROUGH LANDING :20 (2:10) | I/E ACTIVITY | EXPECTED OUTCOME |
|---|---|---|---|
| **701** | **IP Note:**<br><br>**Select Light Rain**<br><br>Tailwind Component: 01kts<br>Crosswind Component: 15kts<br>Gust Factor: 00kts<br>**VRef Additive: 05kts** | **Trigger: Crew calls SFO Tower at AXMUL**<br><br>**SFO Tower:** *"Giant 847 heavy, SFO Tower, wind 190/15, Runway 28R braking action good, cleared to land,"* | Crew verifies Vref additive<br><br>EM |
| **702** | **IP Note:**<br><br>Make note of any stabilized approach criteria exceedances that are not called out/corrected or go-around initiated | **Trigger: Descending through 2000 MSL**<br><br>Cobblestone Turbulence –MED | PM assertiveness should the approach de-stabilize.<br><br>A MC |
| **703** | | **SFO Tower:** *"Giant 847 heavy, turn Right when able, right on Charlie, ground point 8, good day."* | CD |
| **8** | **TAXI-IN THROUGH POSTFLIGHT :10 (2:20)** | **I/E ACTIVITY** | **EXPECTED OUTCOME** |
| **801** | | **SFO Ground:** *"Giant 847, taxi Charlie to PLOT 40 Super Bay, welcome back"* | Crew verifies taxi route<br><br>V |
| **802** | | **<u>Advise Crew</u>:**<br><br>Once the crew is established at PLOT 40 Super Bay, the scenario and session are complete | |