GTI847/30OCT/KLAX-PHNL/N263SG

OPERATIONAL FLIGHT PLAN RLS 01 29OCT26 18:03

GTI847/30 **KLAX - PHNL** **30 OCT 26** **N263SG**
COST INDEX 022 **Revision: 1.0**
B747-400 / CF6-80C2-B1F / KG / IFR / **FF +5.0**
PROGS 291800 Release Valid Until 1300Z 30OCT26

ORIG	KLAX/LAX LOS ANGELES INTL	N33565W118245 0900Z
DEST	PHNL/HNL HONOLULU/DANIEL K INOUYE INTL	N21191W157552 1501Z
PALT	PHKO/KOA KAILUA-KONA/ELLISON ONIZUKA KO	N19443W156027 1538Z

KLAX/F360 DARRK3 DINTY R576 DADIE/M082F360 R576 DIALO/M085F400 R576
DUSAC/M084F400 R576 DRAYK/N0482F400 R576 DENNS MAGGI3 PHNL

Coldest Fuel Temp: -21/DRAYK A/WC: H067 T-DEV: P05
FMC Reserves: 11.9 ADIS: 2608

	KLAX-PHNL		
ALT1/2	PHKO/		
	FUEL	TIME	GDIS
TRIP	**050711**	**05.36**	**2270**
CONT	004521	00.33	
ALT1	006249	00.36	0197
FRES	003771	00.30	
PCF	000000	00.00	
MINF	**065252**	07.16	....
EXTRA	000023	00.00	
TOF	065275		
TAXI	001125	00.25	
BLOCK	**066400**	07.41	
REMF	**014564**	01.55	....

	Weight	**Actual**	**Limit**	
DOW	182661			
PYLD	029000			
ZFW	211661	.....	S242671	ZFW INC/1000 X 150 MINF ADJ
RAMP	278061		S395986	
TOGW	276936	.....	L315608	
LDGW	226225		S264897	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

NOT FOR OPERATIONAL USE

Remarks

Mac Jackson DESK: 21

RAIM VALIDATION PASSED

NOT FOR

MEL/CDL

Flight Release Authorization

OPERATIONAL

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: Mac Jackson

USE

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)

TO/LNDG currency questions? contact Duty Pilot

NOT FOR OPERATIONAL USE

TIME		FUEL	
OUT:	/	ETA PHNL:	UPLIFT:
OFF:	/	SOB:	PYLD:
ON:	/	RVSM ALTIMETER RECORD	
IN:	/	L: S:	R:

(FPL-GTI847-IS
-B744/H-SDE1E2E3FGHIJ3J5M1P2RWXYZ/LB1D1
-KLAX0900
-M083F360 DARRK3 DINTY R576 DADIE/M082F360 R576 DIALO/M085F400 R576 DUSAC/M084F400 R576 DRAYK/N0482F400 R576 DENNS MAGGI3
-PHNL0537 PHKO
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180 CANMANDATE DOF/261030 REG/N263SG EET/KZAK0035 PHZH0443 SEL/FLKM CODE/A28BB9 OPR/GTI RALT/PHTO KSFO RMK/TCAS II EQUIPPED EMERG CTC 19147018045)

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	ISA	WC	REMF
MORA		TTK	MH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND	AREM
	KLAX 00128 FT							LOS ANGELES INTL			
	N33 56.2										
	W118 23.0										
(KZLA)	N33 55.0 W118 50.0					00.05	LOS ANGELES ARTCC HIGH				
DARRK3	**TOC**										
	N34 23.0	253	091	442	484	00.15			P01	H042	0592
	W119 55.6	265	251	280	839	00.14		**F360**	-55	243/045	
(KZAK)	AT DINTY					00.34	OAKLAND OCEANIC FIR				
DARRK3	**DINTY**										
	N33 29.0	232	145	442	480	00.20			P01	H038	0562
	W122 35.0	244	232	279	834	00.34		F360	-55	262/040	
R576	**DUETS**										
	N33 04.2	244	100	440	480	00.14			P01	H040	0541
	W124 31.1	256	244	279	834	00.48		F360	-55	259/040	
R576	**DADIE**										
	N31 06.2	243	406	426	478	00.56			P02	H052	0456
	W132 08.2	255	243	276	829	01.44		F360	-54	265/053	
R576	**(GOPHTO) ETP1**										
	N28 43.6		403	406	477	00.59			P05		0370
	W139 21.6			274	822	02.43		F360	-51	270/079	
R576	**DIALO**										
	N28 42.1	238	004	406	477	00.01			P05	H072	0369
	W139 25.6	251	240	274	822	02.43		F360	-51	272/078	

GTI847/30OCT/KLAX-PHNL/N263SG

OPERATIONAL FLIGHT PLAN RLS 01 29OCT26 18:03

AWY MORA	WPT	MTK TTK	NM MH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	ISA TEMP	WC WIND	REMF AREM
R576	**TOP OF STEP CLB**										
	N28 33.5	235	022	402	481	00.03			P00	H079	0362
	W139 48.9	247	239	255	839	02.47		**F400**	-56	272/086	
R576	**DUSAC**										
	N26 00.4	235	372	380	487	00.58			M01	H106	0279
	W146 10.1	247	239	259	849	03.44		F400	-57	279/122	
(PHZH)	AT DRAYK					04.42	HONOLULU ARTCC				
R576	**DRAYK**										
	N23 01.4	233	393	433	483	00.58			P00	H050	0199
	W152 34.7	244	241	256	842	04.42		F400	-56	271/056	
R576	**DENNS**										
	N22 21.8	231	082	435	482	00.11			P01	H047	0184
	W153 52.8	241	235	255	839	04.54		F400	-56	270/053	
MAGGI3	**TOD**										
	N22 23.6	261	103	437	482	00.14			P01	H045	0165
	W155 43.6	271	261	255	839	05.08		F400	-56	266/045	
MAGGI3	**PHNL** 00014 FT						HONOLULU/DANIEL K INOUYE I				
	N21 19.8	279	149	203	203	00.28			P11	T000	0146
	W157 54.4	288	280	199	302	05.36		**DSC**	+26	087/012	

NOT FOR OPERATIONAL USE

Destination Primary Alternate Route
PHNL MISAP ALANA V16 LNY VECKI9 PHKO
PHNL/0210
GCD 142 GDIS 197 FUEL 6249 TIME 00.36
MORA 4400

Critical Fuel Scenario

DEPRESS/0EO
(GOPHTO) ETP1 KSFO-PHTO N28 43.6 W139 21.6

	GCD	TIME	A/I	REMF	PAD	MINF	WX WINDOW
KSFO	1005	02:50	5-005PC	36988	8432	028556	12:39-15:58
PHTO	1014	02:50	5-001PC	36988	7937	029051	13:57-15:59

NOT FOR OPERATIONAL USE

STATION COMPANY NOTAMS
KLAX COMPANY NOTAMS
KLAX-RBS Oper: Y 19MAR20/1258
VALID FROM: WIE TO: UFN

KLAX RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 06L/24R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 06R/24L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 07L/25R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 07R/25L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

PHNL COMPANY NOTAMS
PHNL-RBS Oper: Y 15AUG19/0055
VALID FROM: WIE TO: UFN

PHNL RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200F
RWY 08L/26R	STRUCTURAL	STRUCTURAL	STRUCTURAL	750,943LB
RWY 08R/26L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 04R/22L	386,904KG	383,115KG	STRUCTURAL	676,007LB
RWY 04L/22R	385,553KG	385,553KG	850,000LB	850,000LB

KSFO COMPANY NOTAMS
KSFO-FREQ Oper: Y 18MAY17/1629
VALID FROM: WIE TO: UFN
IN-RANGE CALL FREQ
ATLAS - SWISSPORT - 130.85
DHL - 131.635
B747 PAX CHARTER - 128.92 SIGNATURE FLIGHT SUPPORT

KSFO COMPANY NOTAMS
KSFO-RBS Oper: Y 30MAY17/1505
VALID FROM: WIE TO: UFN
KSFO RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 01L/19R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 01R/19L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 10L/28R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 10R/28L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

ROUTE COMPANY NOTAMS: NIL
FIR COMPANY NOTAMS: NIL

ADMIN COMPANY NOTAMS
ADMIN-AERODATA Oper: Y 06DEC19/1655
VALID FROM: WIE TO: UFN

ADMIN-DEICE Oper: Y 05NOV20/2036
VALID FROM: WIE TO: UFN
DEICING / ANTI-ICING INFORMATION FORM

```
*  1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE)  (CIRCLE ONE)  *
*                                                                 *
*  2. FLUID TYPE (TYPE I, II, III, OR IV)          (CIRCLE ONE)
*           BRAND:.....................
*                                                                 *
*  3. FLUID MIXTURE RATIO -       /                               *
*      (FOR TYPE II, III, OR IV FLUID ONLY)                       *
*                                                                 *
*  4. TIME (UTC) OF THE START OF THE FINAL APPLICATION -      Z   *
*                                                                 *
*     - - RETAIN THIS FORM WITH THE TRIP ENVELOPE - -         *
*   **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY**      *
```

ADMIN-LATT263 Oper: Y 10MAY21/1631
VALID FROM: WIE TO: UFN

- -

*********FAR PART 117 FDP/FT COMPLIANCE*********

IAW PART 117 LATEST ALLOWABLE TAKEOFF TIME (LATT) IS THE LATEST TIME YOU MUST BE OFF (AIRBORNE) TO REMAIN WITHIN FDP (FLIGHT AND DUTY) LIMITS.

LATT IS BASED ON THE MOST RESTRICTIVE CREWMEMBER ASSIGNED TO THE FLIGHT.

THE AUTOMATED ACARS LATT MESSAGE IS ACTIVATED BY PRESSING INIT REQ* AND CONFIRM* KEYS ON THE ACARS INIT PAGE. SAMPLE MESSAGE:

BASED ON AN ETD OF XX:XX
AND THE MOST RESTRICTIVE
CM, YOUR CALCULATED LATT
IS XX:XX.
LATT MAY BE SUBJECT TO
CHANGE BASED ON DELAYS.

CREWS SHOULD PRINT THE LATT MESSAGE AND RETAIN IN THE TRIP ENVELOPE, OR RECORD ON THE OFP.

PART 117 FLIGHTS MUST NOT DEPART WITHOUT A VALID LATT. IF LATT MESSAGE IS NOT RECEIVED, CONTACT DISPATCH.

- -

ADMIN-OFP CHG Oper: Y 17APR19/0100
VALID FROM: WIE TO: UFN

- -

ADMIN-PUBS747A Oper: Y 17AUG21/1459
VALID FROM: WIE TO: UFN
CURRENT AIRCRAFT LIBRARY REVISIONS

	CURRENT	/ CURRENT EFF ON RECEIPT
747-400P GE		
- QRH.....	REV 11	01-APR-21 / NA
- DDG.....	VER 17	23-APR-21 / NA
- NORMAL CHECKLIST.....		01-APR-21 / NA
747-400P PW		
- QRH.....	REV 01	01-JUN-20 / NA
747-400F/C GE		
- QRH.....	REV 10	01-JUN-20 / NA
- DDG.....	VER 17	23-APR-21 / NA
- NORMAL CHECKLIST.....		15-NOV-20 / NA
747-400F/C PW		
- QRH.....	REV 04	01-JUN-20 / NA
- DDG.....	VER 17	23-APR-21 / NA
- NORMAL CHECKLIST.....		15-NOV-20 / NA

RELEASE COMPANY NOTAMS: NIL

N263SG COMPANY NOTAMS
263-WB Oper: Y 25APR19/2150
VALID FROM: WIE TO: UFN

N263SG WEIGHT AND BALANCE ADVISORY

BOW / INDEX	BOW / INDEX	BOW / INDEX
FLIGHT DECK CREW	FLIGHT DECK CREW	FLIGHT DECK CREW
181,711(60)	(+1) 181,821(60)	(+2) 181,931(59)
CABIN CREW/ACM'S	CABIN CREW/ACM'S	CABIN CREW/ACM'S
+12 - 183,031(60)	+12 - 183,141(60)	+12 - 183,251(59)
+13 - 183,141(59)	+13 - 183,251(59)	+13 - 183,361(58)
+14 - 183,251(59)	+14 - 183,361(59)	+14 - 183,471(58)
+15 - 183,361(59)	+15 - 183,471(59)	+15 - 183,581(58)
+16 - 183,471(59)	+16 - 183,581(59)	+16 - 183,691(58)
+17 - 183,581(59)	+17 - 183,691(59)	+17 - 183,801(58)
+18 - 183,691(59)	+18 - 183,801(59)	+18 - 183,911(58)
+19 - 183,801(59)	+19 - 183,911(59)	+19 - 184,021(58)

BOW = COCKPIT FLIGHT DECK CREW, CABIN CREW AND ACMS OCCUPYING A J/S (FLIGHT DECK OR CABIN AND LISTED ON THE OFP). THE BOW DOES NOT INCLUDE FLIGHT MECHANICS, LOADMASTERS, PASSENGER SERVICE REPS OR ATLAS AND POLAR EMPLOYEES WHO MAY BE TRAVELING ON THE AIRCRAFT. AS THEY WILL BE IN PASSENGER SEATS THEY WILL BE COUNTED AS NON-REVENUE (NR) PASSENGERS ON THE WEIGHT AND BALANCE FORM.

SOB = TOTAL CREW COUNT FROM OFP AND W&B PASSENGER COUNT.

DEPARTURE
METAR KLAX 231553Z 02003KT 9SM OVC028 20/15 A2990 RMK AO2 SLP123
T02000150 $

TAF AMD KLAX 231528Z 2315/2418 VRB03KT P6SM OVC028 FM231800 25008KT
P6SM SKC FM232000 26015KT P6SM SKC FM240400 26008KT P6SM SKC
FM240700 VRB03KT P6SM OVC012 FM241400 VRB03KT P6SM OVC022

ARRIVAL
METAR PHNL 231553Z 00000KT 10SM SCT026 BKN034 25/22 A2994 RMK AO2
RAB41E50 SLP138 P0000 T02500217 $

TAF AMD PHNL 231417Z 2314/2418 33005KT P6SM FEW025 BKN035 OVC050
FM231600 04008G14KT 6SM -SHRA SCT012 BKN025 OVC035 FM232000
04012G20KT 3SM SHRA SCT006 OVC012 FM240000 07016G26KT 5SM SHRA
FEW006 BKN012 OVC025 FM240600 09012G20KT P6SM -SHRA FEW006 BKN012
OVC025 FM241200 06008KT P6SM VCSH FEW025 BKN035 OVC050

OTHER
METAR PHKO 231553Z 14009KT 10SM FEW027 SCT075 25/20 A2991 RMK AO2
SLP128 T02500200 $

TAF AMD PHKO 231423Z 2314/2412 VRB04KT P6SM FEW025 SCT060 TEMPO
2314/2316 SCT015 BKN025 FM231600 12010KT P6SM FEW025 SCT060
FM232000 21013KT P6SM FEW020 SCT045 FM240600 08010KT P6SM VCSH
SCT020 BKN045

OTHER
METAR KSFO 231507Z 18003KT 10SM FEW006 SCT013 14/11 A2986

TAF AMD KSFO 231507Z 2315/2418 VRB04KT P6SM FEW006 SCT014 TEMPO
2315/2317 BKN014 FM231800 VRB05KT P6SM FEW015 FM232100 29018KT
P6SM FEW015 FM240400 28012KT P6SM FEW012 FM240800 27007KT P6SM
BKN012

SIM 1/2/3/PAA TLR CF680C2BxF

```
TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z
A/C N263SG  B747-400 CF680C2BxF KG

ACARS INIT DATE = 23    ACARS TAKEOFF REQUEST = 1619Z-0019Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = -07C TO MT      QNH = GREATER OR EQUAL TO 29.98

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
LAX  25R/F       07.0 050M04 30.08 20  2755 3127

RMKS NONE

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2
-------- -------- --------------------------
SMRGN    ACCEL    EFP
---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
07L           12091 RT H250
07R           11095 RT H250
25L           11095 DT H251
25R           12091 DT H251
25R/F         11050 DT H251
TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z

------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
07L          2755 62  92.8 D-TO 2 - PACKS ON   10 144 149 156
07R          2755 62  92.8 D-TO 2 - PACKS ON   10 142 149 156
25L          2755 62  92.8 D-TO 2 - PACKS ON   10 141 149 156
25R          2755 62  92.8 D-TO 2 - PACKS ON   10 144 149 156
25R/F        2755 62  92.8 D-TO 2 - PACKS ON   10 141 149 156

-------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
07L          2855 57  93.7 D-TO 2 - PACKS ON   10 147 152 159
07R          2855 57  93.7 D-TO 2 - PACKS ON   10 143 152 159
25L          2855 57  93.7 D-TO 2 - PACKS ON   10 145 152 159
25R          2855 57  93.7 D-TO 2 - PACKS ON   10 147 152 159
25R/F        2855 57  93.7 D-TO 2 - PACKS ON   10 145 152 159
```

SOUTH COAST TLR PW4065

```
TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z
A/C N263SG  B747-400 PW4056 KG

ACARS INIT DATE = 23    ACARS TAKEOFF REQUEST = 1619Z-0019Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = -07C TO MT      QNH = GREATER OR EQUAL TO 29.98

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
LAX  25R/F       07.0 050M04 30.08 20  2755 3127

RMKS NONE

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2
-------- -------- --------------------------
SMRGN    ACCEL    EFP
---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
07L           12091 RT H250
07R           11095 RT H250
25L           11095 DT H251
25R           12091 DT H251
25R/F         11050 DT H251
TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z

------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND --------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
07L          2755 48  1.29 D-TO 2 - PACKS ON   10 144 149 156
07R          2755 48  1.29 D-TO 2 - PACKS ON   10 142 149 156
25L          2755 48  1.29 D-TO 2 - PACKS ON   10 141 149 156
25R          2755 48  1.29 D-TO 2 - PACKS ON   10 144 149 156
25R/F        2755 47  1.29 D-TO 2 - PACKS ON   10 141 149 156

-------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
07L          2855 45  1.30 D-TO 2 - PACKS ON   10 147 152 159
07R          2855 44  1.31 D-TO 2 - PACKS ON   10 143 152 159
25L          2855 45  1.30 D-TO 2 - PACKS ON   10 145 152 159
25R          2855 44  1.31 D-TO 2 - PACKS ON   10 147 152 159
25R/F        2855 43  1.31 D-TO 2 - PACKS ON   10 145 152 159
```

Landing Report- CF680C2BxF/PW4056

/// LANDING DATA ///

TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z

APT	PRWY	POAT	PWIND	PQNH	FLP	PLDW	PMRLW
HNL	08L	30.0	000M00	29.92	30	2276	3898

RMKS NONE

---------- RUNWAY INFO ----------

RWY	LENGTH	SLOPE	NOTES
04L	6952	-0.03	
04R	8950	0.00	
08L	12312	-0.03	
08R	12000	0.00	
22L	8937	0.00	
22R	6952	0.03	
26L	12000	0.00	
26R	12300	0.03	

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

FLAPS 25

LDW	DRY	WET
2400	9163	-----
2300	8833	-----
/ 2276	8757	-----
2200	8503	-----
2100	8174	-----
HW/KT	-44	-----
TW/KT	+151	-----
UP/1PCT	-196	-----
DN/1PCT	+161	-----

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

FLAPS 25

LDW	DRY	WET
2400	8100	8100
2300	7821	7821
/ 2276	7757	7757
2200	7542	7542
2100	7264	7264
HW/KT	-39	-39
TW/KT	+132	+132
UP/1PCT	-115	-115
DN/1PCT	+46	+58

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
FLAPS 25

	LDW	DRY	WET
	2400	6860	7136
	2300	6631	6907
/	2276	6579	6855
	2200	6403	6679
	2100	6175	6451
HW/KT		-32	-33
TW/KT		+109	+114
UP/1PCT		-12	-23
DN/1PCT		0	+23

AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

	LDW	DRY	WET
	2400	5676	7067
	2300	5499	6864
/	2276	5458	6818
	2200	5321	6661
	2100	5144	6459
HW/KT		-25	-29
TW/KT		+83	+102
UP/1PCT		-12	-81
DN/1PCT		0	+104

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

	LDW	DRY	WET
	2400	4893	6774
	2300	4735	6571
/	2276	4699	6524
	2200	4577	6368
	2100	4419	6165
HW/KT		-22	-29
TW/KT		+73	+100
UP/1PCT		-53	-115

ATIS KLAX RWY25R GTI847 (QLOFT2)

KLAX DEP INFO A XXXXZ. 05004KT
01SM OVC001 07/01 A3008
(THREE ZERO ZERO EIGHT).
DEPG RWY 25R. BIRD ACTIVITY
IN VICINITY ARPT. ALL ACFT READ
BACK ALL HOLD SHRT INSTRUCTIONS
AND ASSIGNED ALT.
…ADVS YOU HAVE INFO A

PDC KLAX-PHNL GTI847 (QLOFT2)

GTI847 KLAX-PHNL
SQUAWK: 1747
EDT: xxxx EDCT: xxxx
FILED: FL360
EQUIP: H/B744/L
****
REVIEW ATC INSTRUCTIONS
****
FLT PLAN ROUTING:
KLAX DARRK_ DINTY ./.PHNL
****
ATC INSTRUCTIONS:
CLEARED DARRK_ DEPARTURE
DINTY TRSN
CLIMB VIA SID EXP FL360
10 MIN AFT DP,DPFRQ 124.3
NEXT FREQ 121.65
****
REMARKS:
EMERG CTC 19147018045
TCA***
END OF CLEARANCE

ATLAS AIR B747-400P LOADSHEET (Rel. 3.3.41) Loadsheet Printout NR: 1

STANDARD PROD. TIME: 14:50

FROM/TO	FLIGHT	A/C	ACM	DATE	TIME
LAX/HNL	5Y847	REG	0	xx-xxx-2021	xx:xx
Data Rev. Date:		N263SG			

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R																		
C																		
L																		
IDX																		

NOT APPLICABLE TO TRAINING

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	54
IDX											

NOT APPLICABLE TO TRAINING

		WGT KG	INDEX
BASIC OPERATING WGT		181711	60.00
BALLAST		0	0.00
ACM	(4)	440	-1.43
CABIN CREW	(16)	1760	-0.72
SWA		0	0.00
TOTAL TRAFFIC LOAD		29902	-5.14
ZERO FUEL WEIGHT	(Max: 242671)	213813	67.43
TAXI FUEL		900	1.30
TAKE OFF FUEL		61600	-0.41
TAKE OFF WEIGHT	(Op. Max: 312711)	275413	67.02
TRIP FUEL		47814	1.49
LANDING WEIGHT	(Max: 264897)	227599	65.53
ALLOWED PAYLOAD		65440	

CAPTAIN: XXXXXXXXXXXX

CREW 2/16
SOB 75

CAPTAINS INFO BEFORE LMC

FUEL TANK STATUS: ALL FUEL TANKS OK

IMBALANCE -0.9%
NOTOC DG NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS

NOTOC SC NO

A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD	AFT
ZFW MAC	19.3 %	16	33
TOW MAC	19.5 %	11	33
LDG MAC	19.1 %	16	33
STABTRIM			

LOAD SUPERVISOR:_____(PRINT NAME)

_____(SIGNATURE)

CPT ACCEPTANCE:_____(SIGNATURE)

LAST MINUTE CHANGES

UNDERLOAD BEFORE LMC: 28112 Kg

LOADSHEET CHECKED AND APPROVED BY: Robert Donovan (SWP) (ANC)

----------	----------	----------	----------
LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE

FDP GTI 847 LAX (QLOFT 2)

CF680C2BxF

```
KLAX          CF680C2BxF
FLT NO   RLS NO     TIME
847         2       xxxxZ
WIND KTS   OAT C      QNH
350/15      +07     30.11
-----------------------
GRWT  275.4    VREF30 146
FUEL   62.5
ZFW   213.9

REMARKS
ENGINE ANTI ICE ON
78-31-01A

KLAX  25R/F         11050
MTOW  286.9    SMRGN 2127
FLAPS 10         PACKS ON
ATM   55C          V1 142
THR   D-TO2        VR 151
N1    91.5         V2 158
CG    19.5       TRIM 6.5

DT H251       ACCEL 1000
```

PW4056

```
KLAX           PW4056III
FLT NO   RLS NO     TIME
847         2       xxxxZ
WIND KTS   OAT C      QNH
350/15      +07     30.11
-----------------------
GRWT  275.4    VREF30 146
FUEL   62.5
ZFW   213.9

REMARKS
ENGINE ANTI ICE ON
78-31-01A

KLAX  25R/F         11050
MTOW  286.9    SMRGN 2135
FLAPS 10         PACKS ON
ATM   55C          V1 142
THR   D-TO2        VR 151
EPR   1.28         V2 158
CG    18.9       TRIM 6.5

DT H251       ACCEL 1000
```

CABIN READY

```
GTI847/xx           KLAX - KSFO        xx AUG 21            N263SG
COST INDEX 115                                        Revision: 3
B747-400   / CF680C2BxF / KGS / IFR / FF +x.x
PROGS 231221 231224 231227       Release Valid Until 1353Z 24AUG21
```

```
ORIG   KLAX/LAX LOS ANGELES INTL              N33290W122350 0953Z
DEST   KSFO/SFO SAN FRANCISCO INTL          Q N37371W122225 1032Z
PALT   KOAK/OAK OAKLAND METRO INTL            N37433W122133 1051Z
```

```
CO ROUTE/UPLINK: 032581

DINTY DCT BSR BSR3 KSFO

DINTY/0380

Coldest Fuel Temp: NO CALC INFLIGHT             WIND/ISA: T042/P07
FMC Reserve: 11.1  NAM: 0250
```

```
       DINTY-KSFO
ALT1/2  KOAK/
        FUEL   TIME  DIST
TRIP    003691 00.39 0266
ALT1    004118 00.21 0093
FAR RSV 007024 00.45
10% RSV
ADD
CF
BALLAST
MINF    014833 01.45 ....
EXTRA   037479 04.00
TAXI    000000 00.00
BLOCK   052312

REMF    048621 06.03 ....
```

```
           Weight  Actual  Limit
BOW        183911
SWA        000000
PYLD       030000
ZFW        213911  ......  S242671   ZFW INCR/1000 X   11 MINF ADJ
RAMP       266223          S395986
TOGW       266223  ......  L268588
LDGW       262532          S264897
```

```
WEIGHT LIMIT CODES:
S-STRUCT  P-PERF  L-MTOW BASED ON LDW+TRIP FUEL  I-BY DISPATCHER
```

ATIS KSFO RWY28R GTI847 (QLOFT2)

KSFO ARR INFO F XXXXZ. 19015KT
1-1/2SM RA OVC011 08/08 A2986
(TWO NINE EIGHT SIX).
LNDG RWY 28R. EXPECT ILS RWY 28R.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION F.

FDP-LDA KSFO GTI847 (QLOFT 2)

KSFO		XXXXXXX
FLT NO	LDW	TIME
847	263.7	xxxxZ
WIND KTS	OAT C	QNH
190/15	+08	29.86

REMARKS

WET RUNWAY
78-31-01A

KSFO 28R		11870
LDW 263.7	MRLW	400.0
FLAPS 25		VREF 150
SETTINGS	FEET	BTMS
AUTOBRK 2	----	---
AUTOBRK 3	8995	3.6
AUTOBRK 4	8213	4.1
MAX AUTO	7002	4.8
MAX MAN	5983	5.6

KSFO		XXXXXXX
FLT NO	LDW	TIME
847	263.7	xxxxZ
WIND KTS	OAT C	QNH
190/15	+08	29.86

REMARKS

WET RUNWAY
78-31-01A

KSFO 28R		11870
LDW 263.7	MRLW	400.0
FLAPS 30		VREF 150
SETTINGS	FEET	BTMS
AUTOBRK 2	----	---
AUTOBRK 3	8715	3.2
AUTOBRK 4	7903	3.7
MAX AUTO	6882	4.4
MAX MAN	5813	5.2