CABIN CREW BRIEFING

- Introduce Flight Crew
- Confirm Number of Cabin Crew / Supernumeraries
- FAM / FFDO / LEO / Jumpseat
- Weather / Turbulence
- Flight Time / Short Taxi /Delays
- Aircraft Log Items
- RTO and EVAC Coordination
- Security / Disruptive Guests
- Flight Deck Access / Code Word
- Flight Deck Meal Coordination
- Laws / Regulations Pertinent to DEP / ARR Cities
- Boarding Coordination /Delays

Note: Modified briefings may be accomplished for multiple legs with the same Flight / Cabin Crew after the initial full briefing.

DEPARTURE

5 MINUTES PRIOR TO PUSHBACK	SEATBELTS selector ON PA: Good (Morning / Afternoon / Evening) from the Flight Deck, welcome aboard flight _____ with service to _____. Planned flight time is _____ at a cruising altitude of _____. It is our pleasure to have you onboard today. We hope you enjoy your flight and thank you for flying with Atlas Air.
PUSHBACK	***Expect 2 voice contacts from the Purser:*** 1st - "Cabin secure, exit rows verified, *(number)* souls-on-board, may I close the boarding door?" 2nd - "Cabin Secure for Pushback" ***Do not move the aircraft until "Cabin Secure for Pushback" voice message is received.***
DEICE	PA: "From the Flight Deck, as you can see, we are de-icing the aircraft to remove snow and ice from the aircraft. When the process is complete, you may smell a sweet smell throughout the cabin, which is normal. Thank you for your patience and we will be underway momentarily."

TAXI TO CRUISE

WHEN TAKEOFF IS IMMINENT	PA: "**CABIN CREW, BE SEATED FOR TAKEOFF**" ***The Purser will reply using one of the following:*** ***747:*** CABIN READY call panel display (code 6P) ***767:*** 1 chime (interphone call to Flight Deck) ***Note: If the reply is not received within 1 minute, call Purser to verify.***
10,000 FT. AGL	Cycle SEATBELTS selector AUTO/OFF then ON *(Two Chimes)*
ABOVE FL180 / CRUISE FLIGHT	SEATBELTS selector AUTO *(Conditions Permitting)*
TURBULENCE	***See Turbulence Reverse Side***
BEFORE TOP OF DECENT	PA: "Good (Morning / Afternoon / Evening) from the Flight Deck, we expect to land in approximately _____ minutes. Current weather is reported as ____. We hope you have enjoyed your flight, thank you for flying with Atlas Air."

DESCENT

FL180	SEATBELTS selector ON
10,000 FT. AGL	Cycle SEATBELTS selector AUTO/OFF then ON *(Two Chimes)*
5 MINUTES PRIOR TO LANDING	PA: **"CABIN CREW, BE SEATED FOR LANDING"** ***The Purser will reply using one of the following:*** ***747:*** CABIN READY call panel display (code 6P) ***767:*** 1 chime (interphone call to Flight Deck) ***Note: If the reply is not received within 1 minute, call Purser to verify.***
PARKED	SEATBELTS selector OFF

GO-AROUND

GO-AROUND	PA: "From the Flight Deck, we have had to discontinue our approach for landing. We shall have you on the ground shortly. We apologize for any inconvenience."

FLIGHT DECK TO CABIN NON-NORMAL COMMUNICATIONS	
In the event of a FD fire requiring cabin crew assistance	PA: **"BOTTLE CHECK FLIGHT DECK"**
Non-Normal/emergency situation requiring a Purser briefing and TEST Checklist	PA OR INTERPHONE: **"FLIGHT DECK REPORT"**
If time does not allow a Flight Deck Report, Call the Cabin Crew to their stations for TEST Checklist	PA: **"CABIN CREW TO STATIONS"** INTERPHONE: **TEST CHECKLIST**
Brace signal – When landing/impact is imminent	PA: **"BRACE, BRACE, BRACE"**
Advise Cabin Crew to standby for further instructions. Also used terminate an evacuation underway	PA: **"THIS IS THE CAPTAIN, REMAIN SEATED"**
Evacuation signal	PA: **"THIS IS THE CAPTAIN, EVACUATE, EVACUATE, EVACUATE"** EVAC COMMAND SELECTOR ON
CABIN TO FLIGHT DECK & CABIN	
In the event of an inflight cabin fire	PA: **"BOTTLE CHECK *(LOCATION)*"**
Cabin Crew determines an evacuation is necessary	EVAC COMMAND (AS INSTALLED) OR INTERPHONE: **"STOP THE AIRCRAFT IMMEDIATELY"**
Warning: If the Flight Deck does not return communication within 15 seconds:	The FA initializing the evacuation will make a PA: **"EVACUATE, EVACUATE, EVACUATE"**

NON-NORMAL SITUATION		
TEST CHECKLIST In the event of a Non-Normal situation requiring a briefing of the Cabin Crew, the Captain instructs the Purser by PA, or interphone, to report to the Flight Deck using the phrase "FLIGHT DECK REPORT". The Purser will contact the Flight Deck for the TEST Checklist.	**T**	Type of problem / emergency
	E	Emergency classification (if applicable, see below)
	S	Special instructions
	T	Time remaining (see below)

EMERGENCY CLASSIFICATION *(DO NOT USE THE TERMS RED OR YELLOW WITH ATC)*
RED
A RED emergency exists any time the Flight Crew believes that circumstances may lead to injury or aircraft damage.
YELLOW
A YELLOW emergency exists any time a Non-Normal situation occurs **BUT** the flight crew believes the safety of the aircraft and occupants is **NOT** deemed to be in peril.
MEDICAL
A MEDICAL emergency exists whenever there is injury, illness (depending on severity), or a death on board.

TIME REMAINING
For cabin preparation, a realistic time until touchdown must be communicated with the Cabin Crew. One of two cabin checklists is completed by the Cabin Crew with the following information: **Long Time – MORE** than **15** minutes is available to prepare the cabin prior to touchdown. **Short Time – 15** minutes or **LESS** is available to prepare the cabin prior to touchdown.

TURBULENCE	
TURBULENCE	SEATBELTS selector ON
TURBULENCE – MODERATE OR GREATER	SEATBELTS selector ON PA: **"CABIN CREW, PLEASE TAKE YOUR SEATS"**
TURBULENCE – MODERATE OR GREATER (PA INOPERATIVE)	SEATBELTS selector AUTO/OFF then ON three times *(Six Chimes)*
CONCLUSION OF TURBULENCE	PA: **"CABIN CREW, MAY RESUME THEIR DUTIES"**

For Training Use Only

```
GTI847/XX           KSFO - KLAX        XX DATE XX           N263SG
COST INDEX 150                                        Revision: X
B747-400   / VARIABLE / KGS / IFR / FF +X.X
PROGS 231236                    Release Valid Until XX00Z XXDATEXX
```

```
ORIG   KSFO/SFO SAN FRANCISCO INTL          Q N37371W122225 XXXXZ
DEST   KLAX/LAX LOS ANGELES INTL              N33566W118246 XXXXZ
PALT   KONT/ONT ONTARIO INTL                Q N34034W117361 XXXXZ
```

```
CO ROUTE/UPLINK: XXXXX

KSFO SSTIK_ SUSEY DCT EBAYE DCT AVE MOOR_ KLAX

KSFO/0390

Coldest Fuel Temp: N/A                          WIND/ISA: T004/P06
FMC Reserve: 12.4  NAM: 0302
```

	KSFO-KLAX KONT/ FUEL	TIME	DIST
TRIP	009810	00.48	0305
ALT1	004859	00.23	0105
FRES	007568	00.45	
ADD.TO	002763	00.16	
MINF	025000	02.12	....
EXTRA	019100	01.54	
TOF	044100		
TAXI	000900	00.20	
BLOCK	045000		
REMF	034290	03.31	....

	Weight	Actual	Limit		
DOW	183851				
SWA	[000440]				
PYLD	030012				
ZFW	213863	.....	S242671	ZFW INCR/1000 X	28 MINF ADJ
RAMP	258863		S398254		
TOGW	257963	.....	L295573		
LDGW	248153		S285763		

```
WEIGHT LIMIT CODES:
S-STRUCT  P-PERF  L-MTOW BASED ON LDW+TRIP FUEL  I-BY DISPATCHER
```

Remarks

PERISHABLES O/B -
NOC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD
- -
SEE COMPANY NOTAM LATT480 IN NOTAM PACKET
- -

RAIM VALIDATION PASSED

MEL/CDL - No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation

By signing below, I affirm that I am fit for duty to operate this flight.

FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)

TIME		FUEL	
OUT:	/	ETA KLAX:	UPLIFT:
OFF:	/	SOB:	PYLD:
ON:	/	RVSM ALTIMETER RECORD	
IN:	/	L: S:	R:

(FPL-GTIWJ-IS
-B744/H-SDE1E2E3FGHIJ3J5M1P2RWXYZ/LB1D1
-KSFO1500
-N0500F390 SSTIK4 SUSEY DCT AVE MOOR4
-KLAX0048 KONT
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180
DOF/210924 REG/N263SG SEL/HPCM CODE/A5E9AF OPR/GTI RMK/EMERG CTC
19147018045 TCAS II EQUIPPED)

Overflight/Landing Permits

AWY	WPT	MTK NM	GS	TAS	LEG-T	ETA	MTRS	DV	WS	H/T	REMF
MORA		TTK CH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND		AREM
	KSFO 00013 FT						SAN FRANCISCO INTL				
	N37 37.1										
	W122 22.5										
SAHEY4	**SUSEY**										
	N36 25.9	096	096	403	399	00.15		CLB	01	T004	0377
	W121 03.8	109	116	CLB	CLB	00.15	**CLB**	CLB	033	/012	
DCT	**TOC**										
	N36 08.4	119	026	500	496	00.03		CLB	01	T005	0369
	W120 39.4	132	114	CLB	CLB	00.18	CLB	CLB	032	/038	
(KZLA)	N35542W120198					00.21	LOS ANGELES				
DCT	**AVE**	AVENAL					117.10				
	N35 38.8	119	044	501	500	00.05		P06	01	T002	0360
	W119 58.7	132	114	293	856	00.23	**F390**	-48	036	/042	
MOOR4	**TOD**										
	N35 30.8	132	010	512	500	00.01		P06	01	T013	0358
	W119 51.8	145	127	293	855	00.24	F390	-48	037	/051	
MOOR4	**KLAX** 00128 FT						LOS ANGELES INTL				
^107	N33 56.5	132	129	357	354	00.24		DSC	03	T003	0343
	W118 24.5	145	124	DSC	DSC	00.48	**DSC**	DSC	048	/020	

Destination Primary Alternate Route
KLAX DCT SB DCT KONT
MORA 7100

END OF OFP

For Training Use Only

```
GTI847/XX           KSFO - KLAX        XX DATE XX           N263SG
COST INDEX 150                                        Revision: X
B747-400   / VARIABLE / KGS / IFR / FF +X.X
PROGS 231236                    Release Valid Until XX00Z XXDATEXX
```

```
ORIG   KSFO/SFO SAN FRANCISCO INTL          Q N37371W122225 XXXXZ
DEST   KLAX/LAX LOS ANGELES INTL              N33566W118246 XXXXZ
PALT   KONT/ONT ONTARIO INTL                Q N34034W117361 XXXXZ
```

```
CO ROUTE/UPLINK: XXXXX

KSFO SSTIK_ SUSEY DCT EBAYE DCT AVE MOOR_ KLAX

KSFO/0390

Coldest Fuel Temp: N/A                          WIND/ISA: T004/P06
FMC Reserve: 12.4  NAM: 0302
```

	KSFO-KLAX KONT/ FUEL	TIME	DIST
TRIP	009810	00.48	0305
ALT1	004859	00.23	0105
FRES	007568	00.45	
ADD.TO	002763	00.16	
MINF	025000	02.12	....
EXTRA	019100	01.54	
TOF	044100		
TAXI	000900	00.20	
BLOCK	045000		
REMF	034290	03.31	....

	Weight	Actual	Limit		
DOW	183851				
SWA	[000440]				
PYLD	030012				
ZFW	213863	.....	S242671	ZFW INCR/1000 X	28 MINF ADJ
RAMP	258863		S398254		
TOGW	257963	.....	L295573		
LDGW	248153		S285763		

```
WEIGHT LIMIT CODES:
S-STRUCT  P-PERF  L-MTOW BASED ON LDW+TRIP FUEL  I-BY DISPATCHER
```

Remarks

PERISHABLES O/B -
NOC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD
- -
SEE COMPANY NOTAM LATT480 IN NOTAM PACKET
- -

RAIM VALIDATION PASSED

MEL/CDL - No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

***** DO NOT DEPART WITHOUT A LATT RECEIVED *****
FROM DISPATCH VIA ACARS OR VOICE.
(SEE CO NOTAM FOR INFO)

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation
By signing below, I affirm that I am fit for duty to operate this flight.

	FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)

TIME		FUEL		
OUT:	/	ETA KLAX:	UPLIFT:	
OFF:	/	SOB:	PYLD:	
ON:	/	RVSM ALTIMETER RECORD		
IN:	/	L:	S:	R:

(FPL-GTIWJ-IS
-B744/H-SDE1E2E3FGHIJ3J5M1P2RWXYZ/LB1D1
-KSFO1500
-N0500F390 SSTIK4 SUSEY DCT AVE MOOR4
-KLAX0048 KONT
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180
DOF/210924 REG/N263SG SEL/HPCM CODE/A5E9AF OPR/GTI RMK/EMERG CTC
19147018045 TCAS II EQUIPPED)

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	DV	WS	H/T	REMF
MORA		TTK	CH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND		AREM
	KSFO 00013 FT							SAN FRANCISCO INTL				
	N37 37.1											
	W122 22.5											
SAHEY4	**SUSEY**											
	N36 25.9	096	096	403	399	00.15			CLB	01	T004	0377
	W121 03.8	109	116	CLB	CLB	00.15		**CLB**	CLB	033	/012	
DCT	**TOC**											
	N36 08.4	119	026	500	496	00.03			CLB	01	T005	0369
	W120 39.4	132	114	CLB	CLB	00.18		CLB	CLB	032	/038	
(KZLA)	N35542W120198					00.21	LOS ANGELES					
DCT	**AVE** AVENAL							117.10				
	N35 38.8	119	044	501	500	00.05			P06	01	T002	0360
	W119 58.7	132	114	293	856	00.23		**F390**	-48	036	/042	
MOOR4	**TOD**											
	N35 30.8	132	010	512	500	00.01			P06	01	T013	0358
	W119 51.8	145	127	293	855	00.24		F390	-48	037	/051	
MOOR4	**KLAX** 00128 FT							LOS ANGELES INTL				
^107	N33 56.5	132	129	357	354	00.24			DSC	03	T003	0343
	W118 24.5	145	124	DSC	DSC	00.48		**DSC**	DSC	048	/020	

Destination Primary Alternate Route
KLAX DCT SB DCT KONT
MORA 7100

END OF OFP

STATION COMPANY NOTAMS
KSFO COMPANY NOTAMS
KSFO-FREQ Oper: Y 18MAY17/1629
VALID FROM: WIE TO: UFN
IN-RANGE CALL FREQ

ATLAS - SWISSPORT - 130.85
DHL - 131.635
N767MW OPS SFO - 128.90 CALLSIGN: SIGNATURE FLIGHT SAN FRANCISCO
B747 PAX CHARTER - 128.92 SIGNATURE FLIGHT SUPPORT

KSFO COMPANY NOTAMS
KSFO-RBSOper: Y 30MAY17/1505 VALID FROM:
WIE TO: UFN
KSFO RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 01L/19R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 01R/19L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 10L/28R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 10R/28L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

	B737-400	B767-200
RWY 01L/19R	STRUCTURAL	STRUCTURAL
RWY 01R/19L	STRUCTURAL	STRUCTURAL
RWY 10L/28R	STRUCTURAL	STRUCTURAL
RWY 10R/28L	STRUCTURAL	STRUCTURAL

KLAX COMPANY NOTAMS
KLAX-RBSOper: Y 19MAR20/1258 VALID FROM:
WIE TO: UFN

KLAX RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 06L/24R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 06R/24L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 07L/25R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 07R/25L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

	B737-400	B767-200F
RWY 06L/24R	STRUCTURAL	STRUCTURAL
RWY 06R/24R	STRUCTURAL	STRUCTURAL
RWY 07L/25R	STRUCTURAL	STRUCTURAL
RWY 07R/25L	STRUCTURAL	STRUCTURAL

KONT COMPANY NOTAMS
KONT-RBSOper: Y 01NOV19/1452 VALID FROM:
WIE TO: UFN
KONT RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 08L/26R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 08R/26L	STRUCTURAL	420,775 KG	STRUCTURAL	699,243LB

	B737-400	B767-200
RWY 08L/26R	STRUCTURAL	STRUCTURAL
RWY 08R/26L	STRUCTURAL	STRUCTURAL

ROUTE COMPANY NOTAMS: NIL
FIR COMPANY NOTAMS: NIL

ADMIN COMPANY NOTAMS

ADMIN-AERODATA Oper: Y 06DEC19/1655
VALID FROM: WIE TO: UFN

AERODATA PERFORMANCE
IF 1/8 INCH OR LESS OF WATER, FROST, DRY SNOW OR WET SNOW
- USE WET RUNWAY FOR TAKEOFF/LANDING PERFORMANCE.
THIS IS IN ACCORDANCE WITH FOM 8.1 RCAM MATRIX.
OTHER MANUAL REFERENCES BEING UPDATED AT NEXT REVISION CYCLE.

ADMIN-DEICE Oper: Y 05NOV20/2036
VALID FROM: WIE TO: UFN

DEICING / ANTI-ICING INFORMATION FORM

---

* 1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE) (CIRCLE ONE) *
*
* 2. FLUID TYPE (TYPE I, II, III, OR IV) (CIRCLE ONE)
* BRAND:.....
*
* 3. FLUID MIXTURE RATIO - /
* (FOR TYPE II, III, OR IV FLUID ONLY)
*
* 4. TIME (UTC) OF THE START OF THE FINAL APPLICATION - Z *
*
* - - RETAIN THIS FORM WITH THE TRIP ENVELOPE - - *
* **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY** *

ADMIN-LATT480 Oper: Y 10MAY21/1631
VALID FROM: WIE TO: UFN

- -

*********FAR PART 117 FDP/FT COMPLIANCE*********

IAW PART 117 LATEST ALLOWABLE TAKEOFF TIME (LATT) IS THE LATEST TIME YOU MUST BE OFF (AIRBORNE) TO REMAIN WITHIN FDP (FLIGHT AND DUTY) LIMITS.

LATT IS BASED ON THE MOST RESTRICTIVE CREWMEMBER ASSIGNED TO THE FLIGHT.

THE AUTOMATED ACARS LATT MESSAGE IS ACTIVATED BY PRESSING INIT REQ* AND CONFIRM* KEYS ON THE ACARS INIT PAGE. SAMPLE MESSAGE:

BASED ON AN ETD OF XX:XX
AND THE MOST RESTRICTIVE
CM, YOUR CALCULATED LATT
IS XX:XX.
LATT MAY BE SUBJECT TO
CHANGE BASED ON DELAYS.

CREWS SHOULD PRINT THE LATT MESSAGE AND RETAIN IN THE TRIP ENVELOPE, OR RECORD ON THE OFP.

PART 117 FLIGHTS MUST NOT DEPART WITHOUT A VALID LATT. IF LATT MESSAGE IS NOT RECEIVED, CONTACT DISPATCH.

- -

ADMIN-OFP CHG Oper: Y 17APR19/0100
VALID FROM: WIE TO: UFN

- -
OFP FORMAT CHANGE NOTICE:
A DH (DEADHEAD) INDICATOR WILL NOW BE SHOWN ON THE OFP IN PLACE
OF JS FOR DEADHEADING CREWMEMBERS.
- -

ADMIN-PUBS747A Oper: Y 08SEP21/1728
VALID FROM: WIE TO: UFN
CURRENT AIRCRAFT LIBRARY REVISIONS

CURRENT / CURRENT EFF ON RECEIPT
747-400P GE
- QRH..... REV 11 01-APR-21 / NA
- DDG..... VER 17 23-APR-21 / NA
- NORMAL CHECKLIST..... 01-APR-21 / NA
747-400P PW
- QRH..... REV 01 01-JUN-20 / NA
747-400F/C PW
- QRH..... REV 04 01-JUN-20 / NA
- DDG..... VER 17 23-APR-21 / NA
- NORMAL CHECKLIST..... 15-NOV-20 / NA

ALL 747
- JEPP ENROUTE CHARTS..REV 22 03-SEP-21 OR LATER

FOR ALL DDG TRS - REFER TO EFB COMPLY365

RELEASE COMPANY NOTAMS: NIL

N263SG COMPANY NOTAMS
263-WB Oper: Y 17SEP19/1440
VALID FROM: WIE TO: UFN

N263SG WEIGHT AND BALANCE ADVISORY

BOW / INDEX FLIGHT DECK CREW 181,711(60)	BOW / INDEX FLIGHT DECK CREW (+1) 181,821(60)	BOW / INDEX FLIGHT DECK CREW (+2) 181,931(59)
CABIN CREW/ACM'S	CABIN CREW/ACM'S	CABIN CREW/ACM'S
+12 - 183,031(60)	+12 - 183,141(60)	+12 - 183,251(59)
+13 - 183,141(59)	+13 - 183,251(59)	+13 - 183,361(58)
+14 - 183,251(59)	+14 - 183,361(59)	+14 - 183,471(58)
+15 - 183,361(59)	+15 - 183,471(59)	+15 - 183,581(58)
+16 - 183,471(59)	+16 - 183,581(59)	+16 - 183,691(58)
+17 - 183,581(59)	+17 - 183,691(59)	+17 - 183,801(58)
+18 - 183,691(59)	+18 - 183,801(59)	+18 - 183,911(58)
+19 - 183,801(59)	+19 - 183,911(59)	+19 - 184,021(58)

DEPARTURE
METAR KSFO 231956Z 01006KT 9SM FEW008 BKN200 21/16 A3011 RMK AO2
SLP129 T02110156

TAF KSFO 231731Z 2318/2424 VRB05KT P6SM FEW006 FM232100 31019KT P6SM
SKC FM240400 30006KT P6SM SKC FM241200 VRB04KT P6SM SCT008
FM241700 30008KT P6SM SKC

ARRIVAL
METAR KLAX 231953Z 24008KT 9SM FEW008 SCT025 BKN120 21/16 A3008 RMK
AO2 SLP126 T02110156

TAF KLAX 231732Z 2318/2424 22005KT P6SM FEW010 SCT160 FM231900
26014KT P6SM SCT010 TEMPO 2319/2321 BKN010 FM240300 26007KT P6SM
SCT010 FM240600 VRB03KT P6SM OVC008 FM241000 VRB03KT P6SM OVC010
FM241700 25007KT P6SM FEW010 FM242000 26012KT P6SM SCT010

OTHER
METAR KONT 231953Z 28008KT 10SM FEW100 BKN120 33/09 A2989 RMK AO2
SLP101 FU BKN120 T03330089

TAF KONT 231737Z 2318/2424 24004KT P6SM FEW120 FM232000 25011KT P6SM
SCT120 FM240400 26005KT P6SM SCT120 FM242000 25011KT P6SM SCT120

SIM 1/2/3/PAA TLR- CF680C2BxF

```
TAKEOFF AND LANDING REPORT GTI WJ SFO-LAX 23SEP21
TLR-0 SEQ-27552123 23SEP21 1940Z
A/C N263SG  B747-400 CF680C2BXF KG

ACARS INIT DATE = 23    ACARS TAKEOFF REQUEST = 1940Z-0340Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 5C TO MT      QNH = GREATER OR EQUAL TO 29.77

/// TAKEOFF DATA ///
APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
SFO  01L         15.0 000M00 29.92 20  2740 2740

RMKS NONE

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2

-------- -------- --------------------------
SMRGN    ACCEL    EFP
---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
01L            7650 RT H135
01R            8650 RT H135
10L           11870 RT H120
19L            8650 SPECIAL
19R            7650 SPECIAL
28R           11870 SPECIAL
---------------- SPECIAL ENG FAIL TAKEOFF PROCEDURES ----------------
RWY CLB VIA       REACHING   OR         TURN      FRA   HOLD
19L V2            RWY END    D0.9 SFO   LT OAK    1013  STD
19R V2            RWY END    D0.8 SFO   LT OAK    1013  STD
28R               D2.3 SFO   *D1.1 IGWQ RT H305   1100
*D1.1 WEST OF IGWQ
------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND -------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
01L          2740 47  94.8 D-TO 2 - PACKS ON   20 130 139 150
01R          2740 53  92.4 D-TO 2 - PACKS ON   20 133 141 150
10L          2740 64  90.1 D-TO 2 - PACKS ON   10 142 149 156
19L          2740 48  94.5 D-TO 2 - PACKS ON   20 134 139 150
19R          2740 43  95.8 D-TO 2 - PACKS ON   20 130 138 150
28R          2740 64  90.1 D-TO 2 - PACKS ON   10 144 149 156

-------------- DRY RWY - PTOW - ENG A/I OFF - 15KT TW --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
01L          2740 15  98.5 TO 2 - PACKS ON     20 122 136 150
01R          2740 38  98.5 TO 2 - PACKS ON     20 126 136 150
10L          2740 54  98.5 TO 2 - PACKS ON     20 131 136 150
19L          2740 35  98.5 TO 2 - PACKS ON     20 126 136 150
19R          2740 27 102.3 TO 1 - PACKS ON     20 123 133 150
28R          2740 54  98.5 TO 2 - PACKS ON     20 131 136 150
```

SOUTH COAST TLR- PW4056

```
TAKEOFF AND LANDING REPORT GTI 847 SFO-LAX XXSEPXX
TLR-0 SEQ-27552372 23SEP21 1951Z
A/C N263SG  B747-400 ENGINES KG

ACARS INIT DATE = 23    ACARS TAKEOFF REQUEST = 1951Z-0351Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 5C TO MT      QNH = GREATER OR EQUAL TO 29.77

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
SFO  01L         15.0 000M00 29.92 20  2955 2955

RMKS NONE
-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  EPR   THR/PACKS CONFIG  FLAPS  V1  VR  V2
-------- -------- --------------------------
SMRGN    ACCEL    EFP
--------------------------- RUNWAY INFO ---------------------------
RWY          LENGTH EFP     NOTES
01L            7650 RT H135
01R            8650 RT H135
10L           11870 RT H120
19L            8650 SPECIAL
19R            7650 SPECIAL
28R           11870 SPECIAL
---------------- SPECIAL ENG FAIL TAKEOFF PROCEDURES ----------------
RWY CLB VIA       REACHING   OR         TURN      FRA   HOLD
19L V2            RWY END    D0.9 SFO   LT OAK    1013  STD
19R V2            RWY END    D0.8 SFO   LT OAK    1013  STD
28R               D2.3 SFO   *D1.1 IGWQ RT H305   1100
*D1.1 WEST OF IGWQ

------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND --------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
01L          2955 40  1.41 D-TO 1 - PACKS ON   20 132 144 157
01R          2955 34  1.36 TO 2 - PACKS ON     20 137 145 157
10L          2955 47  1.30 D-TO 2 - PACKS ON   10 142 154 162
19L          2955 45  1.38 D-TO 1 - PACKS ON   20 135 145 157
19R          2955 37  1.42 D-TO 1 - PACKS ON   20 131 143 157
28R          2955 47  1.30 D-TO 2 - PACKS ON   10 146 154 162



RMKS NONE
```

Landing Report- CF680C2BxF/PW4056

LANDING REPORT GTI 847 SFO-LAX XXSEPXX
TLR-0 SEQ-27552372 XXSEPXX 1951Z

APT	PRWY	POAT	PWIND	PQNH	FLP	PLDW	PMRLW
LAX	07R	15.0	000M00	29.92	30	2857	3626

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

	FLAPS 25	
LDW	DRY	WET
3000	10777	-----
2900	10448	-----
/ 2857	10308	-----
2800	10118	-----
2700	9788	-----
HW/KT	-46	-----
TW/KT	+154	-----
UP/1PCT	-173	-----
DN/1PCT	+69	-----

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

	FLAPS 25	
LDW	DRY	WET
3000	9444	9444
2900	9165	9165
/ 2857	9047	9047
2800	8886	8886
2700	8607	8607
HW/KT	-39	-39
TW/KT	+132	+132
UP/1PCT	-58	-46
DN/1PCT	+23	+23

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

	FLAPS 25	
LDW	DRY	WET
3000	7964	8251
2900	7735	8023
/ 2857	7639	7926
2800	7507	7795
2700	7279	7567
HW/KT	-32	-33
TW/KT	+109	+114
UP/1PCT	0	-12
DN/1PCT	0	+35

AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

LDW	DRY	WET
3000	6537	8202
2900	6360	7974
/ 2857	6285	7877
2800	6182	7745
2700	6005	7517
HW/KT	-25	-30
TW/KT	+83	+106
UP/1PCT	0	-104
DN/1PCT	0	+127

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

LDW	DRY	WET
3000	6021	7866
2900	5751	7664
/ 2857	5640	7578
2800	5489	7461
2700	5228	7258
HW/KT	-24	-30
TW/KT	+82	+104
UP/1PCT	-75	-138
DN/1PCT	+88	+161

295500/295500/285757/900/9810/25000/45000
END TAKEOFF AND LANDING REPORT GTI 847 SFO-LAX XXSEPXX

ATIS KSFO RWY01L GTI847 (QLOFT1)

KSFO DEP INFO A XXXXZ. 26009KT
10SM FEW075 11/04 A3011
(THREE ZERO ONE ONE).
DEPG RWY 01L. BIRD ACTIVITY
IN VICINITY ARPT. ALL ACFT READ
BACK ALL HOLD SHRT INSTRUCTIONS
AND ASSIGNED ALT.
…ADVS YOU HAVE INFO U

PDC KSFO-KLAX GTI847 (QLOFT1)

GTI847 KSFO-KLAX
SQUAWK: 1747
EDT: xxxx EDCT: xxxx
FILED: FL390
EQUIP: H/B744/L
****
REVIEW ATC INSTRUCTIONS
****
FLT PLAN ROUTING:
KSFO SSTIK_ SUSEY ./.MMMX
****
ATC INSTRUCTIONS:
CLEARED SSTIK_ DEPARTURE
SUSEY TRSN
CLIMB FL190 EXP FL390
10 MIN AFT DP,DPFRQ 135.1
NEXT FREQ 121.8
****
REMARKS:
EMERG CTC 19147018045
TCA***
END OF CLEARANCE

ATLAS AIR B747-400P LOADSHEET (Rel. 3.3.41) Loadsheet Printout NR: 1

STANDARD PROD. TIME: 14:50

FROM/TO	FLIGHT	A/C	ACM	DATE	TIME
SFO/LAX	5Y847	REG	0	xx-SEP-202X	xx:xx
Data Rev. Date:		N263SG			

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R C L IDX	NOT APPLICABLE TO TRAINING																	

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	54
IDX	NOT APPLICABLE TO TRAINING										

		WGT KG	INDEX
BASIC OPERATING WGT		181711	60.00
BALLAST		0	0.00
ACM	(4)	440	-1.43
CABIN CREW	(16)	1760	-0.72
SWA		0	0.00
TOTAL TRAFFIC LOAD		30012	-5.14
ZERO FUEL WEIGHT	(Max: 291025)	213863	67.43
TAXI FUEL		900	1.30
TAKE OFF FUEL		44100	-0.41
TAKE OFF WEIGHT	(Op. Max: 335125)	257963	67.02
TRIP FUEL		9810	1.49
LANDING WEIGHT	(Max: 302092)	248153	65.53
ALLOWED PAYLOAD		77712	

CAPTAIN: XXXXXXXXXXXX

CREW 2/16
SOB 76

CAPTAINS INFO BEFORE LMC

FUEL TANK STATUS: ALL FUEL TANKS OK

IMBALANCE -0.9%
NOTOC DG NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS

NOTOC SC NO

A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD	AFT
ZFW MAC	19.3 %	16	33
TOW MAC	18.9 %	11	33
LDG MAC	18.6 %	16	33
STABTRIM			

LOAD SUPERVISOR:_____(PRINT NAME)

_____(SIGNATURE)

CPT ACCEPTANCE :_____(SIGNATURE)

LAST MINUTE CHANGES

UNDERLOAD BEFORE LMC: 28112 Kg

LOADSHEET CHECKED AND APPROVED BY: Robert Donovan (SWP) (ANC)

---	---	---	---
LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE

FDP GTI 847 SFO (QLOFT1)

CF680C2BxF

```
KSFO          CF680C2BxF
FLT NO   RLS NO     TIME
847         7       xxxxZ
WIND KTS   OAT C      QNH
260/09      +11     30.11
-----------------------
GRWT  258.9    VREF30 146
FUEL   45.0
ZFW   213.9

REMARKS
78-31-01A

KSFO  01L            7650
MTOW  296.4    SMRGN  965
FLAPS 20         PACKS ON
ATM   46C          V1 128
THR   D-TO2        VR 136
N1    94.7         V2 147
CG    18.9       TRIM 6.2

RT H135       ACCEL 1000

KSFO  01R            8650
MTOW  296.4    SMRGN  562
FLAPS 10         PACKS ON
ATM   30C          V1 127
THR   D-TO2        VR 136
N1    98.6         V2 154
CG    18.9       TRIM 5.8

RT H135       ACCEL 1000
```

PW4056

```
KSFO           PW4056III
FLT NO   RLS NO     TIME
847         7       xxxxZ
WIND KTS   OAT C      QNH
260/09      +11     30.11
-----------------------
GRWT  258.9    VREF30 146
FUEL   45.0
ZFW   213.9

REMARKS
78-31-01A

KSFO  01L            7650
MTOW  296.4    SMRGN  965
FLAPS 20         PACKS ON
ATM   46C          V1 128
THR   D-TO2        VR 136
EPR   1.32         V2 147
CG    18.9       TRIM 6.2

RT H135       ACCEL 1000

KSFO  01R            8650
MTOW  296.4    SMRGN  562
FLAPS 10         PACKS ON
ATM   30C          V1 127
THR   D-TO2        VR 136
EPR   1.45         V2 154
CG    18.9       TRIM 5.8

RT H135       ACCEL 1000
```

CABIN READY

ATIS KLAX RWY07R GTI847 (QLOFT1)

KLAX ARR INFO D XXXXZ. 34015KT
1-1/2SM BKN007 07/03 A3008
(THREE ZERO ZERO EIGHT).
LNDG RWY 07R. EXPECT RNAV RWY 07R.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION D.

FDP-LDA KLAX GTI847 (QLOFT1)

KLAX		XXXXXXX
FLT NO	LDW	TIME
847	242.8	xxxxZ
WIND KTS	OAT C	QNH
350/15	+07	30.08

REMARKS

78-31-01A

KLAX 07R		11095
LDW 242.8	MRLW	400.0
FLAPS 25		VREF 150
SETTINGS	FEET	BTMS
AUTOBRK 2	7607	2.4
AUTOBRK 3	6823	3.0
AUTOBRK 4	5921	3.7
MAX AUTO	4950	4.4
MAX MAN	3967	5.2

KLAX		XXXXXXX
FLT NO	LDW	TIME
847	242.8	xxxxZ
WIND KTS	OAT C	QNH
350/15	+07	30.08

REMARKS

78-31-01A

KLAX 07R		11095
LDW 242.8	MRLW	400.0
FLAPS 30		VREF 150
SETTINGS	FEET	BTMS
AUTOBRK 2	7250	2.2
AUTOBRK 3	6615	2.8
AUTOBRK 4	5703	3.3
MAX AUTO	4682	4.0
MAX MAN	3613	4.8

For Training Use Only

GTI847/XX KLAX - PHNL XX DATE XX N263SG
COST INDEX 150 Revision: X
B747-400 / VARIABLE / KGS / IFR / FF +X.X
PROGS 231236 Release Valid Until XX00Z XXDATEXX

ORIG	KLAX/LAX LOS ANGELES INTL	N33565W118245 XXXXZ
DEST	PHNL/HNL HONOLULU INTL	N21191W157552 XXXXZ
PALT	PHKO/KOA KAILUA ONIZUKA KONA INTL	N19443W156027 XXXXZ

CO ROUTE/UPLINK: XXXXX

KLAX DARRK3 DINTY R576 DENNS MAGGI3 PHNL

KLAX/0380 DUSAC/0400

Coldest Fuel Temp: N/A WIND/ISA: H030/P05
FMC Reserve: 11.3 NAM: 2433

	KLAX-PHNL PHKO/ FUEL	TIME	DIST
TRIP	047814	05.08	2296
CONT	004180	00.31	
ALT1	006061	00.34	0179
FRES	003521	00.30	
MINF	061600	06.43	....
TOF	061600		
TAXI	000900	00.20	
BLOCK	062500		
REMF	013786	01.57	....

	Weight	Actual	Limit		
DOW	183911				
SWA					
PYLD	029000				
ZFW	212911	.....	S242671	ZFW INCR/1000 X	171 MINF ADJ
RAMP	275411		S395986		
TOGW	274511	.....	L312711		
LDGW	226697		S264897		

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

Remarks
PERISHABLES O/B -
NOC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD
- -
SEE COMPANY NOTAM LATT263 IN NOTAM PACKET
- -

RAIM VALIDATION PASSED

MEL/CDL
25-20-01
NON-ESSENTIAL EQUIPMENT & FURNISHINGS (NEF)

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

*** DO NOT DEPART WITHOUT A LATT RECEIVED ***
FROM DISPATCH VIA ACARS OR VOICE.
(SEE CO NOTAM FOR INFO)

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation
By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	STRIKER		.. ..	.. ..
		LAST TO/EXPIRY	- - - - -/- - - - -	
		LAST LNDG/EXPIRY	- - - - -/- - - - -	
FO	MAVERICK		.. ..	.. ..
		LAST TO/EXPIRY	- - - - -/- - - - -	
		LAST LNDG/EXPIRY	- - - - -/- - - - -	

```
        TIME           FUEL
OUT:            /             ETA PHNL:       UPLIFT:
OFF:            /                  SOB:       PYLD:

ON:             /                  RVSM ALTIMETER RECORD
IN:             /                  L:         S:         R:
```

```
(FPL-GTI847-IS
-B744/H-SDE1E2E3FGHIJ3J5M1P2RWXYZ/LB1D1
-KLAX0900
-M086F380 DARRK3 DINTY R576 DUSAC/M086F400 R576 DENNS MAGGI3
-PHNL0508 PHKO
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180
 DOF/210824 REG/N263SG
 EET/KZAK0034 PHZH0412
 SEL/FLKM CODE/A28BB9 OPR/GTI RMK/EMERG CTC 19147018045 TCAS II
 EQUIPPED)
```

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	DV	WS	H/T	REMF
MORA		TTK	CH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND		AREM
	KLAX 00128 FT							LOS ANGELES INTL				
	N33 56.5											
	W118 24.5											
DARRK3	TOC											
	N34 18.5	233	122	401	417	00.19			CLB	02	H015	0547
	W120 33.3	244	263	CLB	CLB	00.19		CLB	CLB		224/030	
DARRK3	DINTY											
	N33 29.0	232	112	453	499	00.15			P07	01	H045	0523
	W122 35.0	244	231	274	857	00.34		F380	-50		232/046	
(KZAK)	AT DINTY					00.34	OAKLAND					
R576	DUETS											
	N33 04.2	244	101	451	499	00.13			P07	01	H047	0502
	W124 31.1	256	242	274	857	00.47		F380	-50		233/051	
R576	DADIE											
	N31 06.2	243	405	452	499	00.54			P07	01	H046	0418
	W132 08.2	255	241	274	857	01.41		F380	-50		237/047	
R576	DIALO											
	N28 42.1	238	405	472	499	00.52			P07	00	H026	0339
	W139 25.6	251	238	274	856	02.33		F380	-50		245/026	
	(GOPHNL) ETP1											
	N28 34.6	235	020	488	497	00.02			P06	01	H008	0336
	W139 46.0	247	237	274	855	02.35		F380	-51		305/015	

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	DV	WS	H/T	REMF
MORA		TTK	CH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND		AREM
R576	DUSAC											
	N26 00.4	235	374	488	497	00.46			P06	01	H008	0268
	W146 10.0	247	237	274	855	03.21		F380	-51	305/015		
(PHZH)	AT DRAYK					04.12	HONOLULU					
R576	DRAYK											
	N23 01.4	233	394	463	492	00.51			P00	03	H028	0195
	W152 34.7	244	235	262	857	04.12		F400	-56	277/033		
R576	DENNS											
	N22 21.8	231	082	462	491	00.11			P00	02	H028	0180
	W153 52.8	241	233	262	857	04.23		F400	-57	262/030		
MAGGI3	TOD											
	N22 13.9	262	147	459	491	00.19			P00	01	H032	0154
	W156 27.6	271	241	262	857	04.42		F400	-57	254/033		
MAGGI3	PHNL 00013 FT						HONOLULU INTL					
	N21 19.1	221	134	355	359	00.26			DSC	02	H004	0138
	W157 55.2	230	184	DSC	DSC	05.08		DSC	DSC	272/003		

Destination Primary Alternate Route
PHNL HNL2 HAUNA DCT LNY KAYAK6 PHKO
MORA 8200

Critical Fuel Scenario

DEPRESS - B747 KG
(GOPHNL) ETP1 KSFO-PHNL N28 34.6 W139 46.0

	MORA	TRK	DIST	TIME	REMF	PAD	MINF	WX WINDOW
KSFO	027	42	1027	02:44	33567	6315	27252	0907Z-1543Z
PHNL	035	238	1078	02:44	33567	6306	27261	1323Z-1543Z

END OF OFP

For Training Use Only

GTI847/XX KLAX - PHNL XX DATE XX N263SG
COST INDEX 150 Revision: X
B747-400 / VARIABLE / KGS / IFR / FF +X.X
PROGS 231236 Release Valid Until XX00Z XXDATEXX

ORIG	KLAX/LAX LOS ANGELES INTL	N33565W118245 XXXXZ
DEST	PHNL/HNL HONOLULU INTL	N21191W157552 XXXXZ
PALT	PHKO/KOA KAILUA ONIZUKA KONA INTL	N19443W156027 XXXXZ

CO ROUTE/UPLINK: XXXXX

KLAX DARRK3 DINTY R576 DENNS MAGGI3 PHNL

KLAX/0380 DUSAC/0400

Coldest Fuel Temp: N/A WIND/ISA: H030/P05
FMC Reserve: 11.3 NAM: 2433

	KLAX-PHNL PHKO/ FUEL	TIME	DIST
TRIP	047814	05.08	2296
CONT	004180	00.31	
ALT1	006061	00.34	0179
FRES	003521	00.30	
MINF	061600	06.43	....
TOF	061600		
TAXI	000900	00.20	
BLOCK	062500		
REMF	013786	01.57	....

	Weight	Actual	Limit		
DOW	183911				
SWA					
PYLD	029000				
ZFW	212911	.....	S242671	ZFW INCR/1000 X	171 MINF ADJ
RAMP	275411		S395986		
TOGW	274511	.....	L312711		
LDGW	226697		S264897		

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

Remarks
PERISHABLES O/B -
NOC CONTACTS
+1-914-701-8045 = ATLAS DISPATCH
+1-914-701-8050 = SYSTEM OPS MOD
- -
SEE COMPANY NOTAM LATT263 IN NOTAM PACKET
- -

RAIM VALIDATION PASSED

MEL/CDL
25-20-01
NON-ESSENTIAL EQUIPMENT & FURNISHINGS (NEF)

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release. By signing this release, I am affirming my belief that the planned flight can be operated safely.

*** DO NOT DEPART WITHOUT A LATT RECEIVED ***
FROM DISPATCH VIA ACARS OR VOICE.
(SEE CO NOTAM FOR INFO)

Signed by PIC .. .. (Circle name below)

Signed by Dispatcher: RELEASE NOT VALID

Fit for Duty Affirmation
By signing below, I affirm that I am fit for duty to operate this flight.

			FIT FOR DUTY/ JS VERIFY	RELIEF PIC START-END(Z)
CA	STRIKER		.. ..	.. ..
		LAST TO/EXPIRY	- - - - -/- - - - -	
		LAST LNDG/EXPIRY	- - - - -/- - - - -	
FO	MAVERICK		.. ..	.. ..
		LAST TO/EXPIRY	- - - - -/- - - - -	
		LAST LNDG/EXPIRY	- - - - -/- - - - -	

```
        TIME            FUEL
OUT:            /               ETA PHNL:       UPLIFT:
OFF:            /                    SOB:       PYLD:

ON:             /                    RVSM ALTIMETER RECORD
IN:             /                    L:         S:         R:
```

```
(FPL-GTI847-IS
-B744/H-SDE1E2E3FGHIJ3J5M1P2RWXYZ/LB1D1
-KLAX0900
-M086F380 DARRK3 DINTY R576 DUSAC/M086F400 R576 DENNS MAGGI3
-PHNL0508 PHKO
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/CPDLCX SUR/260B RSP180
 DOF/210824 REG/N263SG
 EET/KZAK0034 PHZH0412
 SEL/FLKM CODE/A28BB9 OPR/GTI RMK/EMERG CTC 19147018045 TCAS II
 EQUIPPED)
```

Overflight/Landing Permits

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	DV	WS	H/T	REMF
MORA		TTK	CH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND		AREM
	KLAX 00128 FT							LOS ANGELES INTL				
	N33 56.5											
	W118 24.5											
DARRK3	TOC											
	N34 18.5	233	122	401	417	00.19			CLB	02	H015	0547
	W120 33.3	244	263	CLB	CLB	00.19		CLB	CLB	224/030		
DARRK3	DINTY											
	N33 29.0	232	112	453	499	00.15			P07	01	H045	0523
	W122 35.0	244	231	274	857	00.34		F380	-50	232/046		
(KZAK)	AT DINTY					00.34	OAKLAND					
R576	DUETS											
	N33 04.2	244	101	451	499	00.13			P07	01	H047	0502
	W124 31.1	256	242	274	857	00.47		F380	-50	233/051		
R576	DADIE											
	N31 06.2	243	405	452	499	00.54			P07	01	H046	0418
	W132 08.2	255	241	274	857	01.41		F380	-50	237/047		
R576	DIALO											
	N28 42.1	238	405	472	499	00.52			P07	00	H026	0339
	W139 25.6	251	238	274	856	02.33		F380	-50	245/026		
	(GOPHNL) ETP1											
	N28 34.6	235	020	488	497	00.02			P06	01	H008	0336
	W139 46.0	247	237	274	855	02.35		F380	-51	305/015		

AWY	WPT	MTK	NM	GS	TAS	LEG-T	ETA	MTRS	DV	WS	H/T	REMF
MORA		TTK	CH	IAS	.M	TOT-T	ATA	FL	TEMP	WIND		AREM
R576	DUSAC											
	N26 00.4	235	374	488	497	00.46			P06	01	H008	0268
	W146 10.0	247	237	274	855	03.21		F380	-51	305/015		
(PHZH)	AT DRAYK					04.12	HONOLULU					
R576	DRAYK											
	N23 01.4	233	394	463	492	00.51			P00	03	H028	0195
	W152 34.7	244	235	262	857	04.12		F400	-56	277/033		
R576	DENNS											
	N22 21.8	231	082	462	491	00.11			P00	02	H028	0180
	W153 52.8	241	233	262	857	04.23		F400	-57	262/030		
MAGGI3	TOD											
	N22 13.9	262	147	459	491	00.19			P00	01	H032	0154
	W156 27.6	271	241	262	857	04.42		F400	-57	254/033		
MAGGI3	PHNL 00013 FT						HONOLULU INTL					
	N21 19.1	221	134	355	359	00.26			DSC	02	H004	0138
	W157 55.2	230	184	DSC	DSC	05.08		DSC	DSC	272/003		

Destination Primary Alternate Route
PHNL HNL2 HAUNA DCT LNY KAYAK6 PHKO
MORA 8200

Critical Fuel Scenario

DEPRESS - B747 KG
(GOPHNL) ETP1 KSFO-PHNL N28 34.6 W139 46.0

	MORA	TRK	DIST	TIME	REMF	PAD	MINF	WX WINDOW
KSFO	027	42	1027	02:44	33567	6315	27252	0907Z-1543Z
PHNL	035	238	1078	02:44	33567	6306	27261	1323Z-1543Z

END OF OFP
<KLAX - PHNL Runway Analysis Unavailable>

STATION COMPANY NOTAMS
KLAX COMPANY NOTAMS
KLAX-RBS Oper: Y 19MAR20/1258
VALID FROM: WIE TO: UFN

KLAX RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 06L/24R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 06R/24L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 07L/25R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 07R/25L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

PHNL COMPANY NOTAMS
PHNL-RBS Oper: Y 15AUG19/0055
VALID FROM: WIE TO: UFN

PHNL RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200F
RWY 08L/26R	STRUCTURAL	STRUCTURAL	STRUCTURAL	750,943LB
RWY 08R/26L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 04R/22L	386,904KG	383,115KG	STRUCTURAL	676,007LB
RWY 04L/22R	385,553KG	385,553KG	850,000LB	850,000LB

KSFO COMPANY NOTAMS
KSFO-FREQ Oper: Y 18MAY17/1629
VALID FROM: WIE TO: UFN
IN-RANGE CALL FREQ
ATLAS - SWISSPORT - 130.85
DHL - 131.635
B747 PAX CHARTER - 128.92 SIGNATURE FLIGHT SUPPORT

KSFO COMPANY NOTAMS
KSFO-RBS Oper: Y 30MAY17/1505
VALID FROM: WIE TO: UFN
KSFO RWY BEARING STRENGTH LIMITS

	B747-400	B747-8	B767-300	B777-200
RWY 01L/19R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 01R/19L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 10L/28R	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL
RWY 10R/28L	STRUCTURAL	STRUCTURAL	STRUCTURAL	STRUCTURAL

ROUTE COMPANY NOTAMS: NIL
FIR COMPANY NOTAMS: NIL

ADMIN COMPANY NOTAMS
ADMIN-AERODATA Oper: Y 06DEC19/1655
VALID FROM: WIE TO: UFN

ADMIN-DEICE Oper: Y 05NOV20/2036
VALID FROM: WIE TO: UFN
DEICING / ANTI-ICING INFORMATION FORM

```
*  1. TYPE OF PROCEDURE (DEICE OR DEICE/ANTI-ICE)  (CIRCLE ONE)  *
*                                                                 *
*  2. FLUID TYPE (TYPE I, II, III, OR IV)          (CIRCLE ONE)
*           BRAND:.....................
*                                                                 *
*  3. FLUID MIXTURE RATIO -       /                               *
*      (FOR TYPE II, III, OR IV FLUID ONLY)                       *
*                                                                 *
*  4. TIME (UTC) OF THE START OF THE FINAL APPLICATION -      Z   *
*                                                                 *
*     - - RETAIN THIS FORM WITH THE TRIP ENVELOPE - -         *
*   **FOR LCF AIRCRAFT ONLY - DEICE REQUIRES LOGBOOK ENTRY**      *
```

ADMIN-LATT263 Oper: Y 10MAY21/1631
VALID FROM: WIE TO: UFN

- -

*********FAR PART 117 FDP/FT COMPLIANCE*********

IAW PART 117 LATEST ALLOWABLE TAKEOFF TIME (LATT) IS THE LATEST TIME YOU MUST BE OFF (AIRBORNE) TO REMAIN WITHIN FDP (FLIGHT AND DUTY) LIMITS.

LATT IS BASED ON THE MOST RESTRICTIVE CREWMEMBER ASSIGNED TO THE FLIGHT.

THE AUTOMATED ACARS LATT MESSAGE IS ACTIVATED BY PRESSING INIT REQ* AND CONFIRM* KEYS ON THE ACARS INIT PAGE. SAMPLE MESSAGE:

BASED ON AN ETD OF XX:XX
AND THE MOST RESTRICTIVE
CM, YOUR CALCULATED LATT
IS XX:XX.
LATT MAY BE SUBJECT TO
CHANGE BASED ON DELAYS.

CREWS SHOULD PRINT THE LATT MESSAGE AND RETAIN IN THE TRIP ENVELOPE, OR RECORD ON THE OFP.

PART 117 FLIGHTS MUST NOT DEPART WITHOUT A VALID LATT. IF LATT MESSAGE IS NOT RECEIVED, CONTACT DISPATCH.

- -

ADMIN-OFP CHG Oper: Y 17APR19/0100
VALID FROM: WIE TO: UFN

- -

ADMIN-PUBS747A Oper: Y 17AUG21/1459
VALID FROM: WIE TO: UFN
CURRENT AIRCRAFT LIBRARY REVISIONS

	CURRENT	/ CURRENT EFF ON RECEIPT
747-400P GE		
- QRH.....	REV 11	01-APR-21 / NA
- DDG.....	VER 17	23-APR-21 / NA
- NORMAL CHECKLIST.....		01-APR-21 / NA
747-400P PW		
- QRH.....	REV 01	01-JUN-20 / NA
747-400F/C GE		
- QRH.....	REV 10	01-JUN-20 / NA
- DDG.....	VER 17	23-APR-21 / NA
- NORMAL CHECKLIST.....		15-NOV-20 / NA
747-400F/C PW		
- QRH.....	REV 04	01-JUN-20 / NA
- DDG.....	VER 17	23-APR-21 / NA
- NORMAL CHECKLIST.....		15-NOV-20 / NA

RELEASE COMPANY NOTAMS: NIL

N263SG COMPANY NOTAMS
263-WB Oper: Y 25APR19/2150
VALID FROM: WIE TO: UFN

N263SG WEIGHT AND BALANCE ADVISORY

BOW / INDEX	BOW / INDEX	BOW / INDEX
FLIGHT DECK CREW	FLIGHT DECK CREW	FLIGHT DECK CREW
181,711(60)	(+1) 181,821(60)	(+2) 181,931(59)
CABIN CREW/ACM'S	CABIN CREW/ACM'S	CABIN CREW/ACM'S
+12 - 183,031(60)	+12 - 183,141(60)	+12 - 183,251(59)
+13 - 183,141(59)	+13 - 183,251(59)	+13 - 183,361(58)
+14 - 183,251(59)	+14 - 183,361(59)	+14 - 183,471(58)
+15 - 183,361(59)	+15 - 183,471(59)	+15 - 183,581(58)
+16 - 183,471(59)	+16 - 183,581(59)	+16 - 183,691(58)
+17 - 183,581(59)	+17 - 183,691(59)	+17 - 183,801(58)
+18 - 183,691(59)	+18 - 183,801(59)	+18 - 183,911(58)
+19 - 183,801(59)	+19 - 183,911(59)	+19 - 184,021(58)

BOW = COCKPIT FLIGHT DECK CREW, CABIN CREW AND ACMS OCCUPYING A J/S (FLIGHT DECK OR CABIN AND LISTED ON THE OFP). THE BOW DOES NOT INCLUDE FLIGHT MECHANICS, LOADMASTERS, PASSENGER SERVICE REPS OR ATLAS AND POLAR EMPLOYEES WHO MAY BE TRAVELING ON THE AIRCRAFT. AS THEY WILL BE IN PASSENGER SEATS THEY WILL BE COUNTED AS NON-REVENUE (NR) PASSENGERS ON THE WEIGHT AND BALANCE FORM.

SOB = TOTAL CREW COUNT FROM OFP AND W&B PASSENGER COUNT.

DEPARTURE
METAR KLAX 231553Z 02003KT 9SM OVC028 20/15 A3008 RMK AO2 SLP123
T02000150 $

TAF AMD KLAX 231528Z 2315/2418 VRB03KT P6SM OVC028 FM231800 25008KT
P6SM SKC FM232000 26015KT P6SM SKC FM240400 26008KT P6SM SKC
FM240700 VRB03KT P6SM OVC012 FM241400 VRB03KT P6SM OVC022

ARRIVAL
METAR PHNL 231553Z 00000KT 10SM SCT026 BKN034 25/22 A2994 RMK AO2
RAB41E50 SLP138 P0000 T02500217 $

TAF AMD PHNL 231417Z 2314/2418 33005KT P6SM FEW025 BKN035 OVC050
FM231600 04008G14KT 6SM -SHRA SCT012 BKN025 OVC035 FM232000
04012G20KT 3SM SHRA SCT006 OVC012 FM240000 07016G26KT 5SM SHRA
FEW006 BKN012 OVC025 FM240600 09012G20KT P6SM -SHRA FEW006 BKN012
OVC025 FM241200 06008KT P6SM VCSH FEW025 BKN035 OVC050

OTHER
METAR PHKO 231553Z 14009KT 10SM FEW027 SCT075 25/20 A2991 RMK AO2
SLP128 T02500200 $

TAF AMD PHKO 231423Z 2314/2412 VRB04KT P6SM FEW025 SCT060 TEMPO
2314/2316 SCT015 BKN025 FM231600 12010KT P6SM FEW025 SCT060
FM232000 21013KT P6SM FEW020 SCT045 FM240600 08010KT P6SM VCSH
SCT020 BKN045

OTHER
METAR KSFO 231507Z 18003KT 10SM FEW006 SCT013 14/11 A3011

TAF AMD KSFO 231507Z 2315/2418 VRB04KT P6SM FEW006 SCT014 TEMPO
2315/2317 BKN014 FM231800 VRB05KT P6SM FEW015 FM232100 29018KT
P6SM FEW015 FM240400 28012KT P6SM FEW012 FM240800 27007KT P6SM
BKN012

SIM 1/2/3/PAA TLR CF680C2BxF

```
TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z
A/C N263SG  B747-400 CF680C2BxF KG

ACARS INIT DATE = 23    ACARS TAKEOFF REQUEST = 1619Z-0019Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = -07C TO MT      QNH = GREATER OR EQUAL TO 29.98

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
LAX  25R/F       07.0 050M04 30.08 20  2755 3127

RMKS NONE

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2
-------- -------- --------------------------
SMRGN    ACCEL    EFP
---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
07L           12091 RT H250
07R           11095 RT H250
25L           11095 DT H251
25R           12091 DT H251
25R/F         11050 DT H251
TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z

------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND --------------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
07L          2755 62  92.8 D-TO 2 - PACKS ON   10 144 149 156
07R          2755 62  92.8 D-TO 2 - PACKS ON   10 142 149 156
25L          2755 62  92.8 D-TO 2 - PACKS ON   10 141 149 156
25R          2755 62  92.8 D-TO 2 - PACKS ON   10 144 149 156
25R/F        2755 62  92.8 D-TO 2 - PACKS ON   10 141 149 156

-------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------
RWY          MTOW MT    N1 CONFIG              FL  V1  VR  V2
07L          2855 57  93.7 D-TO 2 - PACKS ON   10 147 152 159
07R          2855 57  93.7 D-TO 2 - PACKS ON   10 143 152 159
25L          2855 57  93.7 D-TO 2 - PACKS ON   10 145 152 159
25R          2855 57  93.7 D-TO 2 - PACKS ON   10 147 152 159
25R/F        2855 57  93.7 D-TO 2 - PACKS ON   10 145 152 159
```

SOUTH COAST TLR PW4065

```
TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z
A/C N263SG  B747-400 PW4056 KG

ACARS INIT DATE = 23    ACARS TAKEOFF REQUEST = 1619Z-0019Z
         -- TLR TAKEOFF DATA VALID IF --
OAT RANGE = -07C TO MT      QNH = GREATER OR EQUAL TO 29.98

/// TAKEOFF DATA ///

APT  PRWY        POAT PWIND  PQNH  FLP PTOW MFPTW
LAX  25R/F       07.0 050M04 30.08 20  2755 3127

RMKS NONE

-------- ---- ---- ---- ----------------- -----  --- --- ---
RWY      MTOW ATM  N1   THR/PACKS CONFIG  FLAPS  V1  VR  V2
-------- -------- --------------------------
SMRGN    ACCEL    EFP
---------------------------- RUNWAY INFO ----------------------------
RWY          LENGTH EFP     NOTES
07L           12091 RT H250
07R           11095 RT H250
25L           11095 DT H251
25R           12091 DT H251
25R/F         11050 DT H251
TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z

------------- DRY RWY - PTOW - ENG A/I OFF - CALM WIND --------------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
07L          2755 48  1.29 D-TO 2 - PACKS ON   10 144 149 156
07R          2755 48  1.29 D-TO 2 - PACKS ON   10 142 149 156
25L          2755 48  1.29 D-TO 2 - PACKS ON   10 141 149 156
25R          2755 48  1.29 D-TO 2 - PACKS ON   10 144 149 156
25R/F        2755 47  1.29 D-TO 2 - PACKS ON   10 141 149 156

-------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------
RWY          MTOW MT   EPR CONFIG              FL  V1  VR  V2
07L          2855 45  1.30 D-TO 2 - PACKS ON   10 147 152 159
07R          2855 44  1.31 D-TO 2 - PACKS ON   10 143 152 159
25L          2855 45  1.30 D-TO 2 - PACKS ON   10 145 152 159
25R          2855 44  1.31 D-TO 2 - PACKS ON   10 147 152 159
25R/F        2855 43  1.31 D-TO 2 - PACKS ON   10 145 152 159
```

Landing Report- CF680C2BxF/PW4056

/// LANDING DATA ///

TAKEOFF AND LANDING REPORT GTI 847 LAX-HNL xxAUG21
TLR-0 SEQ-26307091 xxAUG21 1619Z

APT	PRWY	POAT	PWIND	PQNH	FLP	PLDW	PMRLW
HNL	08L	30.0	000M00	29.92	30	2276	3898

RMKS NONE

---------- RUNWAY INFO ----------

RWY	LENGTH	SLOPE	NOTES
04L	6952	-0.03	
04R	8950	0.00	
08L	12312	-0.03	
08R	12000	0.00	
22L	8937	0.00	
22R	6952	0.03	
26L	12000	0.00	
26R	12300	0.03	

- AUTOBRK 2 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

FLAPS 25

LDW	DRY	WET
2400	9163	-----
2300	8833	-----
/ 2276	8757	-----
2200	8503	-----
2100	8174	-----
HW/KT	-44	-----
TW/KT	+151	-----
UP/1PCT	-196	-----
DN/1PCT	+161	-----

- AUTOBRK 3 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --

FLAPS 25

LDW	DRY	WET
2400	8100	8100
2300	7821	7821
/ 2276	7757	7757
2200	7542	7542
2100	7264	7264
HW/KT	-39	-39
TW/KT	+132	+132
UP/1PCT	-115	-115
DN/1PCT	+46	+58

- AUTOBRK 4 - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND --
FLAPS 25

	LDW	DRY	WET
	2400	6860	7136
	2300	6631	6907
/	2276	6579	6855
	2200	6403	6679
	2100	6175	6451
HW/KT		-32	-33
TW/KT		+109	+114
UP/1PCT		-12	-23
DN/1PCT		0	+23

AUTOBRK MAX - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

	LDW	DRY	WET
	2400	5676	7067
	2300	5499	6864
/	2276	5458	6818
	2200	5321	6661
	2100	5144	6459
HW/KT		-25	-29
TW/KT		+83	+102
UP/1PCT		-12	-81
DN/1PCT		0	+104

- MAX MANUAL - 15PCT LDG FACTOR - NO THR REV - MAN LAND - CALM WIND -
FLAPS 25

	LDW	DRY	WET
	2400	4893	6774
	2300	4735	6571
/	2276	4699	6524
	2200	4577	6368
	2100	4419	6165
HW/KT		-22	-29
TW/KT		+73	+100
UP/1PCT		-53	-115

ATIS KLAX RWY25R GTI847 (QLOFT2)

KLAX DEP INFO A XXXXZ. 05004KT
01SM OVC001 07/01 A3008
(THREE ZERO ZERO EIGHT).
DEPG RWY 25R. BIRD ACTIVITY
IN VICINITY ARPT. ALL ACFT READ
BACK ALL HOLD SHRT INSTRUCTIONS
AND ASSIGNED ALT.
…ADVS YOU HAVE INFO A

PDC KLAX-PHNL GTI847 (QLOFT2)

GTI847 KLAX-PHNL
SQUAWK: 1747
EDT: xxxx EDCT: xxxx
FILED: FL360
EQUIP: H/B744/L
****
REVIEW ATC INSTRUCTIONS
****
FLT PLAN ROUTING:
KLAX DARRK_ DINTY ./.PHNL
****
ATC INSTRUCTIONS:
CLEARED DARRK_ DEPARTURE
DINTY TRSN
CLIMB VIA SID EXP FL360
10 MIN AFT DP,DPFRQ 124.3
NEXT FREQ 121.65
****
REMARKS:
EMERG CTC 19147018045
TCA***
END OF CLEARANCE

ATLAS AIR B747-400P LOADSHEET (Rel. 3.3.41) Loadsheet Printout NR: 1

STANDARD PROD. TIME: 14:50

FROM/TO	FLIGHT	A/C	ACM	DATE	TIME
LAX/HNL	5Y847	REG	0	xx-xxx-2021	xx:xx
Data Rev. Date:		N263SG			

ALL WEIGHTS IN KG

---------- MAIN DECK ----------

	A1	A2	B	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R																		
C																		
L																		
IDX																		

NOT APPLICABLE TO TRAINING

---------- LOWER DECK ----------

	11P	12P	21P	22P	23P	31P	32P	41P	42P	52	54
IDX											

NOT APPLICABLE TO TRAINING

		WGT KG	INDEX
BASIC OPERATING WGT		181711	60.00
BALLAST		0	0.00
ACM	(4)	440	-1.43
CABIN CREW	(16)	1760	-0.72
SWA		0	0.00
TOTAL TRAFFIC LOAD		29902	-5.14
ZERO FUEL WEIGHT	(Max: 242671)	213813	67.43
TAXI FUEL		900	1.30
TAKE OFF FUEL		61600	-0.41
TAKE OFF WEIGHT	(Op. Max: 312711)	275413	67.02
TRIP FUEL		47814	1.49
LANDING WEIGHT	(Max: 264897)	227599	65.53
ALLOWED PAYLOAD		65440	

CAPTAIN: XXXXXXXXXXXX

CREW 2/16
SOB 75

CAPTAINS INFO BEFORE LMC

FUEL TANK STATUS: ALL FUEL TANKS OK

IMBALANCE -0.9%
NOTOC DG NO

LOADING CERTIFICATE-I CERTIFY THAT THE LOADING OF THIS

NOTOC SC NO

A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN. FERRY FLIGHTS-THE BULK AND LOWER COMPARTMENTS HAVE BEEN CHECKED AND ALL BAGGAGE/CARGO REMOVED.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

		FWD	AFT
ZFW MAC	19.3 %	16	33
TOW MAC	19.5 %	11	33
LDG MAC	19.1 %	16	33
STABTRIM			

LOAD SUPERVISOR:_____(PRINT NAME)

_____(SIGNATURE)

CPT ACCEPTANCE:_____(SIGNATURE)

LAST MINUTE CHANGES

UNDERLOAD BEFORE LMC: 28112 Kg

LOADSHEET CHECKED AND APPROVED BY: Robert Donovan (SWP) (ANC)

----------	----------	----------	----------
LWR/FWD DECK CHECKED	LWR/AFT DECK CHECKED	PRINT NAME	SIGNATURE

FDP GTI 847 LAX (QLOFT 2)

CF680C2BxF

```
KLAX          CF680C2BxF
FLT NO   RLS NO     TIME
847         2       xxxxZ
WIND KTS   OAT C      QNH
350/15      +07     30.08
-----------------------
GRWT  275.4    VREF30 146
FUEL   62.5
ZFW   213.9

REMARKS
ENGINE ANTI ICE ON
78-31-01A

KLAX  25R/F         11050
MTOW  286.9    SMRGN 2127
FLAPS 10         PACKS ON
ATM   55C          V1 142
THR   D-TO2        VR 151
N1    91.5         V2 158
CG    19.5       TRIM 6.5

DT H251       ACCEL 1000
```

PW4056

```
KLAX           PW4056III
FLT NO   RLS NO     TIME
847         2       xxxxZ
WIND KTS   OAT C      QNH
350/15      +07     30.08
-----------------------
GRWT  275.4    VREF30 146
FUEL   62.5
ZFW   213.9

REMARKS
ENGINE ANTI ICE ON
78-31-01A

KLAX  25R/F         11050
MTOW  286.9    SMRGN 2135
FLAPS 10         PACKS ON
ATM   55C          V1 142
THR   D-TO2        VR 151
EPR   1.28         V2 158
CG    18.9       TRIM 6.5

DT H251       ACCEL 1000
```

CABIN READY

```
GTI847/xx           KLAX - KSFO        xx AUG 21            N263SG
COST INDEX 115                                        Revision: 3
B747-400   / CF680C2BxF / KGS / IFR / FF +x.x
PROGS 231221 231224 231227       Release Valid Until 1353Z 24AUG21
```

```
ORIG   KLAX/LAX LOS ANGELES INTL              N33290W122350 0953Z
DEST   KSFO/SFO SAN FRANCISCO INTL          Q N37371W122225 1032Z
PALT   KOAK/OAK OAKLAND METRO INTL            N37433W122133 1051Z
```

```
CO ROUTE/UPLINK: 032581

DINTY DCT BSR BSR3 KSFO

DINTY/0380

Coldest Fuel Temp: NO CALC INFLIGHT             WIND/ISA: T042/P07
FMC Reserve: 11.1  NAM: 0250
```

```
       DINTY-KSFO
ALT1/2  KOAK/
        FUEL   TIME  DIST
TRIP    003691 00.39 0266
ALT1    004118 00.21 0093
FAR RSV 007024 00.45
10% RSV
ADD
CF
BALLAST
MINF    014833 01.45 ....
EXTRA   037479 04.00
TAXI    000000 00.00
BLOCK   052312

REMF    048621 06.03 ....
```

```
           Weight  Actual  Limit
BOW        183911
SWA        000000
PYLD       030000
ZFW        213911  ......  S242671   ZFW INCR/1000 X   11 MINF ADJ
RAMP       266223          S395986
TOGW       266223  ......  L268588
LDGW       262532          S264897
```

```
WEIGHT LIMIT CODES:
S-STRUCT  P-PERF  L-MTOW BASED ON LDW+TRIP FUEL  I-BY DISPATCHER
```

ATIS KSFO RWY28R GTI847 (QLOFT2)

KSFO ARR INFO F XXXXZ. 19015KT
1-1/2SM RA OVC011 08/08 A2986
(TWO NINE EIGHT SIX).
LNDG RWY 28R. EXPECT ILS RWY 28R.
ADVISE ON INITIAL CONTACT YOU
HAVE INFORMATION F.

FDP-LDA KSFO GTI847 (QLOFT 2)

KSFO		XXXXXXX
FLT NO	LDW	TIME
847	263.7	xxxxZ
WIND KTS	OAT C	QNH
190/15	+08	29.86

REMARKS

WET RUNWAY
78-31-01A

KSFO 28R		11870
LDW 263.7	MRLW	400.0
FLAPS 25		VREF 150
SETTINGS	FEET	BTMS
AUTOBRK 2	----	---
AUTOBRK 3	8995	3.6
AUTOBRK 4	8213	4.1
MAX AUTO	7002	4.8
MAX MAN	5983	5.6

KSFO		XXXXXXX
FLT NO	LDW	TIME
847	263.7	xxxxZ
WIND KTS	OAT C	QNH
190/15	+08	29.86

REMARKS

WET RUNWAY
78-31-01A

KSFO 28R		11870
LDW 263.7	MRLW	400.0
FLAPS 30		VREF 150
SETTINGS	FEET	BTMS
AUTOBRK 2	----	---
AUTOBRK 3	8715	3.2
AUTOBRK 4	7903	3.7
MAX AUTO	6882	4.4
MAX MAN	5813	5.2