GTI400 /12 **KLAX - KCVG** **12 JUN 15** **N[number]**
COST INDEX 044 **Revision: 4**
B747-[variant] / [engines] / KGS / IFR / FF +0.0
PROGS 090636 Release Valid Until 0600Z 12JUN15

STD: 0200Z STA: 0526Z

ORIG	KLAX/LAX LOS ANGELES INTL	N33566W118245	0200Z
DEST	KCVG/CVG CINCINNATI	N39029W084401	0600Z
PALT	KDAY/DAY DAYTON INTL	N39541W084132	0618Z

CO ROUTE/UPLINK: 86960

KLAX OSHNN4 DAG J146 DVC J197 HGO DCT HLC J80 MCI J24 STL DCT ENL SARGO3 KCVG

KLAX/0350 MISEN/0370 DVC/0390

Coldest Fuel Temp: -19/TYOTA+16 WIND/ISA: T048/P05
FMC Reserve: 9.9 NAM: 1674

KLAX-KCVG

	KDAY/ FUEL	TIME	DIST
TRIP	**034378**	03.35	1795
ALT1	003399	00.18	0076
ALT2			
FAR RSV	006483	00.45	
10% RSV			
ADD			
CF			
BALLAST			
MINF	**044260**	04.38	....
EXTRA			
TAXI	001125	00.25	
BLOCK	**045385**		
REMF	**009882**	01.16	....

	Weight	**Actual**	**Limit**	
BOW	160695			
SWA	000000			
PYLD	079305			
ZFW	240000	.....	S276691	ZFW INCR/1000 X 112 MINF ADJ
TOGW	284260	.....	L336470	
LDGW	249882		S302092	

WEIGHT LIMIT CODES:
S-STRUCT P-PERF L-MTOW BASED ON LDW+TRIP FUEL I-BY DISPATCHER

Remarks

CVG: 747-400/-8 AIRCRAFT ARE NOT AUTH CAT II/III TO CVG RWY 36C.

MEL/CDL - No Applicable Items

Flight Release Authorization

I certify that this flight has been dispatched in accordance with applicable FARs. All pages of the Operational Flight Plan are an integral part of the Flight Release.

PIC .. .. Dispatcher: WHATISAY D
Sign and Circle Name Below

```
        TIME            FUEL
OUT:            /               ETA KCVG:       UPLIFT:
OFF:            /                    SOB:       PYLD:

ON:             /                    RVSM ALTIMETER RECORD
IN:             /                    L:         S:         R:
```

```
(FPL-GTI400-IS
-B74x/H-SDE1E2E3FGHIJ7LM3ORVWXYZ/LB1D1
-KLAX0200
-N0492F350 OSHNN4 DAG J146 MISEN/N0494F370 J146 DVC/N0485F390 J197
 HGO DCT HLC J80 MCI J24 STL DCT ENL SARGO3
-KCVG0335 KDAY
-PBN/A1B1C1D1L1 NAV/RNVD1E2A1 SUR/260B DOF/150612 REG/N[number]
 SEL/RSHK CODE/A4CF26 OPR/GTI RMK/TCAS EQUIPPED EMERG CTC
 19147018045)
```

Overflight Permits

AWY / MORA	WPT	MTK NM / TTK CH	GS / IAS	TAS / .M	LEG-T / TOT-T	ETA / ATA	MTRS / FL	DV / TEMP	WS / WIND	H/T	REMF / AREM
	KLAX 00128 FT N33 56.6 W118 24.5						LOS ANGELES INTL				
OSHNN4 .117	**TOC** N34 22.0 W117 24.2	275 106 288 058	474 CLB	432 CLB	00.16 00.16		**CLB**	CLB	02	T041	0378 CLB 238/027
OSHNN4 .117	**DAG** N34 57.8 W116 34.7	DAGGETT 033 054 048 031	565 284	493 829	00.06 00.22		113.20 **F350**	P13 -41	02	T073	0369 240/074
J146	**MISEN** N35 06.1 W116 24.2	031 012 046 028	566 284	492 828	00.02 00.24		F350	P13 -41	02	T073	0367 240/076
J146	**CLARR** N35 40.5 W115 40.8	032 049 046 029	565 275	494 839	00.05 00.29		**F370**	P12 -45	02	T072	0357 239/074
J146 .100	**LAS** N36 04.8 W115 09.6	LAS VEGAS 033 036 046 031	569 275	494 838	00.03 00.32		116.90 F370	P12 -45	02	T075	0351 239/078
J146	**NOOTN** N36 37.5 W113 20.7	057 093 069 058	569 274	493 838	00.10 00.42		F370	P11 -45	03	T075	0335 243/076
J146	**BETHL** N36 53.1 W112 26.4	057 046 070 058	568 274	493 838	00.05 00.47		F370	P11 -45	03	T076	0327 245/076

AWY MORA	WPT	MTK TTK	NM CH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	DV TEMP	WS H/T WIND	REMF AREM
J146	**FREDD**										
	N36 54.6	057	005	570	493	00.01			P11	02 T077	0326
	W112 21.1	070	058	274	837	00.48		F370	-45	246/077	
(KZDV)	N37046W111451					00.51	DENVER				
J146	**DICEE**										
	N37 13.2	058	057	568	492	00.06			P11	02 T076	0317
	W111 13.4	071	058	274	838	00.54		F370	-46	248/076	
J146	**DVC**		DOVE CREEK						114.60		
.108	N37 48.5	060	115	560	491	00.12			P09	01 T069	0297
	W108 55.9	071	060	274	838	01.06		F370	-47	255/069	
J197	**HGO**		HUGO						112.10		
.156	N38 49.1	061	257	552	485	00.28			P05	02 T066	0253
	W103 37.3	075	058	262	837	01.34		**F390**	-52	271/068	
DCT	**HLC**		HILL CITY						113.70		
	N39 15.5	067	160	537	485	00.18			P03	01 T051	0225
	W100 13.6	079	063	263	840	01.52		F390	-54	291/060	
(KZKC)	N39171W099066					01.58	KANSAS CITY				
J80	**SLOWR**										
	N39 18.2	080	126	525	486	00.15			P02	02 T039	0203
	W097 31.7	088	076	264	843	02.07		F390	-54	304/050	
J80	**CATTS**										
	N39 18.2	084	063	519	487	00.07			P02	01 T032	0192
	W096 09.2	090	080	264	844	02.14		F390	-54	312/044	
J80	**MCI**		KANSAS CITY						113.25		
	N39 17.1	086	066	515	486	00.08			P01	01 T029	0180
	W094 44.2	091	082	264	845	02.22		F390	-55	317/043	
J24	**DRIVL**										
	N39 11.1	091	055	514	486	00.06			P01	01 T029	0171
	W093 34.5	096	087	264	845	02.28		F390	-55	321/041	
J24	**WELTS**										
	N39 00.4	094	084	508	485	00.10			P00	02 T023	0156
	W091 46.4	097	090	264	845	02.38		F390	-56	325/036	
J24	**STL**		ST LOUIS						117.40		
	N38 51.6	096	061	502	484	00.07			M01	01 T018	0145
	W090 28.9	098	093	264	845	02.45		F390	-57	326/029	
DCT	**ENL**		CENTRALIA						115.00		
	N38 25.2	112	067	501	484	00.08			M01	01 T017	0134
	W089 09.5	113	110	264	845	02.53		F390	-57	326/020	
(KZID)	N38215W088076					02.59	INDIANAPOLIS				

AWY MORA	WPT	MTK TTK	NM CH	GS IAS	TAS .M	LEG-T TOT-T	ETA ATA	MTRS FL	DV TEMP	WS WIND	H/T	REMF AREM
SARGO3	**TOD**											
	N38 26.7	090	147	501	484	00.18			P00	01	T016	0108
	W086 05.9	094	077	264	844	03.11		F390	-56	280/018		
SARGO3	**KCVG**											
	N39 02.9	073	136	392	390	00.24			DSC	01	T002	0099
	W084 40.1	068	043	DSC	DSC	03.35		**DSC**	DSC	291/010		

Destination Primary Alternate Route
KCVG DCT BRYNN DCT KEKEE DCT KDAY
MORA 2200

END OF OFP

TAKEOFF AND LANDING REPORT GTI 0400 KLAX-KCVG 12JUN15
TLR-4 SEQ-62062492 12JUN15 0000Z
A/C N[number] B747-[variant] [engines] KG

ACARS INIT DATE = 12 ACARS TAKEOFF REQUEST = 0000Z-0800Z
-- TLR TAKEOFF DATA VALID IF --
OAT RANGE = 5C TO MT QNH = GREATER OR EQUAL TO 29.82

/// TAKEOFF DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRTW	FLP	IC	V1	VR	V2	PTOW	MFPTW
KLAX	25L	15.0	258M03	29.92	3997	20	Y	49	54	68	2842	3364

RMKS NONE

TOGW	RWY	MTOW	SEL N1	CONFIG	FL	V1	VR	V2

SMRGN	ACCEL	EFP

RUNWAY INFO

RWY	LENGTH	PMTOW	EFP	NOTES
06L	8926	3364	LT H250	
06R	10285	3364	LT H250	
07L	12091	3364	RT H250	NOTAMS A0938/15
07L CRANE	12091	3364	RT H250	NOTAMS A0460/15 A0460/15 A0938/15 A0938/15 A1806/15 A1806/15
07R	11095	3364	RT H250	NOTAMS A1806/15
07R CRANE	11095	3364	RT H250	NOTAMS A0460/15 A0939/15 A1806/15
24L	10285	3364	DT H251	
24R	8926	3364	DT H251	
25L	11095	3364	DT H251	
25R	12091	3364	DT H251	
25R/F	11050	3364	DT H251	

DRY RWY - PTOW - ENG A/I OFF - CALM WIND

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
06L	2842	51	93.5	D-TO 2 - PACKS ON	20	137	144	153
06R	2842	57	91.5	D-TO 2 - PACKS ON	20	138	146	154
07L	2842	63	90.5	D-TO 2 - PACKS ON	10	146	152	159
07L CRANE	2842	52	93.0	D-TO 2 - PACKS ON	10	145	150	159
07R	2842	60	91.0	D-TO 2 - PACKS ON	10	143	152	159
07R CRANE	2842	52	93.0	D-TO 2 - PACKS ON	10	145	150	159
24L	2842	57	91.5	D-TO 2 - PACKS ON	20	143	147	154
24R	2842	51	93.5	D-TO 2 - PACKS ON	20	136	144	153
25L	2842	58	91.5	D-TO 2 - PACKS ON	20	142	150	157
25R	2842	64	90.5	D-TO 2 - PACKS ON	10	144	152	159
25R/F	2842	58	91.5	D-TO 2 - PACKS ON	20	142	151	157

747-8 24L & 25L
N1 80.0

TAKEOFF AND LANDING REPORT GTI 0400 KLAX-KCVG 12JUN15
TLR-4 SEQ-62062492 12JUN15 0000Z

-------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - CALM WIND --------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
06L	2942	46	95.2	D-TO 2 - PACKS ON	20	136	146	156
06R	2942	53	92.5	D-TO 2 - PACKS ON	20	140	148	156
07L	2942	55	91.8	D-TO 2 - PACKS ON	10	147	154	162
07L CRANE	2942	49	94.4	D-TO 2 - PACKS ON	10	147	152	162
07R	2942	54	92.1	D-TO 2 - PACKS ON	20	145	154	160
07R CRANE	2942	49	94.4	D-TO 2 - PACKS ON	10	147	152	162
24L	2942	52	93.0	D-TO 2 - PACKS ON	20	141	149	157
24R	2942	47	94.9	D-TO 2 - PACKS ON	20	137	146	156
25L	2942	53	92.5	D-TO 2 - PACKS ON	20	142	150	158
25R	2942	59	91.1	D-TO 2 - PACKS ON	10	149	155	162
25R/F	2942	53	92.5	D-TO 2 - PACKS ON	20	142	151	158

---------- DRY RWY - PTOW - ENG A/I OFF - 15KT TW ----------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
06L	2842	34	98.1	D-TO 2 - PACKS ON	20	124	140	153
06R	2842	46	95.2	D-TO 2 - PACKS ON	20	129	143	153
07L	2842	52	93.0	D-TO 2 - PACKS ON	20	137	148	156
07L CRANE	2842	44	95.7	D-TO 2 - PACKS ON	20	141	152	161
07R	2842	51	93.5	D-TO 2 - PACKS ON	20	132	144	153
07R CRANE	2842	44	95.7	D-TO 2 - PACKS ON	20	135	148	158
24L	2842	46	95.2	D-TO 2 - PACKS ON	20	130	143	153
24R	2842	35	97.8	D-TO 2 - PACKS ON	20	126	140	153
25L	2842	49	94.4	D-TO 2 - PACKS ON	20	132	143	153
25R	2842	53	92.5	D-TO 2 - PACKS ON	20	132	145	153
25R/F	2842	49	94.4	D-TO 2 - PACKS ON	20	129	143	153

--------- DRY RWY - PTOW PLUS 10000 - ENG A/I OFF - 15KT TW ---------

RWY	MTOW	MT	N1	CONFIG	FL	V1	VR	V2
06L	2942	16	98.7	TO 2 - PACKS ON	20	129	143	156
06R	2942	40	96.7	D-TO 2 - PACKS ON	20	130	145	156
07L	2942	49	94.4	D-TO 2 - PACKS ON	20	137	150	159
07L CRANE	2942	39	96.9	D-TO 2 - PACKS ON	20	138	144	156
07R	2942	46	95.2	D-TO 2 - PACKS ON	20	131	146	156
07R CRANE	2942	39	96.9	D-TO 2 - PACKS ON	20	135	150	161
24L	2942	40	96.7	D-TO 2 - PACKS ON	20	131	145	156
24R	2942	18	98.7	TO 2 - PACKS ON	20	127	143	156
25L	2942	44	95.7	D-TO 2 - PACKS ON	20	134	146	156
25R	2942	50	93.9	D-TO 2 - PACKS ON	20	134	147	156
25R/F	2942	44	95.7	D-TO 2 - PACKS ON	20	131	146	156

/// LANDING DATA ///

APT	PRWY	POAT	PWIND	PQNH	PMRLW	FLP	PLDW
KCVG	36R	-10	196M07	30.35	3135	30	2498

RMKS NONE

TAKEOFF AND LANDING REPORT GTI 0400 KLAX-KCVG 12JUN15
TLR-4 SEQ-62062492 12JUN15 0000Z

--------- FLAPS 25 - PACKS ON - A/I OFF - NO ENROUTE ICING ----------
DRY RWY / WET RWY - LOW VIS

	09	18C	18L	18R
OAT	11880 FT/-0.06	11000 FT/-0.30	10000 FT/+0.10	8000 /+0.10
00	3851F/3530F	3676F/3356F	3455F/3151F	2980F/2710F
/-10	3851F/3530F	3676F/3356F	3455F/3151F	2980F/2710F
-20	3851F/3530F	3676F/3356F	3455F/3151F	2980F/2710F
HW/10KT	+74/ +98	+96/ +96	+97/ +94	+94/ +92
TW/10KT	-350/ -323	-334/ -310	-318/ -300	-292/ -438
PCKOFF	0/ 0	0/ 0	0/ 0	0/ 0
EAI	0/ 0	0/ 0	0/ 0	0/ 0
ICING	0/ 0	0/ 0	0/ 0	0/ 0

	27	36C	36L	36R
OAT	12000 FT/+0.06	11000 FT/+0.30	8000 FT/-0.10	10000 /-0.10
00	3873F/3553F	3676F/3356F	2980F/2710F	3455F/3151F
/-10	3873F/3553F	3676F/3356F	2980F/2710F	3455F/3151F
-20	3873F/3553F	3676F/3356F	2980F/2710F	3455F/3151F
HW/10KT	+63/ +99	+96/ +96	+94/ +92	+97/ +94
TW/10KT	-353/ -324	-334/ -310	-292/ -438	-318/ -300
PCKOFF	0/ 0	0/ 0	0/ 0	0/ 0
EAI	0/ 0	0/ 0	0/ 0	0/ 0
ICING	0/ 0	0/ 0	0/ 0	0/ 0

--------- FLAPS 30 - PACKS ON - A/I OFF - NO ENROUTE ICING ----------
DRY RWY / WET RWY - LOW VIS

OAT	09	18C	18L	18R
00	4000A/3770F	3931F/3582F	3689F/3361F	3172F/2883F
/-10	4000A/3770F	3931F/3582F	3689F/3361F	3172F/2883F
-20	4000A/3770F	3931F/3582F	3689F/3361F	3172F/2883F
HW/10KT	0/ +114	+34/ +109	+113/ +104	+104/ +100
TW/10KT	-281/ -355	-381/ -334	-344/ -323	-316/ -473
PCKOFF	0/ 0	0/ 0	0/ 0	0/ 0
EAI	0/ 0	0/ 0	0/ 0	0/ 0
ICING	0/ 0	0/ 0	0/ 0	0/ 0

OAT	27	36C	36L	36R
00	4000A/3795F	3931F/3582F	3172F/2883F	3689F/3361F
/-10	4000A/3795F	3931F/3582F	3172F/2883F	3689F/3361F
-20	4000A/3795F	3931F/3582F	3172F/2883F	3689F/3361F
HW/10KT	0/ +102	+34/ +109	+104/ +100	+113/ +104
TW/10KT	-260/ -359	-381/ -334	-316/ -473	-344/ -323
PCKOFF	0/ 0	0/ 0	0/ 0	0/ 0
EAI	0/ 0	0/ 0	0/ 0	0/ 0
ICING	0/ 0	0/ 0	0/ 0	0/ 0

-- 15PCT FACTOR LDG DIST - AUTOBRK MAX - NO THR REV - MANUAL LAND ---

	FLAPS 25	
LDW	DRY	WET
2600	5520	6944
2500	5343	6742
/ 2498	5341	6739
2400	5165	6539
2300	4988	6336
HW/KT	-25	-29
TW/KT	+83	+102
UP/1PCT	-12	-81
DN/1PCT	0	+104

TAKEOFF AND LANDING REPORT GTI 0400 KLAX-KCVG 12JUN15
TLR-4 SEQ-62062492 12JUN15 0000Z

--- 15PCT FACTOR LDG DIST - AUTOBRK 4 - NO THR REV - MANUAL LAND ----

	FLAPS 25	
LDW	DRY	WET
2600	6654	6930
2500	6426	6702
/ 2498	6423	6699
2400	6197	6473
2300	5969	6245
HW/KT	-32	-33
TW/KT	+109	+114
UP/1PCT	-12	-23
DN/1PCT	0	+23

--- 15PCT FACTOR LDG DIST - AUTOBRK 3 - NO THR REV - MANUAL LAND ----

	FLAPS 25	
LDW	DRY	WET
2600	7866	7866
2500	7587	7587
/ 2498	7584	7584
2400	7309	7309
2300	7030	7030
HW/KT	-39	-39
TW/KT	+132	+132
UP/1PCT	-115	-115
DN/1PCT	+46	+58

--- 15PCT FACTOR LDG DIST - AUTOBRK 2 - NO THR REV - MANUAL LAND ----

	FLAPS 25	
LDW	DRY	WET
2600	8967	-----
2500	8638	-----
/ 2498	8634	-----
2400	8308	-----
2300	7979	-----
HW/KT	-44	-----
TW/KT	+151	-----
UP/1PCT	-196	-----
DN/1PCT	+161	-----

--- 15PCT FACTOR LDG DIST - MAX MANUAL - NO THR REV - MANUAL LAND ---

	FLAPS 25	
LDW	DRY	WET
2600	4844	6663
2500	4699	6460
/ 2498	4697	6457
2400	4553	6257
2300	4407	6054
HW/KT	-21	-29
TW/KT	+70	+100
UP/1PCT	-53	-115
DN/1PCT	+59	+138

336400/284200/249882/1125/34378/44260/45385
END TAKEOFF AND LANDING REPORT GTI 0400 KLAX-KCVG 12JUN15

DEPARTURE

METAR KLAX 120100Z 26003KT 1/2SM HZ FEW005 SCT090 BKN120 BKN140 15/14 A3003 RMK AO2 RAE1259B31E47 SLP110 P0001 T01670161

TAF KLAX 120100Z 1213/1318 25007KT 3SM -RA BR VCSH SCT010 BKN070 FM091600 28006KT P6SM -SHRA SCT035 BKN060 FM121900 27012KT P6SM -SHRA SCT035 BKN060 FM130100 28010KT P6SM VCSH SCT060 BKN120 FM100400 VRB03KT P6SM SCT150 FM131100 20007KT P6SM BKN010

ARRIVAL

METAR KCVG 120100Z 25004KT 7SM SCT007 20/18 A2989 RMK AO2 SLP113

TAF KCVG 120100Z 1213/1318 25005KT 4SM BR BKN006 FM121400 30008KT P6SM FEW040 FM130000 VRB03KT P6SM SKC TEMPO 1308/1312 5SM BR FM131500 22010KT P6SM SKC

OTHER

METAR KDAY 120100Z 25004KT 7SM SCT007 20/18 A2989 RMK AO2 SLP113 T01940150

TAF KDAY 091132Z 0912/1012 27008KT P6SM SKC FM091600 29011KT P6SM FEW040 FM100000 19005KT P6SM SKC

FDP

```
FLT NO    RLS NO    TIME
GTI400       1     0130Z
WIND      OAT C      QNH
260/03      15     29.92
-----------------------
TOGW CG 21.0
TOGW   284.3
FOB     45.4
ZFW    240.0

REMARKS
NONE


KLAX 25L           11095
DT H251 ACCEL 1000     0
   D-TO 2 - PACKS ON
FLAPS  MRTW/LIM   V1 142
20     285.5/C    VR 150
SEL    MTOGW      V2 157
58     285.5
SMRGN  TOGW
2106   284.3    N1  91.5 <=744
                N1  80.0 <=748

KLAX 24L           11050
DT H251 ACCEL 1000 -1041
   D-TO 2 - PACKS ON
FLAPS  MRTW/LIM   V1 142
20     285.9/C    VR 151
SEL    MTOGW      V2 157
58     285.9
SMRGN  TOGW
1963   284.3    N1  91.5 <=744
                N1  80.0 <=748
```

PDC

```
0130 150612 KLAX PDC 631
GTI400 KLAX-KCVG
SQUAWK: 1747
ETD: 0200  EDCT: 0200
FILED FL: 350
EQUIP: H/B74x/L
********************
REVIEW ATC INSTRUCTIONS
********************
FLT PLAN ROUTING:
KLAX OSHNN4 DAG J146
DVC J197 HGO HLC J80
MCI./.KCVG
********************
ATC INSTRUCTIONS:
. . CLIMB VIA SID EXCEPT
MAINTAIN 5000 EXPECT
FINAL ALT 5 MIN AFTER
DEPT 125.2
********************
REMARKS:
TCAS EQUIPPED EMERG
CT***
END OF CLEARANCE
```

GTI400 B747-xxx LOADSHEET (Rel. 2.14.13) Loadsheet Printout NR: 6

STANDARD PROD. TIME: 22:39

FROM/TO	FLIGHT	A/C REG	ACM	DATE	TIME
LAX/CVG	GTI400	Nxxxxx	0	12-Jun-2015	01:30

Data Rev. Date:

ALL WEIGHTS IN KG

---------- UPPER DECK ----------

A1	A2	B	C	D	E	F	G	H	J	K	L	M	P	Q	R	S	T
R																	
C		N	O	T		A	P	P	L	I	C	A	B	L	E		
L			F	O	R		T	R	A	I	N	I	N	G			
ID																	
X																	

---------- LOWER DECK ----------

11P	12P	21P	22P	23P	31P	32P	41P	42P	1	2
IDX										

		WGT KG	INDEX
BALLAST		0	0.00
ACM		0	0.00
TOTAL TRAFFIC LOAD		79305	2.00
DRY OPERATING WGT		160695	72.00
ZERO FUEL WEIGHT	(Max: 288031)	240000	74.00
TAXI FUEL		1125	-1.00
TAKE OFF FUEL		44260	01.00
TAKE OFF WEIGHT	(Op. Max: 326337)	284260	74.00
TRIP FUEL		34378	-2.00
LANDING WEIGHT	(Max: 302092)	249882	72.00
ALLOWED PAYLOAD		90220	

CAPTAIN: XXXXXXXXXXXX

CAPTAINS INFO BEFORE LMC

FUEL TANK STATUS: ALL FUEL TANKS OK

IMBALANCE 0.0%
NOTOC NO

LOADING CERTIFICATE- I CERTIFY THAT THE LOADING OF THIS A/C IS IN ACCORDANCE WITH CURRENT LOADING INSTRUCTIONS AND LOADPLAN.

ACTUAL WEIGHT USED FOR CARGO

BALANCE CONDITIONS

ZFW MAC	28.4 %	**FWD**		**AFT**
TOW MAC	21.0 %	18	**I**	33
LDG MAC	30.5 %	**FWD**		**AFT**
STABTRIM	STAB	25	**I**	33
		-1		-1

UNDERLOAD BEFORE LMC: 59742 Kg

LOAD SUPERVISOR:_____
(PRINT NAME)

_____
(SIGNATURE)

CPT ACCEPTANCE :_____
(SIGNATURE)

LAST MINUTE CHANGES

DEST	SPEC	CL/CPT	WGT

LOADSHEET CHECKED AND APPROVED BY: Mike McNealy (MIA)

LWR/FWD DECK CHECKED	LWR/AFT DECK	CHECKED	PRINT NAME	SIGNATURE