

SQL Statement:

```
SELECT REPLICATE('Google', 3);
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

GoogleGoogleGoogle

SQL Statement:

```
SELECT LEN('GOOGLE');
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

6

SQL Statement:

```
SELECT CONCAT('GOOGLE', '.com');
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

GOOGLE.com

SQL Statement:

```
SELECT TRIM('    Google    ') AS TrimLength;
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

TrimLength

Google

SQL Statement:

```
SELECT RTRIM('Google  ') AS RightTrim;
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

RightTrim

Google

SQL Statement:

```
SELECT LTRIM('    google') AS LeftTrimmedString;
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

LeftTrimmedString

google

SQL Statement:

```
SELECT REPLACE('Googler is present', 'Googler', 'Noogler');
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

Noogler is present

SQL Statement:

```
SELECT UPPER('hello apprentice');
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

HELLO APPRENTICE

SQL Statement:

```
SELECT SOUNDEX('noogler');
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

N246

SQL Statement:

```
SELECT DIFFERENCE('google','noogler');
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 1

2

SQL Statement:

```
SELECT CustomerName, ContactName, Address
FROM Customers
WHERE Address IS NULL;
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

No result.

SQL Statement:

```
SELECT CustomerName, ContactName, Address
FROM Customers
WHERE Address IS NOT NULL;
```

Edit the SQL Statement, and click "Run SQL" to see the result.

Run SQL »

Result:

Number of Records: 91

CustomerName	ContactName	Address
Alfreds Futterkiste	Maria Anders	Obere Str. 57
Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222