

Event Impact

Who a market event hurt, who it helped, what each client did next, and what to do about it — worked end to end on the last Non-Farm Payrolls print.

Example event **XAUUSD** · 2026-09-04 13:29:00 → 13:31:00 London (12:29 → 12:31 UTC) Impacted clients **3,055** Analysis run 2026-09-13


01 At a glance	02 Using the tab
03 Data and where it comes from	04 How the analysis works
05 Segmentation, precisely	06 Every metric and column
07 The Excel workbook	08 The 4 September event, read closely
09 Limits and caveats	10 API reference

01 · AT A GLANCE

What the tab does

You give it a time window and the instruments that moved. It finds every client whose position lived through any part of that window, captures every action they took inside it, measures what it cost or made them, watches how their behaviour and funding changed over the following five days, and sorts them into five action buckets. One click exports the whole thing as a formatted Excel workbook.

For the example event — the ±1-minute window around the 4 September NFP release on gold — this is what came back:




Clients lost \$828k inside two minutes; 706 show the stop-out signature. In the five days after, impacted clients still net-deposited \$262k — but 2,217 of them changed behaviour, mostly by trading far less.

02 · USER GUIDE

Using the tab

Open **Trading** → **Anti-fraud** → **Event Impact**. The tab opens instantly on the *last* analysis run (cached on disk), so there is always something on screen; edit the window and press Analyze to recompute.



Three ways to fill the window (auto-detected moves, the macro calendar, the NFP preset), or type it. Times are **London wall time to the second**; the analyzer converts to UTC for the warehouse.

- Pick the window.** Either press **Last NFP (XAUUSD)** — it fills the most recent first-Friday NFP session, 13:29:00–13:31:00 London, gold only, and runs immediately; or choose an **auto-detected move** (the biggest one-minute ranges on the tick tape in the last 7 days, window = that minute –2 min to +5 min); or choose a **macro calendar** event (high/medium impact, London times; window = event –2 min to +15 min, all symbols); or type start and end yourself.
- Scope the instruments.** **Symbols** takes canonical names, comma-separated (**XAUUSD** , **XAUUSD** , **XAGUSD**). Variants collapse automatically — XAUUSD_e, XAUUSD_{min}, XAUUSD247 all count as XAUUSD. Leave it empty to include every symbol.
- Set the thresholds.** **Sig. loss \$** and **Sig. profit \$** (default 500 each) decide what counts as a significant loss or profit inside the window. They feed the impact class and therefore the segmentation.
- Analyze.** The button disables and the message line counts the seconds; a full recompute reads ten days of trades across every server and takes roughly a minute (the example took 70 s). The KPI strip, segment chips and table then fill.

- 5 **Read the table.** One row per impacted client, ordered by segment (abuse first) and, within a segment, by MLTV descending — the most valuable clients per month float to the top of every bucket, so the first rows in each are who to act on first. Click any column header to add it to a **sort chain** (click again to flip direction; `Reset sort` clears). The account link opens the account detail page.
- 6 **Export.** `Excel` appears once a result exists and downloads the workbook for exactly the parameters on screen (section 07).


RENDERING OF THE RESULTS TABLE · FOUR REAL ROWS FROM THE 4 SEP RUN

ACCOUNT	SEGMENT	IMPACT	WINDOW P&L	CLOSES	ACT ×1D	ACT ×5D	VOL ×5D	WD 1D	WD 5D	ANOMALY	ABUSE LABEL
mt5_live01:105033431	Abuse candidate	significant_profit	\$759.47	5	—	27.0	—	\$0	\$0	93%	
mt4_live01:882110	Retain (high value)	stopped_out	-\$270,780	8	—	0.713	—	\$0	\$0	1%	high_magnitude
mt4_live02:2969082	Retain (high value)	significant_loss	-\$163,566	1	—	—	—	\$0	\$0	0%	news_vol
mt4_live02:2966076	Compensate / review	significant_loss	-\$580.50	1	—	0.083	—	\$0	\$0	1%	

The on-screen table shows twelve columns; the Excel export carries all twenty-eight. A dash means the ratio has no baseline (the client did not trade in the five days before the event).

03 · DATA

What data is used, and where it comes from



Three stores feed the analysis; two more only help you choose a window. Everything the tab and the workbook show is computed by one function from those inputs, and the last result is written to disk so the tab never opens empty.

SOURCE	WHAT IT PROVIDES	WHERE IT LIVES · CONVENTIONS
Trade warehouse	Every closed trade: <code>database</code> , <code>login</code> , <code>symbol</code> , <code>open_time</code> , <code>close_time</code> , <code>volumeLots</code> , <code>netProfit</code> , <code>direction</code> .	Local monthly parquet partitions per server (<code>mt4_live01-04</code> , <code>mt5_live01</code> , <code>mt5_dubai_live01</code>), refreshed from MySQL with an overlap re-read so late amendments are kept. Times are naive UTC. Cent accounts are deflated at source (100 cents → \$1), so all P&L and lots are in real dollars. An account is identified as <code>server:login</code> .
Cashflow store	Cash movements: <code>account_key</code> , <code>when</code> , <code>amount</code> (signed), <code>kind</code> .	Backfilled from MySQL (<code>MT4_balance_ops</code> , <code>MT5_deals</code> with <code>action = 2</code>) into monthly parquet beside the trades. <code>kind</code> is deposit / withdrawal for external money; internal transfers (<code>DT-</code> / <code>WT-</code> comments, transfer types) become transfer_in/out and promotional credit becomes credit — the analyzer counts only deposit and withdrawal , so bonuses and account-to-account moves never inflate funding. Cent-deflated the same way.
Behavioural profiles	The Anti-fraud profile label per account.	<code>antifraud.classify()</code> assigns the highest-priority matching profile: <code>toxic_flow</code> , <code>bonus_arb</code> , <code>martingale</code> , <code>swap_arb</code> , <code>high_magnitude</code> , <code>news_vol</code> , <code>high_exposure_recovery</code> , <code>persistent_edge</code> , <code>scalper</code> — or blank. Used as context in segmentation (section 05).
Tick tape	Auto-detected moves for the window picker.	DuckDB quotes from the live stream, last 7 days: per canonical symbol the largest one-minute (<code>high - low</code>) / <code>mid</code> in bps; top 2 per symbol, top 12 overall. Not used in the analysis itself.
Macro calendar	High/medium-impact events with London times.	ForexFactory JSON feeds (last / this / next week), cached an hour; the dropdown links to investing.com for the readable view. Not used in the analysis itself.

Time conventions

Inputs are **Europe/London wall time**, parsed to the second (`YYYY-MM-DD HH:MM:SS`, or to the minute or day) and converted to naive UTC with `ldn_to_utc`, because the warehouse speaks UTC. The example window `13:29:00 → 13:31:00` London became `12:29:00 → 12:31:00` UTC — British Summer Time. Results and the workbook report the window in UTC.

The NFP preset uses the first Friday of the month (falling back to the previous month if this month's has not happened yet) at 13:29:00–13:31:00 London: the release is 08:30 New York, which is 13:30 London whenever both are on summer or both on winter time. In the two or three weeks a year when the US and UK clocks change on different dates it is 12:30 or 14:30 London — check the calendar dropdown in those weeks.

04 · LOGIC


How the analysis works, step by step

Write `t0` and `t1` for the window's start and end in UTC. Every step below is exactly what the code does, in order.

1 · Load the trades around the event

All trades with `close_time` between `t0 - 5 days` and `t1 + 5 days`, from every server. Five days before is the behaviour baseline; five days after is the longest horizon. For the example that is 30 Aug 12:29 UTC → 9 Sep 12:31 UTC.

2 · Decide who was impacted, and capture every action



A client is **impacted** if any position on the chosen symbols was alive during any part of the window (`open_time ≤ t1` and `close_time ≥ t0`). Every such position is then classed by how it touched the window; a position can be both opened and closed inside it.

```
opened_in   = t0 ≤ open_time ≤ t1
closed_in   = t0 ≤ close_time ≤ t1
held_through = open_time < t0 and close_time > t1
actions     = opened_in ∪ closed_in ∪ held_through      (counted per client)
lots_in_window = ∑ volume_lots over opened_in ∪ closed_in
```

All of these are restricted to the requested symbols (after canonical mapping). In the example: 4,915 opens, 9,437 closes, 4,599 held through — 16,026 actions across 3,055 clients, 1,042 lots transacted inside two minutes.

3 · Money: window P&L and the stop-out signature

```
window_pnl   = ∑ net_profit of the client's trades closed inside the window
window_closes = number of those closes
stopped_out  = among the client's LOSING closes inside the window, sorted by close time,
               any two consecutive closes ≤ 120 seconds apart (needs at least two)
```

Realised P&L attaches to the close, so only closes inside the window count. The stop-out rule is a heuristic for a margin cascade: a burst of losing closes landing within two minutes of each other. It is stated on the tab and in the workbook so nobody mistakes it for a flag from the trading server. In the example it fired for 706 clients.

4 · Behaviour: baseline and four horizons

```
baseline (5 days before t0, ALL symbols, impacted clients):
base_trades_pd = trades opened in [t0-5d, t0) ÷ 5
base_volume_pd = lots opened in [t0-5d, t0) ÷ 5

for each horizon h ∈ { immediate_4h = 4/24 d, d1 = 1, d2 = 2, d5 = 5 }, trades opened in (t1, t1+h]:
act_h = (count ÷ h_days) ÷ base_trades_pd      → "Activity x" (1.0 = unchanged)
vol_h = (lots ÷ h_days) ÷ base_volume_pd        → "Volume x"
```

Both are ratios to the client's *own* pre-event rate, so a client who normally places 15 trades a day and places 7 in the day after reads `act_d1 = 0.47`. No baseline (no trades in the five days before) gives no ratio, shown as a dash. In the example the median client's five-day activity fell to **0.58×** baseline and volume to **0.29×**.

Login frequency and complaints have no data source in this stack, so trading-activity frequency stands in as the engagement proxy — the tab says so in its footnote.

5 • Funding: horizons, lifetime, tenure and MLTV

```
from the cashflow store, IMPACTED accounts only, kind ∈ {deposit, withdrawal}:
dep_h    = ∑ deposits    with t1 < when ≤ t1 + h
wd_h     = ∑ withdrawals with t1 < when ≤ t1 + h
net_dep_h = dep_h - wd_h

lifetime (everything in the store):
life_deposits, life_withdrawals, net_deposits = life_deposits - life_withdrawals
first_flow    = the client's earliest cash movement of any kind
tenure_months = (latest timestamp in the store - first_flow) ÷ 30.44 days, floored at 1
MLTV         = net_deposits ÷ tenure_months          ($ per month)
```

MLTV is a *rate*, so a six-month client and a three-year client are directly comparable: it ranks who matters by monthly value, not by age. It can be negative for a net withdrawer. The store's freshness matters — if its latest movement predates `t1 + 5d`, the five-day withdrawal figures understate reality, the result carries `withdrawals_covered = false`, and the tab shows a **WITHDRAWAL DATA INCOMPLETE** note until the store is backfilled. For the example the store was current to 13 Sep 14:24, so all horizons were covered.

6 • Impact class

```
stopped_out      if the stop-out signature fired
significant_loss  else if window_pnl ≤ -Sig. loss $
significant_profit else if window_pnl ≥ Sig. profit $
minor           otherwise
```

Order matters: a stopped-out client is classed `stopped_out` even if the dollar loss was small — the −\$126.80 stop-out in section 08 is exactly that.

7 • Reaction anomaly (0–1)

An **Isolation Forest** (200 trees, automatic contamination, fixed seed) is fitted on the behaviour-delta columns — every `act_*`, `vol_*` and `wd_*` value, with missing ratios filled as 1.0 (unchanged). The raw outlier score is min–max scaled to 0–1 *within this run*, so 1.0 means "the most unusual reaction among these impacted clients", not an absolute. It is computed only when at least 20 clients were impacted (otherwise 0). It flags activity collapses, spikes and withdrawal bursts.

8 • Value, label and behaviour change

```
abuse_label = the account's Anti-fraud profile (blank if none)
value_volume = lots traded in the 5-day baseline              ("Value proxy")
high_value   = value_volume ≥ 80th percentile    OR    MLTV ≥ max(80th percentile of MLTV, $1)

behaviour_change reasons (any → behaviour_changed = true):
act_d5 < 0.5 → "trading down >50%"      act_d5 > 2.0 → "trading up >2x"
wd_d5 > 0    → "withdrew $X in 5d"      dep_d5 > 0   → "deposited $X in 5d"
stopped_out → "stopped out"
```

The percentiles are taken across the impacted set for this event, so "high value" is relative to the clients the event actually touched.

9 • Segment, sort, cap, cache


Segmentation is section 05. Rows are then sorted by segment (abuse candidates first) and within each by MLTV descending, and the response carries the **first 800 rows** — the KPIs and segment counts always cover *all* impacted clients (3,004 here), but the table and the workbook list the top 800 by that order. The result is cached in memory under the key `start|end|symbols|loss|profit` (Analyze always forces a fresh compute) and written to `artifacts/event_impact_last.json`, which is what the tab shows on open.

05 • LOGIC

Segmentation, precisely

Four booleans are derived per client, then one ordered decision tree assigns exactly one segment. The first matching rule wins.

```
toxic    = abuse_label ∈ { toxic_flow, persistent_edge, news_vol, bonus_arb, swap_arb }
won      = impact == significant_profit
lost     = impact ∈ { stopped_out, significant_loss }
withdrew = wd_d5 > 0
```



The tree in evaluation order. A client who both won and withdrew is an abuse candidate before any value consideration; a client who lost is never an abuse candidate. Note that a missing `act_d5` (no baseline) never satisfies `< 0.5`.

abuse_candidate Profited inside the window and either carries an exploitative profile, reacted anomalously (anomaly > 0.8), or withdrew within five days. Investigate before any goodwill.	retain_high_value Lost (stop-out or significant loss) and is high value — top-20% baseline volume or MLTV — or is a positive-MLTV funder now withdrawing. Retention outreach first.	compensate_review Lost, not high value. Review for compensation on the event's merits.	monitor Not materially hit, but behaviour shifted: withdrew, reacted anomalously, or trading fell below half baseline. Churn-risk watch.	minimal Impacted in the sense of holding a position, but no material P&L effect and no behavioural shift.
--	---	--	--	---

06 · REFERENCE

Every metric and column

KPIs first, then the twenty-eight workbook columns in their export order (the on-screen table shows a subset). "Example" is the real value from the 4 September run.

KPI strip

KPI	DEFINITION	EXAMPLE
Impacted clients	Clients with any position on the symbols alive during any part of the window.	3,055
Client P&L in window	$\sum \text{window_pnl}$ over impacted clients (realised P&L of closes inside the window).	-\$828,438
Actions in window	$\sum \text{actions_in_window}$ — opens $\cup$ closes $\cup$ held-through positions.	16,026
Opens / closes / held-through	The three components, summed over clients.	4,915 / 9,437 / 4,599
Stopped out	Clients with the ≥ 2 -losing-closes-within-120 s signature.	706
Deposited / Withdrawn / Net within 5d	$\sum \text{dep_d5}$, $\sum \text{wd_d5}$, $\sum \text{net_dep_d5}$ — impacted clients, external money only.	\$1,544,878 / \$1,282,614 / +\$262,264
Behaviour changed	Clients with at least one behaviour-change reason.	2,217
Significant loss / profit	Clients whose impact class is <code>significant_loss</code> / <code>significant_profit</code> (stop-outs are counted separately).	79 / 70
Median MLTV	Median of <code>mltv</code> across all impacted clients.	\$132 / mo
Net deposits (lifetime) — workbook only	$\sum \text{net_deposits}$ across impacted clients.	\$59,740,518

Row columns (workbook order)

COLUMN	WORKBOOK HEADER	MEANING · HOW IT IS CALCULATED	EXAMPLE (MT4_LIVE01:882110)
account	Account (server:login)	Server database and login; links to the account page.	mt4_live01:882110
segment	Segment	Section 05.	retain_high_value
impact	Impact	stopped_out / significant_loss / significant_profit / minor (step 6). The table appends 🛑 for stop-outs.	stopped_out
window_pnl	Window P&L (\$)	$\sum \text{net_profit}$ of closes inside the window. Green/red fill in the workbook.	-\$270,780
actions_in_window	Actions in window	Positions opened in, closed in, or held through the window (union).	8

COLUMN	WORKBOOK HEADER	MEANING · HOW IT IS CALCULATED	EXAMPLE (MT4_LIVE01:882110)
opens_in_window	Opens in window	Positions opened inside [t0, t1].	6
closes_in_window	Closes in window	Positions closed inside [t0, t1] (also window_closes on screen).	8
held_through	Held through	Opened before t0 and closed after t1.	0
lots_in_window	Lots traded in window	Σ volume_lots over positions opened or closed inside the window.	—
stopped_out	Stopped out	YES when the 120-second losing-close burst fired.	YES
behaviour_change	Behaviour change (post-event)	The semicolon-joined reasons from step 8, or stopped out; deposited \$106,913 in 5d blank.	
abuse_label	Behavioural label	The Anti-fraud profile.	high_magnitude
anomaly	Reaction anomaly (0-1)	Isolation-Forest outlier score over activity/volume/withdrawal deltas, scaled within the run (step 7). Shown as % on screen.	0.006
base_trades_pd	Baseline trades/day	Trades opened in the 5 days before t0 ÷ 5 (all symbols).	—
act_immediate_4h · act_d1 · act_d2 · act_d5	Activity × (4h / 1d / 2d / 5d)	Post-event trades-per-day ÷ baseline trades-per-day (step 4). 1.0 = unchanged; blank = no baseline.	act_d5 = 0.713
vol_d5	Volume × (5d)	Post-event lots-per-day ÷ baseline lots-per-day over five days.	—
dep_d5 · wd_d5 · net_dep_d5	Deposited / Withdrawn / Net deposit 5d (\$)	External deposits and withdrawals with t1 < when ≤ t1 + 5d ; net = deposits - withdrawals. (The 4h/1d/2d equivalents exist in the data.)	\$106,913 / \$0 / +\$106,913
mltv	MLTV — net deposits / month (\$)	net_deposits ÷ tenure_months (step 5). Negative for a net withdrawer.	\$773,480 / mo
tenure_months	Tenure (months)	Months (30.44 days) from first cash movement to the store's latest timestamp, minimum 1.	24.0
net_deposits	Net deposits lifetime (\$)	life_deposits - life_withdrawals.	= \$18.55M
life_deposits · life_withdrawals	Lifetime deposits / withdrawals (\$)	Σ external deposits / withdrawals over the store's full history.	—
value_volume	Value proxy (baseline vol)	Lots traded in the 5-day baseline; one half of the high-value test.	—

The response also carries window_closes , high_value , behaviour_changed and the 4h/1d/2d funding columns; they are available to the table's sort chain even where not displayed.

07 · REFERENCE

The Excel workbook

Press `⌘ Excel` and the browser downloads event_impact_XAUUSD_2026-09-04.xlsx — the file name carries the symbols and the window's UTC date. It is built for exactly the parameters on screen, so the workbook and the tab always agree.

RENDERING OF THE SUMMARY SHEET LAYOUT (NOT A SCREENSHOT)

Event Impact Report

XAUUSD · 2026-09-04 12:29:00 → 2026-09-04 12:31:00 (UTC)

Generated 2026-09-13 ...

3,055

Impacted clients

\$1,544,878

Deposited 5d

79

Sig. losses

–\$828,438

Window P&L (client)

\$1,282,614

Withdrawn 5d

70

Sig. profits

16,026

Actions in window

\$262,264

Net deposit 5d

\$132

Median MLTV (\$/mo)

706

Stopped out

2,217

Behaviour changed

\$59,740,518

Net deposits (lifetime)

Segment	Clients
Abuse candidates	50
Retain — high value	303
Compensate / review	482
Monitor	1,043
Minimal / not impacted	1,177

Summary

All results

Abuse candidates

Retain — high value

Compensate - review

Monitor

Minimal - not impacted

Summary: title, window in UTC, generation time, twelve KPIs in a 4 × 3 grid, and the segment table. Then All results and one sheet per segment that has rows, in the same logical order.

- **All results** and each segment sheet carry the same 28 columns in the order of section 06, with a 30-pt dark header row, frozen header and first column, an autofilter on every column, and set widths.
- Currency columns use `$#,##0` with negatives in red; ratios two decimals; counts as integers. **Window P&L** cells are filled green when ≥ 0 and red when negative; **Stopped out** shows `YES` or blank.
- Segment sheet names are the segment labels truncated to Excel's limit, with `"/"` replaced by `"-"`.
- The sheets list the same top-800 rows the tab holds; the Summary KPIs cover every impacted client.

08 · WORKED EXAMPLE

The 4 September event, read closely

The window. 13:29:00–13:31:00 London on Friday 4 September — the minute either side of the 13:30 NFP print (12:30 UTC). Gold only. Baseline 30 Aug – 4 Sep; horizons to 9 Sep 12:31 UTC. The cashflow store was current to 13 Sep, so every funding horizon is fully covered.

What happened. 3,055 clients had gold exposure alive in those two minutes and made 16,026 actions — 9,437 closes, 4,915 opens, 4,599 positions simply held through. Closes inside the window realised **−\$828,438**; the median impacted client lost \$69, the worst single client \$270,780, the best made \$61,200. 706 clients show the stop-out burst. Yet only 79 lost more than \$500 and 70 made more than \$500 — the event was broad and shallow for most, catastrophic for a few.

What they did next. Activity collapsed: the median client's five-day trading ran at 0.58× their baseline and volume at 0.29×, which is why 2,217 clients carry a behaviour-change reason (overwhelmingly "trading down >50%"). Money did *not* leave on net: impacted clients deposited \$1.54M and withdrew \$1.28M over five days, net +\$262k. Lifetime, these clients have net-deposited \$59.7M; the median MLTV is \$132 a month.

How the segments fell out. 50 abuse candidates, 303 retain-high-value, 482 compensate/review, 1,043 monitor, 1,177 minimal. Three rows from the top of their segments show the rules doing their job:

- **mt5_live01:105033431 — abuse candidate.** Made \$759 in the window (significant profit), then traded at **27×** its baseline and deposited \$44,075 within five days — the most anomalous reaction in the run (0.928). Rule 1: won, and anomaly > 0.8. MLTV \$52,002/mo on 1.4 months' tenure.
- **mt4_live01:882110 — retain, high value.** Stopped out for **−\$270,780**, the largest loss of the event, then deposited \$106,913 within five days. `high_magnitude` , 24 months' tenure, MLTV \$773k/mo. High value, so retention first.
- **mt4_live02:2924576 — retain, high value.** Stopped out for −\$121,440, then **withdrew \$200,000** and deposited \$100,000 within five days, trading down more than half. A `martingale` profile with MLTV \$234k/mo over 24 months: rule 2a on both counts — high value, and a positive-MLTV funder now pulling money.
- **mt4_live02:2966076 — compensate / review.** A significant loss of −\$580.50 on a single position, then trading down more than half; MLTV \$1,091 on two months' tenure — not high value, so the loss goes to compensation review on its merits. The −\$126.80 stop-out on `mt4_live04:6870325` lands in the same bucket: a stop-out is a stop-out whatever the dollar size.

Among the 800 rows shown, 465 carry no behavioural label; the rest are mostly `scaLper` (142) and `persistent_edge` (119), with `news_vol` 35, `martingale` 34, `high_magnitude` 3 and `toxic_flow` 2.

09 · LIMITS

Limits and caveats

- **Engagement is a proxy.** Login frequency and complaints have no data source here; trading-activity frequency stands in, and the tab says so.
- **The stop-out flag is a heuristic** (a burst of losing closes), not the server's margin-call record. Tune your reading of it accordingly.
- **Top 800 rows.** Totals and segment counts cover everyone; the table and sheets carry the first 800 by segment-then-MLTV. For a very broad event the tail of the Minimal segment is not listed.
- **Anomaly is relative** to the impacted set in this run, and needs at least 20 impacted clients.
- **Percentile thresholds** (high value) are also relative to this run's impacted set.
- **Funding freshness.** Watch for the WITHDRAWAL DATA INCOMPLETE note; backfill the cashflow store and re-run Analyze if it appears.
- **Only as current — and as clean — as the local stores.** The trade warehouse is refreshed incrementally from a watermark; check it covers the whole horizon (t1 + 5 days) before trusting held-through and post-event activity figures. A fix to an extractor does not rewrite partitions already on disk: in September 2026 both stores were found to hold cent-account money and lots at 100× (rows extracted before cent deflation was added — all cash months before July, all trades closed before ~3 September) and were rebuilt in full. After any extractor change, re-backfill rather than refresh.
- **MLTV can be negative** (net withdrawer) and tenure is floored at one month, so brand-new funders show their whole net deposit as a monthly rate.
- **Times are London wall time** on input and UTC on output; mind the US/UK daylight-saving mismatch weeks for the NFP preset.
- **A refreshed run replaces the cached last analysis** shown on tab open, for everyone.

10 · REFERENCE

API reference

All endpoints require a signed-in user with the Trading view. Times in London wall time, as on the tab.

ENDPOINT	PURPOSE · PARAMETERS
GET /api/antifraud/event_impact	With no parameters: the last analysis, instantly. With <code>start</code> , <code>end</code> , <code>symbols</code> , <code>loss_limit</code> (500), <code>profit_limit</code> (500), <code>refresh</code> (0/1): analyze. Returns rows, <code>n_impacted</code> , window (UTC), totals, segments, <code>cashflow_current_to</code> , <code>withdrawals_covered</code> , notes, <code>generated_at</code> .
GET /api/antifraud/event_impact/nfp	The NFP preset: <code>start</code> , <code>end</code> , <code>symbols</code> , <code>label</code> .
GET /api/antifraud/event_impact.xlsx	Same parameters as analyze (or none for the last analysis); returns the workbook as an attachment.
GET /api/antifraud/events	Auto-detected one-minute moves from the tick tape (7 days), with suggested windows.

ENDPOINT	PURPOSE · PARAMETERS
GET /api/antifraud/calendar	The three-week macro calendar with London times (refresh=1 to refetch).

Source of truth. The analysis is webapp/event_impact.py (analyze , _analyze_inner , build_excel , last_nfp , detect_events); the tab is the Event Impact panel in templates/trading/antifraud.html ; funding classification is webapp/cashflow.py ; London→UTC is econ_calendar.ldn_to_utc .