


# [Algo] Matrix Rotation

## Problem Statement

You are given a 2D matrix,  $a$ , of dimension  $M \times N$  and a positive integer  $R$ . You have to rotate the matrix  $R$  times and print the resultant matrix. Rotation should be in anti-clockwise direction.

Rotation of a  $4 \times 5$  matrix is represented by the following figure. Note that in one rotation, you have to shift elements by one step only (refer sample tests for more clarity).



Matrix Rotation

It is guaranteed that the minimum of  $M$  and  $N$  will be even.

## Input

First line contains three space separated integers,  $M$ ,  $N$  and  $R$ , where  $M$  is the number of rows,  $N$  is number of columns in matrix, and  $R$  is the number of times the matrix has to be rotated.

Then  $M$  lines follow, where each line contains  $N$  space separated positive integers. These  $M$  lines represent the matrix.

## Output

Print the rotated matrix.

## Constraints

$$2 \leq M, N \leq 300$$

$$1 \leq R \leq 10^9$$

$$\min(M, N) \% 2 == 0$$

$$1 \leq a_{ij} \leq 10^8, \text{ where } i \in [1..M] \& j \in [1..N]$$

## Sample Input #00

```
4 4 1
1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
```

## Sample Output #00

```
2 3 4 8
1 7 11 12
5 6 10 16
```

9 13 14 15

### Sample Input #01

```
4 4 2
1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
```

### Sample Output #01

```
3 4 8 12
2 11 10 16
1 7 6 15
5 9 13 14
```

### Sample Input #02

```
5 4 7
1 2 3 4
7 8 9 10
13 14 15 16
19 20 21 22
25 26 27 28
```

### Sample Output #02

```
28 27 26 25
22 9 15 19
16 8 21 13
10 14 20 7
4 3 2 1
```

### Sample Input #03

```
2 2 3
1 1
1 1
```

### Sample Output #03

```
1 1
1 1
```

### Explanation

*Sample Case #00:* Here is an illustration of what happens when the matrix is rotated once.

```
1 2 3 4      2 3 4 8
5 6 7 8      1 7 11 12
9 10 11 12  -> 5 6 10 16
13 14 15 16   9 13 14 15
```

*Sample Case #01:* Here is what happens when to the matrix after two rotations.

```
1 2 3 4      2 3 4 8      3 4 8 12
5 6 7 8      1 7 11 12     2 11 10 16
9 10 11 12  -> 5 6 10 16  -> 1 7 6 15
```

13 14 15 16      9 13 14 15      5 9 13 14

*Sample Case #02:* Following are the intermediate states.

```
1  2  3  4      2  3  4 10      3  4 10 16      4 10 16 22
7  8  9 10      1  9 15 16      2 15 21 22      3 21 20 28
13 14 15 16 -> 7  8 21 22 -> 1  9 20 28 -> 2 15 14 27 ->
19 20 21 22      13 14 20 28      7  8 14 27      1  9  8 26
25 26 27 28      19 25 26 27      13 19 25 26      7 13 19 25
```

```
10 16 22 28      16 22 28 27      22 28 27 26      28 27 26 25
 4 20 14 27      10 14  8 26      16  8  9 25      22  9 15 19
 3 21  8 26 ->  4 20  9 25 -> 10 14 15 19 -> 16  8 21 13
 2 15  9 25      3 21 15 19      4 20 21 13      10 14 20  7
 1  7 13 19      2  1  7 13      3  2  1  7      4  3  2  1
```

*Sample Case #03:* As all elements are same, any rotation will reflect the same matrix.

**Tested by:** [Tusshar Singh](#), [Abhiranjan](#)