
balance_0_d8_20261106; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1


balance_0_d8_20261107; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1
Completed optimizer updates


balance_0_d8_20261108; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1


balance_1_d8_20261106; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1


balance_1_d8_20261107; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
Completed optimizer updates
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1


balance_1_d8_20261108; training and validation weights are recorded in configuration
Reconstruction nats per weighted row
Completed optimizer updates
train weighted
validation
selected βval=1
selected βval=0.1
KL nats per weighted row
validation KL, sum over latent dimensions
selected βval=1
selected βval=0.1
Completed optimizer updates